

# CK65/CK67 MOBILE COMPUTER

---

Accessories Guide

---

Honeywell

# **TABLE OF CONTENTS**

3	Docks and Modules
4	Docks and Modules (cont.)
	Holsters and Handles
5	Batteries
6	Cables
7	Power Supplies and Adapters
8	Replacement Parts
9	Flex Dock Supplies
10	Snap-On Adapters

# DOCKS AND MODULES



CK67-CB-UVN-0

## CK67 non-booted 4-bay device charger

Accommodates up to four (4) devices, charge only. Kit includes power supply. Country-specific AC power cord must be ordered separately.



CK67-NB-UVN-0

## CK67 non-booted 4-bay device ethernet homebase / charger

Accommodates up to four (4) devices, ethernet homebase / charger. Kit includes power supply. Country-specific AC power cord must be ordered separately.



871-231-102

## Vehicle Dock

Securely holds CK65/CK67 and provides power. Cabled RS-232 (5 V power on pin 9) or USB Host support is also available.

Requires use of Honeywell RS-232 serial cable 225-737-002 or Honeywell USB cable VE011-2016. The CK65/CK67 Series vehicle dock uses the same mounting system (805-611-001) and vehicle power kits (203-802-002).



871-236-001

## Vehicle Holder

Securely holds CK65 and CK67.

**Note:** The vehicle holder does not come with mounting system. If you want the mounting system, you need to order 805-611-001.



CK67-HB-UVN-0

## Home Base Non-Booted

Accommodates one device and one battery, power only. Regional power cord purchased separately.



CK67-HB-UVN-0

## eHome Base Non-Booted (Ethernet)

Accommodates one device and one battery, power and ethernet.

Regional power cord purchased separately.



CK67-HB-UVB-0

## Home Base Booted

Accommodates one device and one battery, power only. Regional power cord purchased separately.



CK67-EB-UVB-0

## eHome Base Booted (Ethernet)

Accommodates one device and one battery, power and ethernet. Regional power cord purchased separately.

## DOCKS AND MODULES (cont.)



CK67-UCP-N

### CK67 Non-Booted Cup

Non-booted cup for use with Universal charging docks.  
Compatible with CK67 and CK65.



CK67-UCP-B

### CK67 Booted Cup

Booted cup for use with Universal charging docks.  
Compatible with CK67 and CK65.

## HOLSTERS AND HANDLES



815-087-001

### Standard Belt Holster – without Scan Handle

CK65 rugged lightweight holster with belt designed for use with handheld applications without scan handle.



815-088-001

### Standard Belt Holster – with Scan Handle

CK65 rugged lightweight holster with belt designed for use with handheld applications with scan handle.



203-879-003

### Scan Handle

Customer-installable scan handle (replaces the hand strap) that supports the CK65, CK67.



213-063-001

### Kit, Rubber Protective Boot

For CK65 computer with EX20 scan engine.



213-064-001

### Kit, Rubber Protective Boot

For CK65 computer with 6703 and 6803 scan engines.



CK65-SCH

### CK65 Rugged Scan Handle

Rugged, customer-installable scan handle (replaces the hand strap) that supports the CK65.



CK67-SCH

### CK67 Rugged Scan Handle

Rugged, customer-installable scan handle for CK67.



CK67-PB-1

### CK67 Rubber Boot

For all CK67 models

# BATTERIES



318-033-021

## Standard Capacity Battery Pack

One (1) standard rechargeable 7.4 watt hours (2000 mAh) battery. Compatible with CK65.



318-063-001

## Extended Capacity Battery Pack

One (1) extended rechargeable 25.2 watt hours (7000 mAh) battery pack. CK65 ships with one (1) battery. Compatible with CK65.



318-046-031

## Extended Capacity "Smart" Battery Pack

One (1) standard rechargeable 18.5 watt hours (5200 mAh). Supports CK65. Cannot be charged in the Quad Battery Charger or the battery bay of Single Dock.



318-063-002

## Cold Storage Battery Pack

One (1) extended rechargeable 18.5 watt hours (5200 mAh) battery pack optimized for Cold Storage environments. CK65 Cold Storage models ship with one (1) battery. Only compatible with CK65 Cold Storage models.



318-063-003

## NI/ATEX Battery Pack

One (1) extended rechargeable 25.2 watt hours (7000 mAh) NI/ATEX battery pack. CK65 NI/ATEX models ship with one (1) battery. Compatible with CK65 NI and ATEX models.



CK67-BTSC-001

## CK67 Standard Capacity Battery

CK67 standard capacity battery pack, 7000mAh. CK67 ships with one (1) battery.



CK67-BTCS-001

## Cold Storage Battery Pack

CK67 cold storage battery pack, 7000mAh. CK67 cold storage model ships with one (1) battery.



CK67-BTHA-001

## CK67 NI/ATEX Battery

CK67 NI/ATEX battery pack, 7000mAh. CK67 NI/ATEX model ships with one (1) battery.

# CABLES



CBL-500-120-S00-03

**USB Type A to Micro USB, 1.2 m**

Charging and USB communication cable, USB Type A to Micro USB, 1.2 m (3.9 ft).



236-297-001

**USB Charging and Communications Cable**

Use with CK65 for USB connection and for ActiveSync (ActiveSync for Windows® Mobile and USB communication for CK65 Android™ device) and/or direct charging without the need for a dock or adapter (note charge times will be longer)..



CBL-015-250-C00

**Granit Dock Cable**

Use with CK65 and Vehicle Dock to connect Granit™ scanner.



CK67-USBC-2PD

**CK67 USB-C Cable**

One (1) USB Type A to USB-C Cable for CK67.



# POWER SUPPLIES AND ADAPTERS



203-990-001

## Wall Power Supply, Standard

Wall Power Supply except China and US. Use with CK65/CK3X/CK3R; plugs directly into the heel for charging. Ships with interchangeable country plugs except China.



203-990-002

## Wall Power Supply, Standard

USA only, CK3X/CK3R/CK65 AC Adapter Kit, 10W, with cable.



213-045-001

## Wall Power Supply, China Only

China-only Wall Power Supply. Use with CK65/CK3X/CK3R; plugs directly into the heel for charging.



851-064-416

## Universal Power Supply, 12V DC Output

Use with multi-docks (871-229-201, 871-229-202, 871-229-301, and 871-229-302). Order country-specific AC power cord separately.



851-061-502

## Power Supply for Non-US Customers, 12V DC/30 W Output

Use with single dock (871-228-201) or quad battery charger (871-230-101). Order country-specific AC power cord separately. Not for US or EU customers.



3011-8248-001

## Level VI Power Supply, 12V DC/30 W Output

Use with single dock (871-228-301) or quad battery charger (871-230-301). US and EU customers only.



851-065-315

## Power Supply for Rest of World, except North America and LATAM, 12V DC/18 W Output

Use with 850-817-002 power snap-on adapter.



851-811-001

## Power Supply for North America and LATAM, 12V DC/18 W Output

Use with 850-817-002 power snap-on adapter.

# REPLACEMENT PARTS



CN80-STY-5SH

## Stylus Replacement Kit

Contains five (5) sets of stylus and coiled tether for CK65. Not compatible with CK3X/CK3R.



203-986-001

## Stylus Replacement Kit

Contains five (5) sets of stylus and coiled tether for CK3X/CK3R. Not compatible with CK3B.



8754-870650-01

## Hand Strap Replacement Kit

Contain five (5) sets of hand straps for CK65, including mounting hardware. Not compatible with CK3X/CK3R.



203-987-002

## Hand Strap Replacement Kit

Contains five (5) sets of hand straps for CK3X/CK3R. Includes mounting hardware.

CK67-HS-5PK

## CK67 Hand Strap, 5 Pack

Contains five (5) sets of hand straps for CK67, including mounting hardware

346-065-101

## Screen Cleaner Kit, Pre-Moist Wipes

Includes 24 pre-moistened, non-abrasive, non-streaking 10.2 cm x 17.8 cm (4 in x 7 in) wipes.



346-069-107

## Screen Protector, 10 Pack

Contains 10 self-adhesive screen protectors for CK3X/CK3R.

213-065-001

## Glass Screen Protector Kit, 5 Pack

Contains five (5) self-adhesive glass screen protectors for CK65. Not compatible with CK3X/CK3R.

CK67-SP-1PK

## CK67 Screen Protector, 1 Pack

Contains one (1) self-adhesive screen protector for CK67



715-549-002FRE

## Replacement I/O Cover

Contains one (1) replacement I/O cover for use with Non-Incendive (NI) or ATEX models of CK65.



CK65-UCP-N

## CK65 device charger cup replacement

Replacement cup adapter for CK65-CB-UVN-0 or CK65-NB-UVN-0.



# FLEX DOCK SUPPLIES



DX4A1444410

## Quad Dock – Ethernet

Accommodates four mobile computers. Includes power supply, North American power cord. Features 100Base-T Ethernet connectivity; provides two RJ45 jacks for upstream connections and downstream “daisy-chain” connections of up to 10 docks



DX4A1444400

## Quad Dock – Ethernet

Accommodates four mobile computers. Includes power supply. Order power cord separately. Features 100Base-T Ethernet connectivity; provides two RJ45 jacks for upstream connections and downstream “daisy-chain” connections of up to 10 docks.



DX4A2444410

## Quad Dock – Charge Only

Accommodates four mobile computers – CHARGE ONLY. Includes power supply and North American power cord.



DX4A2444400

## Quad Dock – Charge Only

Accommodates four mobile computers – CHARGE ONLY. Includes power supply. Order power cord separately.



203-917-001

## FlexDock Cup for Battery Pack

FlexDock Cup for battery pack supporting CK65/CK3/CK70/CK71/CK75. Need to order FlexDock Base Desktop (852-920-002) separately.



203-916-001

## FlexDock Cup for Mobile Computer

FlexDock Cup for mobile computer supporting CK65/CK3. Need to order FlexDock Base Desktop (852-920-002) separately.



DX2A2BB10

## 4-Position Battery Charger

Includes two auxiliary pack charge cups, capable of supporting four battery packs. Includes power supply and North American power cord.



DX2A2BB20

## 4-Position Battery Charger

Includes two auxiliary pack charge cups, capable of supporting four battery packs. Includes power supply. Order power cord separately.



DX4A2BBBB10

## 8-Position Battery Charger

Includes four auxiliary pack charge cups, capable of supporting eight battery packs. Includes power supply and North American power cord.



DX4A2BBBB00

## 8-Position Battery Charger

Includes four auxiliary pack charge cups, capable of supporting eight battery packs. Includes power supply. Order power cord separately.

# SNAP-ON ADAPTERS



871-230-101

## Power Snap-On Adapter

Recommended for in-field charging solutions not requiring vehicle dock. Supports use of AC power supply 851-065-315 (Rest of World, except North America and LATAM). Power supply 851-811-001 for North America and LATAM only.



871-230-301

## Quad Battery Charger, US Only

Accommodates up to four (4) battery packs. US customers only. Requires level VI power supply 851-810-002 and US AC power cord. Not compatible with CK7X battery (318-046-031).

## For more information

[automation.honeywell.com](http://automation.honeywell.com)

## Honeywell Industrial Automation

855 S Mint St  
Charlotte, NC 28202  
800-582-4263  
[www.honeywell.com](http://www.honeywell.com)

Android is a trademark or registered trademark of Google LLC.  
Windows is a trademark or registered trademark of Microsoft Corporation.  
Granit is a trademark or registered trademark of Honeywell International, Inc.  
All other trademarks are the property of their respective owners.

CK65/CK67 Mobile Computer Accessories Guide | Rev A | 0924  
© 2024 Honeywell International Inc.

**Honeywell**