



CUT RESISTANT GLOVE GUIDE

WHAT ANSI* CUT LEVEL DO I NEED?

	RISK LEVEL	TYPICAL APPLICATIONS
A9	Extreme Cut Hazards	• Heavy duty handling of castings and fabricated metals • Pulp and paper applications • Butcher, meat packaging
A8	Very High Cut Hazards	
A7	High Cut Hazards	• Automotive manufacturing • Metal stamping • Plastic machining
A6	Heavy Cut Hazards	
A5	Medium to Heavy Cut Hazards	• Heavy metal fabrication • Food chopping/processing
A4	Medium Cut Hazards	• Metal fabrication • Glass handling
A3	Light to Medium Cut Hazards	• Construction • Facilities maintenance
A2	Light Cut Hazards	• General warehouse receiving/packaging • Handling small parts, wires or cables

*American National Standards Institute

WHICH LINER SHOULD I USE?



FEATURE	Dyneema®/HPPE	Kevlar®
Cut Resistant	✓	✓
Strength vs. Steel	15x	5x
Lightweight	✓	
Bleachable	✓	
Heat Resistant		✓


1-800-295-5510 uline.com

WHAT COATING DO I NEED?




COATING	Polyurethane	Nitrile	Latex
Benefits	Flexible for dexterity and comfort	Puncture/abrasion resistant and grips when wet	Thick textured coating for best overall grip
Applications	General purpose	Oily and wet surfaces	Dry, rough surfaces


WHAT GAUGE DO I NEED?






WHAT ABRASION LEVEL DO I NEED?



DESCRIPTION	ANSI Cut Level	ANSI Abrasion Level	Material	Palm Coating	Gauge
 S-14249 Uline Dyneema®	A2	6	Dyneema®	Polyurethane	13
 S-20703 Uline Durarmor™	A2	3	HPPE	Polyurethane	13
 S-21574 Uline Durarmor™ Stealth	A2	6	HPPE	Polyurethane	15
 S-23342 Uline Durarmor™ Grip	A2	2	HPPE	Latex	13
 S-24007 Uline Diamond Flex	A3	5	Dyneema® Diamond	Polyurethane	18
 S-23323 Uline Diamond	A3	4	Dyneema® Diamond	Nitrile	15
 S-24006 Uline Diamond Elite	A4	5	Dyneema® Diamond	Nitrile	15
 S-22779 Uline Durarmor™ Elite	A4	4	HPPE Blend	Nitrile	13
 S-22780 Uline Durarmor™ Elite Plus	A6	4	HPPE Blend	Nitrile	13
 S-24003 Uline Durarmor™ Max	A8	4	HPPE Blend	Nitrile	13
 S-23343 Uline Gription® Cut Resistant Lime or Black	A3	6	HPPE Blend	Silicone	13
 S-24002 Uline Durarmor™ Ice Lime or Black	A4	4	Outer Liner: HPPE Blend Inner Liner: Acrylic	Nitrile	13
 S-19705 Ansell HyFlex® 11-518	A2	3	Dyneema® Diamond	Polyurethane	18

DESCRIPTION	ANSI Cut Level	ANSI Abrasion Level	Material	Palm Coating	Gauge
 S-19711 Ansell HyFlex® 11-644	A2	5	HPPE	Polyurethane	13
 S-22150 MaxiFlex® 34-8743	A2	3	HPPE Blend	Nitrile	18
 S-24024 MaxiFlex® 34-8443	A2	3	HPPE Blend	Nitrile	18
 S-23911 MaxiCut® Ultra™ 44-3745	A3	4	HPPE Blend	Nitrile	15
 S-14320 Ninja® Max	A3	4	Dyneema® Blend	Polyurethane, Nitrile	10
 S-20768 Ironclad® Kong Cut 5 Knit	A3	6	HPPE Blend	Nitrile	13
 S-19247 Ansell HyFlex® 74-047 Light Weight	A4	3	Dyneema® Blend	Uncoated	13
 S-19248 Ansell HyFlex® 74-048 Medium Weight	A6	4	Dyneema® Blend	Uncoated	10
 S-7893 Industrial Knit Kevlar®	A3	2	Kevlar®	Uncoated	7
 S-9867 Uline Rubber Coated Kevlar®	A2	3	Kevlar®	Latex	10
 S-16858 Uline Foam Nitrile Coated Kevlar®	A2	3	Kevlar®	Nitrile	13
 S-19216 Ansell HyFlex® Lite 11-500	A2	3	Kevlar®	Nitrile	15
 S-21085 Ansell HyFlex® Comfort 11-510	A2	4	Kevlar®	Nitrile	15

1-800-295-5510 uline.com

DESCRIPTION	ANSI Cut Level	ANSI Abrasion Level	Material	Palm Coating	Gauge
 S-9866 PVC Dot Knit	A3	3	Kevlar®	PVC Dots	7
 S-15331 Uline Super Gription® Kevlar®	A3	3	Kevlar®	Latex	10
 S-19706 Ansell HyFlex® Heavy Duty 11-501	A5	3	Kevlar® Blend	Nitrile	13
 S-19707 Ansell HyFlex® 11-511	A4	4	Kevlar® Blend	Nitrile	13
 S-22765 HexArmor® 9011	A7	4	SuperFabric®, Polyester, Cotton	Latex	10
 S-22766 HexArmor® 9014	A9	4	SuperFabric®, Polyester, Cotton	Latex	10
 S-18009 Steel Mesh	A9	N/A	Steel	Uncoated	N/A
 S-22781 Uline HPPE A2 Sleeve Black or Gray	A2	4	HPPE	Uncoated	13
 S-23996 Uline HPPE A4 Sleeve	A4	4	HPPE Blend	Uncoated	13
 S-21087 Ansell HyFlex® 11-211 Sleeve	A2	4	HPPE	Uncoated	13
 S-11432 Kevlar® Sleeve with Thumbhole	A3	2	Kevlar®	Uncoated	7
 S-21086 Kevlar® Sleeve without Thumbhole	A3	2	Kevlar®	Uncoated	7