Product parameter

• Connection mode: 2.4G+ Bluetooth 1+ Bluetooth 2

Number of kevs: 3

• Size: 98.3 (L) × 81 (W) × 58 (H) 0.2mm.

• Product weight: charging 118g (including receiver)

• Bluetooth name: BT5.2 mouse

• DPI: 1200 (default)

• Micro movement from left to right: 3 million times

Encoder: 200,000 times
Rated current: ≤10MA
Rated voltage: 3.7V

• Battery capacity: 14500/500MA

• Charging voltage: 5V

Charging current: < 280MACharging time: 2-3 hours

• Usage time: 2-3 months for rechargeable battery. (there will be differences due to different personal usage).

• System requirements: the operating platform is Windows 2000 /WinXP /Win7 /Win8 /Win10, and drivers may be needed under Win95 and Win98 systems.

Product picture



Model:891

1. Left key 2. right key 3. Scroll wheel (middle key) 4. Charging port 5. Mode switch key 6. Power switch 7. Receiver compartment 8. Mode indicator light

Mouse Instructions:

1. Simple operation instructions:

(1) 2.4G mode:

Open the package, take out the mouse, slow flash prompt when not paired, press and hold the mode switch button for 3 seconds, in the 2.4G state, the indicator light will light up red, and the indicator light will flash quickly into the pairing state, and then insert the receiver into the USB port of the computer, and the mode indicator will be on for 3 seconds to prompt the connection is successful, and you can use it.

(2) Bluetooth wireless mode:

Open the package, take out the mouse, flash the prompt slowly when it is not paired, press and hold the mode switch button for 3 seconds, the indicator light will be green in BT channel 1, and blue in BT channel 2 (click to switch). The indicator flashes quickly to enter the pairing state, the wireless name is BT MOUSE, open the device to search for the corresponding Bluetooth name, the mode indicator lights up for 3 seconds to indicate that the connection is successful, and it can be used after the pairing connection is successful.

Mouse Indicator Description:

Independent indicators, each with the following functions:

2.4G mode light: Red

wireless 1 mode light: Green wireless 2 mode light: blue

Charging light: red, (the indicator light is on when charging, and turns off when full)

Low light: red (voltage below 3.3V, red light flashes, indicating to charge)

FCC Declaration of Conformity:


This device complies th part 15 of the FCC Rules. Operation is subject to the following two conditions:


- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

USB PD is supported

1.USB Po fast charging

2.the power delivered by the charger must be between min 5w Wats required by the radio equipment, and ma 10w Watts in order to achieve the maximum charging speed.





FCC Caution:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception,

which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -- Reorient or relocate the receiving antenna.
- -- Increase the separation between the equipment and receiver.
- -- Connect the equipment into an outlet on a circuit different

from that to which the receiver is connected.

-- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.