



JOHNSTONE SUPPLY

NEW ORLEANS
1400 EDWARDS AVE.
HARAHAN, LA 70123
P: 504-733-1495
F: 504-733-0616

B. R. - COURSEY
11030 COURSEY BLVD.
BATON ROUGE, LA 70816
P: 225-295-7019
F: 225-295-0161

SLIDELL
530 J.F. SMITH AVE.
SLIDELL, LA 70460
P: 985-641-8151
F: 985-641-2604

B. R. - TOM DR.
1688 WOODDALE BLVD.
BATON ROUGE, LA 70806
P: 225-925-1618
F: 225-925-0616

www.johnstonesupply.com

SYSTEMS GUIDE

VERSION 27

GOODMAN & DAIKIN EQUIPMENT PRICING



Air Conditioning & Heating



This price book was created with your current pricing at the date stamp of the book which includes any and all Special Pricing (flyers, national programs, etc.). All pricing is subject to change and Special Pricing will follow the rules, conditions, and timelines of the Special Pricing program.

NOTE: Retail equipment price sheet to meet your specific needs available upon request.

Version 27 Effective Date:
08/26/20

GOODMAN WARRANTY MATRIX



To receive the 10-Year Parts Limited Warranty, 10-Year Compressor Limited Warranty, 10-Year Unit Replacement, Limited Warranty, Lifetime Heat Exchanger Limited Warranty, and Lifetime Compressor Limited Warranty, online registration is required within 60 days of installation. For full warranty details, visit www.goodmanmfg.com. To register ADP products, visit adpwarranty.com.

Residential / Single Family / Owner Occupied

Type	Model	Parts			Compressor		Unit Replacement			Heat Exchanger	
		12 Year	10 Year	7 Year	Lifetime	7 Year	10 Year	2 Year	1 Year	Lifetime	20 Year
Air Conditioners	GSXC18 & GSXC16		✓		✓ ⁺		✓ ⁺				
	GSX16 & GSX14		✓					✓			
	VSX14			✓		✓			✓		
Heat Pumps	GSZC18 & GSZC16		✓		✓ ⁺		✓ ⁺				
	GSZ16 & GSZ14		✓					✓			
	VSZ14			✓		✓			✓		
Gas Furnaces	GMVC, GMEC, GME & GMH		✓				✓			✓	
	GMES, GMS							✓			
	VMES, VMS			✓					✓		✓
Air Handlers & Coils	AVPTC, ASPT, ASUF, ARUF		✓								
	CAPF, CHPF & CSCF										
ADP Air Handlers	"F" Series		✓								
Ductless	Multi-Zone, Quaternity, LV, 20, 19, Vista	✓									
	17, (NV & SkyAir - 10 Year Comm. Warranty)		✓								

Commercial / Multi-Family (Non-Owner Occupied)

All Equipment	Commercial Application has a 5 year Parts & Compressor Warranty, except for SkyAir & NV products Multi-Family has a 10 year Parts & Compressor Warranty.
---------------	---

+ MUST Be Installed with a New Indoor Coil or Air Handler to receive Unit Replacement Warranty.

Table of Contents

Residential Split Systems

Page		Page	
4	1.5 Ton Horizontal Gas Systems	18	3 Ton Multi - Position Electric Systems
5	1.5 Ton Vertical Gas Systems	19	3 Ton Heat Pump Systems
6	1.5 Ton Multi - Position Electric Systems	20	3.5 Ton Horizontal Gas Systems
7	1.5 Ton Heat Pump Systems	21	3.5 Ton Vertical Gas Systems
8	2 Ton Horizontal Gas Systems	22	3.5 Ton Multi - Position Electric Systems
9	2 Ton Vertical Gas Systems	23	3.5 Ton Heat Pump Systems
10	2 Ton Multi - Position Electric Systems	24	4 Ton Horizontal Gas Systems
11	2 Ton Heat Pump Systems	25	4 Ton Vertical Gas Systems
12	2.5 Ton Horizontal Gas Systems	26	4 Ton Multi - Position Electric Systems
13	2.5 Ton Vertical Gas Systems	27	4 Ton Heat Pump Systems
14	2.5 Ton Multi - Position Electric Systems	28	5 Ton Horizontal Gas Systems
15	2.5 Ton Heat Pump Systems	29	5 Ton Vertical Gas Systems
16	3 Ton Horizontal Gas Systems	30	5 Ton Multi - Position Electric Systems
17	3 Ton Vertical Gas Systems	31	5 Ton Heat Pump Systems
		32	Split System Accessories (Clean Comfort IAQ & EWC Zoning)

Mini-Split Systems

Page		Page	
33	Single Zone Mini-Split 3/4 Ton Systems	39	Single Zone Mini-Split 3 Ton Systems
34	Single Zone Mini-Split 1 Ton Systems	40	Single Zone Mini-Split 3.5 & 4 Ton Systems
35	Single Zone Mini-Split 1 1/4 Ton Systems	41 - 42	Multi-Split Outdoor Units & Combinations
36	Single Zone Mini-Split 1 1/2 Ton Systems	43	Multi-Split Indoor Fan Coils
37	Single Zone Mini-Split 2 Ton Systems	44	Daikin Controls & SkyAir Accessories
38	Single Zone Mini-Split 2.5 Ton Systems	45	all other Mini-Split Accessories

Split Systems & Packaged Units - COMMERCIAL NOT PRICED

Page		Page	
46	Residential Heat Pump, Cooling, & Gas Packaged Units	48	Commercial Cooling Package Units 3 - 25 Tons
47	Commercial Split Systems 3 - 10 Tons	49	Commercial Gas Package Units 3 - 25 Tons



SYSTEMS GUIDE

Pricing Guide



1½ TON HORIZONTAL / GAS SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Furnace			TXV	Trans.	Stat
		Model #	H x W x D	Type	Model #	H x L x D	Model #	H x L x D	Stage			
16 17.8K	200-173B 203881179	GSX16S18	32 x 29 x 29	1 Stage	CHPF3636B (Butt)	17½ x 26 x 21	GMEC800403A	14 x 33 x 28	2 Stage ECM	TXV-30	SST	Not Included
15 17.2K	200-163B 203457145	GSX14019	28 x 26 x 26	1 Stage	CHPF3636B (Butt)	17½ x 26 x 21	GMES800403A	14 x 33 x 28	1 Stage ECM	TX2N4A	SST	Not Included
14 17.8K	200-177B 202517692	VSX14018	28 x 26 x 26	1 Stage Builders	CHPF2430B (Butt)	17½ x 26 x 21	GMES800403A	14 x 33 x 28	1 Stage ECM	TX2N4A	SST	Not Included

Evaporator Coil Options

Evap Coil Price	Feature	H x W x D	GSX16	GSX14	VSX14
CSCF3036	Slab	24½ x 33 x 12	200-173 203880889 16 SEER / 17.4K	200-163N 203457151 15 SEER / 17.4K	200-177 202517693 14 SEER / 17.8K

Capacities Listed per AHRI Standard: **95°** Outdoor Amb. Temp. / **80°** I.D.B. / **67°** I.W.B.



SYSTEMS GUIDE

Pricing Guide



1½ TON VERTICAL / GAS SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Furnace			TXV	Trans.	Stat
		Model #	H x W x D	Type	Model #	H x W x D	Model #	H x W x D	Stage			
16 18.0K	200-171 203880847	GSX16S18	32 x 29 x 29	1 Stage	CAPFA1818A	18 x 14 x 21	GMEC800403A	33 x 14 x 28	2 Stage ECM	TXV-30	Flush	Not Included
15 18.0K	200-161 203457125	GSX14019	28 x 26 x 26	1 Stage	CAPFA1818A	18 x 14 x 21	GMES800403A	33 x 14 x 28	1 Stage ECM	TX2N4A	Flush	Not Included
14 18.0K	200-175 201953575	VSX14018	28 x 26 x 26	1 Stage Builders	CAPFA1818A	18 x 14 x 21	GMES800403A	33 x 14 x 28	1 Stage ECM	Not Included	Flush	Not Included

Capacities Listed per AHRI Standard: **95°** Outdoor Amb. Temp. / **80°** I.D.B. / **67°** I.W.B.



SYSTEMS GUIDE

Pricing Guide



1½ TON MULTI - POSITION ELECTRIC SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Modular Blower or A/H			TXV	Heat Kit	Stat
		Model #	H x W x D	Type	Model #	H x W x D	Model #	H x W x D	Stage			
16 18.0K	200-172 201384173	GSX16018	32 x 29 x 29	1 Stage	N/A		ASPT25B	45 x 17½ x 21	Multi - ECM	TXV in Air Handler	HKSC05XC	Not Included
14 17.8K	200-162 201298599	GSX14019	28 x 26 x 26	1 Stage	N/A		ARUF25B	45 x 17½ x 21	Multi - PSC	Not Included	HKSC05XC	Not Included
14 17.0K	200-162W 202533506	GSX14019	28 x 26 x 26	1 Stage	WAD-1-AM (Wall Access Door)		AWUF190516	36 x 20¾ x 16¾	Multi - PSC	Not Included	Heat Kit in Air Handler	Not Included
14 17.8K	200-176 202517695	VSX14018	28 x 26 x 26	1 Stage Builders	N/A		ARUF25B	45 x 17½ x 21	Multi - PSC	Not Included	HKSC05XC	Not Included
14 17.0K	200-176W 202526568	VSX14018	28 x 26 x 26	1 Stage Builders	WAD-1-AM (Wall Access Door)		AWUF190516	36 x 20¾ x 16¾	Multi - PSC	Not Included	Heat Kit in Air Handler	Not Included

Air Handler Options

Air Handler Price	Feature	H x W x D	GSX16	GSX14	VSX14
FCME31118	Smaller	36 x 15 x 22 ADP			200-176A 201415817 14 SEER / 17.0K
FCME33125	Smaller	41 x 18½ x 22 ADP		200-162A 204539839 14.5 SEER / 18.0K	

Capacities Listed per AHRI Standard: 95° Outdoor Amb. Temp. / 80° I.D.B. / 67° I.W.B.



SYSTEMS GUIDE

Pricing Guide



1½ TON HEAT PUMP SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Modular Blower or A/H			TXV	Heat Kit	Stat
		Model #	H x W x D	Type	Model #	H x W x D	Model #	H x W x D	Stage			
16 18.0K	200-174 201666990	GSZ16018	36 x 29 x 29	1 Stage	N/A		ASPT29B	53 x 17½ x 21	Multi - ECM	TXV in Air Handler	HKSC05XC	Not Included
14 17.6K	200-164 202630554	GSZ14018	35 x 29 x 29	1 Stage	N/A		ARUF25B	45 x 17½ x 21	Multi - PSC	Not Included	HKSC05XC	Not Included
14 17.6K	200-178 201692686	VSZ14018	35 x 29 x 29	1 Stage Builders	N/A		ARUF25B	45 x 17½ x 21	Multi - PSC	Not Included	HKSC05XC	Not Included

Capacities Listed per AHRI Standard: **95°** Outdoor Amb. Temp. / **80°** I.D.B. / **67°** I.W.B.



SYSTEMS GUIDE

Pricing Guide



2 TON HORIZONTAL / GAS SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Furnace			TXV	Trans.	Stat
		Model #	H x W x D	Type	Model #	H x L x D	Model #	H x L x D	Stage			
18 23.8K	200-245B 201897648	GSXC18024	40 x 36 x 36	2 Stage	CHPF3636B (Butt)	17½ x 26 x 21	GMVC80603B	17½ x 33 x 28	80% Var. Sp.	TX2N4A	Flush	Not Included
16 23.6K	200-243B 201897723	GSXC16024	33 x 29 x 29	2 Stage	CHPF3636B (Butt)	17½ x 26 x 21	GMVC80603B	17½ x 33 x 28	80% Var. Sp.	TX2N4A	Flush	Not Included
15.5 23.4K	200-228B 203958077	GSX16S24	32 x 29 x 29	1 Stage	CHPF3636B (Butt)	17½ x 26 x 21	GMEC800403A	14 x 33 x 28	2 Stage ECM	TXV-30	SST	Not Included
14.5 23.8K	200-213B 201425662	GSX14025	33 x 26 x 26	1 Stage	CHPF3636B (Butt)	17½ x 26 x 21	GMES800403A	14 x 33 x 28	1 Stage ECM	Not Included	SST	Not Included
14 23.6K	200-217B 201420834	VSX14024	28 x 26 x 26	1 Stage Builders	CHPF3636B (Butt)	17½ x 26 x 21	GMES800403A	14 x 33 x 28	1 Stage ECM	Not Included	SST	Not Included

Evaporator Coil Options

Evap Coil Price	Feature	H x W x D	GSXC18	GSXC16	GSX16	GSX14	VSX14
CSCF3642	Slab	24½ x 40 x 12	200-245 201897650 18 SEER / 24.0K			200-213N 203457585 15 SEER / 24.0K	
CSCF3036	Slab	24½ x 12 x 34	200-243 201897726 16 SEER / 23.0K			200-213 201426124 14 SEER / 23.2K	200-217 201420862 14 SEER / 23.6K

Capacities Listed per AHRI Standard: 95° Outdoor Amb. Temp. / 80° I.D.B. / 67° I.W.B.



SYSTEMS GUIDE

Pricing Guide



Air Conditioning & Heating

2 TON VERTICAL / GAS SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Furnace			TXV	Stat
		Model #	H x W x D	Type	Model #	H x W x D	Model #	H x W x D	Stage		
18 23.6K	200-246 205229510	GSXC18024	40 x 36 x 36	2 Stage	CAPFA2422B	22 x 17½ x 21	GMVC80603B	33 x 17½ x 28	80% Var. Sp.	TX2N4A	Not Included
16 23.2K	200-241 205228271	GSXC16024	33 x 29 x 29	2 Stage	CAPFA2422B	22 x 17½ x 21	GMVC80603B	33 x 17½ x 28	80% Var. Sp.	TX2N4A	Not Included
16 23.6K	200-226 203958073	GSX16S24	32 x 29 x 29	1 Stage	CAPFA2422A	22 x 14 x 21	GMEC800403A	33 x 14 x 28	2 Stage ECM	TXV-30	Not Included
14.5 23.0K	200-211 204429127	GSX14025	33 x 26 x 26	1 Stage	CAPFA2418A	18 x 14 x 21	GMES800403A	33 x 14 x 28	1 Stage ECM	TX2N4A	Not Included
14 22.8K	200-215 203457321	VSX14024	28 x 26 x 26	1 Stage Builders	CAPFA2418A	18 x 14 x 21	GMES800403A	33 x 14 x 28	1 Stage ECM	Not Included	Not Included

Capacities Listed per AHRI Standard: 95° Outdoor Amb. Temp. / 80° I.D.B. / 67° I.W.B.



SYSTEMS GUIDE

Pricing Guide



2 TON MULTI - POSITION ELECTRIC SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Modular Blower or A/H			Heat Kit	TXV	Stat
		Model #	H x W x D	Type	Model #	H x W x D	Model #	H x W x D	Stage			
18 24.0K	200-247 202543205	GSXC18024	40 x 36 x 36	2 Stage	N/A		AVPTC29B	53 x 17½ x 21	Variable Speed	HKSC05XC	TXV in A/H	Not Included
16 23.6K	200-242 202543181	GSXC16024	33 x 29 x 29	2 Stage	N/A		AVPTC29B	53 x 17½ x 21	Variable Speed	HKSC05XC	TXV in A/H	Not Included
16 23.6K	200-227 201786066	GSX16S24	32 x 29 x 29	1 Stage	N/A		ASPT29B	53 x 17½ x 21	Multi - ECM	HKSC05XC	TXV in A/H	Not Included
14 23.6K	200-212 201423646	GSX14025	33 x 26 x 26	1 Stage	N/A		ARUF29B	45 x 17½ x 21	Multi - PSC	HKSC05XC	Not Included	Not Included
14 22.0K	200-212W 201423807	GSX14025	33 x 26 x 26	1 Stage	WAD-1-AM (Wall Access Door)		AWUF250516	36 x 20¾ ₁₆ x 16¾	Multi - PSC	Heat Kit in Air Handler	Not Included	Not Included
14 23.6K	200-216 201420890	VSX14024	28 x 26 x 26	1 Stage Builders	N/A		ARUF29B	45 x 17½ x 21	Multi - PSC	HKSC05XC	Not Included	Not Included
14 22.0K	200-216W 201420960	VSX14024	28 x 26 x 26	1 Stage Builders	WAD-1-AM (Wall Access Door)		AWUF250516	36 x 20¾ ₁₆ x 16¾	Multi - PSC	Heat Kit in Air Handler	Not Included	Not Included

Air Handler Options

Air Handler Price	Feature	H x W x D	GSXC18	GSXC16	GSX16	GSX14	VSX14
AVPTC25B w/ TXV	Smaller	45 x 17½ x 21	200-247SC 202543203 17 SEER / 23.0K	200-242SC 202543180 16 SEER / 23.0K			
FCME33125	Smaller	41 x 18½ x 22 ADP 200-216A must have TXV				200-212A 201736778 14 SEER / 23.4K	200-216A 201420893 14 SEER / 23.0K

Capacities Listed per AHRI Standard: **95°** Outdoor Amb. Temp. / **80°** I.D.B. / **67°** I.W.B.



SYSTEMS GUIDE

Pricing Guide



2 TON HEAT PUMP SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Modular Blower or A/H			Heat Kit	TXV	Stat
		Model #	H x W x D	Type	Model #	H x W x D	Model #	H x W x D	Stage			
18 23.6K	200-248 202541847	GSZC18024	38 x 29 x 29	2 Stage	N/A		AVPTC31C	49 x 21 x 21	Variable Speed	HKSC05XC	TXV in Air Handler	Not Included
16 23.6K	200-244 202541728	GSZC16024	35 x 36 x 36	2 Stage	N/A		AVPTC31C	49 x 21 x 21	Variable Speed	HKSC05XC	TXV in Air Handler	Not Included
16 24.0K	200-229 201667130	GSZ16024	35 x 36 x 36	1 Stage	N/A		ASPT29B	53 x 17½ x 21	Multi - ECM	HKSC05XC	TXV in Air Handler	Not Included
14 23.0K	200-214 204896513	GSZ14024	35 x 29 x 29	1 Stage	N/A		ARUF25B	45 x 17½ x 21	Multi - PSC	HKSC05XC	Not Included	Not Included
14 23.2K	200-218 202424089	VSZ14024	35 x 29 x 29	1 Stage Builders	N/A		ARUF25B	45 x 17½ x 21	Multi - PSC	HKSC05XC	Not Included	Not Included

Capacities Listed per AHRI Standard: **95°** Outdoor Amb. Temp. / **80°** I.D.B. / **67°** I.W.B.



SYSTEMS GUIDE

Pricing Guide



2½ TON HORIZONTAL / GAS SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Furnace			TXV	Trans.	Stat
		Model #	H x W x D	Type	Model #	H x L x D	Model #	H x L x D	Stage			
16 28.4K	200-273B 204112298	GSX16S30	40 x 29 x 29	1 Stage	CHPF3743C (Butt)	21 x 26 x 21	GMEC800603B	17½ x 33 x 28	2 Stage ECM	TXV-30	SST	Not Included
14.5 28.0K	200-277B 203380209	GSX14031	33 x 29 x 29	1 Stage	CHPF3642C (Butt)	21 x 26 x 21	GMES800603B	17½ x 33 x 28	1 Stage ECM	TX3N4	SST	Not Included
14 28.6K	200-280B 205075779	VSX14030	33 x 29 x 29	1 Stage Builders	CHPF3642C (Butt)	21 x 26 x 21	GMES800603A	14 x 33 x 28	1 Stage ECM	Not Included	SST	Not Included

Evaporator Coil Options

Evap Coil Price	Feature	H x W x D	GSX16	GSX14	VSX14
CSCF3642	Slab	24½ x 12 x 40		200-277N 203380213 15 SEER / 28.6K	200-280 205075805 14 SEER / 28.6K

Capacities Listed per AHRI Standard: 95° Outdoor Amb. Temp. / 80° I.D.B. / 67° I.W.B.



SYSTEMS GUIDE

Pricing Guide



2½ TON VERTICAL / GAS SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Furnace			TXV	Trans.	Stat
		Model #	H x W x D	Type	Model #	H x W x D	Model #	H x W x D	Stage			
16 28.6K	200-271 203887058	GSX16S30	40 x 29 x 29	1 Stage	CAPFA3626B	26 x 17½ x 21	GMEC800603B	33 x 17½ x 28	2 Stage ECM	TXV-30	N/A	Not Included
14.5 28.6K	200-275 203383945	GSX14031	33 x 29 x 29	1 Stage	CAPFA3022A	22 x 14 x 21	GMES800603A	33 x 14 x 28	1 Stage ECM	TX3N4	N/A	Not Included
14 28.6K	200-278 203382155	VSX14030	33 x 29 x 29	1 Stage Builders	CAPFA3022A	22 x 14 x 21	GMES800603A	33 x 14 x 28	1 Stage ECM	Not Included	N/A	Not Included

Capacities Listed per AHRI Standard: 95° Outdoor Amb. Temp. / 80° I.D.B. / 67° I.W.B.



SYSTEMS GUIDE

Pricing Guide



2½ TON MULTI - POSITION ELECTRIC SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Modular Blower or A/H			TXV	Heat Kit	Stat
		Model #	H x W x D	Type	Model #	H x W x D	Model #	H x W x D	Stage			
16 28.0K	200-272 201785798	GSX16S30	40 x 29 x 29	1 Stage	N/A		ASPT37C	53 x 21 x 21	Multi - ECM	TXV in Air Handler	HKSC08XC	Not Included
14 28.2K	200-276 201298823	GSX14031	33 x 29 x 29	1 Stage	N/A		ARUF31B	53 x 17½ x 21	Multi - PSC	Not Included	HKSC08XC	Not Included
14 28.0K	200-276W 201200012	GSX14031	33 x 29 x 29	1 Stage	WAD-2-AM (Wall Access)		AWUF310816	36 x 24 x 21	Multi - PSC	Not Included	Heat Kit in Air Handler	Not Included
14 28.2K	200-279 205076768	VSX14030	33 x 29 x 29	1 Stage Builders	N/A		ARUF31B	53 x 17½ x 21	Multi - PSC	Not Included	HKSC08XC	Not Included
14 28.6K	200-279W 205076805	VSX14030	33 x 29 x 29	1 Stage Builders	WAD-2-AM (Wall Access)		AWUF310816	36 x 24 x 21	Multi - PSC	Not Included	Heat Kit in Air Handler	Not Included

Air Handler Options

Air Handler Price	Feature	H x W x D	GSX16	GSX14	VSX14
ASPT37B w/ TXV	Smaller	53 x 17½ x 21	200-272SC 201457888 15 SEER / 28.0K		
FCME34136	Smaller	41 x 18½ x 22 ADP 200-279A must have TXV	200-276A 201196367 14 SEER / 28.8K		200-279A 201478080 14 SEER / 28.8K

Capacities Listed per AHRI Standard: 95° Outdoor Amb. Temp. / 80° I.D.B. / 67° I.W.B.



SYSTEMS GUIDE

Pricing Guide



2½ TON HEAT PUMP SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Modular Blower or A/H			TXV	Heat Kit	Stat
		Model #	H x W x D	Type	Model #	H x W x D	Model #	H x W x D	Stage			
16 28.8K	200-274 201667396	GSZ16030	35 x 36 x 36	1 Stage	N/A		ASPT37C	53 x 21 x 21	Multi - ECM	TXV in Air Handler	HKSC08XC	Not Included
14 28.0K	200-264 201642081	GSZ14030	36 x 29 x 29	1 Stage	N/A		ARUF31B	53 x 17½ x 21	Multi - PSC	Not Included	HKSC08XC	Not Included
14 28.0K	200-268 201654407	VSZ14030	36 x 29 x 29	1 Stage Builders	N/A		ARUF31B	53 x 17½ x 21	Multi - PSC	Not Included	HKSC08XC	Not Included

Capacities Listed per AHRI Standard: 95° Outdoor Amb. Temp. / 80° I.D.B. / 67° I.W.B.



SYSTEMS GUIDE

Pricing Guide



3 TON HORIZONTAL / GAS SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Furnace			TXV	Trans.	Stat
		Model #	H x W x D	Type	Model #	H x L x D	Model #	H x L x D	Stage			
17 34.4K	200-347B 201895349	GSXC18036	40 x 36 x 36	2 Stage	CHPF3743C (Butt)	21 x 26 x 21	GMVC80603B	17½ x 33 x 28	80% Var. Sp.	TX3N4	SST	Not Included
15.5 34.0K	200-343B 201897826	GSXC16036	37 x 36 x 36	2 Stage	CHPF3636B (Butt)	17½ x 26 x 21	GMVC80603B	17½ x 33 x 28	80% Var. Sp.	TX3N4	Flush	Not Included
15 34.0K	200-328B 203892727	GSX16S36	40 x 29 x 29	1 Stage	CHPF3642C (Butt)	21 x 26 x 21	GMEC800603B	17½ x 33 x 28	2 Stage ECM	TXV-42	SST	Not Included
14 34.0K	200-332B 203380254	GSX14036	33 x 29 x 29	1 Stage	CHPF3636B (Butt)	17½ x 26 x 21	GMES800603A	14 x 33 x 28	1 Stage ECM	TX3N4	SST	Not Included
14 34.0K	200-337B 203382234	VSX14036	33 x 29 x 29	1 Stage Builders	CHPF3636B (Butt)	17½ x 26 x 21	GMES800603A	14 x 33 x 28	1 Stage ECM	TX3N4	SST	Not Included

Evaporator Coil Options

Evap Coil Price	Feature	H x W x D	GSXC18	GSXC16	GSX16	GSX14	VSX14
CSCF3642	Slab	24½ x 12 x 40	200-347 201895348 17 SEER / 34.4K	200-343 201516734 16 SEER / 35.0K			
CSCF4860	Slab	24½ x 12 x 40				200-332N 203380276 14.5 SEER / 34.0K	200-337 7518696 14 SEER / 34.6K

Capacities Listed per AHRI Standard: 95° Outdoor Amb. Temp. / 80° I.D.B. / 67° I.W.B.



SYSTEMS GUIDE

Pricing Guide



3 TON VERTICAL / GAS SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Furnace			TXV	Stat
		Model #	H x W x D	Type	Model #	H x W x D	Model #	H x W x D	Stage		
17 34.0K	200-345 201895346	GSXC18036	40 x 36 x 36	2 Stage	CAPF3137B	30 x 17½ x 21	GMVC80603B	33 x 17½ x 28	80% Var. Sp.	TX3N4	Not Included
16 34.4K	200-341 201897818	GSXC16036	37 x 36 x 36	2 Stage	CAPF3137B	30 x 17½ x 21	GMVC80603B	33 x 17½ x 28	80% Var. Sp.	TX3N4	Not Included
14 34.2K	200-326 205357727	GSX16S36	40 x 29 x 29	1 Stage	CAPFA4226B	26 x 17½ x 21	GMEC800603B	33 x 17½ x 28	2 Stage ECM	TXV-42	Not Included
14 34.6K	200-330 202372293	GSX14036	33 x 29 x 29	1 Stage	CAPFA3626B	26 x 17½ x 21	GMES800603A	33 x 14 x 28	1 Stage ECM	TX3N4	Not Included
14 34.0K	200-335 205282629	VSX14036	33 x 29 x 29	1 Stage Builders	CAPFA3626B	26 x 17½ x 21	GMES800603A	33 x 14 x 28	1 Stage ECM	Not Included	Not Included

Capacities Listed per AHRI Standard: **95°** Outdoor Amb. Temp. / **80°** I.D.B. / **67°** I.W.B.



SYSTEMS GUIDE

Pricing Guide



3 TON MULTI - POSITION ELECTRIC SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Modular Blower or A/H			TXV	Heat Kit	Stat
		Model #	H x W x D	Type	Model #	H x W x D	Model #	H x W x D	Stage			
17.5 36.0K	200-346 202543207	GSXC18036	40 x 36 x 36	2 Stage	N/A		AVPTC49D	58 x 24½ x 21	Variable Speed	TXV in A/H	HKSC10XC	Not Included
16 34.6K	200-342 202543190	GSXC16036	37 x 36 x 36	2 Stage	N/A		AVPTC37C	53 x 21 x 21	Variable Speed	TXV in A/H	HKSC10XC	Not Included
16 35.0K	200-327 201785534	GSX16S36	40 x 29 x 29	1 Stage	N/A		ASPT47D	53 x 24½ x 21	Multi - ECM	TXV in A/H	HKSC10XC	Not Included
14 33.6K	200-331 201295489	GSX14036	33 x 29 x 29	1 Stage	N/A		ARUF37C	53 x 21 x 21	Multi - PSC	Not Included	HKSC10XC	Not Included
14.5 33.0K	200-331W 201202621	GSX14036	33 x 29 x 29	1 Stage	WAD-2-AM (Wall Access Door)		AWUF371016	36 x 24 x 21	Multi - PSC	TX3N4	Heat Kin in Air Handler	Not Included
14 33.6K	200-336 201299198	VSX14036	33 x 29 x 29	1 Stage Builders	N/A		ARUF37C	53 x 21 x 21	Multi - PSC	Not Included	HKSC10XC	Not Included
14.5 33.0K	200-336 201230273	VSX14036	33 x 29 x 29	1 Stage Builders	WAD-2-AM (Wall Access Door)		AWUF371016	36 x 24 x 21	Multi - PSC	TX3N4	Heat Kin in Air Handler	Not Included

Air Handler Options

Air Handler Price	Feature	H x W x D	GSXC18	GSXC16	GSX16	GSX14	VSX14
AVPTC37C w/ TXV	Smaller	53 x 21 x 21	200-346SC 202543206 16.5 SEER / 34.0K				
ASPT37C w/ TXV	Smaller	53 x 21 x 21	200-327SC 201785531 15 SEER / 34.2K				
FCME34136	Smaller	41 x 18½ x 22 ADP			200-331A 201295498 14 SEER / 34.0K		200-336A 201299202 14 SEER / 34.0K

Capacities Listed per AHRI Standard: **95°** Outdoor Amb. Temp. / **80°** I.D.B. / **67°** I.W.B.



SYSTEMS GUIDE

Pricing Guide



3 TON HEAT PUMP SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Modular Blower or A/H			TXV	Heat Kit	Stat
		Model #	H x W x D	Type	Model #	H x W x D	Model #	H x W x D	Stage			
18 35.8K	200-349 202542586	GSZC18036	38 x 36 x 36	2 Stage	N/A		AVPTC37D	53 x 24½ x 21	Variable Speed	TXV in Air Handler	HKSC10XC	Not Included
15.5 34.6K	200-344 202541826	GSZC16036	40 x 36 x 36	2 Stage	N/A		AVPTC37D	53 x 24½ x 21	Variable Speed	TXV in Air Handler	HKSC10XC	Not Included
16 34.2K	200-329 201667620	GSZ16036	40 x 36 x 36	1 Stage	N/A		ASPT37C	53 x 21 x 21	Multi - ECM	TXV in Air Handler	HKSC10XC	Not Included
14 34.6K	200-314 204875460	GSZ14036	36 x 29 x 29	1 Stage	N/A		ARUF37C	53 x 21 x 21	Multi - PSC	TX3N4	HKSC10XC	Not Included
14 34.6K	200-318 204875463	VSZ14036	36 x 29 x 29	1 Stage Builders	N/A		ARUF37C	53 x 21 x 21	Multi - PSC	TX3N4	HKSC10XC	Not Included

Air Handler Options

Air Handler Price	Feature	H x W x D	GSZC18	GSZC16	GSZ16	GSZ14	VSZ14
AVPTC37C w/ TXV	Smaller	53 x 21 x 21	200-349SC 202541850 18 SEER / 35.6K	200-344SC 202542562 16 SEER / 34.8K			
ASPT37B w/ TXV	Smaller	53 x 17½ x 21			200-329SC 201667795 15 SEER / 33.6K		

Capacities Listed per AHRI Standard: 95° Outdoor Amb. Temp. / 80° I.D.B. / 67° I.W.B.



SYSTEMS GUIDE

Pricing Guide



3½ TON HORIZONTAL / GAS SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Furnace			TXV	Trans.	Stat
		Model #	H x W x D	Type	Model #	H x L x D	Model #	H x L x D	Stage			
15 40.0K	200-373B 203910979	GSX16S42	35 x 36 x 36	1 Stage	CHPF4860D (Butt)	24½ x 26 x 21	GMEC800805C	21 x 33 x 28	2 Stage ECM	TXV-42	SST	Not Included
14.5 37.0K	200-363B 203380385	GSX14042	36 x 29 x 29	1 Stage	CHPF4860D (Butt)	24½ x 26 x 21	GMES800804C	21 x 33 x 28	1 Stage ECM	Not Included	SST	Not Included
14 38.0K	+200-367B 201251678	VSX14042	36 x 29 x 29	1 Stage Builders	CHPF4860D (Butt)	24½ x 26 x 21	VMS80804B	17½ x 33 x 28	1 Stage PSC	Not Included	SST	Not Included

Evaporator Coil Options

Evap Coil Price	Feature	H x W x D	GSX16	GSX14	VSX14
CSCF4860	Slab	24½ x 12 x 40		200-363 203380397 14.5 SEER / 37.0K	200-367 201251972 14 SEER / 38.0K

+ DOE FER Phase Out. Caution, while supplies last!

Capacities Listed per AHRI Standard: **95°** Outdoor Amb. Temp. / **80°** I.D.B. / **67°** I.W.B.



SYSTEMS GUIDE

Pricing Guide



Air Conditioning & Heating

3½ TON VERTICAL / GAS SYSTEMS

SEER BTU	System AHRI	Condenser			Coil or A/H		Furnace			TXV	Trans.	Stat
		Model #	H x W x D	Type	Model #	H x W x D	Model #	H x W x D	Stage			
15 40.0K	200-371 203910943	GSX16S42	36 x 36 x 36	1 Stage	CAPF4860C	30 x 21 x 21	GMEC800804C	33 x 21 x 28	2 Stage ECM	TXV-42	N/A	Not Included
14 37.4K	200-361 205354517	GSX14042	36 x 29 x 29	1 Stage	CAPFA4226B	26 x 17½ x 21	GMES800804B	33 x 17½ x 28	1 Stage ECM	Not Included	N/A	Not Included
14 37.4K	+200-365 205354526	VSX14042	36 x 29 x 29	1 Stage Builders	CAPFA4226B	26 x 17½ x 21	VMS80804B	33 x 17½ x 28	1 Stage	Not Included	N/A	Not Included

+ DOE FER Phase Out. Caution, while supplies last!

Capacities Listed per AHRI Standard: **95°** Outdoor Amb. Temp. / **80°** I.D.B. / **67°** I.W.B.



SYSTEMS GUIDE

Pricing Guide



3½ TON MULTI - POSITION ELECTRIC SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Modular Blower or A/H			TXV	Heat Kit	Stat
		Model #	H x W x D	Type	Model #	H x W x D	Model #	H x W x D	Stage			
16 41.0K	200-372 201785374	GSX16S42	36 x 36 x 36	1 Stage	N/A		ASPT49D	58 x 24½ x 21	Multi - ECM	TXV in A/H	HKSC15XB	Not Included
14 37.6K	200-362 201298963	GSX14042	36 x 29 x 29	1 Stage	N/A		ARUF47D	58 x 24½ x 21	Multi - PSC	Not Included	HKSC15XB	Not Included
14 37.6K	200-366 201299254	VSX14042	36 x 29 x 29	1 Stage Builders	N/A		ARUF47D	58 x 24½ x 21	Multi - PSC	Not Included	HKSC15XB	Not Included

Air Handler Options

Air Handler Price	Feature	H x W x D	GSX16	GSX14	VSX14
ASPT59C w/ TXV	Smaller	53 x 21 x 21	200-372SC 201785375 15 SEER / 40.0K		
FCMCC1148	Smaller	48 x 21½ x 26 ADP Must have TXV	200-362A 201335633 14 SEER / 37.8K		
			200-366A 201727975 14 SEER / 37.8K		

Capacities Listed per AHRI Standard: 95° Outdoor Amb. Temp. / 80° I.D.B. / 67° I.W.B.



SYSTEMS GUIDE

Pricing Guide



3½ TON HEAT PUMP SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Modular Blower or A/H			TXV	Heat Kit	Stat
		Model #	H x W x D	Type	Model #	H x W x D	Model #	H x W x D	Stage			
16 39.0K	200-374 201667851	GSZ16042	36 x 29 x 29	1 Stage	N/A		ASPT47D	53 x 24½ x 21	Multi - ECM	TXV in A/H	HKSC15XB	Not Included
14 39.0K	200-364 201648478	GSZ14042	40 x 36 x 36	1 Stage	N/A		ARUF47D	58 x 24½ x 21	Multi - PSC	Not Included	HKSC15XB	Not Included
14 39.0K	200-368 201657108	VSZ14042	40 x 36 x 36	1 Stage Builders	N/A		ARUF47D	58 x 24½ x 21	Multi - PSC	Not Included	HKSC15XB	Not Included

Air Handler Options

Air Handler Price	Feature	H x W x D	GSZ16	GSZ14	VSZ14
ASPT47C w/ TXV	Small	53 x 21 x 21	200-374SC 201817168 15 SEER / 38.5K		
ARUF43C	Small	53 x 21 x 21	200-364SC 201648037 14 SEER / 39.0K		

Capacities Listed per AHRI Standard: 95° Outdoor Amb. Temp. / 80° I.D.B. / 67° I.W.B.



SYSTEMS GUIDE

Pricing Guide



4 TON HORIZONTAL / GAS SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Furnace			TXV	Trans.	Stat
		Model #	H x W x D	Type	Model #	H x L x D	Model #	H x L x D	Stage			
17.5 48.0K	200-486B 201897692	GSXC18048	38 x 36 x 36	2 Stage	CHPF4860D (Butt)	24½ x 26 x 21	GMVC80805C	21 x 33 x 28	80% Var. Sp.	TX5N4	SST	Not Included
16 46.5K	200-483B 201895422	GSXC16048	36 x 36 x 36	2 Stage	CHPF4860D (Butt)	24½ x 26 x 21	GMVC80805C	21 x 33 x 28	80% Var. Sp.	TX5N4	SST	Not Included
15 44.0K	200-453B 203911025	GSX16S48	40 x 36 x 36	1 Stage	CHPF4860D (Butt)	24½ x 26 x 21	GMEC801005C	21 x 33 x 28	2 Stage ECM	TXV-48	SST	Not Included
14.5 45.0K	200-413B 203380444	GSX14048	36 x 36 x 36	1 Stage	CHPF4860D (Butt)	24½ x 26 x 21	GMES800804C	21 x 33 x 28	1 Stage ECM	TX5N4	SST	Not Included
14 46.0K	+200-417B 201244226	VSX14048	36 x 36 x 36	1 Stage Builders	CHPF4860D (Butt)	24½ x 26 x 21	VMS80804B	17½ x 33 x 28	1 Stage	Not Included	SST	Not Included

Evaporator Coil Options

Evap Coil Price	Feature	H x W x D	GSXC18	GSXC16	GSX16	GSX14	VSX14
CSCF4860	Slab	24½ x 12 x 40	200-486 201897693 17 SEER / 47.0K	200-483 201895423 16 SEER / 48.0K	200-453 203911039 15 SEER / 44.5K	200-413 203380477 14.5 SEER / 45.0K	+200-417 201245297 14 SEER / 45.5K

+ DOE FER Phase Out. Caution, while supplies last!

Capacities Listed per AHRI Standard: **95°** Outdoor Amb. Temp. / **80°** I.D.B. / **67°** I.W.B.



SYSTEMS GUIDE

Pricing Guide



4 TON VERTICAL / GAS SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Furnace			TXV	Stat
		Model #	H x W x D	Type	Model #	H x W x D	Model #	H x W x D	Stage		
18 48.0K	200-484 201897690	GSXC18048	38 x 36 x 36	2 Stage	CAPF4961C	30 x 21 x 21	GMVC80805C	33 x 21 x 28	80% Var. Sp.	TX5N4	Not Included
16 48.0K	200-481 201895419	GSXC16048	36 x 36 x 36	2 Stage	CAPF4961C	30 x 21 x 21	GMVC80805C	33 x 21 x 28	80% Var. Sp.	TX5N4	Not Included
15 44.5K	200-451 203910998	GSX16S48	40 x 36 x 36	1 Stage	CAPF4961C	30 x 21 x 21	GMEC800805C	33 x 21 x 28	2 Stage ECM	TXV-48	Not Included
14 44.0K	200-411 203384434	GSX14048	36 x 36 x 36	1 Stage	CAPF4860C	30 x 21 x 21	GMES800804C	33 x 21 x 28	1 Stage ECM	Not Included	Not Included
14 45.5K	+200-415 201242469	VSX14048	36 x 36 x 36	1 Stage Builders	CAPF4860C	30 x 21 x 21	VMS80804B	33 x 17½ x 28	1 Stage	Not Included	Not Included

+ DOE FER Phase Out. Caution, while supplies last!

Capacities Listed per AHRI Standard: **95°** Outdoor Amb. Temp. / **80°** I.D.B. / **67°** I.W.B.



SYSTEMS GUIDE

Pricing Guide



4 TON MULTI - POSITION ELECTRIC SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Modular Blower or A/H			TXV	Heat Kit	Stat
		Model #	H x W x D	Type	Model #	H x W x D	Model #	H x W x D	Stage			
18 48.0K	200-485 202543211	GSXC18048	38 x 36 x 36	2 Stage	N/A		AVPTC61D	58 x 24½ x 21	Variable Speed	TXV in Air Handler	HKSC15XB	Not Included
16 46.5K	200-482 202543198	GSXC16048	36 x 36 x 36	2 Stage	N/A		AVPTC59C	53 x 21 x 21	Variable Speed	TXV in Air Handler	HKSC15XB	Not Included
16 45.0K	200-452 201785242	GSX16S48	40 x 36 x 36	1 Stage	N/A		ASPT49D	58 x 24½ x 21	Multi - ECM	TXV in Air Handler	HKSC15XB	Not Included
14 45.5K	200-412 201298991	GSX14048	36 x 36 x 36	1 Stage	N/A		ARUF61D	58 x 24½ x 21	Multi - PSC	Not Included	HKSC15XB	Not Included
14 45.5K	200-416 201299263	VSX14048	36 x 36 x 36	1 Stage Builders	N/A		ARUF61D	58 x 24½ x 21	Multi - PSC	Not Included	HKSC15XB	Not Included

Air Handler Options

Air Handler Price	Feature	H x W x D	GSXC18	GSXC16	GSX16	GSX14	VSX14
AVPTC59C w/ TXV	Small	53 x 21 x 21	200-485SC 202543210 16.5 SEER / 46.0K				
ASPT59C w/ TXV	Small	53 x 21 x 21				200-412SC 201384096 14 SEER / 45.5K	200-416SC 201384642 14 SEER / 45.5K
FCMCC1148	Small	48 x 21½ x 26				200-412A 201299001 14 SEER / 45.5K	200-416A 201299267 14 SEER / 45.5K

Capacities Listed per AHRI Standard: **95°** Outdoor Amb. Temp. / **80°** I.D.B. / **67°** I.W.B.



SYSTEMS GUIDE

Pricing Guide



4 TON HEAT PUMP SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Modular Blower or A/H			TXV	Heat Kit	Stat
		Model #	H x W x D	Type	Model #	H x W x D	Model #	H x W x D	Stage			
18 49.0K	200-490 202541852	GSZC18048	38 x 36 x 36	2 Stage	N/A		AVPTC61D	58 x 24½ x 21	Variable Speed	TXV in Air Handler	HKSC15XB	Not Included
16 48.0K	200-483H 202542578	GSZC16048	35 x 36 x 36	2 Stage	N/A		AVPTC61D	58 x 24½ x 21	Variable Speed	TXV in Air Handler	HKSC15XB	Not Included
16 45.5K	200-454 201668005	GSZ16048	35 x 36 x 36	1 Stage	N/A		ASPT49D	58 x 24½ x 21	Multi - ECM	TXV in Air Handler	HKSC15XB	Not Included
14 45.0K	200-414 201650585	GSZ14048	36 x 29 x 29	1 Stage	N/A		ARUF61D	58 x 24½ x 21	Multi - PSC	TX5N4	HKSC15XB	Not Included
14 45.0K	200-418 201658270	VSZ14048	36 x 29 x 29	1 Stage Builders	N/A		ARUF61D	58 x 24½ x 21	Multi - PSC	TX5N4	HKSC15XB	Not Included

Air Handler Options

Air Handler Price	Feature	H x W x D	GSZC18	DSZC16	GSZ16	GSZ14	VSZ14
ASPT59C w/ TXV	Small	53 x 21 x 21				200-414SC 201664328 14 SEER / 45.0K	200-418SC 201664482 14 SEER / 45.0K
ASPT49C w/ TXV	Small	49 x 21 x 21			200-454SC 201687968 14.5 SEER / 44.0K		

Capacities Listed per AHRI Standard: 95° Outdoor Amb. Temp. / 80° I.D.B. / 67° I.W.B.



SYSTEMS GUIDE

Pricing Guide



5 TON HORIZONTAL / GAS SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Furnace			TXV	Trans.	Stat
		Model #	H x W x D	Type	Model #	H x L x D	Model #	H x L x D	Stage			
16 56.5K	200-586B 201897996	GSXC18060	38 x 36 x 36	2 Stage	CHPF4860D (Butt)	24½ x 26 x 21	GMVC81005C	21 x 33 x 28	80% Var. Sp.	TX5N4	SST	Not Included
15.5 56.5K	200-583B 201898011	GSXC16060	38 x 36 x 36	2 Stage	CHPF4860D (Butt)	24½ x 26 x 21	GMVC81005C	21 x 33 x 28	80% Var. Sp.	TX5N4	SST	Not Included
15 52.0K	200-547B 203910913	GSX16060	38 x 36 x 36	1 Stage	CHPF4860D (Butt)	24½ x 26 x 21	GMEC801005C	21 x 33 x 28	2 Stage ECM	TXV-60	SST	Not Included
14.5 57.0K	200-513B 203380552	GSX14060	38 x 36 x 36	1 Stage	CHPF4860D (Butt)	24½ x 26 x 21	GMES801005C	21 x 33 x 28	1 Stage ECM	TX5N4	SST	Not Included
14 57.0K	+200-517B 201246544	VSX14060	38 x 36 x 36	1 Stage Builders	CHPF4860D (Butt)	24½ x 26 x 21	VMS81005C	21 x 33 x 28	1 Stage	TX5N4	SST	Not Included

Evaporator Coil Options

Evap Coil Price	Feature	H x W x D	GSXC18	GSXC16	GSX16	GSX14	VSX14
CSCF4860	Slab	24½ x 12 x 40	200-586 201522711 15 SEER / 55.0K	200-583 201522921 15 SEER / 55.5K	200-547 203910919 15 SEER / 51.5K	200-513 203380574 14.5 SEER / 57.0K	200-517 201247818 14 SEER / 57.0K

ALERT: All GSXC18060 models are regionally stocked, please call for availability.

+ DOE FER Phase Out. Caution, while supplies last!

Capacities Listed per AHRI Standard: **95°** Outdoor Amb. Temp. / **80°** I.D.B. / **67°** I.W.B.



SYSTEMS GUIDE

Pricing Guide



5 TON VERTICAL / GAS SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Furnace			TXV	Stat
		Model #	H x W x D	Type	Model #	H x W x D	Model #	H x W x D	Stage		
16 56.5K	200-584 201897994	GSXC18060	38 x 36 x 36	2 Stage	CAPF4961C	30 x 21 x 21	GMVC81005C	33 x 21 x 28	80% Var. Sp.	TX5N4	Not Included
16 56.5K	200-581 201898008	GSXC16060	38 x 36 x 36	2 Stage	CAPF4961C	30 x 21 x 21	GMVC81005C	33 x 21 x 28	80% Var. Sp.	TX5N4	Not Included
15 52.0K	200-545 203910899	GSX16060	37 x 36 x 36	1 Stage	CAPF4961C	30 x 21 x 21	GMEC801005C	33 x 21 x 28	2 Stage ECM	TXV-60	Not Included
14.5 57.0K	200-511 203380505	GSX14060	38 x 36 x 36	1 Stage	CAPF4961C	30 x 21 x 21	GMES801005C	33 x 21 x 28	1 Stage ECM	TX5N4	Not Included
14 57.0K	+200-515 201245829	VSX14060	38 x 36 x 36	1 Stage Builders	CAPF4961C	30 x 21 x 21	VMS81005C	33 x 21 x 28	1 Stage	TX5N4	Not Included

ALERT: All GSXC18060 models are regionally stocked, please call for availability.

+ DOE FER Phase Out. Caution, while supplies last!

Capacities Listed per AHRI Standard: **95°** Outdoor Amb. Temp. / **80°** I.D.B. / **67°** I.W.B.



SYSTEMS GUIDE

Pricing Guide



5 TON MULTI - POSITION ELECTRIC SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Modular Blower or A/H			TXV	Heat Kit	Stat
		Model #	H x W x D	Type	Model #	H x W x D	Model #	H x W x D	Stage			
16.5 56.5K	200-585 202543213	GSXC18060	38 x 36 x 36	2 Stage	N/A		AVPTC61D	58 x 24½ x 21	Variable Speed	TXV in Air Handler	HKSC20DB	Not Included
16.5 56.5K	200-582 202543202	GSXC16060	38 x 36 x 36	2 Stage	N/A		AVPTC61D	58 x 24½ x 21	Variable Speed	TXV in Air Handler	HKSC20DB	Not Included
16 54.0K	200-546 201299487	GSX16060	38 x 36 x 36	1 Stage	N/A		ASPT61D	58 x 24½ x 21	Multi - ECM	TXV in Air Handler	HKSC20DB	Not Included
14 57.0K	200-512 201299368	GSX14060	38 x 36 x 36	1 Stage	N/A		ASPT61D	58 x 24½ x 21	Multi - ECM	TXV in Air Handler	HKSC20DB	Not Included
14 57.0K	200-516 201299452	VSX14060	38 x 36 x 36	1 Stage Builders	N/A		ASPT61D	58 x 24½ x 21	Multi - ECM	TXV in Air Handler	HKSC20DB	Not Included

Air Handler Options

Air Handler Price	Feature	H x W x D	GSXC18	GSXC16	GSX16	GSX14	VSX14
FCMCC7160	Smaller	48 x 21⅞ x 26 Must sell with TXV (TX5N4)				200-512A 201299370 14 SEER / 56.5K	200-516A 201245798 14 SEER / 56.5K

ALERT: All GSXC18060 models are regionally stocked, please call for availability.

Capacities Listed per AHRI Standard: **95°** Outdoor Amb. Temp. / **80°** I.D.B. / **67°** I.W.B.



SYSTEMS GUIDE

Pricing Guide



5 TON HEAT PUMP SYSTEMS

SEER BTU	System AHRI	Condenser			Evap. Coil		Modular Blower or A/H			TXV	Heat Kit	Stat
		Model #	H x W x D	Type	Model #	H x W x D	Model #	H x W x D	Stage			
17 56.0K	200-587 202541854	GSZC18060	40 x 36 x 36	2 Stage	N/A		AVPTC61D	58 x 24½ x 21	Variable Speed	TXV in Air Handler	HKSC20DB	Not Included
17 56.0K	200-583H 202541737	GSZC16060	40 x 36 x 36	2 Stage	N/A		AVPTC61D	58 x 24½ x 21	Variable Speed	TXV in Air Handler	HKSC20DB	Not Included
15.5 54.0K	200-548 204121159	GSZ16060	40 x 36 x 36	1 Stage	N/A		AVPTC61D	58 x 24½ x 21	Variable Speed	TXV in Air Handler	HKSC20DB	Not Included
14 56.5K	200-514 201652594	GSZ14060	35 x 36 x 36	1 Stage	N/A		ASPT61D	58 x 24½ x 21	Multi - ECM	TXV in Air Handler	HKSC20DB	Not Included
14 56.5K	200-518 201659628	VSZ14060	35 x 36 x 36	1 Stage Builders	N/A		ASPT61D	58 x 24½ x 21	Multi - ECM	TXV in Air Handler	HKSC20DB	Not Included

Capacities Listed per AHRI Standard: **95°** Outdoor Amb. Temp. / **80°** I.D.B. / **67°** I.W.B.



SYSTEMS GUIDE

Pricing Guide



Split System Accessories

Goodman Clean Comfort IAQ Accessories

Air Cleaners

JS #	Description
B60-735	5" Media Air Cleaner "A" cabinet Gas Furnace
B60-736	5" Media Air Cleaner "B" cabinet Gas Furnace
B60-737	5" Media Air Cleaner "C" cabinet Gas Furnace
B60-738	5" Media Air Cleaner "D" cabinet Gas Furnace
B60-739	5" Media Air Cleaner "B" cabinet Air Handler
B60-740	5" Media Air Cleaner "C" cabinet Air Handler
B60-741	5" Media Air Cleaner "D" cabinet Air Handler

Dehumidifiers & Accessories

JS #	Description
B86-624	70 Pint Dehumidifier - DV070
B86-625	98 Pint Dehumidifier w/ Fresh Air - DV098
B86-626	155 Pint Dehumidifier w/ Fresh Air - DV155
B86-622	Digital Control
B86-623	Digital Control w/ Remote Sensor
B86-621	6" Duct Damper, motorized for DV070, DV098, & DV155
B86-619	8" Backdraft Damper for DV070 model
B86-618	10" Backdraft Damper for DV098 & DV155 models
G37-132	10" Oval to Round Adapter for DV155 model

Energy Recovery Ventilator

JS #	Description
X82-791	30 - 100 CFM Energy Recovery Ventilator - VE30100

Electrical Accessories

JS #	Description
G80-291	18/4 Stranded, Shielded 500' Cable Recommended for Communicating Split Systems

Goodman Thermostats & Zoning Controls

Thermostats

JS #	Description
L46-610A	Communicating Stat & Internet Gateway (up to 4 systems)
L46-610+S	Communicating Stat, NO Internet Gateway

Zoning Control Panels (EWC Controls)

JS #	Description
440-175	2 to 3 Zone Panel ULTRA-TALK for COMM. SYSTEMS - UT-3000 v1.73
440-133	2 to 3 Zone Panel - BMPLUS-3000
440-134	4 to 5 Zone Panel - BMPLUS-5000

Zoning Control Dampers (EWC Controls)

JS #	Description
440-092	6" Round Motorized Damper - URD Series
440-093	7" Round Motorized Damper - URD Series
440-094	8" Round Motorized Damper - URD Series
440-095	9" Round Motorized Damper - URD Series
440-096	10" Round Motorized Damper - URD Series
440-097	12" Round Motorized Damper - URD Series
440-098	14" Round Motorized Damper - URD Series
440-099	16" Round Motorized Damper - URD Series

SMART Bypass Dampers (EWC Controls)

JS #	Description
440-167	10" SMART Bypass Damper - SBD Series
440-168	12" SMART Bypass Damper - SBD Series

Slip-In-Dampers (EWC Controls)

JS #	Description
440-104	6" Round Slip-In-Damper - SID Series
440-105	7" Round Slip-In-Damper - SID Series
440-106	8" Round Slip-In-Damper - SID Series
440-107	9" Round Slip-In-Damper - SID Series
440-108	10" Round Slip-In-Damper - SID Series



SYSTEMS GUIDE



Pricing Guide

SINGLE ZONE MINI-SPLIT - 3/4 TON SYSTEMS

Heat Pumps

SEER	BTU Cool / Htg.	Application	JS # AHRI	Indoor Unit		Outdoor Unit		Control	Line Size	Total Length
				Model #	H x W x D	Model #	H x W x D			
26.1	9K / 12K	**Wall Quaternity	500-021 3208521	FTXG09HVJU	12" x 35 ³ / ₃₂ " x 8 ⁷ / ₃₂ "	RXG09HVJU	22 ³ / ₈ " x 31 ⁹ / ₃₂ " x 11 ⁷ / ₃₂ "	REMOTE INCLUDED	1/4" & 3/8"	32'
24.5	9K / 12K	**Wall LV	500-015 5265753	FTXS09LVJU	11 ⁵ / ₈ " x 31 ¹ / ₂ " x 8 ⁷ / ₁₆ "	RXS09LVJU	21 ⁵ / ₈ " x 30 ⁵ / ₈ " x 11 ¹ / ₄ "	REMOTE INCLUDED	1/4" & 3/8"	66'
19	9K / 10K	Wall 19 Series	500-036 8064265	FTX09NMVJU	11 ¹ / ₄ " x 30 ³ / ₈ " x 8 ³ / ₄ "	RX09NMVJU	21 ⁵ / ₈ " x 26 ¹ / ₂ " x 11 ⁵ / ₈ "	REMOTE INCLUDED	1/4" & 3/8"	66'
17	8.8K / 9.4K	Wall 17 Series	500-073 10578901	FTXB09AXVJU	11 ¹¹ / ₁₆ " x 35 ¹ / ₁₆ " x 8 ¹ / ₄ "	RXB09AXVJU	21 ⁵ / ₈ " x 25 ¹⁵ / ₁₆ " x 10 ³ / ₄ "	REMOTE INCLUDED	1/4" & 3/8"	66'
18	9K / 10K	++Wall Emura	500-082 202677939	FTXR09TVJUW	11 ¹⁵ / ₁₆ " x 39 ⁵ / ₁₆ " x 8 ³ / ₈ "	RX09RMVJU9	21 ⁵ / ₈ " x 26 ⁹ / ₁₆ " x 11 ³ / ₁₆ "	REMOTE INCLUDED	1/4" & 3/8"	66'
20	9K / 10.1K	Floor 20 Series	500-042 8849459	FVXS09NVJU	11 ¹ / ₄ " x 30 ⁵ / ₁₆ " x 8 ³ / ₄ "	RXL09QMVJU	21 ⁵ / ₈ " x 26 ⁹ / ₁₆ " x 11 ³ / ₁₆ "	REMOTE INCLUDED	1/4" & 3/8"	66'
17.8	9K / 10.9K	Concealed Medium Static	500-068 202682020	FDMQ09RVJU	9 ⁵ / ₈ " x 27 ⁹ / ₁₆ " x 31 ¹ / ₂ "	RX09RMVJU9	21 ⁵ / ₈ " x 26 ⁹ / ₁₆ " x 11 ³ / ₁₆ "	BRC1E73	1/4" & 3/8"	66'
15.1	8.5K / 10K	**Concealed Low Static	500-040 5265777	FDXS09LVJU	11 ⁵ / ₈ " x 31 ¹ / ₂ " x 8 ⁷ / ₁₆ "	RXS09LVJU	21 ⁵ / ₈ " x 30 ⁵ / ₈ " x 11 ¹ / ₄ "	REMOTE INCLUDED	1/4" & 3/8"	66'
20.9	9.1K / 10K	++Cassette Vista	500-064 202682023	FFQ09Q2VJU	10 ¹ / ₄ " x 22 ⁵ / ₈ " x 22 ⁵ / ₈ "	RX09RMVJU9	21 ⁵ / ₈ " x 26 ⁹ / ₁₆ " x 11 ³ / ₁₆ "	OPTIONS BELOW	1/4" & 3/8"	66'
Décor Panel Options for Vista "Cassette" System				B20-575 L46-981	BYFQ60C2W1W BYFQ60B3W1	Décor Panel - White - 1 ³ / ₁₆ " x 24 ⁷ / ₁₆ " x 24 ⁷ / ₁₆ " - for Drop Ceiling Applications Décor Panel - White - 2 ³ / ₁₆ " x 27 ⁹ / ₁₆ " x 27 ⁹ / ₁₆ " - for Sheetrock Applications				
Control Options for Vista "Cassette" System				G36-601 B20-666	BRC1E73 BRC082A42W	Wired Control for ALL FFQ Ceiling Cassettes White Option - Wireless Control for BYFQ60C2W1W (B20-575) Décor Panel				

++ EMURA wall mount unit FTXR09TVJUS (B61-668) & VISTA Décor Panel BYFQ60C2W1S (B20-574) & Control BRC082A42S (B20-667) are also available in silver.

Cool Only

SEER	BTU Cool / Htg.	Application	JS # AHRI	Indoor Unit		Outdoor Unit		Control	Line Size	Total Length
				Model #	H x W x D	Model #	H x W x D			
19	9K	Wall 19 Series	500-032 8064207	FTK09NMVJU	11 ¹ / ₄ " x 30 ³ / ₈ " x 8 ³ / ₄ "	RK09NMVJU	21 ⁵ / ₈ " x 26 ¹ / ₂ " x 11 ⁵ / ₈ "	REMOTE INCLUDED	1/4" & 3/8"	66'
17	8.8K	**Wall 17 Series	500-074 10578900	FTKB09AXVJU	11 ¹¹ / ₁₆ " x 35 ¹ / ₁₆ " x 8 ¹ / ₄ "	RKB09AXVJU	21 ⁵ / ₈ " x 25 ¹⁵ / ₁₆ " x 10 ³ / ₄ "	REMOTE INCLUDED	1/4" & 3/8"	66'

Capacities Listed per AHRI Standard: 95° Outdoor Amb. Temp. / 80° I.D.B. / 67° I.W.B.

** Regionally stocked, call for availability



SYSTEMS GUIDE



Pricing Guide

SINGLE ZONE MINI-SPLIT - 1 TON SYSTEMS

Heat Pumps

SEER	BTU Cool / Htg.	Application	JS # AHRI	Indoor Unit		Outdoor Unit		Control	Line Size	Total Length
				Model #	H x W x D	Model #	H x W x D			
24.2	12K / 16K	**Wall Quaternity	500-022 3208522	FTXG12HVJU	12" x 35 ³ / ₃₂ " x 8 ⁷ / ₃₂ "	RXG12HVJU	22 ³ / ₈ " x 31 ⁹ / ₃₂ " x 11 ⁷ / ₃₂ "	REMOTE INCLUDED	¼" & ⅜"	32'
23	12K / 14.4K	**Wall LV	500-016 5265755	FTXS12LVJU	11 ⁵ / ₈ " x 31 ¹ / ₂ " x 8 ⁷ / ₁₆ "	RKS12LVJU	21 ⁵ / ₈ " x 30 ⁵ / ₈ " x 11 ¹ / ₄ "	REMOTE INCLUDED	¼" & ⅜"	66'
19	10.9K / 13.5K	Wall 19 Series	500-037 8064266	FTX12NMVJU	11 ¹ / ₄ " x 30 ⁵ / ₈ " x 8 ³ / ₄ "	RX12NMVJU	21 ⁵ / ₈ " x 26 ¹ / ₂ " x 11 ⁵ / ₈ "	REMOTE INCLUDED	¼" & ⅜"	66'
17	11K / 11.3K	Wall 17 Series	500-075 10574119	FTXB12AXVJU	11 ¹ / ₁₆ " x 35 ¹ / ₁₆ " x 8 ¹ / ₄ "	RXB12AXVJU	21 ⁵ / ₈ " x 25 ¹⁵ / ₁₆ " x 10 ³ / ₄ "	REMOTE INCLUDED	¼" & ⅜"	66'
17	12K / 13.5K	++Wall Emura	500-083 202677940	FTXR12TVJUW	11 ¹⁵ / ₁₆ " x 39 ⁵ / ₁₆ " x 8 ³ / ₈ "	RX12RMVJU9	21 ⁵ / ₈ " x 26 ⁹ / ₁₆ " x 11 ³ / ₁₆ "	REMOTE INCLUDED	¼" & ⅜"	66'
20	10.2K / 13K	Floor 20 Series	500-043 8849451	FVXS12NVJU	11 ¹ / ₄ " x 30 ⁵ / ₁₆ " x 8 ³ / ₄ "	RXL12QMVJU	21 ⁵ / ₈ " x 26 ⁹ / ₁₆ " x 11 ³ / ₁₆ "	REMOTE INCLUDED	¼" & ⅜"	66'
19.4	10.8K / 13.6K	Concealed Medium Static	500-069 202682021	FDMQ12RVJU	9 ⁵ / ₈ " x 27 ⁹ / ₁₆ " x 31 ¹ / ₂ "	RX12RMVJU9	21 ⁵ / ₈ " x 26 ⁹ / ₁₆ " x 11 ³ / ₁₆ "	BRC1E73	¼" & ⅜"	66'
15.5	11.5K / 11.5K	**Concealed Low Static	500-041 5265840	FDXS12LVJU	11 ⁵ / ₈ " x 31 ¹ / ₂ " x 8 ⁷ / ₁₆ "	RXS12LVJU	21 ⁵ / ₈ " x 30 ⁵ / ₈ " x 11 ¹ / ₄ "	REMOTE INCLUDED	¼" & ⅜"	66'
20.2	10.8K / 13.5K	++Cassette Vista	500-065 202682024	FFQ12Q2VJU	10 ¹ / ₄ " x 22 ⁵ / ₈ " x 22 ⁵ / ₈ "	RX12RMVJU9	21 ⁵ / ₈ " x 26 ⁹ / ₁₆ " x 11 ³ / ₁₆ "	OPTIONS BELOW	¼" & ⅜"	66'
Décor Panel Options for Vista "Cassette" System			B20-575	BYFQ60C2W1W	Décor Panel - White - 1 ¹ / ₁₆ " x 24 ⁷ / ₁₆ " x 24 ⁷ / ₁₆ " - for Drop Ceiling Applications					
			L46-981	BYFQ60B3W1	Décor Panel - White - 2 ³ / ₁₆ " x 27 ⁹ / ₁₆ " x 27 ⁹ / ₁₆ " - for Sheetrock Applications					
Control Options for Vista "Cassette" System			G36-601	BRC1E73	Wired Control for ALL FFQ Ceiling Cassettes					
			B20-666	BRC082A42W	White Option - Wireless Control for BYFQ60C2W1W (B20-575) Décor Panel					

++ EMURA wall mount unit FTXR09TVJUS (B61-668) & VISTA Décor Panel BYFQ60C2W1S (B20-574) & Control BRC082A42S (B20-667) are also available in silver.

Cool Only

SEER	BTU	Application	JS # AHRI	Indoor Unit		Outdoor Unit		Control	Line Size	Total Length
				Model #	H x W x D	Model #	H x W x D			
19	10.9K	Wall 19 Series	500-033 8064213	FTK12NMVJU	11 ¹ / ₄ " x 30 ⁵ / ₈ " x 8 ³ / ₄ "	RK12NMVJU	21 ⁵ / ₈ " x 26 ¹ / ₂ " x 11 ⁵ / ₈ "	REMOTE INCLUDED	¼" & ⅜"	66'
17	11K	**Wall 17 Series	500-076 10571502	FTKB12AXVJU	11 ¹ / ₁₆ " x 35 ¹ / ₁₆ " x 8 ¹ / ₄ "	RKB12AXVJU	21 ⁵ / ₈ " x 25 ¹⁵ / ₁₆ " x 10 ³ / ₄ "	REMOTE INCLUDED	¼" & ⅜"	66'

Capacities Listed per AHRI Standard: 95° Outdoor Amb. Temp. / 80° I.D.B. / 67° I.W.B.

** Regionally stocked, call for availability



SYSTEMS GUIDE



Pricing Guide

SINGLE ZONE MINI-SPLIT - 1 1/4 TON SYSTEMS

Heat Pumps

SEER	BTU Cool / Htg.	Application	JS # AHRI	Indoor Unit		Outdoor Unit		Control	Line Size	Total Length
				Model #	H x W x D	Model #	H x W x D			
21	15K / 18K	**Wall Quaternity	500-023 3208523	FTXG15HVJU	12" x 35 ¹ / ₃₂ " x 8 ⁷ / ₃₂ "	RXG15HVJU	22 ⁵ / ₁₆ " x 31 ⁹ / ₃₂ " x 11 ⁷ / ₃₂ "	REMOTE INCLUDED	1/4" & 3/8"	32'
20.6	15K / 18K	**Wall LV	500-017 5265756	FTXS15LVJU	13 ³ / ₈ " x 41 ⁵ / ₁₆ " x 9 ³ / ₄ "	RXS15LVJU	28 ¹⁵ / ₁₆ " x 32 ¹ / ₂ " x 11 ¹³ / ₁₆ "	REMOTE INCLUDED	1/4" & 1/2"	98'
20	15K / 18K	Floor 20 Series	500-044 8849445	FVXS15NVJU	11 ⁵ / ₈ " x 39" x 10 ⁵ / ₈ "	RXL15QMVJU	28 ¹⁵ / ₁₆ " x 34 ¹ / ₄ " x 12 ⁵ / ₈ "	REMOTE INCLUDED	1/4" & 1/2"	98'
20.2	14.4K / 18K	**Concealed Med. Static	500-070 201851572	FDMQ15RVJU	9 ⁵ / ₈ " x 39 ³ / ₈ " x 31 ¹ / ₂ "	RX15RMVJU	28 ¹⁵ / ₁₆ " x 34 ¹ / ₄ " x 12 ⁵ / ₈ "	BRC1E73	1/4" & 1/2"	98'
20.7	14.4K / 16.2K	++ **Cassette Vista	500-066 201871419	FFQ15Q2VJU	10 ¹ / ₄ " x 22 ⁵ / ₈ " x 22 ⁵ / ₈ "	RX15RMVJU	28 ¹⁵ / ₁₆ " x 34 ¹ / ₄ " x 12 ⁵ / ₈ "	OPTIONS BELOW	1/4" & 1/2"	98'
Décor Panel Options for Vista "Cassette" System				B20-575	BYFQ60C2W1W	Décor Panel - White - 1 ¹³ / ₁₆ " x 24 ⁷ / ₁₆ " x 24 ⁷ / ₁₆ " - for Drop Ceiling Applications				
				L46-981	BYFQ60B3W1	Décor Panel - White - 2 ³ / ₁₆ " x 27 ⁹ / ₁₆ " x 27 ⁹ / ₁₆ " - for Sheetrock Applications				
Control Options for Vista "Cassette" System				G36-601	BRC1E73	Wired Control for ALL FFQ Ceiling Cassettes				
				B20-666	BRC082A42W	White Option - Wireless Control for BYFQ60C2W1W (B20-575) Décor Panel				

++ VISTA Décor Panel BYFQ60C2W1S (B20-574) & Control BRC082A42S (B20-667) are also available in silver.

Capacities Listed per AHRI Standard: 95° Outdoor Amb. Temp. / 80° I.D.B. / 67° I.W.B.

**Regionally stocked, call for availability



SYSTEMS GUIDE

Pricing Guide



SINGLE ZONE MINI-SPLIT - 1 1/2 TON SYSTEMS

Heat Pumps

SEER	BTU Cool / Htg.	Application	JS # AHRI	Indoor Unit Model # H x W x D	Outdoor Unit Model # H x W x D	Control	Line Size	Total Length
		SkyAir	500-050	Choose from Indoor Options Below	RZQ18TAVJU 39" x 37" x 12 5/8"	BRC1E73		
16.3	18K / 20K	**Suspended	202515460	FHQ18PVJU	7 11/16" x 62 5/8" x 26 3/4"	Outdoor Unit, Control & Décor Panel included in Total Price	3/8" & 5/8"	164'
16.7		**Concealed	202514058	FBQ18PVJU	11 13/16" x 39 3/8" x 27 9/16"		1/4" & 1/2"	
15.5		**Air Handler	202515492	FTQ18TAVJUA	45" X 17 1/2" X 21"		3/8" & 3/4"	
18.6		**Cassette	202515490	*FCQ18TAVJU	10 1/16" X 33 1/16" X 33 1/16"		3/8" & 5/8"	
17		**Wall	202515455	FAQ18TAVJU	11 3/8" x 41 3/8" x 9 1/4"			
20.3	18K / 21.6K	**Wall LV	500-018 5265757	FTXS18LVJU 13 3/8" x 41 5/16" x 9 3/4"	RXS18LVJU 28 15/16" x 32 1/2" x 11 13/16"	REMOTE INCLUDED	1/4" & 1/2"	98'
18	18K / 21.6K	Wall 19 Series	500-038 8064267	FTX18NMVJU 11 5/8" x 39" x 10 5/8"	RX18NMVJU 29" x 34 1/4" x 12 5/8"	REMOTE INCLUDED	1/4" & 1/2"	98'
17	18K / 17.9K	Wall 17 Series	500-077 10574896	FTXB18AXVJU 12 5/8" x 46 1/8" x 9 1/2"	RXB18AXVJU 25 11/16" x 33 11/16" x 12 15/16"	REMOTE INCLUDED	1/4" & 1/2"	98'
14.5	18K / 20K	++Wall Emura	500-084 202677941	FTXR18TVJUW 11 15/16" x 39 5/16" x 8 5/8"	RX18RMVJU9 28 15/16" x 34 1/4" x 12 5/8"	REMOTE INCLUDED	1/4" & 1/2"	98'
18.5	17.6K / 21.6K	Concealed Medium Static	500-071 202682022	FDMQ18RVJU 9 5/8" x 39 3/8" x 31 1/2"	RX18RMVJU9 28 15/16" x 34 1/4" x 12 5/8"	BRC1E73	1/4" & 1/2"	98'
19.3	17.4K / 21.6K	++Cassette Vista	500-081 202682025	FFQ18Q2VJU 10 1/4" x 22 5/8" x 22 5/8"	RX18RMVJU9 28 15/16" x 34 1/4" x 12 5/8"	OPTIONS BELOW	1/4" & 1/2"	98'
Décor Panel Options for Vista "Cassette" System			B20-575 BYFQ60C2W1W	Décor Panel - White - 1 13/16" x 24 7/16" x 24 7/16" - for Drop Ceiling Applications				
			L46-981 BYFQ60B3W1	Décor Panel - White - 2 5/16" x 27 9/16" x 27 9/16" - for Sheetrock Applications				
Control Options for Vista "Cassette" System			G36-601 BRC1E73	Wired Control for ALL FFQ Ceiling Cassettes				
			B20-666 BRC082A42W	White Option - Wireless Control for BYFQ60C2W1W (B20-575) Décor Panel				

++ VISTA Décor Panel BYFQ60C2W1S (B20-574) & Control BRC082A42S (B20-667) are also available in silver.

Cool Only

SEER	BTU	Application	JS # AHRI	Indoor Unit Model # H x W x D	Outdoor Unit Model # H x W x D	Control	Line Size	Total Length
		SkyAir	500-051	Choose from Indoor Options Below	RZR18TAVJU 39" x 37" x 12 5/8"	BRC1E73		
16.3	18K	**Suspended	202517479	FHQ18PVJU	7 11/16" x 62 5/8" x 26 3/4"	Outdoor Unit, Control & Décor Panel included in Total Price	3/8" & 5/8"	164'
16.7		**Concealed	202515352	FBQ18PVJU	11 13/16" x 39 3/8" x 27 9/16"		1/4" & 1/2"	
18.6		**Cassette	202517473	*FCQ18TAVJU	10 1/16" X 33 1/16" X 33 1/16"		3/8" & 5/8"	
17		**Wall	202682932	FAQ18TAVJU	11 3/8" x 41 3/8" x 9 1/4"			
18	18K	Wall 19 Series	500-034 8064236	FTK18NMVJU 11 5/8" x 39" x 10 5/8"	RK18NMVJU 29" x 34 1/4" x 12 5/8"	REMOTE INCLUDED	1/4" & 1/2"	98'
17	18K	**Wall 17 Series	500-078 10571503	FTKB18AXVJU 12 5/8" x 46 1/8" x 9 1/2"	RKB18AXVJU 25 11/16" x 33 11/16" x 12 15/16"	REMOTE INCLUDED	1/4" & 1/2"	98'

*Daikin A/C requires that a 3/8" x 5/8" line set is used and reduced at the indoor unit connections.

** Regionally stocked, call for availability

Capacities Listed per AHRI Standard: 95° Outdoor Amb. Temp. / 80° I.D.B. / 67° I.W.B.



SYSTEMS GUIDE



Pricing Guide

SINGLE ZONE MINI-SPLIT - 2 TON SYSTEMS

Heat Pumps

SEER	BTU Cool / Htg.	Application	JS # AHRI	Indoor Unit Model # H x W x D	Outdoor Unit Model # H x W x D	Control	Line Size	Total Length
		SkyAir	500-052	Choose from Indoor Options Below	RZQ24TAVJU 39" x 37" x 12 ⁵ / ₈ "	BRC1E73		
16.6	24K / 27K	**Suspended	202515461	FHQ24PVJU	7 ¹¹ / ₁₆ " x 62 ⁵ / ₈ " x 26 ³ / ₄ "	Outdoor Unit, Control & Décor Panel included in Total Price	3/8" & 5/8"	164'
16.5		**Concealed	202515350	FBQ24PVJU	11 ¹³ / ₁₆ " x 39 ³ / ₈ " x 27 ⁹ / ₁₆ "			
18.5		**Cassette	202515457	FCQ24TAVJU	10 ¹ / ₁₆ " x 33 ¹ / ₁₆ " x 33 ¹ / ₁₆ "			
15.2		**Air Handler	202515464	FTQ24TAVJUA	45" x 17 ¹ / ₂ " x 21"			
17.6		**Wall	202515456	FAQ24TAVJU	11 ³ / ₈ " x 41 ³ / ₈ " x 9 ¹ / ₄ "			
20	21.4K / 25.4K	**Wall LV	500-019 5265758	FTXS24LVJU 13 ³ / ₈ " x 41 ⁵ / ₁₆ " x 9 ³ / ₄ "	RXS24LVJU 30 ⁵ / ₁₆ " x 35 ⁷ / ₁₆ " x 12 ⁵ / ₈ "	REMOTE INCLUDED	1/4" & 5/8"	98'
18	21.2K / 24K	Wall 19 Series	500-039 8064268	FTX24NMVJU 11 ⁵ / ₈ " x 39" x 10 ⁵ / ₈ "	RX24NMVJU 29" x 34 ¹ / ₄ " x 12 ⁵ / ₈ "	REMOTE INCLUDED	1/4" & 5/8"	98'
17	21.2K / 21.2K	Wall 17 Series	500-079 10575515	FTXB24AXVJU 12 ⁵ / ₈ " x 46 ¹ / ₈ " x 9 ¹ / ₂ "	RXB24AXVJU 29 ¹¹ / ₁₆ " x 33 ¹¹ / ₁₆ " x 12 ¹⁵ / ₁₆ "	REMOTE INCLUDED	1/4" & 5/8"	98'
18.6	21.8K / 24K	Concealed Medium Static	500-072 201851574	FDMQ24RVJU 9 ⁵ / ₈ " x 39 ³ / ₈ " x 31 ¹ / ₂ "	RX24RMVJU 28 ¹⁵ / ₁₆ " x 34 ¹ / ₄ " x 12 ⁵ / ₈ "	BRC1E73	1/4" & 5/8"	98'

Cool Only

SEER	BTU Cool / Htg.	Application	JS # AHRI	Indoor Unit Model # H x W x D	Outdoor Unit Model # H x W x D	Control	Line Size	Total Length
		SkyAir	500-053	Choose from Indoor Options Below	RZR24TAVJU 39" x 37" x 12 ⁵ / ₈ "	BRC1E73		
16.6	24K	**Suspended	202517480	FHQ24PVJU	7 ¹¹ / ₁₆ " x 62 ⁵ / ₈ " x 26 ³ / ₄ "	Outdoor Unit, Control & Décor Panel included in Total Price	3/8" & 5/8"	164'
16.5		**Concealed	202515404	FBQ24PVJU	11 ¹³ / ₁₆ " x 39 ³ / ₈ " x 27 ⁹ / ₁₆ "			
18.5		**Cassette	202517474	FCQ24TAVJU	10 ¹ / ₁₆ " x 33 ¹ / ₁₆ " x 33 ¹ / ₁₆ "			
17.6		**Wall	202517472	FAQ24TAVJU	11 ³ / ₈ " x 41 ³ / ₈ " x 9 ¹ / ₄ "			
19	21.2K	Wall 19 Series	500-035 205782851	FTK24AXVJU 11 ⁵ / ₈ " x 39" x 10 ⁵ / ₈ "	RK24AXVJU 29" x 34 ¹ / ₄ " x 12 ⁵ / ₈ "	REMOTE INCLUDED	1/4" & 5/8"	98'
17	21.2K	**Wall 17 Series	500-080 10571504	FTKB24AXVJU 12 ⁵ / ₈ " x 46 ¹ / ₈ " x 9 ¹ / ₂ "	RKB24AXVJU 29 ¹¹ / ₁₆ " x 33 ¹¹ / ₁₆ " x 12 ¹⁵ / ₁₆ "	REMOTE INCLUDED	1/4" & 5/8"	98'

Capacities Listed per AHRI Standard: 95° Outdoor Amb. Temp. / 80° I.D.B. / 67° I.W.B.

** Regionally stocked, call for availability



SYSTEMS GUIDE



Pricing Guide

SINGLE ZONE MINI-SPLIT - 2.5 TON SYSTEMS

Heat Pumps

SEER	BTU Cool / Htg.	Application	JS # AHRI	Indoor Unit Model # H x W x D	Outdoor Unit Model # H x W x D	Control	Line Size	Total Length
		SkyAir	500-056	Choose from Indoor Options Below	RZQ30TAVJU 52 ¹⁵ / ₁₆ " x 35 ⁷ / ₁₆ " x 12 ⁵ / ₈ "	BRC1E73		
16	30K / 34K	**Suspended	202515524	FHQ30PVJU	7 ¹¹ / ₁₆ " x 62 ⁵ / ₈ " x 26 ³ / ₄ "	Outdoor Unit, Control & Décor Panel included in Total Price	3/8" & 5/8"	230'
16		**Concealed	202515489	FBQ30PVJU	11 ¹³ / ₁₆ " x 39 ³ / ₈ " x 27 ⁹ / ₁₆ "			
17.2		**Cassette	202517169	FCQ30TAVJU	11 ²³ / ₃₂ " x 33 ¹ / ₁₆ " x 33 ¹ / ₁₆ "			
16		**Air Handler	202517170	FTQ30TAVJUA	45" x 17 ¹ / ₂ " x 21"			
17.5	31.4K / 34.8K	**Wall NV Series	500-054 10244274	FTX30NVJU 13 ³ / ₈ " x 47 ¹ / ₄ " x 10 ³ / ₁₆ "	RX30NMVJU 28 ¹⁵ / ₁₆ " x 34 ¹ / ₄ " x 12 ⁵ / ₈ "	REMOTE INCLUDED	1/4" & 5/8"	98'

Cool Only

SEER	BTU	Application	JS # AHRI	Indoor Unit Model # H x W x D	Outdoor Unit Model # H x W x D	Control	Line Size	Total Length
		SkyAir	500-057	Choose from Indoor Options Below	RZR30TAVJU 52 ¹⁵ / ₁₆ " x 35 ⁷ / ₁₆ " x 12 ⁵ / ₈ "	BRC1E73		
16	30K	**Suspended	202517481	FHQ30PVJU	7 ¹¹ / ₁₆ " x 62 ⁵ / ₈ " x 26 ³ / ₄ "	Outdoor Unit, Control & Décor Panel included in Total Price	3/8" & 5/8"	230'
16		**Concealed	202515525	FBQ30PVJU	11 ¹³ / ₁₆ " x 39 ³ / ₈ " x 27 ⁹ / ₁₆ "			
17.2		**Cassette	202517475	FCQ30TAVJU	11 ²³ / ₃₂ " x 33 ¹ / ₁₆ " x 33 ¹ / ₁₆ "			
17.5	31.4K	**Wall NV Series	500-055 10242543	FTX30NVJU 13 ³ / ₈ " x 47 ¹ / ₄ " x 10 ³ / ₁₆ "	RK30NMVJU 28 ¹⁵ / ₁₆ " x 34 ¹ / ₄ " x 12 ⁵ / ₈ "	REMOTE INCLUDED	1/4" & 5/8"	98'

Capacities Listed per AHRI Standard: 95° Outdoor Amb. Temp. / 80° I.D.B. / 67° I.W.B.

** Regionally stocked, call for availability



SYSTEMS GUIDE



Pricing Guide

SINGLE ZONE MINI-SPLIT - 3 TON SYSTEMS

Heat Pumps

SEER	BTU Cool / Htg.	Application	JS # AHRI	Indoor Unit Model # H x W x D	Outdoor Unit Model # H x W x D	Control	Line Size	Total Length
		SkyAir	500-060	Choose from Indoor Options Below	RZQ36TAVJU 52 ¹⁵ / ₁₆ " x 35 ⁷ / ₁₆ " x 12 ⁵ / ₈ "	BRC1E73		
14	36K / 40K	**Suspended	202515462	FHQ36MVJU	7 ¹¹ / ₁₆ " x 62 ⁵ / ₈ " x 26 ³ / ₄ "	Outdoor Unit, Control & Décor Panel included in Total Price	3/8" & 5/8"	230'
17.5		**Concealed	202514056	FBQ36PVJU	11 ¹³ / ₁₆ " x 55 ¹ / ₈ " x 27 ⁹ / ₁₆ "			
17.6		**Cassette	202515491	FCQ36TAVJU	11 ²³ / ₃₂ " x 33 ¹ / ₁₆ " x 33 ¹ / ₁₆ "			
15.3		**Air Handler	202515465	FTQ36TAVJUA	45" x 17 ¹ / ₂ " x 21"			
15.9	34.4K / 36K	**Wall NV Series	500-058 10244275	FTX36NVJU 13 ³ / ₈ " x 47 ¹ / ₄ " x 10 ³ / ₁₆ "	RX36NMVJU 28 ¹⁵ / ₁₆ " x 34 ¹ / ₄ " x 12 ⁵ / ₈ "	REMOTE INCLUDED	1/4" & 5/8"	98'

Cool Only

SEER	BTU	Application	JS # AHRI	Indoor Unit Model # H x W x D	Outdoor Unit Model # H x W x D	Control	Line Size	Total Length
		SkyAir	500-061	Choose from Indoor Options Below	RZR36TAVJU 52 ¹⁵ / ₁₆ " x 35 ⁷ / ₁₆ " x 12 ⁵ / ₈ "	BRC1E73		
14	36K	**Suspended	202517482	FHQ36MVJU	7 ¹¹ / ₁₆ " x 62 ⁵ / ₈ " x 26 ³ / ₄ "	Outdoor Unit, Control & Décor Panel included in Total Price	3/8" & 5/8"	230'
17.5		**Concealed	202515405	FBQ36PVJU	11 ¹³ / ₁₆ " x 55 ¹ / ₈ " x 27 ⁹ / ₁₆ "			
17.6		**Cassette	202517476	FCQ36TAVJU	11 ²³ / ₃₂ " x 33 ¹ / ₁₆ " x 33 ¹ / ₁₆ "			
15.9	34.4K	**Wall NV Series	500-059 10243638	FTX36NVJU 13 ³ / ₈ " x 47 ¹ / ₄ " x 10 ³ / ₁₆ "	RK36NMVJU 28 ¹⁵ / ₁₆ " x 34 ¹ / ₄ " x 12 ⁵ / ₈ "	REMOTE INCLUDED	1/4" & 5/8"	98'

Capacities Listed per AHRI Standard: 95° Outdoor Amb. Temp. / 80° I.D.B. / 67° I.W.B.

** Regionally stocked, call for availability



SYSTEMS GUIDE

Pricing Guide



SINGLE ZONE MINI-SPLIT - 3.5 and 4 TON SYSTEMS

Heat Pumps - 3.5 TON

SEER	BTU Cool /	Application	JS # AHRI	Indoor Unit Model # H x W x D	Outdoor Unit Model # H x W x D	Control	Line Size	Total Length
		SkyAir	500-062	Choose from Indoor Options Below	RZQ42TAVJU 52 ¹⁵ / ₁₆ " x 35 ⁷ / ₁₆ " x 12 ⁵ / ₈ "	BRC1E73		
14	40.5K / 40K	**Suspended	202515463	FHQ42MVJU	7 ¹¹ / ₁₆ " x 62 ⁵ / ₈ " x 26 ³ / ₄ "	Outdoor Unit, Control & Décor Panel included in Total Price	3/8" & 5/8"	230'
16	40.5K / 47K	**Concealed	202515351	FBQ42PVJU	11 ¹³ / ₁₆ " x 55 ¹ / ₈ " x 27 ⁹ / ₁₆ "			
17	42K / 47K	**Cassette	202515458	FCQ42TAVJU	11 ²³ / ₃₂ " x 33 ¹ / ₁₆ " x 33 ¹ / ₁₆ "			
16		**Air Handler	202515466	FTQ42TAVJUA	58 ¹ / ₂ " x 21" x 21"			

Cool Only - 3.5 TON

SEER	BTU	Application	JS # AHRI	Indoor Unit Model # H x W x D	Outdoor Unit Model # H x W x D	Control	Line Size	Total Length
		SkyAir	500-063	Choose from Indoor Options Below	RZR42TAVJU 52 ¹⁵ / ₁₆ " x 35 ⁷ / ₁₆ " x 12 ⁵ / ₈ "	BRC1E73		
14	40.5K	**Suspended	202517483	FHQ42MVJU	7 ¹¹ / ₁₆ " x 62 ⁵ / ₈ " x 26 ³ / ₄ "	Outdoor Unit, Control & Décor Panel included in Total Price	3/8" & 5/8"	230'
16		**Concealed	202515406	FBQ42PVJU	11 ¹³ / ₁₆ " x 55 ¹ / ₈ " x 27 ⁹ / ₁₆ "			
17		**Cassette	202517477	FCQ42TAVJU	11 ²³ / ₃₂ " x 33 ¹ / ₁₆ " x 33 ¹ / ₁₆ "			

Heat Pumps - 4 TON

SEER	BTU Cool /	Application	JS # AHRI	Indoor Unit Model # H x W x D	Outdoor Unit Model # H x W x D	Control	Line Size	Total Length
		SkyAir	500-085	Choose from Indoor Options Below	RZQ48TAVJU 52 ¹⁵ / ₁₆ " x 35 ⁷ / ₁₆ " x 12 ⁵ / ₈ "	BRC1E73		
14	48K / 54K	**Concealed	202514057	FBQ48PVJU	11 ¹³ / ₁₆ " x 55 ¹ / ₈ " x 27 ⁹ / ₁₆ "	Outdoor Unit, Control & Décor Panel included in Total Price	3/8" & 5/8"	230'
17		**Cassette	202515459	FCQ48TAVJU	11 ²³ / ₃₂ " x 33 ¹ / ₁₆ " x 33 ¹ / ₁₆ "			
14.8		**Air Handler	202515467	FTQ48TAVJUA	53 ¹ / ₂ " x 21" x 21"			

Cool Only - 4 TON

SEER	BTU	Application	JS # AHRI	Indoor Unit Model # H x W x D	Outdoor Unit Model # H x W x D	Control	Line Size	Total Length
		SkyAir	500-086	Choose from Indoor Options Below	RZR48TAVJU 52 ¹⁵ / ₁₆ " x 35 ⁷ / ₁₆ " x 12 ⁵ / ₈ "	BRC1E73		
14	48K	**Concealed	202515407	FBQ48PVJU	11 ¹³ / ₁₆ " x 55 ¹ / ₈ " x 27 ⁹ / ₁₆ "	Outdoor Unit, Control & Décor Panel included in Total Price	3/8" & 5/8"	230'
17		**Cassette	202517478	FCQ48TAVJU	11 ²³ / ₃₂ " x 33 ¹ / ₁₆ " x 33 ¹ / ₁₆ "			

Capacities Listed per AHRI Standard: 95° Outdoor Amb. Temp. / 80° I.D.B. / 67° I.W.B.

** Regionally stocked, call for availability



SYSTEMS GUIDE

Pricing Guide



MULTI-SPLIT SYSTEMS

Outdoor Units & Branch Connectors

Outdoor Units

Model	JS #	Tons	Max Cooling BTU	Max Heating BTU	Max Selected Units / Connected Capacity	Combined Total Piping Length
2MXS18NMVJU	B76-556	1½	21K	25K	2 / 24K	164'
3MXS24RMVJU	B60-816	2	30K	36K	2 - 3 / 39K	230'
4MXS36RMVJU	B60-817	3	38K	38K	2 - 4 / 48K	230'
5MXS48TVJU	B61-725	4	47K	48.5K	2 - 5 / 58K	262'
RMXS48LVJU	B73-666	4	48K	62.4K	2 - 8 / 62K (branch box required)	433'

Branch Connectors

Model	JS #	Note
BPMKS048A2U	B18-443	2 - Port
BPMKS049A3U	B18-444	3 - Port

Multi Port Matches Outdoor Unit	Unit Combinations	Indoor Unit Combinations				Indoor Unit Combinations			
	Two Zone	Two Zone	Three Zone		Two Zone	Three Zone	Four Zone		
2MXS18NMVJU (1½ Ton)	07+07	07+07	07+07+07	07+15+15	07+07	07+07+07	09+09+09	07+07+07+07	07+09+12+12
	07+09	07+09	07+07+09	09+09+09	07+09	07+07+09	09+09+12	07+07+07+09	07+09+12+15
	07+12	07+12	07+07+12	09+09+12	07+12	07+07+12	09+09+15	07+07+07+12	07+09+12+18
	07+15	07+15	07+07+15	09+09+15	07+15	07+07+15	09+09+18	07+07+07+15	07+09+15+15
	09+09	07+18	07+07+18	09+09+18	07+18	07+07+18	09+09+24	07+07+07+18	07+12+12+12
	09+12	09+09	07+09+09	09+12+12	07+24	07+07+24	09+12+12	07+07+07+24	07+12+12+15
	09+15	09+12	07+09+12	09+12+15	09+09	07+09+09	09+12+15	07+07+09+09	07+12+12+12
	12+12	09+15	07+09+15	09+12+18	09+12	07+09+12	09+12+18	07+07+09+12	07+12+12+15
		09+18	07+09+18	09+15+15	09+15	07+09+15	09+12+24	07+07+09+15	09+09+09+09
		12+12	07+12+12	12+12+12	09+18	07+09+18	09+15+15	07+07+09+18	09+09+09+12
3MXS24RMVJU (2 Ton)		12+15	07+12+15	12+12+15	09+24	07+09+24	09+15+18	07+07+09+24	09+09+09+15
		12+18	07+12+18		12+12	07+12+12	19+15+24	07+07+12+12	09+09+09+18
		15+15			12+15	07+12+15	09+18+18	07+07+12+15	09+09+12+12
		15+18			12+18	07+12+18	12+12+12	07+07+12+18	09+09+12+15
		18+18			12+24	07+12+24	12+12+15	07+07+15+15	09+09+12+18
4MXS36RMVJU (3 Ton)					15+15	07+15+15	12+12+18	07+07+15+18	09+09+15+15
					15+18	07+15+18	12+12+24	07+09+09+09	09+12+12+12
					15+24	07+18+18	12+15+15	07+09+09+12	09+12+12+15
					18+18		12+15+18	07+09+09+15	12+12+12+12
					18+24		12+18+18	07+09+09+18	
					24+24		15+15+15		
							15+15+18		

4 ton (5MXS48) 2 - 5 zone combinations (next page)

PAGE 41



SYSTEMS GUIDE

Pricing Guide



MULTI-SPLIT SYSTEMS

4-ton (5MXS48) 2 - 5 zone Combinations (branch boxes NOT required)

Multi Port Matches		Indoor Unit Combinations						
Outdoor Unit		Two Zone	Three Zone		Four Zone			Five Zone
5MXS48TVJU (4 Ton)	07+07	07+07+07	09+18+18	07+07+07+07	07+12+12+12	12+12+12+15	07+07+07+07+07	07+09+09+09+18
	07+09	07+07+09	09+18+24	07+07+07+09	07+12+12+15	12+12+12+18	07+07+07+07+09	07+09+09+09+24
	07+12	07+07+12	09+24+24	07+07+07+12	07+12+12+18	12+12+15+15	07+07+07+07+12	07+09+09+12+12
	07+15	07+07+15	12+12+12	07+07+07+15	07+12+12+24	12+12+15+18	07+07+07+07+15	07+09+09+12+15
	07+18	07+07+18	12+12+15	07+07+07+18	07+12+15+15	12+15+15+15	07+07+07+07+18	07+09+09+12+18
	07+24	07+07+24	12+12+18	07+07+07+24	07+12+15+18		07+07+07+07+24	07+09+09+15+15
	09+09	07+09+09	12+12+24	07+07+09+09	07+12+15+24		07+07+07+09+09	07+09+09+15+18
	09+12	07+09+12	12+15+15	07+07+09+12	07+12+18+18		07+07+07+09+12	07+09+12+12+12
	09+15	07+09+15	12+15+18	07+07+09+15	07+15+15+15		07+07+07+09+15	07+09+12+12+15
	09+18	07+09+18	12+18+18	07+07+09+18	07+15+15+18		07+07+07+09+18	07+09+12+12+18
	09+24	07+09+24	12+18+24	07+07+09+24	07+15+18+18		07+07+07+09+24	07+09+12+15+15
	12+12	07+12+12	15+15+15	07+07+12+12	09+09+09+09		07+07+07+12+12	07+12+12+12+12
	12+15	07+12+15	15+15+18	07+07+12+15	09+09+09+12		07+07+07+12+15	07+12+12+12+15
	12+18	07+12+18	15+15+24	07+07+12+18	09+09+09+15		07+07+07+12+18	09+09+09+09+09
	12+24	07+12+24	15+18+18	07+07+12+24	09+09+09+18		07+07+07+12+24	09+09+09+09+12
	15+15	07+15+15	15+18+24	07+07+15+18	09+09+09+24		07+07+07+15+15	09+09+09+09+15
	15+18	07+15+18	18+18+18	07+07+15+15	09+09+12+12		07+07+07+15+18	09+09+09+09+18
	15+24	07+15+24		07+07+15+24	09+09+12+15		07+07+07+18+18	09+09+09+12+12
	18+18	07+18+18		07+07+18+18	09+09+12+18		07+07+09+09+09	09+09+09+12+15
	18+24	07+18+24		07+07+18+24	09+09+12+24		07+07+09+09+12	09+09+09+12+18
	24+24	07+24+24		07+09+09+09	09+09+15+15		07+07+09+09+15	09+09+09+15+15
		09+09+09		07+09+09+12	09+09+15+18		07+07+09+09+18	09+09+12+12+12
		09+09+12		07+09+09+15	09+09+15+24		07+07+09+09+24	09+09+12+12+15
		09+09+15		07+09+09+18	09+09+18+18		07+07+09+12+12	09+12+12+12+12
		09+09+18		07+09+09+24	09+12+12+12		07+07+09+12+15	
		09+09+24		07+09+12+12	09+12+12+15		07+07+09+12+18	
		09+12+12		07+09+12+15	09+12+12+18		07+07+09+15+15	
		09+12+15		07+09+12+18	09+12+12+24		07+07+09+15+18	
		09+12+18		07+09+12+24	09+12+15+15		07+07+12+12+12	
		09+12+24		07+09+15+15	09+12+15+18		07+07+12+12+15	
		09+15+15		07+09+15+18	09+12+18+18		07+07+12+12+18	
		09+15+18		07+09+15+24	09+15+15+15		07+09+09+09+09	
		09+15+24		07+09+18+18	09+15+15+18		07+09+09+09+12	
				07+09+18+24	12+12+12+12		07+09+09+09+15	

Select Indoor Fan Coil on "Multi-Split Indoor Fan Coils" (next page)

PAGE 42



SYSTEMS GUIDE

Pricing Guide



MULTI-SPLIT INDOOR FAN COILS

NEW: EMURA Multi Zone Wall Mounts (Heat Pumps)

Model	JS #	BTU Cooling	BTU Heating	Style	Control	Line Size
FTXR09TVJUW	B61-665	9K	11.3K	White	Wireless Remote Included	¼ & ¾
FTXR09TVJUS	B61-668		9K	Silver		
FTXR12TVJUW	B61-666	12K	15K	White		¼ & ¾
FTXR12TVJUS	B61-669			Silver		
FTXR18TVJUW	B61-667	19.5K	22.5K	White		¼ & ½
FTXR18TVJUS	B61-670	18K	18K	Silver		

Multi Zone Wall Mounts (Heat Pumps)

Model	JS #	BTU Cooling	BTU Heating	Control	Line Size
CTXS07LVJU	B73-351	7K	8.5K	Wireless Remote Included	¼ & ¾
FTXS09LVJU	B73-339	9K	12K		¼ & ¾
FTXS12LVJU	B73-340	12K	14.4K		¼ & ¾
FTXS15LVJU	B73-341	15K	18K		¼ & ½
FTXS18LVJU	B73-342	18K	21.6K		¼ & ½
FTXS24LVJU	B73-343	21K	25.4K		¼ & ¾

Multi Zone Ceiling Cassettes (Heat Pumps)

Model	JS #	BTU Cooling	BTU Heating	White Panel	Control (white)	Line Size
FFQ09Q2VJU	B79-334	9.5K	11.1K	BYFQ60C2W1W	BRC082A42W	¼ & ¾
FFQ12Q2VJU	B79-335	12K	14K	BYFQ60C2W1W	BRC082A42W	¼ & ¾
FFQ15Q2VJU	B79-336	15K	17.5K	BYFQ60C2W1W	BRC082A42W	¼ & ½
FFQ18Q2VJU	B79-337	18K	21.5K	BYFQ60C2W1W	BRC082A42W	¼ & ½

Panel (BYFQ60C2W1S) and Control (BRC082A42S) for FFQQ2VJU also available in silver.

Multi Zone Slim Duct (Heat Pumps)

Model	JS #	BTU Cooling	BTU Heating	Static	Control	Line Size
**FDXS09LVJU	B73-344	8.5K	10K	Low Static (.20)	Wireless Remote Included	¼ & ¾
**FDXS12LVJU	B73-345	11.5K	11.5K			¼ & ¾
**CDXS15LVJU	B73-354	15K	18K			¼ & ½
**CDXS18LVJU	B73-355	18K	21.6K			¼ & ½
FDMQ09RVJU	B60-806	9K	9K	Medium Static (.60)	BRC1E73	¼ & ¾
FDMQ12RVJU	B60-807	12K	12K		BRC1E73	¼ & ¾
FDMQ15RVJU	B60-808	15K	15K		BRC1E73	¼ & ½
FDMQ18RVJU	B60-809	18K	18K		BRC1E73	¼ & ½
FDMQ24RVJU	B60-810	24K	24K		BRC1E73	¼ & ¾

Floor Standing (Heat Pumps)

Model	JS #	BTU Cooling	BTU Heating	Control	Line Size
FVXS09NVJU	B76-559	9K	12K	Wireless Remote Included	¼ & ¾
FVXS12NVJU	B76-560	12K	14.4K		¼ & ¾
FVXS18NVJU	B76-561	18K	21.6K		¼ & ½

Capacities Listed per AHRI Standard: 95° Outdoor Amb. Temp. / 80° I.D.B. / 67° I.W.B.

** Regionally stocked, call for availability

PAGE 43



SYSTEMS GUIDE

Pricing Guide



Daikin Controls & SkyAir Accessories

Control Options for Daikin Mini-Split Indoor Fan Coils		FTXB 17 Series Wall Mount	FTX , 19 Series & FTX 30/36 NV Series Wall Mount	CTXS, FTXS, CTXG Emura, LV Series & Muti-Zone Wall Mount	FTXG Quaternary Wall Mount	FVXS Aurora & Multi-Zone Floor Mount	FDXS LV Concealed Ducted	FDMQ, FFQ Concealed Ducted & Ceiling Cassette	FAQ 18/24 SkyAir Wall Mount	FBQ, FCQ Concealed & Ceiling Cassette	SkyAir Ducted Cassette	FHQ SkyAir Ceiling Suspended	FTQ SkyAir Conventional Ducted
	Wireless Remote	included	included	included	included	included	included	no	no	no	no	no	no
L50-904	DTST-ONE-ADA-A Daikin One Stat		✓	✓	✓	✓	✓						
B20-547	BRP072A43 Wi-Fi Control App		✓	✓	✓	✓	✓						
B21-509	AZAI6WSCDKA Cloud Wi-Fi Adaptor							✓	✓		✓	✓	✓
G36-446	BRC944B2-A08 Wired Controller		✓*	✓		✓							
B19-642	*KRP067A41E Interface Adapter	* required when using BRC944B2-A08 Wired Controller for FTX, FTK, FTXN & FTKN 09 & 12 models or											
B19-641	*KRP980B2E Interface Adapter	* required when using BRC944B2-A08 Wired Controller for FTX, FTK, FTXN & FTKN 18 & 24 models											
G36-601	BRC1E73 Wired Controller							✓	✓		✓	✓	✓
B20-666	** BRC082A42W Wireless							✓**	for use w/ FFQ cassettes and white décor panel				
B20-667	** BRC082A42S Wireless							✓**	for use w/ FFQ cassettes and silver décor panel				
B22-137	KRCSH2018-01 Button Sensor Kit							✓	✓		✓	✓	✓

KRCSH2018-01 also available for VRV and VRV LIFE units. (CXTQ, FXAQ, FXDQ, FXHQ, FXLQ, FXNQ, FXEQ, FXFQ, FXMQ, FXTQ, FXSQ, FXUQ, FXZQ)

SkyAir Accessories

Zoning Boxes & Thermostats for SkyAir Systems

JS #	Model	Description	Compatible Indoor Units	Damper Size	# of Dampers	Width / Height / Depth
B86-262	** DZK030E4	Zoning Box for FBQ_P	1½ - 2½ Ton	8"	4	43½" x 10½" x 10½"
B86-263	** DZK030E5	Zoning Box for FBQ_P	1½ - 2½ Ton	6"	5	43½" x 10½" x 10½"
866-604	DZK048E4-3	Zoning Box for FBQ_P / FDMQ	3 - 3½ Ton	8"	4	53½" x 10½" x 10½"
866-102	** DZK048E6	Zoning Box for FBQ_P	3 - 3½ Ton	6"	6	53½" x 10½" x 10½"
L47-418	DZK-MTS-1-W	DZK-MTS-1-W - Main Thermostat for Zoning Boxes (use 866-607 when using "3" series zoning boxes)				
L47-419	DZK-ZTS-1-W	DZK-ZTS-1-W - Wireless Thermostat for Additional Zones (use 866-608 when using "3" series zoning boxes)				

Heat Options for SkyAir Systems

JS #	Model	Description	Voltage / Phase	KW	Stage
L86-500	HKR-05C	Electric Heat Kit for FTQ SkyAir Systems	208/240-1	5kw w/ Breaker	1
L86-503	HKR-08C	Electric Heat Kit for FTQ SkyAir Systems	208/240-1	8kw w/ Breaker	1
L86-505	HKR-10C	Electric Heat Kit for FTQ SkyAir Systems	208/240-1	10kw w/ Breaker	1

** Items are discontinued. Call for availability before quoting.

PAGE 44



SYSTEMS GUIDE



Pricing Guide

Mini-Split Accessories

Optional Mini-Split Accessories

Accessories		NEW Mueller Brand Line Sets "UV Rated" & 10 Year Warranty	
JS #	Description	JS #	Description
H26-660	R410A Adapter - Female 5/16" Male 1/4" w/ schrader valve 45° angle	600-150	1/4" & 3/8" x 1/2" Wall 25' Insulated Line Set
Ventilators		600-152	1/4" & 3/8" x 1/2" Wall 50' Insulated Line Set
JS #	Description	600-153	1/4" & 1/2" x 1/2" Wall 25' Insulated Line Set
X89-972	Room to Room Transfer Fan (Hardwired)	600-155	1/4" & 1/2" x 1/2" Wall 50' Insulated Line Set
Electrical Accessories		600-156	1/4" & 5/8" x 1/2" Wall 25' Insulated Line Set
JS #	Description	600-158	1/4" & 5/8" x 1/2" Wall 50' Insulated Line Set
G36-492	Surge Protection / Arrestor - AG3000	600-159	3/8" & 5/8" x 1/2" Wall 25' Insulated Line Set
G80-946	14/4 Stranded, Shielded - 50' Cable	600-161	3/8" & 5/8" x 1/2" Wall 50' Insulated Line Set
G80-947	14/4 Stranded, Shielded - 250' Cable	582-101	1/4" x 3/4" Wall 50' Insulated Line Set
G80-774	14/4 Stranded, Non-Shielded - 50' Cable	582-102	3/8" x 3/4" Wall 50' Insulated Line Set
G95-156	14/4 Stranded, Non-Shielded - 250' Cable	582-103	1/2" x 3/4" Wall 50' Insulated Line Set
G95-157	18/2 Stranded, Non-Shielded - 1,000' Control Wire for VRV & SkyAir (Excluding: FTXS30/36LVJU - RKS/RXS30/36LVJU)	582-104	5/8" x 3/4" Wall 50' Insulated Line Set
Condensate Pumps		582-105	3/4" x 3/4" Wall 50' Insulated Line Set
JS #	Description	582-106	7/8" x 3/4" Wall 50' Insulated Line Set
B18-438	Mini-Split Condensate Safe-T Switch 0 - 250 VAC (SS610E)	582-111	1/4" x 3/4" Wall 100' Insulated Line Set
B18-409	Aspen White Mini-Split Pump 100-250V - up to 30,000 BTU Mounts directly below the evaporator.	582-112	3/8" x 3/4" Wall 100' Insulated Line Set
B18-408	Aspen Blue Mini-Split Pump 100-250V - up to 24,000 BTU Thinnest pump in market, fits inside all Daikin indoor units.	582-113	1/2" x 3/4" Wall 100' Insulated Line Set
524-201	Gobi II Universal Mini-Split Pump 100-240V - up to 120,000 BTU Super quiet (<20dBA) - Horizontal only	582-114	5/8" x 3/4" Wall 100' Insulated Line Set
R87-348	1/4" Clear Vinyl Tubing for Condensate Drains & Condensate Pump Discharge Lines	582-115	3/4" x 3/4" Wall 100' Insulated Line Set
R87-845	5/8" ID Mini-Split Non - Insulated Condensate Drain Line 160' Roll	582-116	7/8" x 3/4" Wall 100' Insulated Line Set
R87-756	1/2" ID Mini-Split Insulated Condensate Drain Line 65'	185-001	CGKIT - Wall Duct Kit includes (3) 4' Line Ducts, (2) Couplers, (1) Wall Inlet, (1) End Cap, (1) 90° Elbow, (13) CAM Screws, (6) Duct Clips Individual pieces available upon request... COVER GUARD Adjustable for Every Job!
B19-648	16mm (5/8" ID) Drain Hose Adapter to 3/4" PVC Pipe		
		Installation Supplies (Condenser Pads & Mounting Brackets)	
		JS #	Description
		B96-920	Outdoor Condenser Pad 18 x 38 x 3
		B60-825	Condenser Pad for 5MXS48 for 4-ton 5 port Outdoor Unit
		B95-253	Mini-Split Wall Brkt 300lbs -- 22"
		B99-662	Mini-Split Wall Brkt Adj. 165lbs -- 18"
		B99-663	Mini-Split Wall Brkt Adj. 220lbs -- 21"



SYSTEMS GUIDE

Pricing Guide



Residential H/P, Cooling & Gas Packaged Units

14 SEER - Residential A/C Cooling Package Unit - (Horizontal Only)

SEER	BTU	Tons	AHRI	Condenser		Heat	Voltage / Phase	Stage
				Model #	H x W x D	KW Options		
14	23.6K	2	201152952	GPC1424H41	30½" x 66" x 33"	5, 8, 10	208/230-1	1
14	28.4K	2 ½	202031000	**GPC1430H41	30½" x 66" x 33"	5, 8, 10, 15		1
14	35.6K	3	200945843	GPC1436H41	30½" x 66" x 33"	5, 8, 10, 15		1
14	40.0K	3 ½	201152966	**GPC1442H41	30½" x 66" x 33"	5, 8, 10, 15, 20		1
14	46.0K	4	201152973	GPC1448H41	35½" x 66" x 33"	5, 8, 10, 15, 20		1
14	57.5K	5	201152980	GPC1460H41	35½" x 66" x 33"	5, 8, 10, 15, 20		1

NOTE: 15 SEER MODELS & GPC14**M (Horz. / Downflow) AVAILABLE

14 SEER Residential Heat Pump Package Unit - (Horizontal Only)

SEER	BTU	Tons	AHRI	Condenser		Heat	Voltage / Phase	Stage
				Model #	H x W x D	KW Options		
14.5	24.0K	2	201615895	**GPH1424H41	30" x 66" x 34"	5, 8, 10	208/230-1	1
14	28.4K	2½	201615902	**GPH1430H41	30" x 66" x 34"	5, 8, 10, 15		1
14	36.0K	3	201615909	**GPH1436H41	35" x 66" x 34"	5, 8, 10, 15		1
14	40.5K	3½	201627668	**GPH1442H41	35" x 66" x 34"	5, 8, 10, 15, 20		1
14	46.0K	4	201627675	**GPH1448H41	35" x 66" x 34"	5, 8, 10, 15, 20		1
14	57.5K	5	201680363	**GPH1460H41	38¾" x 66" x 34"	5, 8, 10, 15, 20		1

NOTE: 16 SEER HEAT PUMP MODELS & GPH14**M (Horz. / Downflow) AVAILABLE

14 SEER - Residential Gas Package Unit - (Horizontal / Downflow)

SEER	BTU	Tons	AHRI	Condenser		Heat	Voltage / Phase	Stage
				Model #	H x W x D	Heating Input / Output		
14	23.0K	2	201179203	**GPG1424060M41	34¾" x 47" x 51"	60.0K / 48.0K	208/230-1	1
14	28.6K	2½	201457754	**GPG1430060M41	34¾" x 47" x 51"	60.0K / 48.0K		1
14	34.2K	3	7502567	**GPG1436060M41	34¾" x 47" x 51"	60.0K / 48.0K		1
14	40.0K	3½	201179243	**GPG1442080M41	34¾" x 47" x 51"	80.0K / 64.0K		1
14	46.5K	4	201179222	**GPG1448080M41	42¾" x 47" x 51"	80.0K / 64.0K		1
14.2	57.5K	5	201385132	**GPG1461100M41	42¾" x 47" x 51"	100.0K / 78.0K		2

Electric Heat Strips H/P & A/C Package Units

KW		Circuit Breaker		3 Phase w/ Circuit Breaker	
5		HKP-05C		N/A	
8		HKR-08C		N/A	
10		HKP-10C		N/A	
15		HKP-15C		HKR3-15C	
20		HKP-20C		HKR3-20C	

Capacities Listed per AHRI Standard: 95° Outdoor Amb. Temp. / 80° I.D.B. / 67° I.W.B.

** Regionally stocked, call for availability

PAGE 46



SYSTEMS GUIDE



Pricing Guide

Commercial Split Systems

Commercial Split A/C Condensers R410A												
SEER / EER	BTU	Tons	JS # AHRI	Condenser			A/H			TXV	Heat Kit	Voltage / Phase
				Model #	H x W x D	Stage	Model #	H x W x D	Speed			
13 SEER	34.0K	3	200-600 7988968	DX13SA0363	28¾" x 29" x 29"	1	++ARUF37C	53" x 21" x 21"	1	N/A	HKSC15XF	208 / 230-3
13 SEER	45.0K	4	200-601 8171750	DX13SA0483	36¼" x 29" x 29"	1	++ARUF49D	53" x 24½" x 21"	1	N/A	HKSC15XF	
13 SEER	55.5K	5	200-602 8000271	DX13SA0603	38¾" x 35½" x 35½"	1	++ARUF61D	58" x 24½" x 21"	1	N/A	HKSC20XF	
11.2 EER	93.0K	7.5	200-603 201990198	DX11TA0903	41½" x 35½" x 35½"	2	DAT09043	60½" x 48⅞" x 24"	2	TXV Included	AHKD30-3	
11.2 EER	120.0K	10	200-604 201990202	DX11TA1203	37½" x 35½" x 35½"	2	DAT12043	60½" x 48⅞" x 24"	2	TXV Included	AHKD30-3	
13 SEER	45.0K	4	200-605 8875404	DX13SA0484	36¼" x 29" x 29"	1	++ARUF49D	53" x 24½" x 21"	1	N/A	*WKS1505A	460-3
13 SEER	55.5K	5	200-606 8875401	DX13SA0604	38¾" x 35½" x 35½"	1	++ARUF61D	58" x 24½" x 21"	1	N/A	*WKS2005A	
11.2 EER	93.0K	7.5	200-607 201990200	DX11TA0904	41½" x 35½" x 35½"	2	DAT09044	60½" x 48⅞" x 24"	2	TXV Included	AHKD20-4	
11.2 EER	120.0K	10	200-608 201990204	DX11TA1204	41½" x 35½" x 35½"	2	DAT12044	60½" x 48⅞" x 24"	2	TXV Included	AHKD30-4	

Note: Items above also available in Heat Pump 13 SEER (DZ13SA) 3 - 5 Tons & 11 EER (DZ11TA) 7.5 - 10 Tons

++ARUF models are 208/230 Single Phase.

*** These are special ordered Warren Technology Heat Strips w/ a Single Point Transformer 480/240 Volt. Allow 4/6 week lead time, freight charges may apply.**

Capacities Listed per AHRI Standard: **95°** Outdoor Amb. Temp. / **80°** I.D.B. / **67°** I.W.B.

CALL FOR PRICE AND AVAILABILITY



SYSTEMS GUIDE

Pricing Guide



Commercial Cooling Package Units

Commercial A/C Cooling Package Unit R410A - (Horizontal / Downflow)

SEER/IEER	BTU	Tons	AHRI	Condenser		HEAT KW Options	Voltage / Phase	Stage / Speed
				Model #	H x W x D			
14	35.0K	3	205301891	**DBC0363B000001S	39 ⁷ / ₈ " x 74" x 48 ⁷ / ₁₆ "	10, 15	208/230-3	2
14	47.0K	4	9952112	**DSC048XXX3B	38 ³ / ₈ " x 74" x 48 ³ / ₈ "	10, 15, 18		2
14	57.0K	5	205301408	**DBC0603B000001S	38 ³ / ₈ " x 74" x 48 ³ / ₈ "	10, 15, 20		2
15	69.0K	6	205301569	**DBC0723V000001S	42 ³ / ₁₆ " x 74 ¹ / ₁₆ " x 48 ³ / ₁₆ "	10, 15, 20		2
12.9	90.0K	7½	205406724	**DBC0903V000001S	52 ⁷ / ₈ " x 99 ¹ / ₈ " x 61 ³ / ₄ "	16, 30, 45		2
12.9	97.0K	8½	205406726	**DBC1023V000001S	52 ⁷ / ₈ " x 99 ¹ / ₈ " x 61 ³ / ₄ "	16, 30, 45		2
12.9	114.0K	10	205406728	**DBC1203V000001S	52 ⁷ / ₈ " x 99 ¹ / ₈ " x 61 ³ / ₄ "	16, 30, 45		2
12.6	146.0K	12½	10567462	**DCC150XXX3V	58 ³ / ₈ " x 100" x 61 ³ / ₄ "	16, 30, 45		2
12.8	180.0K	15	6502018	**DBC1803V000001S	50 ⁹ / ₃₂ " x 133 ¹ / ₂ " x 88 ⁷ / ₃₂ "	31, 46, 60		2
11.6	240.0K	20	8813880	**DBC2403V000001S	50 ⁹ / ₃₂ " x 133 ¹ / ₂ " x 88 ⁷ / ₃₂ "	31, 46, 60, 75		2
11.8	290.0K	25	8582013	**DBC3003V000001S	50 ⁹ / ₃₂ " x 133 ¹ / ₂ " x 88 ⁷ / ₃₂ "	31, 46, 60, 75		2

14	35.0K	3	205301401	**DBC0364B000001S	38 ¹³ / ₁₆ " x 74 ¹ / ₁₆ " x 48 ³ / ₁₆ "	10, 15	460-3	2
14	46.5K	4	205301406	**DBC0484B000001S	39 ⁷ / ₈ " x 74" x 48 ⁷ / ₁₆ "	10, 15		2
14	57.0K	5	205301410	**DBC0604B000001S	38 ¹³ / ₁₆ " x 74 ¹ / ₁₆ " x 48 ³ / ₁₆ "	10, 15, 20		2
15	69.0K	6	205301569	**DBC0724V000001S	42 ³ / ₁₆ " x 74 ¹ / ₁₆ " x 48 ³ / ₁₆ "	10, 15, 20		2
12.9	88.0K	7½	205406724	**DBC0904V000001S	52 ⁷ / ₈ " x 99 ¹ / ₈ " x 61 ³ / ₄ "	16, 30, 45		2
12.9	97.0K	8½	205406726	**DBC1024V000001S	52 ⁷ / ₈ " x 99 ¹ / ₈ " x 61 ³ / ₄ "	16, 30, 45		2
13	116.0K	10	6345712	**DCC120XXX4B	52 ⁷ / ₈ " x 99 ¹ / ₈ " x 61 ³ / ₄ "	16, 30, 45		2
12.6	146.0K	12½	10567462	**DCC150XXX4V	58 ³ / ₈ " x 100" x 61 ³ / ₄ "	16, 30, 45		2
12.8	180.0K	15	6502018	**DBC1804V000001S	50 ⁹ / ₃₂ " x 133 ¹ / ₂ " x 88 ⁷ / ₃₂ "	31, 46, 60		2
11.6	240.0K	20	8813880	**DBC2404V000001S	50 ⁹ / ₃₂ " x 133 ¹ / ₂ " x 88 ⁷ / ₃₂ "	31, 46, 60, 75		2
11.8	290.0K	25	8582013	**DBC3004V000001S	50 ⁹ / ₃₂ " x 133 ¹ / ₂ " x 88 ⁷ / ₃₂ "	31, 46, 60, 75		2

Electric Heat Strips for Package Units

For use with DSC & DCC only				For use with DBC				Circuit Breaker	Stage
KW	208/230-3	460-3		KW	208/230-3	460-3			
10	EHK3-10	EHK4-10		5	EHXB-3S05	EHXB-4S05		Y	2
15	EHK3-15	EHK4-15		10	EHXB-3S10	EHXB-4S10		Y	2
16	EHK3-16	EHK4-16		15	EHXB-3S15	EHXB-4S15		Y	2
18	EHK3-18	N/A		18	EHXB-3S18	EHXB-4S18		Y	2
20	EHK3-20	EHK4-20		20	EHXB-3S20	EHXB-4S20		Y	2
30	EHK3-30	EHK4-30		30	EHXB-3S30	EHXB-4S30		Y	2
31	EHK3-31	EHK4-31		31	EHXB-3M31	EHXB-4M31		Y	2
45	EHK3-45	EHK4-45		45	EHXB-3M45	EHXB-4M45		Y	2
46	EHK3-46	EHK4-46		46	EHXB-3M46	EHXB-4M46		Y	2
60	EHK3-60	EHK4-60		60	EHK3-60	EHK4-60		Y	2
75	EHK3-75	EHK4-75		75	EHK3-75	EHK4-75		Y	2

Note: 3 - 5 Ton DSC/DCC Models are Belt Driven, 6 - 25 Ton DCC Models are Variable Speed.

Items in red are discontinued. Call for availability before quoting.

Capacities Listed per AHRI Standard: 95° Outdoor Amb. Temp. / 80° I.D.B. / 67° I.W.B.

** Regionally stocked, call for availability



SYSTEMS GUIDE

Pricing Guide



Commercial Gas Packaged Units

Commercial Gas Package Unit R410A - (Horizontal / Downflow)									
SEER / EER	BTU	Tons	AHRI	Condenser		Heating Low Input / Output	Heating High Input / Output	Voltage / Phase	Stage / Speed
				Model #	H x W x D				
14	35.0K	3	9952114	**DCG0360903BXXX	38 $\frac{5}{8}$ " x 74" x 48 $\frac{1}{2}$ "	69K / 55K	92K / 74K	208/230-3	1
14	46.5K	4	205134936	**DBG0483BM00001S	39 $\frac{7}{8}$ " x 73 $\frac{3}{8}$ " x 49"	67.5K / 54K	90K / 72K		1
14	57.0K	5	205134939	**DBG0603BM00001S	39 $\frac{7}{8}$ " x 73 $\frac{3}{8}$ " x 49"	67.5K / 54K	90K / 72K		1
11	69.0K	6	205301568	**DBG0723VH00001S	42 $\frac{5}{8}$ " x 74" x 48 $\frac{1}{2}$ "	103K / 83K	138K / 110.4K		2
11	86.0K	7 $\frac{1}{2}$	205406725	**DBG0903VH00001S	52 $\frac{7}{8}$ " x 99 $\frac{1}{8}$ " x 61 $\frac{3}{4}$ "	157.5K / 126K	210K / 168K		2
11	97.0K	8 $\frac{1}{2}$	205406727	**DBG1023VH00001S	52 $\frac{7}{8}$ " x 99 $\frac{1}{8}$ " x 61 $\frac{3}{4}$ "	157K / 126K	210K / 168K		2
11	114.0K	10	205406729	**DBG1203VH00001S	53 $\frac{3}{8}$ " x 100" x 61 $\frac{3}{4}$ "	157.5K / 126K	210K / 168K		2
10.8	146.0K	12 $\frac{1}{2}$	10567463	**DCG1502103VXXX	58 $\frac{7}{8}$ " x 99 $\frac{1}{8}$ " x 61 $\frac{3}{4}$ "	157.5K / 126K	210K / 168K		2
12.6	180.0K	15	6502019	**DBG1803VH00001S	50 $\frac{9}{32}$ " x 133 $\frac{1}{2}$ " x 88 $\frac{7}{32}$ "	262.5K / 210K	350K / 280K		2
11.4	240.0K	20	8813881	**DBG2403VH00001S	50 $\frac{9}{32}$ " x 133 $\frac{1}{2}$ " x 88 $\frac{7}{32}$ "	300K / 240K	400K / 320K		2
11.4	290.0K	25	8582014	**DBG3003VH00001S	50 $\frac{9}{32}$ " x 133 $\frac{1}{2}$ " x 88 $\frac{7}{32}$ "	300K / 240K	400K / 320K		2
14	35.0K	3	205134934	**DBG0364BH00001S	39 $\frac{7}{8}$ " x 73 $\frac{3}{8}$ " x 49"	67.5K / 54K	90K / 72K	460-3	1
13	45.5K	4	6345723	**DCG0480904BXXX	38 $\frac{5}{8}$ " x 74" x 48 $\frac{1}{2}$ "	69K / 55K	92K / 74K		1
14	57.0K	5	205134940	**DBG0604BL00001S	39 $\frac{7}{8}$ " x 73 $\frac{3}{8}$ " x 49"	67.5K / 54K	90K / 72K		1
11	69.0K	6	205301568	**DBG0724VH00001S	42 $\frac{5}{8}$ " x 74" x 48 $\frac{1}{2}$ "	103K / 83K	138K / 110.4K		2
11	86.0K	7 $\frac{1}{2}$	205406725	**DBG0904VH00001S	52 $\frac{7}{8}$ " x 99 $\frac{1}{8}$ " x 61 $\frac{3}{4}$ "	157.5K / 126K	210K / 168K		2
11	97.0K	8 $\frac{1}{2}$	205406727	**DBG1024VH00001S	52 $\frac{7}{8}$ " x 99 $\frac{1}{8}$ " x 61 $\frac{3}{4}$ "	157.5K / 126K	210K / 168K		2
11	114.0K	10	205406729	**DBG1204VH00001S	52 $\frac{7}{8}$ " x 99 $\frac{1}{8}$ " x 61 $\frac{3}{4}$ "	157.5K / 126K	210K / 168K		2
10.8	146.0K	12 $\frac{1}{2}$	10567463	**DCG1502104VXXX	58 $\frac{7}{8}$ " x 99 $\frac{1}{8}$ " x 61 $\frac{3}{4}$ "	157.5K / 126K	210K / 168K		2
12.6	180.0K	15	6502019	**DBG1804VH00001S	50 $\frac{9}{32}$ " x 133 $\frac{1}{2}$ " x 88 $\frac{7}{32}$ "	262.5K / 210K	350K / 280K		2
11.4	240.0K	20	8813881	**DBG2404VH00001S	50 $\frac{9}{32}$ " x 133 $\frac{1}{2}$ " x 88 $\frac{7}{32}$ "	300K / 240K	400K / 320K		2
11.4	290.0K	25	8582014	**DBG3004VH00001S	50 $\frac{9}{32}$ " x 133 $\frac{1}{2}$ " x 88 $\frac{7}{32}$ "	300K / 240K	400K / 320K		2

Note: 3 - 5 Ton DSG/DCG Models are Belt Driven, 6 - 25 Ton DCG Models are Variable Speed.

Capacities Listed per AHRI Standard: 95° Outdoor Amb. Temp. / 80° I.D.B. / 67° I.W.B.

Items in red are discontinued. Call for availability before quoting.

** Regionally stocked, call for availability.