

34*55mm

Temperature & Humidity Sensor



* Please read this manual carefully before use and keep it for future reference.

Product parameter

Size:	70*24*19mm
Battery:	LRO3-1.5V/AAA*2
Wireless type:	WiFi
Measure Range:	-20℃~ 60℃ 0%RH-100%RH
measure Accuracy:	±1℃ 5% RH
Alarm mode:	APP notification push

Feature:

- Intelligent Linkage
- Temperature unit*℃ and °F switch
- Alexa / Google compatible

1

How to set up:

1. First scan QR code with your smartphone, or search "Smart Life" app in Google Play Store or APP Store to download and install app.



2

2. Register the app with email address, then click "Home" "+" on the app interface or click "Add Device".

WiFi TH Sensor Connection

3. There are two ways for user to connect WiFi with sensor:

- ① Bluetooth mode
- ② EZ mode.



3

①. Bluetooth mode: First turn on the bluetooth in mobile phone → open smart life app and choose "+" → long press reset key for 5 seconds → the LED indicator will flash rapidly. Then will see "Devices to be added:1" on mobile app. Finally press "Go to add", it will connect the Wi-Fi network automatically.



4

②. EZ Mode: (Easy-Connect Network, here called EZ mode): long press reset key for 5 seconds. the LED indicator will flash rapidly. Then select the "EZ mode" of app in phone, then press "Next". Finally the sensor will enter the automatic network.

5

FCC Warning:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.