

Integrated Column Refrigerator, 24"


Series 11 | Integrated
Panel Ready | Left hinge



- Install it separately or pair with another Column for seamless integration - this model is left hinge with stainless steel interior.
- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
 - Two separate Variable Temperature Zones: each with Fridge, Pantry or Chill
 - Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	84"
Width	23 3/4"
Depth	24"



FEATURES & BENEFITS

- Variable Temperature Zones**
Food is stored in two separate zones. You have the choice of three food modes: Fridge 32°F to 44°F, Pantry 52°F to 56°F and Chill 29°F to 32°F.
- Mix & match**
Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

- Clever energy**
Our Energy Star certified ActiveSmart™ Foodcare Fridges & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.
- Appealing illumination**
Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.
- Design quality**
The premium design and quality finish includes a steel interior lining as well as soft-close, full extension metal shelf runners for easy access and robust glass shelving.
- Easy install**
Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.
- Perfect fit**
These models fit flush and have only 1/8" / 3mm gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

SPECIFICATIONS

Accessories	
24" Stainless steel toe kick	AKRS2404
42" Stainless steel toe kick	AKRS4204
48" Stainless steel toe kick	AKRS4804
54" Stainless steel toe kick	AKRS5404
60" Stainless steel toe kick	AKRS6004

Features	
Adjustable door shelves	4
Adjustable glass cantilevered	•
Covered door shelves	1
Door alarm	•
Fruit and vegetable bins	4
Gallon door shelves	1
LED bin lighting	•

Power requirements	
Rated current	10A
Supply frequency	60Hz
Supply voltage	115V

Product information	
Packaged weight	275lbs
Unpackaged weight	258lbs

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020



Key Purchase Decisions Integrated Columns

Other product downloads available at fisherpaykel.com[User Guide](#)[Guide D'Utilisation](#)[Energy Label](#)[User Guide](#)[Guide d'utilisation](#)[Service & Warranty](#)[Installation Guide](#)[Guide D'Installation](#)[Installation Guide - Toe Kick](#)[Install Guide - Water Filter Replacement](#)[Guide d'installation - Instructions de Remplacement du Filtre à Eau](#)[Guide d'installation](#)[Installation Guide](#)[Specification Guide Integrated Column Refrigerator](#)[Data Sheet Integrated Column Refrigerator](#)[Data Sheet Integrated Column Refrigerator Dual Install \(18" + 24"\)](#)[Data Sheet Integrated Column Refrigerator Dual Install \(24" + 24"\)](#)[Data Sheet Integrated Column Refrigerator Dual Install \(24" + 30"\)](#)[Planning Guide Integrated Columns](#)**A PEACE OF MIND SALE****24 Hours 7 Days a Week Customer Support****T 1.888.936.7872 W www.fisherpaykel.com**