

Item #: 178GDC12FHCW Project: _____

Qty: _____ Date: _____ Approval: _____

Avantco GDC-12F-HC 27" White Customizable Swing Glass Door Merchandiser Freezer with LED Lighting

Item #178GDC12FHCW

Avantco Refrigeration



Technical Data

Width	27 3/16 Inches
Depth	26 3/16 Inches
Height	84 5/8 Inches
Power Cord Length	98 1/2 Inches
Interior Width	21 5/16 Inches
Left Door Opening Width	21 5/16 Inches
Shelf Width	20 1/2 Inches
Interior Depth	21 5/16 Inches
Shelf Depth	17 5/16 Inches
Interior Height	46 7/16 Inches

Features

- 1 self-closing, anti-fog dual-pane tempered glass swing door with magnetic gaskets
- Easy-to-use digital temperature controls, temperature range: -7 - 0
- Includes 4 adjustable, plastic-coated steel shelves
- Interior LED lighting; 4" casters included
- 115V; 4/5 hp; R-290 refrigerant

Certifications



ETL, US



5-15P



Customizable




ETL Sanitation

Technical Data

Caster Diameter	4 Inches
Amps	5.3 Amps
Hertz	60 Hz
Phase	1 Phase
Voltage	115 Volts
Wattage	510 Watts
Access Type	Doors
BTU (LBP)	2040 BTU
Capacity	12.9 cu. ft.
Capacity (per Shelf)	88 lb.
Casters	With Casters
Color	White
Compressor Location	Bottom Mounted
Door Style	Swing
Door Type	Glass
Features	Customizable LED Lighting
Hinge Location	Right
Horsepower	4/5 hp
Installation Type	Freestanding
Interior Color	White
Number of Doors	1 Doors
Number of Shelves	4 Shelves
Plug Type	NEMA 5-15P
Refrigerant Capacity	4.1 oz.
Refrigerant Type	R-290
Sections	1 Section
Starting Amps	15.9 Amps
Starting Wattage	1530 Watts
Temperature Range	-7 - 0 Degrees F

Plan View



178GDC12FHCW



Notes & Details

Increase impulse sales of frozen meals, novelty treats, fruits, and vegetables with this Avantco GDC-12F-HC 27 1/8" white merchandising freezer! Designed with sharp looks and usability in mind, this unit is the perfect display for your products with its sleek finish. And, since the housing is made from white coated steel, you can be sure that it will provide superior durability. This unit boasts an anti-fogging, dual-pane tempered glass swing door to ensure that customers always have a clear view of your products, while (4) epoxy coated steel shelves help you stay organized. Plus, the shelves easily adjust to accommodate prepackaged foods in a variety of sizes. Interior LED lighting also works to illuminate and further merchandise your products.

Designed to maintain temperatures from -8 to -1 degree Fahrenheit, this freezer boasts a bottom-mounted 4/5 hp compressor that runs on R-290 refrigerant. This specialized refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. In addition, the bottom-mounted design makes it easy for employees to load and unload products due to the raised bottom shelf. For optimal temperature retention, the entire cabinet is foamed-in place using polyurethane insulation. Other helpful features include self-closing aided by magnetic gaskets, automatic defrosting, as well as a digital temperature control and display. This item requires a 115V electrical connection for operation.

⚠ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.