


DINGLILIGHTING







Depuley

Product Instruction




This Instruction Mainly Suitable for All Our Ceiling Light!!!



Part list:

		
[01]	[A]	[B]
		
Optional [C]	[D]	[E]

You will need:




Installation Steps:






[C]




Remote Instruction:



Note: This Remote Instruction Mainly Suitable for DingLi Power Adjustable Ceiling Light!!!


Remote Instruction:



1. The remote control is mainly for the ceiling lights and panel lights currently on sale which are dimmable and color changeable.
2. It has the function of timing, the color temperature and brightness of the light can be adjusted, and the night light mode is also supported.
3. Pairing method: Turn on the light, keep pressing the matching button, and the pairing is successful after the light flashes 3 times.
4. Unpairing method: Press the matching button after turning off the light, then turn on the light again and wait for the light to flash 5 times, which means you can cancel the pairing successfully.

Note: This Remote Instruction Mainly Suitable for DingLi Power & Color Temperature Adjustable Ceiling Light!!!

Note:

1. The lamps may only be installed by authorized and qualified technicians according to the valid regulations for electrical installation.
2. The manufacturer does not accept any responsibility for injuries or damage resulting from improper use of the light.
3. Attention! Before starting the installation work, make sure that the mains power line is voltage-free—turn off safety cutout or unscrew the protection fuse. The switch must be “OFF”.
4. Warning! Before drilling the mounting holes, make sure that no gas, water or electricity pipes and wires can be drilled through or damaged in your chosen mounting location.
5. Description of the supply terminals: L = Phase N = Neutral conductor  = Earthed conductor.

FCC Caution:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

FCC ID: 2A7L3-WSCLRM-04