Dräger

Accessory catalogue

2021

Mission: "This is what drives us..."

Dear Customer,

Thank you for choosing Dräger. We take pride in providing you with high-quality products and services for all care areas in your hospital. Moreover, our accessories offer you tailor-made solutions for your therapeutic applications. Our original accessories help to protect your patient's safety as ideally as possible. We take just as much care in their specifications, development, and manufacturing, as we do in the manufacturing of our ventilators, anaesthesia workstations, incubators, and monitoring products.

We adhere to strict quality guidelines when it comes to Dräger accessories and consumables. Our high standards of quality have always been at the core of our innovation, and we ensure this by testing all of your products with stringent testing processes in an accredited test center. We don't believe in simply designing and manufacturing technology. Instead, we are driven by supporting you with improved clinical and economical outcomes – that's why we're **your specialist in acute care**.

D-5650-2019

Something you can count on – original accessories

ORIGINAL ACCESSORIES BY DRÄGER

For over 130 years our medical devices, solutions, and original accessories have been used for one purpose – to support you in the treatment and care of your patients. We understand that you count on having technical medical accessories to unlock the full potential of your equipment. As a specialist in acute care, we supply you with original accessories to ensure the best possible care of your patients while helping you to improve your hospital's processes and budgets.

ORIGINAL QUALITY PAYS OFF

Each Dräger original accessory fulfils all official quality standards. Whether it is for patient monitoring, care and treatment of neonates, anaesthesia workstations, intensive care, or on the ward, we work to provide you with value that benefits both patient care and hospital workflows. Our accessories are tested and re-tested against our own strict Dräger quality standards.

INDIVIDUAL

With over 2,000 accessory items, we can offer you a solution for almost every clinical need – from breathing bags to flow-sensors to headbands. In addition, you have the choice to have them as either disposable or re-usable. Because we design and develop all of our products according to the specific requirements of hospitals around the world – you benefit by receiving all accessories from one company and having just one contact person.

COMPATIBLE

We test all original accessories with the respective Dräger device or connector. Only after thorough and rigorous testing, do our accessories receive approval.

For you, this:

- Optimises your Dräger device's operating time.
- Realises your Dräger equipment's full potential.

So you can ensure optimal patient care and treatment.

STANDARDISED

We offer you a full range of developed accessories based on proven technologies for the entire portfolio of Dräger devices. Our accessories are not just intended for one specific Dräger device but they can be used for nearly every Dräger device – and even across wards. For you, this means:

- Simplifying your logistics.
- Saving you labour, cost, and time.

RESPONSIBLE & SUSTAINABLE

Dräger has been audited by reputable rating agencies. In its ISS ESG Corporate rating from September 2019, ISS awarded us its prime label, giving us the best rating in the health care equipment and supplies industry. The ecovadis institute's csr assessment also placed Dräger in 2020 among the top 5 percent of the sector, earning the company gold status and allowing us to distinguish ourselves as a sustainable supplier.

Corporate Responsibility
RATED BY ISS ESG
Prime

GOLD 2020 ecovadis CSR Rating

D-5648-2019

On this way you'll find your accessories:

VENTILATION ACCESSORIES 08

1. Breathing circuits
2. Breathing system filters and HMEs
3. CO_2 cuvettes
4. Catheter mounts and airway connectors
5. Non-invasive patient interfaces and accessories
6. Oxymixer
7. Device related accessories
8. Pack2Go®/Set2go
9. Humidifier and nebulizer
10. Intubation kits
11. Spare parts for Resuscitators

SODA LIME 96

SENSORS 102

MONITORING ACCESSORIES 108

1. Infinity® Monitoring: Gamma, Delta, Kappa and Vista series
2. Infinity® Acute Care System
3. Infinity® M300
4. Vista 120
5. Multi Vendor Adapter

WARD EQUIPMENT 238

1. Oxygen therapy
2. Aerosol therapy
3. Medical aspiration
4. Accessory for gas supply

RAIL ACCESSORIES AND EXAMINATION LIGHTS 316

1. Rail accessories
2. Examination light
3. Hinged arms

NEONATAL CARE AND THERMOREGULATIONS 326

1. Warming therapy
2. Ventilation accessories
3. Sensors
4. Monitoring accessories
5. Ward equipment
6. Rail accessories and examination light

INDEX BY ORDER NUMBER 424

INDEX BY PRODUCT NAME 435

D-11292-2019

Ventilation Accessories

Something you can count on:

When it comes to our accessories, we assure you that all system components come from one single source because it is important for us to give you consistency and reliability with our products. This way, uniform accessories can be used throughout almost all of your hospital wards – from the emergency department or surgical area, to the intensive care unit and neonate wards.

Additionally, we provide a system of closely matched ventilation accessories to improve your ventilation therapies between Dräger devices and patient. We want to help you find the right product for the various forms of therapy needed for each individual patient. There is no compromise when it comes to using high quality materials—so that your patients are optimally cared for.

D-10119-2018

CONTENT

1.	**Breathing circuits**	**11**
1.1	Disposable breathing circuits/sets and related accessories	11
1.2	Reusable breathing circuits/sets and related accessories	31
2.	**Breathing system filters and HMEs**	**47**
3.	**CO_2 cuvettes**	**54**
3.1	Disposable	54
3.2	Reusable	54
4.	**Catheter mounts and airway connectors**	**55**
5.	**Non-invasive patient interfaces and accessories**	**57**
5.1	NIV masks and accessories	57
5.2	Anesthesia masks and accessories	65
5.3	Oxygen (O_2) and aerosol therapy masks, venturi mask kits, nasal cannulas and accessories	71
5.4	High-Flow Therapy Nasal Cannula and accessories	76
6.	**Oxymixer**	**77**
7.	**Device related accessories**	**79**
8.	**Pack2Go®/Set2go**	**83**
9.	**Humidifier and nebulizer**	**86**
10.	**Intubation kits**	**93**
11.	**Spare parts for Resuscitators**	**95**

Note: size classification to adults (A), pediatrics (P) and neonats (N).

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

1. BREATHING CIRCUITS

1.1 DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

With VentStar® Family Dräger offers a wide range of disposable breathing circuits for different applications as well as for different patient groups (neo, ped, adult). Customers can choose between various kinds of materials. All disposable breathing circuits are made of high quality material and all gas leading components are PVC-free (no harm through softeners like e.g. DEHP). Special focus at Dräger is – additionally to CE – the interaction between Dräger device and related breathing circuit what is documented in our declarations of system compatibility.
Declarations of system compatibility underlie intensive testing in various scenarios which are based on our long-time experience concerning interaction of device with accessory. With respect to the newest device generation we enlarged our portfolio with ID breathing circuits which support the Infinity® ID functionality of the relevant Dräger devices.

		ADULTS	PEDIATRICS	NEONATES	
A	**Breathing circuit Vent Set, disposable, basic, 1.5 m, 25 pcs., not made with natural rubber latex**	■			**MP00300**
B	**Breathing circuit VentStar®, disposable, basic, 1.8 m, 25 pcs., not made with natural rubber latex**	■			**MP00349**
C	**Breathing circuit VentStar®, disposable, basic, 2.5 m, 10 pcs., not made with natural rubber latex**	■			**MP00350**
D	**Breathing circuit VentStar®, disposable, P, basic, w/o Luer Lock, 1.5 m, 25 pcs., not made with natural rubber latex**		■		**MP00338**
E	**Breathing circuit VentStar®, disposable, P, basic, 1.8 m, 25 pcs., not made with natural rubber latex**		■		**MP00351**
F	**Breathing circuit VentStar®, disposable, P, basic, 2.5 m, 25 pcs., not made with natural rubber latex**		■		**MP00352**
G	**Breathing circuit VentStar®, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex**			■	**MP00353**

A

D-654-2016

B

D-646-2016

C

D-639-2016

D

D-628-2016

E

D-645-2016

F

D-637-2016

G

D-24200-2009

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

		ADULTS	PEDIATRICS	NEONATES
A Breathing circuit VentStar®, disposable, water trap, w/o Luer Lock, 1.8 m, 25 pcs., not made with natural rubber latex — MP00334		■		
B Breathing circuit VentStar®, disposable, water trap, 1.8 m, 25 pcs., not made with natural rubber latex — MP00337		■		
C Breathing circuit VentStar®, disposable, P, water trap, 1.8 m, 25 pcs., not made with natural rubber latex — MP00361			■	
D Breathing circuit VentStar®, disposable, P, water trap, w/o Luer Lock, 1.8 m, 25 pcs., not made with natural rubber latex — MP00362			■	
E Breathing circuit VentStar®, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex — MP00363				■

A

D-45185-2015

B

D-45186-2015

C

D-643-2016

D

D-642-2016

E

D-19285-2009

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

		ADULTS	PEDIATRICS	NEONATES
A Breathing circuit VentStar®, disposable, coaxial, 1.7 m, 20 pcs., not made with natural rubber latex — MP03373		■		
B Breathing circuit VentStar®, disposable, coaxial, 1.9 m, 20 pcs., not made with natural rubber latex — MP03374		■		
C Breathing circuit VentStar®, disposable, coaxial, 2.3 m, 20 pcs., not made with natural rubber latex — MP03376		■		
D Breathing circuit VentStar®, disposable, coaxial, water trap, 2.1 m, 10 pcs., not made with natural rubber latex — MP00373		■		
E Breathing circuit VentStar®, disposable, P, coaxial, 1.5 m, 20 pcs., not made with natural rubber latex — MP00379			■	
Breathing circuit VentStar®, disposable, coaxial, GSL, 2.3 m, 20 pcs., not made with natural rubber latex — MP03378		■		
Breathing circuit VentStar®, disposable, coaxial, water trap, GSL, 2.1 m, 10 pcs., not made with natural rubber latex — MP03379			■	
Breathing circuit VentStar®, disposable, coaxial, 3.0 m, not made with natural rubber latex — MP20269			■	

A

D-27582-2017

B

D-27581-2017

C

D-27583-2017

D

D-241-2017

E

D-242-2017

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

			ADULTS	PEDIATRICS	NEONATES
A	Breathing circuit Vent Set, disposable, extendable, 1.8 m, 25 pcs., not made with natural rubber latex	MP00305	■		
B	Breathing circuit VentStar®, disposable, extendable, 2.2 m, 25 pcs., not made with natural rubber latex	MP00355	■		
C	Breathing circuit VentStar®, disposable, smoothbore, for MRI, 3 m, 10 pcs., not made with natural rubber latex	MP00327	■		
D	Breathing circuit VentStar®, disposable, N, MRI, 3 m, 10 pcs., not made with natural rubber latex	MP00329			■

A

D-656-2016

B

D-644-2016

C

D-627-2016

D

D-34334-2009

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

			ADULTS	PEDIATRICS	NEONATES
A	Breathing bag set VentStar®, disposable, 2 L, 0.8 m, 25 pcs., not made with natural rubber latex	MP00222	■		
B	Breathing bag set VentStar®, disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex	MP00380	■		
B	Breathing bag set VentStar®, disposable, 2 L, 1.5 m, 25 pcs., not made with natural rubber latex	MP00381	■		
C	Breathing bag set VentStar®, disposable, P, 1 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP00384		■	
D	Breathing bag set VentStar®, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP00383			■
	Breathing bag set VentStar®, disposable, extendable, 2 L, 1.8 m, 25 pcs., not made with natural rubber latex	MP20268	■		
	Breathing bag set VentStar® Flex, disposable, 2 L, 1.8 m 25 pcs., not made with natural rubber latex	MP17007	■		
E	❶ VentStar® Breathing Bag 3 L, 25 pcs.	MP02713	■		
E	❷ VentStar® Breathing Bag 2 L, 25 pcs.	MP02712	■		
E	❸ VentStar® Breathing Bag 1 L, 25 pcs.	MP02711		■	
E	❹ VentStar® Breathing Bag 0.5 L, 25 pcs.	MP02710			■

A

D-10106-2009

B

D-10105-2009

C

D-562-2009

D

D-24211-2009

E



D-243-2017

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

		ADULTS	PEDIATRICS	NEONATES
A Anesthesia set, disposable, basic, 1.5 m/0.8 m, 25 pcs., not made with natural rubber latex	MP00301	■		
B Anesthesia set, disposable, extendable, 1.8 m/0.8 m, 25 pcs., not made with natural rubber latex	MP00303	■		
C Anesthesia set VentStar®, disposable, w/o Luer Lock, 1.8 m/0.8 m, 25 pcs., not made with natural rubber latex	MP00330	■		
D Anesthesia set VentStar®, disposable, P, w/o Luer Lock, 1.5 m/1.1 m, 25 pcs., not made with natural rubber latex	MP00331		■	
E Anesthesia set VentStar®, disposable, N, 1.8 m/1.1 m, 25 pcs., not made with natural rubber latex	MP00333			■

A

D-653-2016

B

D-655-2016

C

D-657-2016

D

D-658-2016

E

D-19284-2009

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

		ADULTS	PEDIATRICS	NEONATES
A Anesthesia set VentStar®, disposable, basic, 2 L, 1.8 m/1.5 m, 25 pcs., not made with natural rubber latex	MP00365	■		
B Anesthesia set VentStar®, disposable, basic, 2 L, 2.5 m/1.5 m, 10 pcs., not made with natural rubber latex	MP00366	■		
C Anesthesia set VentStar®, disposable, water trap, w/o Luer Lock, 2 L, 1.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP00371	■		
D Anesthesia set VentStar®, disposable, water trap, 2 L, 1.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP00372	■		
E Anesthesia set VentStar®, disposable, water trap, w/o Luer Lock, 2 L, 2.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP02720	■		
F Anesthesia set VentStar®, disposable, water trap, 2 L, 2.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP02721	■		

A

D-631-3016

B

D-634-2016

C

D-633-2016

D

D-632-2016

E

D-651-2016

F

D-650-2016

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

			ADULTS	PEDIATRICS	NEONATES
A	Anesthesia set VentStar®, disposable, P, water trap, w/o Luer Lock, 1 L, 1.8 m/1.1 m, 10 pcs., not made with natural rubber latex	MP00375		■	
B	Anesthesia set VentStar®, disposable, P, water trap, 1 L, 1.8 m/1.1 m, 10 pcs., not made with natural rubber latex	MP00374		■	
	Anesthesia set VentStar®, disposable, coaxial, water trap, 2 L, 2.1/1.2 m, 10 pcs., not made with natural rubber latex	MP03381	■		
	Anesthesia set VentStar, disposable, coaxial, 2 L, 2.3 m/1.2 m, 10 pcs., not made with natural rubber latex	MP03383	■		
	Anesthesia set VentStar, disposable, coaxial, 2 L, 1.9 m/1.2 m, 10 pcs., not made with natural rubber latex	MP03384	■		
	Anesthesia set VentStar®, disposable, coaxial, GSL, 2 L, 2.3 m /1.2 m, 10 pcs., not made with natural rubber latex	MP00358	■		
	Anesthesia set VentStar®, coaxial, water trap, GSL, 2 L, 2.1 m /1.2 m, pcs., not made with natural rubber latex	MP00359	■		

A

D-635-2016

B

D-636-2016

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

			ADULTS	PEDIATRICS	NEONATES
A	Breathing circuit VentStar®, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex	MP00308		■	
B	Breathing circuit VentStar®, disposable, N, heated, w/o chamber, 1.2 m, 10 pcs., not made with natural rubber latex	MP00309		■	
C	Humidifier chamber VentStar®, disposable, 10 pcs.	MP00234		■	■

A

D-10093-2009

B

D-19276-2009

C



D-24199-2009

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

		ADULTS	PEDIATRICS	NEONATES
A	Breathing circuit VentStar® Helix, disposable, N, dual heated, 1.7 m, 10 pcs., not made with natural rubber latex — MP02650			■
B	Breathing circuit VentStar® Helix, disposable, N, heated, 1.7 m, 10 pcs., not made with natural rubber latex — MP02608			■
C	Humidifier chamber VentStar®, disposable, N, 10 pcs. — MP02590			■
D	Double connector 11ID/15OD, disposable, 10 pcs. — MP02655			■
E	T-adapter neonatal for NO therapy, 10 pcs. — 8422215			■

A

D-50801-2015

B

D-7479-2016

C

D-42729-2015

D



D-7480-2016

E

D-29955-2020

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

		ADULTS	PEDIATRICS	NEONATES
A	VentStar® Helix, dual heated, 10 pcs. — MP02606	■		
B	VentStar® Helix, heated, 10 pcs. — MP02607	■		
C	Humidifier chamber, 10 pcs. — MP02605	■	■	

A



D-2202-2015

B

D-652-2016

C

D-94685-2013

Not all articles are available worldwide.

Aquapor H300

respiratory humidifier for optimally conditioned breathing gas.

Aquapor H300



The Dräger Aquapor H300 respiratory humidifier ensures that patients who require mechanical breathing support are supplied with optimally conditioned breathing gas.

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

			ADULTS	PEDIATRICS	NEONATES
	Aquapor H300 - Configuration	MP01000	■		
A	Aquapor H300 Basic unit 230V	MP07101	■		
	Aquapor H300 Basic unit 115V	MP07102	■		
B	VentStar® Aquapor heated Adult and Paediatric, 10 pcs.	MP07131	■	■	
C	VentStar® Aquapor dual heated Neo plus, 10 pcs.	MP07150			■
D	VentStar® Aquapor heated Neo plus, 10 pcs.	MP07151			■
E	H300 Heater wire adapter, insp	MP07106	■		
F	H300 Heater wire adapter, dual	MP07107	■		
	H300 Temp. sensor cable*, 160 cm	MP07108	■		
G	Breathing circuit Infinity® ID, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex	MP00343			■

*Tradeware

A

D-30574-2020

B

D-25928-2020

C

D-25931-2020

D

D-25929-2020

E

D-8440-2019

F

D-8441-2019

G

D-31560-2011

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS | PEDIATRICS | NEONATES

FOR OXYLOG® 2000+, 3000, 3000+ AND VE300 ADVANCED (WITH FLOW OPTION)

A	Breathing circuit VentStar® Oxylog 3000F, 2000p, VE300, disposable, 1.5 m (4.92 ft), 5 pcs., for Oxylog VE300 only with Option Plus	5703041	■	
B	Breathing circuit VentStar® Oxylog 3000F, 2000p, VE300, disposable, 3 m (9.8 ft), 5 pcs., for Oxylog VE300 only with Option Plus	MP00335	■	

FOR OXYLOG® 2000

C	Breathing circuit VentStar® Oxylog 2000, disposable, 1.8 m, 5 pcs., not made with natural rubber latex	2M86841	■	

FOR OXYLOG® 1000

D	Breathing circuit VentStar® Oxylog 1000, disposable, 1.8 m, 25 pcs. set, not made with natural rubber latex	2M86837	■	

A

D-2907-2018

B

D-2908-2018

C

D-5892-2016

D

D-7165-2010

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS | PEDIATRICS | NEONATES

FOR OXYLOG® 3000: ≥ SW 1.20, 3000+ AND VE300 ADVANCED (WITH FLOW OPTION)

A	Breathing circuit VentStar® Oxylog 3000, 3000+, disposable, P, 1.9 m, 5 pcs., Oxylog 3000: ≥ SW 1.20, VE300 (Software ≥ 2.0, Pediatric Option), not made with natural rubber latex	5704964	■	

FOR OXYLOG® VE300

B	Breathing circuit VentStar® Oxylog VE300, disposable, 1.5 m, 5 pcs., not made with natural rubber latex	MP01370	■	
C	Breathing circuit VentStar® Oxylog VE300, disposable, 3 m, 5 pcs., not made with natural rubber latex	MP01371	■	

A

D-9328-2014

B

D-10515-2016

C

D-10516-2016

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS | PEDIATRICS | NEONATES

A	Breathing circuit VentStar® Carina® LeakV, disposable, 1.5 m, 25 pcs., not made with natural rubber latex	MP00312	■	
B	Breathing circuit VentStar® Carina® ExpV, disposable, 1.5 m, 10 pcs., not made with natural rubber latex	MP00313	■	
C	Breathing circuit VentStar® Carina® ExpV, disposable, 2 m, 10 pcs., not made with natural rubber latex	5704962	■	

A

D-54676-2012

B

D-2203-2015

C

D-2200-2015

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS | PEDIATRICS | NEONATES

A	Breathing circuit Infinity® ID, disposable, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP01350	■	
B	Breathing circuit Infinity® ID, disposable, basic, 2.5 m, 25 pcs., not made with natural rubber latex	MP01348	■	
C	Breathing circuit Infinity® ID, disposable, smoothbore, 1.6 m, 25 pcs., not made with natural rubber latex	MP00340	■	
D	Breathing circuit Infinity® ID, disposable, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP01326	■	
E	Breathing circuit Infinity® ID, disposable, smoothbore, 3 m, 10 pcs., not made with natural rubber latex	MP01325	■	
F	Breathing circuit Infinity® ID, disposable, extendable, 2.2 m, 25 pcs., not made with natural rubber latex	MP01347	■	

A

D-629-2016

B

D-630-2016

C

D-648-2016

D

D-45194-2015

E

D-638-2016

F

D-641-2016

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

			ADULTS	PEDIATRICS	NEONATES
A	Breathing circuit Infinity® ID, disposable, coaxial, 1.9 m, 20 pcs., not made with natural rubber latex	MP03375	■		
B	Breathing circuit Infinity® ID, disposable, coaxial, 2.3 m, 20 pcs., not made with natural rubber latex	MP03377	■		
B	Breathing circuit Infinity ID®, disposable, coaxial, GSL, 2.3 m, 20 pcs., not made with natural rubber latex	MP00357	■		
C	Breathing circuit Infinity® ID, disposable, water trap, 2.1 m, 10 pcs., not made with natural rubber latex	MP00378	■		
C	Breathing circuit Infinity® ID, disposable, water trap, GSL, 2.1 m, 10 pcs., not made with natural rubber latex	MP00367	■		
	Anesthesia set Infinity® ID, disposable, coaxial, water trap, 2 L, 2.1/1.2 m, 10 pcs., not made with natural rubber latex	MP03388	■		
	Anesthesia set Infinity ID®, disposable, coaxial, GSL, 2.3 m/1.2 m, 10 pcs., not made with natural rubber latex	MP00368	■		
	Anesthesia set Infinity ID®, disposable, coaxial, water trap, GSL, 2.1 m/1.2 m, 10 pcs., not made with natural rubber latex	MP00370	■		

A

D-27580-2017

B

D-27579-2017

C

D-247-2017

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

			ADULTS	PEDIATRICS	NEONATES
A	Breathing circuit Infinity® ID, disposable, P, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP01340	■		
B	Breathing circuit Infinity® ID, disposable, P, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP01341	■		
C	Breathing circuit Infinity® ID, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP01327		■	
	Breathing circuit Infinity® ID, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP01328		■	

A

D-640-2016

B

D-45196-2015

C

D-45195-2015

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

			ADULTS	PEDIATRICS	NEONATES
A	Breathing bag set Infinity® ID, disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex	MP00341	■		
B	Breathing bag set Infinity® ID, disposable, 2 L, 1.5 m, 25 pcs., not made with natural rubber latex	MP01330	■		
C	Breathing bag set Infinity® ID, disposable, P, 1 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP01343		■	
D	Breathing bag set Infinity® ID, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP01329			■

A

D-25804-2009

B

D-19287-2009

C

D-19291-2009

D

D-25803-2009

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

1.2 REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

REUSABLE BREATHING SYSTEMS: BLUESET VENTILATION

A	BlueSet Ventilation (N)	8412344
	Consists of:	
❶	Y-piece, reusable, N, 90°, with suction opening	8403075
❷	Corrugated hose, reusable, N/P, 14 cm, connector 10 mm/10 mm, Ø 10 mm	8403333
❸	Temperature sensor mount, reusable, N	8403056
❹	Water trap with outlet, reusable N/P	8404760
❺	Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/10 mm, Ø 10 mm	2165848
❻	Water trap, reusable, N/P	8409627
❼	Red cap, 7 mm	8401645
❽	Breathing hose, silicone, reusable, N/P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	2165856
❾	Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	2165821

A



D-10120 6-2013

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**BlueSet Ventilation (P/A)**	**8413146**
	Consists of:	
❶	**Adapter, reusable, 22 mm/22 mm**	**M25647**
❷	**Adapter, reusable, 22 mm/15 mm, 90°**	**8290274**
❸	**Corrugated hose, silicone, reusable, N/P, 28 cm, connector 10 mm/10 mm, Ø 10 mm**	**8402041**
❹	**Adapter straight, reusable, A, 18 mm/11 mm**	**8403076**
❺	**Hose clamp, 10 pcs.**	**8403566**
❻	**Y-piece with sensor mount, reusable, A**	**8405435**
❼	**Closure temp. sensor mount, reusable**	**8410049**
❼	**Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm**	**2165619**
❽	**Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm, Ø 22 mm**	**2165627**
❾	**Set of 5 red caps, 11 mm**	**8402918**
❿	**Water trap, reusable, A**	**8404985**

A



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**BlueSet Ventilation HME (P/A)**	**8412860**
	Consists of:	
❶	**Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm, Ø 22 mm**	**2166046**
❷	**Y-piece, reusable, A**	**M25650**

A



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

REUSABLE ANESTHESIA SYSTEMS: BLUESET ANESTHESIA

A	**BlueSet Anesthesia (P/A)**	**M30146**
	Consists of:	
❶	**Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm, Ø 22 mm**	**2166046**
❷	**Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm, Ø 22 mm**	**2166038**
❸	**Breathing bag, silicone, reusable, 2.3 L, not made with natural rubber latex**	**2166062**
❹	**Y-piece 90° with Luer Lock, reusable, A**	**M33278**
❺	**Adapter, reusable, 22 mm/22 mm**	**M25647**

A



D-43-2016

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**BlueSet Anesthesia water trap (P/A)**	**MK04248**
	Consists of:	
❶	**Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm, Ø 22 mm**	**2165627**
❷	**Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm, Ø 22 mm**	**2166038**
❸	**Adapter, reusable, 22 mm/22 mm**	**M25647**
❹	**Water trap, reusable, A**	**8404985**
❺	**Y-piece 90° with Luer Lock, reusable, A**	**M33278**
❻	**Breathing bag, silicone, reusable, 2.3 L, not made with natural rubber latex**	**2166062**

A



D-50824-2015

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**BlueSet Anesthesia (N)**	**M27542**
	Consists of:	
❶	**Breathing hose, silicone, reusable, N/P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm**	**2165961**
❷	**Breathing hose, silicone, reusable, N/P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm**	**2165678**
❸	**Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex**	**2166054**
❹	**Adapter, reusable, 22 mm/22 mm**	**M25647**
❺	**Y-piece, reusable, N, 90°, with suction opening**	**8403075**
❻	**Elbow, reusable, N/P, metal, Luer Lock**	**M34568**
❻	**Cap for Luer Lock**	**M34461**
❼	**Set of 5 red caps, 7 mm**	**8402953**

A



D-42-2016

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm, Ø 22 mm**	**2166046**
B	**Ventilation valve for Oxylog® 1000, reusable**	**2M86800**
C	**PEEP valve for Oxylog® 1000, reusable, adjustable from 0 – 10 mbar**	**8407475**
D	**PEEP valve for Oxylog® 1000, disposable, adjustable from 5 – 20 mbar**	**2M86832**
	Breathing hose for Oxylog® 1000, reusable, silicone, 3 m	**2112760**

A



D-36225-2011

B

MT-161-2001

C

D-5705-2010

D

D-14955-2010

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

FOR OXYLOG® 2000, 2000+, 3000, 3000+ UND VE300 ADVANCED (WITH FLOW OPTION)

A	**Breathing hose set for Oxylog® 2000/3000 family, reusable, w/ flow measurement line, 1.5 m**	**8412068**
	Consists of:	
	Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm, Ø 22 mm	**2166046**
	Flow measuring line for Oxylog® 2000/3000 family, 1.5 m	**8410929**
A	**Breathing hose set for Oxylog® 2000/3000 family, reusable, w/ flow measurement line, 3 m**	**8412913**
	Consists of:	
	Breathing hose for Oxylog® 1000, reusable, silicone, 3 m	**2112760**
	Flow measuring line for Oxylog® 2000/3000 family, 3 m	**8413293**
B	**Ventilation valve for Oxylog® 2000/3000, reusable**	**8412001**
C	**Pressure difference flow sensor, PPSU, sterilizable**	**8412034**
D	**Elbow, reusable**	**8412235**

FOR OXYLOG® VE300

	Hose Oxylog® VE300, 150, reusable	**MP01390**
	Hose Oxylog® VE300, 300, reusable	**MP01391**
	Connector pressure Oxylog® VE300	**MP01372**
D	**Elbow, reusable**	**8412235**

A



D-101189-2013

B

MT-2682-2004

C

MT-3017-2004

D

MT-2688-2004

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

Silicone breathing hose (adult) with standard sleeves 22 mm/22 mm (0.9 in/0.9 in)

A	**Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm, Ø 22 mm**	**2165619**
B	**Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm, Ø 22 mm**	**2165627**
C	**Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm, Ø 22 mm**	**2166038**
D	**Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm, Ø 22 mm**	**2166046**

A

D-36204-2011

B

D-36208-2011

C

D-36211-2011

D



D-36225-2011

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

Silicone breathing hose (pediatric) with standard sleeves 10 mm (0.4 in) on both sides and 10 mm (0.4 in) inner diameter

A	**Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/10 mm, Ø 10 mm**	**2165848**

A



D-36215-2011

Silicone breathing hose (pediatric) with standard sleeves 22 mm (0.9 in) on both sides and 10 mm (0.4 in) inner diameter

B	**Breathing hose, silicone, reusable, N/P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm**	**2165678**

B

D-36213-2011

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

Silicone breathing hose (pediatric) with standard sleeves with one 10 mm (0.4 in) and one 22 mm (0.9 in) sleeve and 10 mm (0.4 in) inner diameter

A	**Breathing hose, silicone, reusable, N/P, 40 cm, connector 10 mm/22 mm, Ø 10 mm**	**2165856**
B	**Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/22 mm, Ø 10 mm**	**2165821**
C	**Breathing hose, silicone, reusable, N/P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm**	**2165651**
D	**Breathing hose, silicone, reusable, N/P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm**	**2165961**

A

D-36200-2011

B

D-36214-2011

C



D-36212-2011

D

D-36218-2011

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Y-piece, polyamide, reusable, A, straight	M25650
B	Y-piece 90° with Luer Lock, reusable, A	M33278

A

MT-0805-2008

B

MT-0809-2008

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Y-piece for F&P, reusable A*	8412888
B	Temperature probe adapter 900 MR 532, for F&P humidifiers*	MP01007
C	Y-piece with sensor mount, reusable, A	8405435
D	Y-piece straight, reusable, N/P	M27077
E	Y-piece, reusable, N, 90°, with suction opening	8403075
	Red cap, 7 mm	8401645
F	Elbow, reusable	8412235
G	Elbow for F&P, reusable*	8418289

*Produced by Fisher & Paykel

A

MT-1321-2008

B

MT-4036-2006

C

MT-2668-2004

D

MT-520-2002

E

MT-2728-2004

F

MT-2688-2004

G

D-23316-2020

Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Adapter, reusable, 22 mm/22 mm	M25647
	Adapter straight, reusable, A, 18 mm/11 mm	8403076
B	Adapter, reusable, 22 mm/22 mm, 90°	M25649
C	Adapter, reusable, 22 mm/11 mm, metal, N/P	8409897
D	Elbow, reusable, N/P, metal, Luer Lock	M34568
	Temperature sensor mount, reusable, N	8403056
	T-piece connector, reusable	8411044
E	Water trap, reusable, A	8404985
F	Water trap, reusable, N/P	8409627

A

MT-0732-2008

B

MT-2688-2004

C

D-23320-2020

D



D-1529-2009

E

D-35676-2009

F

D-35677-2009

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Transparent breathing bags of silicone elastomer	
❶	Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex	2166054
❷	Breathing bag, silicone, reusable, 1.5 L, not made with natural rubber latex	2166127
❸	Breathing bag, silicone, reusable, 2.3 L, not made with natural rubber latex	2166062
❹	Breathing bag, silicone, reusable, 3 L, not made with natural rubber latex	2166070

A



D-50823-2015

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	**Test lung SelfTestLung, reusable, max. 1 L, not made with natural rubber latex**	**MP02400**
	Spare parts set SelfTestLung, with locking brace and attachment bolt	**MP02401**
B	**Demo lung SmartLung, max.1 L, reusable, not made with natural rubber latex**	**MP02405**
C	**Test Lung, reusable, max. 1.5 L, not made with natural rubber latex**	**8403201**
D	**Neo Testlung*, disposable, N, 10 pcs., not made with natural rubber latex**	**MP02425**
E	**Neonatal Test Lung, reusable, 50 mL, not made with natural rubber latex**	**MP20050**

*Tradeware

A

D-24583-2009

B

D-34901-2009

C

D-50805-2015

D

D-2939-2018

E

D-28320-2020

Not all articles are available worldwide.

BREATHING SYSTEM FILTERS AND HMEs

2. BREATHING SYSTEM FILTERS AND HMEs

The TwinStar® filter/HME from Dräger is a combination of an efficient HME and a high-performance breathing system filter, thereby significantly contributing to infection prophylaxis in ventilation treatment.

- Combination of efficient HME and high-performance breathing system filter
- High retention rates for bacteria and viruses
- High return of heat and moisture
- Reduced condensation in the breathing circuit
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and blue color coding for quick identification

A	**Electrostatic filter and HME TwinStar® 90, disposable, 90 ml deadspace, 50 pcs.**	**MP01800**
B	**Electrostatic filter and HME TwinStar® 65A, disposable, 65 ml deadspace, angled, 50 pcs.**	**MP01810**
C	**Electrostatic filter and HME TwinStar® 55, disposable, 55 ml deadspace, 50 pcs.**	**MP01805**
D	**Electrostatic filter and HME TwinStar® 25, disposable, 25 ml deadspace, 50 pcs.**	**MP01815**
E	**Electrostatic filter and HME TwinStar® 10A, disposable, 10 ml deadspace, angled, 50 pcs.**	**MP01825**
F	**Electrostatic filter and HME TwinStar® 8, disposable, 8 ml deadspace, 50 pcs.**	**MP01820**
G	**Mechanical filter and HME TwinStar® HEPA, disposable, 55 ml deadspace, 50 pcs.**	**MP01801**

A

MT-4385-2007

B

MT-4745-2007

C

MT-11164-2006

D

MT-0105-2008

E

MT-4397-2007

F

MT-4396-2007

G

MT-4388-2007

Not all articles are available worldwide.

BREATHING SYSTEM FILTERS

The CareStar® breathing system filter significantly contributes to infection prophylaxis in anesthesia and ventilation treatment through high retention rates.

- High-performance electrostatic filter
- Patient-side or device-side use
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and red color coding for quick identification

A	**Electrostatic filter CareStar® 45, disposable, 45 ml deadspace, 50 pcs.**	**MP01755**
B	**Electrostatic filter CareStar® 40A, disposable, 40 ml deadspace, angled, 50 pcs.**	**MP01765**
C	**Electrostatic filter CareStar® 30, disposable, 30 ml deadspace, 50 pcs.**	**MP01770**

A

MT-4387-2007

B

MT-4747-2007

C

MT-0011-2007

BREATHING SYSTEM FILTERS

The SafeStar® mechanical high performance breathing system filter shows excellent retention rates, thereby significantly contributing to infection prophylaxis in anesthesia and ventilation treatment.

- High-performance mechanical HEPA filter
- High hydrophoticity
- Patient-side or device-side use
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and red color coding for quick identification

A	**Mechanical filter SafeStar® 80, disposable, 80 ml deadspace, 50 pcs.**	**MP01785**
B	**Mechanical filter SafeStar® 60A, disposable, 60 ml deadspace, angled, 50 pcs.**	**MP01795**
C	**Mechanical filter SafeStar® 55, disposable, 55 ml deadspace, 50 pcs.**	**MP01790**

A

MT-4386-2007

B

MT-4746-2007

C

MT-11165-2006

HMEs

HumidStar® heat and moisture exchangers from Dräger partially take over the function of the upper airways and efficiently heat and humidify the inspired air.

- High return of heat and moisture
- Reduced condensation in the breathing circuit
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and green color coding for quick identification

A	**HME HumidStar® 55, disposable, 55 ml deadspace, 50 pcs.**	**MP01730**
B	**HME HumidStar® 25, disposable, 25 ml deadspace, 50 pcs.**	**MP01735**
C	**HME HumidStar® 2 Plus, disposable, 2 mL deadspace, 100 pcs.**	**MP05845**
D	**HME HumidStar® Trach Plus, disposable, 6 mL deadspace, 100 pcs.**	**MP05750**

A

MT-11163-2006

B

MT-0106-2008

C

D-1021-2020

D

D-4552-2019

Not all articles are available worldwide.

BREATHING SYSTEM FILTERS AND HMEs

SPECIFICATIONS

	Filter/HME TwinStar® 90	Filter/HME TwinStar® 65A	Filter/HME TwinStar® 55	Filter/HME TwinStar® 25
Part number	MP01800	MP01810	MP01805	MP01815
Deadspace (ml)	90	65	55	25
Recommended tidal volume (ml)	300 to 1,500	300 to 1,500	300 to 1,500	75 to 500
Bacterial retention (%)**	≥ 99.999	≥ 99.999	≥ 99.999	≥ 99.999
Viral retention (%)**	≥ 99.999	≥ 99.99	≥ 99.99	≥ 99.99
Filtration method	Electrostatic	Electrostatic	Electrostatic	Electrostatic
Moisture loss* (mg H_2O/l air)	4.7@Vt 500 ml	6.9@Vt 500 ml	7.2@Vt 500 ml	5.8@Vt 250 ml
Moisture output (mg H_2O/l air)	39.3	37.1	36.8	38.2
Resistance (mbar)	< 1 at 30 l/min	< 2 at 30 l/min	< 1 at 30 l/min	< 2 at 15 l/min
Weight (g)	37	30	28	18
ISO connectors	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 22F/15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	3 years	3 years	3 years	3 years
Product	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free

SPECIFICATIONS

	Filter/HME TwinStar® 10A	Filter/HME TwinStar® 8	Filter/HME TwinStar® HEPA
Part number	MP01825	MP01820	MP01801
Deadspace (ml)	10	8	55
Recommended tidal volume (ml)	30 to 200	30 to 200	300 to 1,500
Bacterial retention (%)**	≥ 99.9	≥ 99.9	≥ 99.9999
Viral retention (%)**	≥ 99.9	≥ 99.9	≥ 99.9999
Filtration method	Electrostatic	Electrostatic	Mechanical (HEPA)
Moisture loss* (mg H_2O/l air)	6.4@Vt 50 ml	6.1@Vt 50 ml	9.8@Vt 500 ml
Moisture output (mg H_2O/l air)	37.6	37.9	34.2
Resistance (mbar)	< 1 at 5 l/min	< 1 at 5 l/min	< 2 at 30 l/min
Weight (g)	9	9	40
ISO connectors	22M/15F – 15M	22M/15F – 15F/8.5M	22M/15F – 22F/15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	3 years	3 years	5 years
Product	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free

Cleanroom manufactured according to EN ISO 14644-1:2014.

*According to ISO 9360-1:2000.
**Test has been performed by Nelson Lab, USA, before 2010

Not all articles are available worldwide.

BREATHING SYSTEM FILTERS

SPECIFICATIONS

	Filter CareStar® 45	Filter CareStar® 40A	Filter CareStar® 30
Part number	MP01755	MP01765	MP01770
Deadspace (ml)	45	40	30
Recommended tidal volume (ml)	300 to 1,500	300 to 1,500	100 to 1,500
Bacterial retention (%)**	≥ 99.9999	≥ 99.9999	≥ 99.99
Viral retention (%)**	≥ 99.9999	≥ 99.9999	≥ 99.99
Filtration method	Electrostatic	Electrostatic	Electrostatic
Moisture loss* (mg H_2O/l air)	–	–	–
Moisture output (mg H_2O/l air)	–	–	–
Resistance (mbar)	< 1 at 30 l/min	< 1 at 30 l/min	< 1 at 15 l/min
Weight (g)	29	25	23
ISO connectors	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 22F/15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	3 years	3 years	3 years
Product	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free

SPECIFICATIONS

	Filter SafeStar® 80	Filter SafeStar® 60A	Filter SafeStar® 55
Part number	MP01785	MP01795	MP01790
Deadspace (ml)	80	60	55
Recommended tidal volume (ml)	300 to 1,500	300 to 1,500	300 to 1,500
Bacterial retention (%)**	≥ 99.9999	≥ 99.9999	≥ 99.9999
Viral retention (%)**	≥ 99.9999	≥ 99.9999	≥ 99.9999
Filtration method	Mechanical	Mechanical	Mechanical
Moisture loss* (mg H_2O/l air)	–	–	–
Moisture output (mg H_2O/l air)	–	–	–
Resistance (mbar)	< 2 at 30 l/min	< 2 at 30 l/min	< 2 at 30 l/min
Weight (g)	47	42	39
ISO connectors	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 22F/15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	5 years	5 years	5 years
Product	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free

Cleanroom manufactured according to EN ISO 14644-1:2014.

*According to ISO 9360-1:2000.
**Test has been performed by Nelson Lab, USA, before 2010

Not all articles are available worldwide.

HMEs

SPECIFICATIONS

	HME HumidStar® 55	HME HumidStar® 25
Part number	MP01730	MP01735
Deadspace (ml)	55	25
Recommended tidal volume (ml)	300 to 1,500	75 to 500
Moisture loss* (mg H_2O/l air)	6.3@Vt 500 ml	6.2@Vt 250 ml
Moisture output (mg H_2O/l air)	37.7	37.8
Resistance (mbar)	< 1 at 30 l/min	< 1 at @30 l/min
Weight (g)	28	18
ISO connectors	22M/15F – 22F/15M	22M/15F – 22F/15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours
Shelf life in undamaged packaging	5 years	5 years
Product	PVC-free/ Latex free	PVC-free/ Latex free

SPECIFICATIONS

	HME HumidStar® 2 Plus	HME HumidStar® Trach Plus
Part number	MP05845	MP05750
Deadspace (ml)	2	6
Recommended tidal volume (ml)	10 to 50	100 to 1,500
Moisture loss* (mg H_2O/l air)	9.1@Vt 22 ml	< 13.2@Vt 500 ml**
Moisture output (mg H_2O/l air)	> 34.9	> 30.8
Resistance (mbar)	< 2 bei 5 l/min	< 0,1 at 30 l/min
Weight (g)	3.5	5
ISO connectors	15M – 15F	15F
Sampling port	–	O_2 port
Housing	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours
Shelf life in undamaged packaging	5 years	5 years
Product	PVC-free/ Latex free	PVC-free/ Latex free

Cleanroom manufactured according to EN ISO 14644-1:2014.

*According to ISO 9360-1:2000.
**According to ISO 9360-2:2001.

Not all articles are available worldwide.

CO_2 CUVETTES

3. CO_2 CUVETTES

CO_2 cuvettes are designed for the monitoring of CO_2 concentration during patient ventilation.

3.1 DISPOSABLE

A	**CO_2 cuvette disposable, adult, 10 pcs.**	**MP01062**
B	**CO_2 cuvette disposable, pediatric, 10 pcs.**	**MP01063**

3.2 REUSABLE

C	**CO_2 cuvette reusable, adult**	**6870279**
D	**CO_2 cuvette reusable, pediatric**	**6870280**
E	**CO_2 mainstream sensor, for Evita® 2 dura, Evita® 4 Edition and Evita® XL**	**6871500**
F	**MCable Mainstream CO_2, for Evita, Infinity® V500, Infinity® M540, Vista120, Vista120 S, and Delta VF9.1 and higher**	**6871950**

For fans and monitors that have a yellow connector for the CO_2 sensor.

A

D-7059-2009

B

D-7061-2009

C

D-7062-2009

D

D-7060-2009

E

MT-0986-2007

F

D-28791-2017

Not all articles are available worldwide.

CATHETER MOUNTS AND AIRWAY CONNECTORS

4. CATHETER MOUNTS AND AIRWAY CONNECTORS

- Smoothbore products provide low resistance to flow while external coil reduces kinks and blockages
- Extendable product provides a lightweight and flexible solution
- Double swivel connector increases ease of use
- Double cap to maintain PEEP during suctioning or bronchoscopy
- Each catheter mount and airway connector is equipped with a red safety cap so that the system is completely closed and protected until directly prior to use on the patient
- 22F/15M connector on device side as a two-in-one solution
- Standardized connectors for safe connection to other components
- Luer Lock port for gas sampling
- Disposable convenience enhances workflow
- PVC-free design of gas leading components eliminates risk of softeners such as DEHP

A	**Catheter mount ErgoStar® CM 40, disposable, 10 cm, double swivel elbow, 50 pcs.**	**MP01840**
B	**Catheter mount ErgoStar® CM 45, disposable, 15 cm, double swivel elbow, 50 pcs.**	**MP01845**
C	**Catheter mount ErgoStar® CM 50, disposable, 10 – 16 cm, extendable, 50 pcs.**	**MP01850**
D	**Catheter mount ErgoStar® CM 55, disposable, 15 cm, straight, 50 pcs.**	**MP01855**
E	**Catheter mount ErgoStar® CM 60, disposable, 10 cm, small, double swivel elbow, 50 pcs.**	**MP01860**
F	**Airway connector ErgoStar® AC 90, disposable, double-swivel elbow w/ double cap, 100 pcs.**	**MP01890**
G	**Airway connector ErgoStar® AC 95, disposable, w/ Luer Lock sampling port, 100 pcs.**	**MP01895**

A

D-12406-2014

B

D-12407-2014

C

D-12465-2014

D

MT-1925-2008

E

D-12409-2014

F

D-12410-2014

G

MT-1926-2008

Not all articles are available worldwide.

CATHETER MOUNTS AND AIRWAY CONNECTORS

COMBINATIONS OF FILTER AND TUBE EXTENTION

A	**CombiStar Filter HME flex, combination of flexible tube extention MP01850 and filter TwinStar® 55 (MP01805), 25 pcs.**	**MP04240**
B	**CombiStar F-HME HEPA flex, combination of flexible tube extention MP01850 and filter TwinStar® HEPA (MP01801), 25 pcs.**	**MP04242**
C	**CombiStar mechanical Filter flex, combination of flexible tube extention MP01850 and filter SafeStar® 55 (MP01790), 25 pcs.**	**MP04246**
D	**CombiStar A Filter HME, combination of airway connector MP01845 and filter TwinStar® 55 (MP01805), 25 pcs.**	**MP01671**

A

D-21203-2015

B



D-21206-2015

C

D-21217-2015

D

D-10447-2016

Not all articles are available worldwide.

NIV MASKS AND ACCESSORIES

5. NON-INVASIVE PATIENT INTERFACES AND ACCESSORIES

5.1 NIV MASKS AND ACCESSORIES

ClassicStar® NIV oronasal masks cover the nose and mouth of the patient. Therefore, they provide effective therapy even in case of mouth breathing.
The mask design ensures high patient comfort combined with anatomical fit and effective seal due to individually adjustable mask cushion. The 6-point headgear provides a stable and secure fixation. Adjustable forehead support and forehead pad allow for distributing the pressure from the bridge of nose towards the forehead for more patient comfort.
ClassicStar® NIV masks with standard elbow (SE) have been successfully tested for compatibility with Dräger ventilators which have NIV-option. Variants with Anit-Asphyxia Valve (AAV) are intended for Multi-Vendor-Accessory business.
All ClassicStar® NIV masks are for single patient use.
Sizing gauges for easy mask size identification as well as a pumpball are delivered togehter with the masks.

A	**NIV oronasal mask ClassicStar® SE, disposable, size S**	**MP01573**
	NIV oronasal mask ClassicStar® SE, disposable, size M	**MP01574**
	NIV oronasal mask ClassicStar® SE, disposable, size L	**MP01575**
B	**NIV oronasal mask ClassicStar® AAV, disposable, size S**	**MP01570**
	NIV oronasal mask ClassicStar® AAV, disposable, size M	**MP01571**
	NIV oronasal mask ClassicStar® AAV, disposable, size L	**MP01572**

A

MT-0575-2007

D-5548-2010

Not all articles are available worldwide.

NIV MASKS AND ACCESSORIES

Oronasal masks are often the first-line strategy in the initial management of acute respiratory failure as they cover nose and mouth. Nasal masks are often chosen if NIV therapy has to be prolonged due to improved comfort and reduced complications associated with oronasal masks. Similar to ClassicStar® oronasal masks, the nasal mask cushion can be individually adjusted to the patient's face providing high patient comfort and effective seal. The 4-point-headgear ensures a stable and secure fixation reducing mask displacement.
All ClassicStar® NIV nasal masks are for single patient use.
Sizing gauges for easy mask size identification as well as a pumpball are delivered togehter with the masks.

A	**NIV nasal mask ClassicStar® non-vented, disposable, size S**	**MP01623**
	NIV nasal mask ClassicStar® non-vented, disposable, size M	**MP01624**
	NIV nasal mask ClassicStar® non-vented, disposable, size L	**MP01625**
B	**NIV nasal mask ClassicStar® vented, disposable, size S**	**MP01620**
	NIV nasal mask ClassicStar® vented, disposable, size M	**MP01621**
	NIV nasal mask ClassicStar® vented, disposable, size L	**MP01622**

A

D-6409-2009

D-6399-2009

Not all articles are available worldwide.

NIV MASKS AND ACCESSORIES

The ClassicStar® NIV total-face mask seals around the perimeter of the face, covering mouth, nose and eyes. These areas are less pressure sensitive and have smoother facial contours compared to the areas a oronasal masks covers (nasal bridge). The mask is suitable for patients with nasal bridge breakdown or facial irregularities. The air filled cushion can be adjusted individually to the patients face, providing high patient comfort and effective seal.
The 5-point headgear which includes a headstrap at the top of the mask provides a stable and secure attachment, thus preventing mask displacement and reducing pressure. Quick release clips are integrated for quick removal of the mask.

A	**NIV total-face mask ClassicStar® SE, disposable, size S**	**MP02910**
	NIV total-face mask ClassicStar® SE, disposable, size M	**MP02911**
	NIV total-face mask ClassicStar® SE, disposable, size L	**MP02912**
B	**NIV total-face mask ClassicStar® AAV, disposable, size S**	**MP02913**
	NIV total-face mask ClassicStar® AAV, disposable, size M	**MP02914**
	NIV total-face mask ClassicStar® AAV, disposable, size L	**MP02915**
C	**NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size S**	**MP02916**
	NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size M	**MP02917**
	NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size L	**MP02918**

A

D-6282-2018

B

D-6279-2018

C

D-6285-2018

Not all articles are available worldwide.

NIV MASKS AND ACCESSORIES

The ClassicStar® plus mask series features a soft and anatomically shaped silicone lip as sealing interface to the patients face. The mask has an easy to adjust forehead pad with silicone cushion which alows optimal adaption to the sensitive nasal bridge. The mask is available in four sizes (S, M, L, XL) as oronasal and nasal mask. ClassicStar® plus NIV masks with standard elbow (SE) have been successfully tested for compatibility with Dräger ventilators which have NIV-option. Variants with Anti-Asphyxia-Valve (AAV) are intended for Multi-Vendor-Accessory business.

A	**NIV oronasal mask ClassicStar® plus SE, disposable, size S, 5 pcs.**	**MP04711**
	NIV oronasal mask ClassicStar® plus SE, disposable, size M, 5 pcs.	**MP04712**
	NIV oronasal mask ClassicStar® plus SE, disposable, size L, 5 pcs.	**MP04713**
	NIV oronasal mask ClassicStar® plus SE, disposable, size XL, 5 pcs.	**MP04714**
B	**NIV oronasal mask ClassicStar® plus AAV, disposable, size S, 5 pcs.**	**MP04721**
	NIV oronasal mask ClassicStar® plus AAV, disposable, size M, 5 pcs.	**MP04722**
	NIV oronasal mask ClassicStar® plus AAV, disposable, size L, 5 pcs.	**MP04723**
	NIV oronasal mask ClassicStar® plus AAV, disposable, size XL, 5 pcs.	**MP04724**
C	**NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size S, 5 pcs.**	**MP04731**
	NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size M, 5 pcs.	**MP04732**
	NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size L, 5 pcs.	**MP04733**
	NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size XL, 5 pcs.	**MP04734**

D-10386-2016

B

D-10387-2016

D-10388-2016

Not all articles are available worldwide.

NIV MASKS AND ACCESSORIES

A	**NIV nasal mask ClassicStar® plus non vented, disposable, size S, 5 pcs.**	**MP04741**
	NIV nasal mask ClassicStar® plus non vented, disposable, size M, 5 pcs.	**MP04742**
	NIV nasal mask ClassicStar® plus non vented, disposable, size L, 5 pcs.	**MP04743**
	NIV nasal mask ClassicStar® plus non vented, disposable, size XL, 5 pcs.	**MP04744**
B	**NIV nasal mask ClassicStar® plus vented, disposable, size S, 5 pcs.**	**MP04751**
	NIV nasal mask ClassicStar® plus vented, disposable, size M, 5 pcs.	**MP04752**
	NIV nasal mask ClassicStar® plus vented, disposable, size L, 5 pcs.	**MP04753**
	NIV nasal mask ClassicStar® plus vented, disposable, size XL, 5 pcs.	**MP04754**

A

D-10389-2016

D-10390-2016

Not all articles are available worldwide.

NIV MASKS AND ACCESSORIES

The NovaStar® plus NiV mask series cover nose and mouth of the patient. Therefore, they provide effective therapy even in case of mouth breathing. This range of products provides ultimate comfort and an effective seal due to the individual adaption of the silicone-gel cushion with a plialble embedded ring. NovaStar® plus NiV masks with standard elbow (SE) have been successfully tested for compatibility with Dräger ventilators which have NiV-option. Variants with Anti-Asphyxia-Valve (AAV) are intended for Multi-Vendor-Accessory business. All NovaStar® plus NiV masks are for multi patient use. Replacement headgears with magenitc clips are available individually (cf. accessories for NiV masks).

A	**NIV oronasal mask NovaStar® plus, SE, reusable, size S, 3 pcs.**	**MP05051**
	NIV oronasal mask NovaStar® plus, SE, reusable, size M, 3 pcs.	**MP05052**
	NIV oronasal mask NovaStar® plus, SE, reusable, size L, 3 pcs.	**MP05053**
	NIV oronasal mask NovaStar® plus, SE, reusable, size XL, 3 pcs.	**MP05054**
B	**NIV oronasal mask NovaStar® plus, AAV, reusable, size S, 3 pcs.**	**MP05061**
	NIV oronasal mask NovaStar® plus, AAV, reusable, size M, 3 pcs.	**MP05062**
	NIV oronasal mask NovaStar® plus, AAV, reusable, size L, 3 pcs.	**MP05063**
	NIV oronasal mask NovaStar® plus, AAV, reusable, size XL, 3 pcs.	**MP05064**
C	**NIV oronasal mask NovaStar® plus, AAV, without exhalation ports, reusable, size S, 3 pcs.**	**MP05071**
	NIV oronasal mask NovaStar® plus, AAV, without exhalation ports, reusable, size M, 3 pcs.	**MP05072**
	NIV oronasal mask NovaStar® plus, AAV, without exhalation ports, reusable, size L, 3 pcs.	**MP05073**
	NIV oronasal mask NovaStar® plus, AAV, without exhalation ports, reusable, size XL, 3 pcs.	**MP05074**

A

D-8729-2019

B

D-8730-2019

C

D-8728-2019

Not all articles are available worldwide.

NIV MASKS AND ACCESSORIES

TRADEWARE

The **MiniMe2*** nasal mask is designed for children ages 2 – 12. It features an ergonomic silicone gel cushion and a shapeable shell mask to fit individual needs and thus ensuring an effective seal and a comfortable fit.

A	**Pediatric nasal mask MiniMe2 non vented, disposable, size S**	**MP01555**
	Pediatric nasal mask MiniMe2 non vented, disposable, size L	**MP01556**
B	**Pediatric nasal mask MiniMe2 vented, disposable, size S**	**MP01553**
	Pediatric nasal mask MiniMe2 vented, disposable, size L	**MP01554**

*Produced by SleepNet Corporation

A

D-42721-2015

B

D-42714-2015

Not all articles are available worldwide.

NIV MASKS AND ACCESSORIES

ACCESSORIES FOR NIV MASKS

A	Two-sided pump ball for air management	MP01590
B	NovaStar® plus Headgear inclusive magnetic clips, 3 pcs.	MP05080

A



MT-11178-2006

B



D-29944-2020

ANESTHESIA MASKS AND ACCESSORIES

5.2 ANESTHESIA MASKS AND ACCESSORIES

SEDISTAR® ANESTHESIA FACE MASKS

The disposable anesthesia face mask SediStar features a soft and anatomically shaped lip as the sealing interface to the patient's face. The mask is BPA and PVC free.

Optimal fit
Due to the ergonomic design and sealing lip the mask offers an optimized fit for different facial anatomies.

Color-coding
Every mask size is color coded by a different label, which makes it easy to identify the correct mask size right of the shelf.

Additional mask accessories
Easy application is supported through additional mask accessories: hook ring and headgears for fixation. Two different headgears in small and large designs offer patients and physicians a soft and elastic support and holding position.

A	❶ SediStar® anesthesia face mask, disposable, without hook ring, size 1, small infant, 30 pcs.	MP01701
	❷ SediStar® anesthesia face mask, disposable, without hook ring, size 2, large infant, 30 pcs.	MP01702
	❸ SediStar® anesthesia face mask, disposable, without hook ring, size 3, pediatric, 30 pcs.	MP01703
	❹ SediStar® anesthesia face mask, disposable, without hook ring, size 4, small adult, 30 pcs.	MP01704
	❺ SediStar® anesthesia face mask, disposable, without hook ring, size 5, medium adult, 30 pcs.	MP01705
	❻ SediStar® anesthesia face mask, disposable, without hook ring, size 6, large adult, 30 pcs.	MP01706
	❼ SediStar® anesthesia face mask, disposable, without hook ring, size 7, extra large adult, 30 pcs.	MP01707
B	Hook ring for SediStar® masks, with 22 mm ID connector (size 3-7), 30 pcs.	MP01708

A



D-4736-2019

B



D-25951-2020

NIV MASKS AND ACCESSORIES

LiteStar® anesthesia mask is for disposable use.
The teardrop shape of the mask supports an anatomical fit. The transparent mask body allows for continuous observation of the patient's condition.
The colored reinforcing ring along the mask connector provides a secure connection with the ventilation system.
The color coding of the reinforcing rings* contributes to easy size identification.
Additional disposable hook rings and disposable headgears for fixation are available (cf. accessories for anesthesia masks).

A ❶ **Anesthesia mask LiteStar®, disposable, w/o hook ring, size 1, premature baby, 30 pcs.** **MP01501**

❷ **Anesthesia mask LiteStar®, disposable, w/o hook ring, size 2, baby, 30 pcs.** **MP01502**

❸ **Anesthesia mask LiteStar®, disposable, w/o hook ring, size 3, infant, 30 pcs.** **MP01503**

❹ **Anesthesia mask LiteStar®, disposable, w/o hook ring, size 4, adult S, 30 pcs.** **MP01504**

❺ **Anesthesia mask LiteStar®, disposable, w/o hook ring, size 5, adult M, 30 pcs.** **MP01505**

❻ **Anesthesia mask LiteStar®, disposable, w/o hook ring, size 6, adult L, 30 pcs.** **MP01506**

B ❶ **Hook ring for LiteStar® anesthesia masks, disposable, 15 mm OD, for sizes 1 – 2, 30 pcs.** **MP01551**

❷ **Hook ring for LiteStar® anesthesia masks, disposable, 22 mm ID, for sizes 3 – 6, 30 pcs.** **MP01552**

*They are color coded from red (size 3), yellow (size 4 – 5) to green (size 6).

A



D-957-2010

B



MT-11189-2006

Not all articles are available worldwide.

ANESTHESIA MASKS AND ACCESSORIES

Patient comfort and ease of use were the top priorities when developing the Dräger disposable ComfortStar® anesthesia mask portfolio. Patient comfort is supported by teardrop or round-shaped masks and adjustable (inflatable) mask cushion which provide anatomical fit with effective seal. Non-slip ridges (sizes 4 – 6) and a flexible mask body provide healthcare professionals an easy and comfortable grip.
ComfortStar® scented anesthesia masks have the same excellent benefits of the ComfortStar® standard masks, but in addition, they have added aromas. The appropriate color scheme provides optical stimulation and is intended to reduce pre-operative anxiety in patients.
All masks are pre-equipped with ‚Traffic Light' colored hook rings. They are color coded for easier size identification.
Smaller sizes (0 – 1) have reddish color, mid-sizes (2 – 3) yellowish color and large sizes (4 – 6) greenish color.
All ComfortStar® masks are compatible with all Dräger anesthesia devices.
Pumpball as well as different headgears for fixation are available (cf. accessories for anesthesia masks).

A ❶ **Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 0, premature baby, 20 pcs.** **MP01510**

❷ **Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 1, neonatal, 20 pcs.** **MP01511**

❸ **Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 2, baby, 20 pcs.** **MP01512**

❹ **Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 3, infant, 20 pcs.** **MP01513**

❺ **Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 4, adult S, 20 pcs.** **MP01514**

❻ **Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 5, adult M, 20 pcs.** **MP01515**

❼ **Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 6, adult L, 20 pcs.** **MP01516**

A



MT-4205-2008

Not all articles are available worldwide.

ANESTHESIA MASKS AND ACCESSORIES

A	❶	Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 1, neonatal, 20 pcs.	MP01521
	❷	Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 2, baby, 20 pcs.	MP01522
	❸	Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 3, infant, 20 pcs.	MP01523
	❹	Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 4, adult S, 20 pcs.	MP01524
B	❶	Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 1, neonatal, 20 pcs.	MP01531
	❷	Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 2, baby, 20 pcs.	MP01532
	❸	Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 3, infant, 20 pcs.	MP01533
	❹	Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 4, adult S, 20 pcs.	MP01534
C	❶	Anesthesia mask ComfortStar®, disposable, hook ring, mint, size 3, infant, 20 pcs.	MP01543
	❷	Anesthesia mask ComfortStar®, disposable, hook ring, mint, size 4, adult S, 20 pcs.	MP01544
	❸	Anesthesia mask ComfortStar®, disposable, hook ring, mint, size 5, adult M, 20 pcs.	MP01545
	❹	Anesthesia mask ComfortStar®, disposable, hook ring, mint, size 6, adult L, 20 pcs.	MP01546

A

MT-4170-2008

B

MT-4126-2008

C

MT-4149-2008

Not all articles are available worldwide.

ANESTHESIA MASKS AND ACCESSORIES

New silicone masks are made of medical grade silicone because this is generally considered the material of choice for its superior ability to conform to the patient's facial anatomy. The field of application includes anesthesia and mask ventilation for pediatric and adult patients. The masks are available in various shapes and sizes. The smaller sizes have a rather round shape in order to provide comfortable fit and effective seal for the faces of infants. The bigger sizes have an anatomically formed teardrop shape to ensure convenient fit and seal for facial contours of adult patients. New silicone masks have a flexible, soft and transparent mask body. The mask body design provides a comfortable grip. Shape and material allow for safe handling by doctors and nurses. The silicone masks are reusable.

A	❶	Silicone mask, reusable, size 00, premature baby	MP02900
	❷	Silicone mask, reusable, size 0, small neonate	MP01910
	❸	Silicone mask, reusable, size 1, large neonate	MP01911
	❹	Silicone mask, reusable, size 2, small child	MP01912
	❺	Silicone mask, reusable, size 3, large child	MP01913
	❻	Silicone mask, reusable, size 4, small adult	MP01914
	❼	Silicone mask, reusable, size 5, large adult	MP01915
B	❶	Hook ring for silicone masks, reusable, 15 mm OD, for sizes 00 – 1, 10 pcs.	MP01916
	❷	Hook ring for silicone masks, reusable, 22 mm ID, for sizes 2 – 5, 10 pcs.	MP01917

Additional mask accessories, e. g. reusable hook rings as well as reusable headgears are available for fixation (cf. accessories for anesthesia masks).

A



D-58208-2012

B



MT-4102-2008

Not all articles are available worldwide.

ANESTHESIA MASKS AND ACCESSORIES

ACCESSORIES FOR ANESTHESIA MASKS

There are three different headgears in small and large designs offering patients and physicians a soft, elastic, lightweight fixation of disposable and/or reusable anesthesia/ventilation masks.

A	❶ Headgear, disposable, soft fabric, small	MP01559
	❷ Headgear, disposable, soft fabric, large	MP01560
B	❶ Headgear, disposable, soft rubber, small	MP01561
	❷ Headgear, disposable, soft rubber, large	MP01562
C	Two-sided pump ball for air management	MP01590

A

D-35633-2009

B

D-35632-2009

C

MT-11178-2006

OXYGEN (O_2) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES

5.3 OXYGEN (O_2) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES

Oxygen therapy is the administration of oxygen at a concentration higher than in ambient air. The purpose is to prevent and/or treat the symptoms and manifestation of hypoxia. Aeorsol therapy is used to administer medicine in the patient airways/lungs in order to reduce inflammation caused by different respiratoy conditions. The aerosol and oxygen therapy masks are for disposable use.

A	O2Star™ Non-rebreather oxygen mask with connection tube 2.1 m, disposable, S, 50 pcs.	MP01930
B	O2Star™ Non-rebreather oxygen mask with connection tube 2.1 m, disposable, M/L, 50 pcs.	MP01920
C	O2Star™ Medium concentration oxygen mask with connection tube 2.1 m, disposable, S, 50 pcs.	MP01931
D	O2Star™ Medium concentration oxygen mask with connection tube 2.1 m, disposable, M/L, 50 pcs.	MP01921
E	O2Star™ Oxygen and aerosol mask with 22 mm OD, disposable, S, 50 pcs.	MP01934
F	O2Star™ Oxygen and aerosol mask with 22 mm OD, disposable, M/L, 50 pcs.	MP01926

A

D-92512-2013

B

D-92503-2013

C

D-92513-2013

D

D-92504-2013

E

D-92516-2013

F

D-92509-2013

OXYGEN (O_2) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES

A	O2Star™ Tracheostomy mask, disposable, S, 50 pcs.	MP01932
B	O2Star™ Tracheostomy mask, disposable, M/L, 50 pcs.	MP01924
C	O2Star™ Face tent, disposable, S, 50 pcs.	MP01933
D	O2Star™ Face tent, disposable, M/L, 50 pcs.	MP01925

A



D-99268-2013

B

D-99263-2013

C

D-92515-2013

D

D-99266-2013

Not all articles are available worldwide.

OXYGEN (O_2) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES

A	O2Star™ Venturi mask kit, adjustable venturi valve, disposable, S, 25 pcs.	MP01935
B	O2Star™ Venturi mask kit, adjustable venturi valve, disposable, M/L, 25 pcs.	MP01922
C	O2Star™ Venturi mask kit, fixed venturi valve, disposable, S, 25 pcs.	MP01936
D	O2Star™ Venturi mask kit, fixed venturi valve, disposable, M/L, 25 pcs.	MP01923

A

D-101200-2013

B

D-99240-2013

C

D-99245-2013

D

D-99241-2013

Not all articles are available worldwide.

OXYGEN (O_2) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES

A	O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, S, 50 pcs.	MP02920
	O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, M, 50 pcs.	MP02921
	O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, L, 50 pcs.	MP02922
	O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02923
B	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, S, 50 pcs.	MP02924
	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, M, 50 pcs.	MP02925
	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, L, 50 pcs.	MP02926
	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02927
C	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, S, 50 pcs.	MP02928
	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, M, 50 pcs.	MP02929
	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, L, 50 pcs.	MP02930
	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02931
D	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, S, 50 pcs.	MP02932
	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, M, 50 pcs.	MP02933
	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, L, 50 pcs.	MP02934
	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02935

A

D-99250-2013

B

D-99254-2013

C

D-101225-2013

D

D-99262-2013

Not all articles are available worldwide.

OXYGEN (O_2) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES

ACCESSORIES FOR OXYGEN (O_2) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS

A	O2Star™ Connector kit, 6 mm OD/22 mm OD + 6 mm OD/22 mm ID w. connection tube, disposable, 5 pcs.	MP01940
B	O2Star™ Connector kit for breathing circuit for Aquapor, disposable, 5 pcs.	MP01941
C	O2Star™ Connector 22 mm ID / 22 mm ID, disposable, 5 pcs.	MP01942
D	O2Star™ Oxygen connection tube, 2.1 m, disposable, 25 pcs.	MP01927
	O2Star™ Oxygen connection tube, 2.1 m, with 9/16“ connector, disposable, 25 pcs.	MP01944
E	O2Star™ Oxygen connection tube, 4 m, disposable, 25 pcs.	MP01943
	O2Star™ Oxygen connection tube, 4 m, with 9/16“ connector, disposable, 25 pcs.	MP01945

A

D-92519-2013

B

D-92520-2013

C

D-92521-2013

D

D-92532-2013

E

D-92522-2013

Not all articles are available worldwide.

HIGH-FLOW THERAPY NASAL CANNULA AND ACCESSORIES

5.4 HIGH-FLOW THERAPY NASAL CANNULA AND ACCESSORIES

High Flow Therapy allows to provide warm humidified air with enriched oxygen concentration at flow rates up to 60 L per minute to patients via nasal cannulas. Patient comfort is one of the advantages of High Flow therapy over other treatment forms for patient with compromised respiration and can in many cases successfully avoid using less comfortable or even invasive forms of respiratory support.
The HI-Flow Star Nasal Cannula and the inspiratory breathing circuit offer advanced features designed for enhanced patient safety and comfort such as integrated clips in order to provide effective breathing circuit tension relief, a flexible, breathable hose minimizing internal condensation in the high flow nasal cannula as well as soft materials for the prongs and the headgear. Thanks to its symmetrical design, the nasal cannula can be connected from either the left or the right side of the bed. This helps caregivers save time and effort. The HI-Flow Star products are disposable. Oxygen and compressed air are required which are provided by an O_2 mixer such as the Oxymixer from Dräger, as well as a humidification source for the hose system.

A	❶ **HI-Flow Star Nasal Cannula, disposable, adult S, Flow Range < 60 l/min, 25 pcs.**	**MP05511**
A	❷ **HI-Flow Star Nasal Cannula, disposable, adult M, Flow Range < 60 l/min, 25 pcs.**	**MP05512**
A	❸ **HI-Flow Star Nasal Cannula, disposable, adult L, Flow Range < 60 l/min, 25 pcs.**	**MP05513**
B	**HI-Flow Star System, heated inspiratory breathing circuit, consists of: heated inspiratory hose, humidifier chamber, breathing hose when used with a ventilator, O_2 hose when used with an O_2 blender, bed clip, disposable, 25 pcs.**	**MP05601**
C	**HI-Flow Star Valve Kit w/ Pop-Up Valve and Connector 22 mm, disposable, 15 pcs.**	**MP05507**
D	**T-piece adapter for MX300/MX300i and HI-Flow Star System, disposable, 20 pcs.**	**MP05508**

A

D-3000-2018



D-2999-2018

B

D-2799-2018

C

D-2804-2018

D

D-2808-2018

Not all articles are available worldwide.

OXYMIXER*

6. OXYMIXER

Oxymixer enables a continuous and individually adjusted mixture of medical air and medical oxygen to be administered to infants, children and adults. The O_2 concentration is easily adjusted to a highly accurate flow by means of the bleed – even with flow rates of less than 3 l/min.

	Oxymixer configuration Configurable Oxymixer	**MP04200**
A	**Oxymixer High Flow**	**MP04201**
B	**Oxymixer High Flow with monitor**	**MP04202**
C	**Oxymixer Low Flow with monitor**	**MP04204**
D	**Oxymixer Low Flow with 1 – 15 l flowmeter right**	**MP04229**
E	**Multi-P trolley basic**** Including base with 5 castors, 38-mm Ø pole, 3 rail clamps, basket.	**MP13020**
F	**Multi-P trolley basic**** Including base with 5 castors and 38 mm Ø pole for accessories.	**MP13021**

Several hoses to connect Oxymixer with the central supply.
For CS hoses see chapter 4, “Accessory for gas supply”.

*Tradeware
**Tradeware. This product is expected to be available in April 2021.

A

D-17786-2016

B

D-17765-2016

C

D-17768-2016

D

D-5872-2018

E

D-32292-2020

F

D-32264-2020

Not all articles are available worldwide.

OXYMIXER*

A	Oxymixer sound damper 9/16"	MP04218
B	Oxymixer sound damper 22 and 15 mm	MP04219
C	Adapter 9/16" to 15/22mm	MP05305
D	Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection	MP00416
	Oxymixer oxygen sensor (spare part)	MP04221

*Produced by DEHAS

A

D-13933-2017

B

D-15154-2017

C

D1781-2019

D

D-122-2016

DEVICE RELATED ACCESSORIES

7. DEVICE RELATED ACCESSORIES

EXPIRATORY VALVES FOR EVITA 2 DURA, 4 EDITION, XL

A	Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	8414776
B	Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	MP02600
	Expiratory valve for Evita®, reusable	8410580
	Membrane for Evita® 2 dura, Evita® 4, Evita® XL, for expiratory valve	8412015
C	Water trap for Evita® 2 dura, Evita® 4, Evita® XL, reusable	8413125

EXPIRATORY VALVES FOR BABYLOG

	Expiratory valve, for neonatal/pediatric patients (Non-RFID), reusable	8415296
D	Expiratory valve for Babylog® VN 500, reusable (RFID)	8415270
	Expiratory valve for Babylog® 8000	8408950

A

D-54701-2012

B

D-54687-2012

C

MT-220-99

D

D-45107-2015

DEVICE RELATED ACCESSORIES

DISPOSABLE EXPIRATORY VALVES FOR CARINA®, SAVINA® AND V-FAMILY

A	Infinity® ID, expiratory valve, disposable, 10 pcs.	MP01060
B	Expiratory valve, disposable, 10 pcs.	MP01061
C	Expiratory valve for Carina®, disposable, 25 pcs.	MP00220
D	Leakage valve for Carina® SyncVent, disposable, 5 pcs.	MP00224

REUSABLE EXPIRATORY VALVES FOR SAVINA® AND V-FAMILY

E	Expiratory valve for Evita Infinity® V500, reusable	8416750
	Expiratory valve for Savina®, reusable	8413660
F	Expiratory valve, reusable	8417050

A

D-5887-2018

B

D-11898-2019

C

D-665-2016

D

MT-1985-2008

E

D-32547-2011

F

D-45109-2015

DEVICE RELATED ACCESSORIES

A	Infinity® ID Expiratory filter, disposable, 20 pcs.	MP01780
B	Expiratory filter, disposable, 20 pcs.	MP01781

A

D-12244-2010

B

D-43830-2012

DEVICE RELATED ACCESSORIES

A	Disposable Handle Polaris, Dual, for Polaris 100/200, 600 and Multimedia, adapter required, 60 pcs.	MP05700
A	Disposable Handle Polaris, Single, for Polaris 100/200, 600 and Multimedia, adapter required, 120 pcs.	MP05701

CONVERSION KITS

Polaris 100 with sterilizable handle (G92099), 1 pc.	G35332
Polaris 200 with sterilizable handle (G92099), 1 pc.	G35614
Polaris 100/200 with sterilizable handle E (G36993), 1 pc.	G35325
Polaris 600 with sterilizable handles (G92099 or G36993), 1 pc.	G35324
Polaris Multimedia (display adapter) with sterilizable handles (G92099 or G36993), 1 pc.	G35333

A

D-26056-2017

PACK2GO®/SET2GO

8. PACK2GO®

Dräger has developed a comprehensive range of disposable accessories. These accessories can now also be ordered together in a Pack2Go® package, in order to benefit the hospital's costs and logistical/clinical processes. Pack2Go® package solutions include dedicated Dräger and general accessories, which can be used as a system solution with Dräger devices.

A	Pack2Go® Evita invasive ventilation pack w/ breathing circuit VentStar®, basic, + cuvette, 10 pcs.	MP01656
B	Pack2Go® Evita invasive ventilation pack w/ breathing circuit VentStar®, basic, 1.8 m, 10 pcs.	MP01657
C	Pack2Go® Evita invasive ventilation pack w/ breathing circuit VentStar®, coaxial, + cuvette, 10 pcs.	MP01676
D	Pack2Go® Evita invasive ventilation pack w/ breathing circuit VentStar®, coaxial, 1.8 m, 10 pcs.	MP01677

A

D-98706-2013

B

D-98705-2013

C

D-10672-2011

D

D-10327-2011

PACK2GO®/SET2GO

A	Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size S, 10 pcs.	MP01663
	Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size M, 10 pcs.	MP01664
	Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size L, 10 pcs.	MP01665
B	Pack2Go® Savina invasive ventilation pack with breathing circuit VentStar®, coaxial, 1.8 m, 10 pcs.	MP01673
C	Pack2Go® Savina invasive ventilation pack with breathing circuit VentStar®, basic, 1.8 m, 10 pcs.	MP01674
D	Pack2Go® anesthesia pack, A, with anesthesia set + watertrap, 10 pcs.	MP01682

A

D-7193-2010

B

D-10333-2011

C

D-10330-2011

D

D-10334-2011

Not all articles are available worldwide.

PACK2GO®/SET2GO

SET2GO

With Dräger's Set2go solutions we offer you totally customised sets consisting of an individual selection of single-patient-use accessories. Dräger Set2go makes using and ordering consumables and accessories much simpler for you.
You just need one article number to get all the items in a single package and accomplish your specific task.

Please contact your local Dräger sales organisation to create your individual accessory solution.

Not all articles are available worldwide.

HUMIDIFIER AND NEBULIZER

9. HUMIDIFIER AND NEBULIZER

TRADEWARE

A	Humidifier chamber for F&P MR 290, disposable, 10 pcs.*	8418282
B	Humidifier chamber for F&P MR 340, reusable, N/P*	8411047
C	Humidifier chamber for F&P MR 370, reusable, A*	8412217

*Produced by Fisher & Paykel

A

MT-0099-2004

B

D-7591-2019

C

D-7593-2019

HUMIDIFIER AND NEBULIZER

TRADEWARE

A	Rail clamp for F&P humidifier and Seattle PAP bubble box*	8411074
B	Holder for F&P humidifier U-shaped, for trolley, with rail clamp*	MP01002
C	Water bag holder 900 MR 290	MP01008
D	Hose heater for F&P MR 700/730, 70 cm*	8411154
D	Hose heater, A, 1.1 m	8411045
E	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m*	8414993
F	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.5 m*	8414969

*Produced by Fisher & Paykel

A

MT-139-98

B



MT-1883-2004

C



MT-7701-2006

D

MT-2264-2004

E

MT-2266-2004

F

MT-2263-2004

HUMIDIFIER AND NEBULIZER

TRADEWARE

A	Temperature probe/flow sensor for F&P MR 850 for all breathing circuits, 1.1 m*	8414989
B	Temperature probe/flow sensor for F&P MR 850, for all breathing circuits, 1.5 m*	8414966
C	Hose heater adapter for F&P MR 850, for reusable breathing circuit*	8414968
D	Hose heater adapter for F&P MR 700/730, for disposable breathing circuit*	8418462
E	Hose heater adapter for F&P MR 850, for disposable breathing circuit*	8414992

*Produced by Fisher & Paykel

A

D-1766-2019

B

D-1767-2019

C

D-1765-2019

D

MT-2268-2004

E

D-1768-2019

HUMIDIFIER AND NEBULIZER

TRADEWARE

A	Hose heater adapter for F&P MR 850, for third-party breathing circuit*	MP01001
B	Hose heater adapter for F&P MR 850, for double-heated disposable breathing circuit*	MP01006
C	Draw wire for hose heater 1.5 m, for reusable breathing circuit	8411050
D	Temperature probe adapter 900 MR 532, for F&P humidifiers*	MP01007

*Produced by Fisher & Paykel

A

MT-1887-2004

B

MT-4048-2006

C



MT-142-98

D

MT-4036-2006

HUMIDIFIER AND NEBULIZER

A	Medication nebulizer for Babylog® 8000 with quick connector	8411030
B	Medication nebulizer for Evita® 2 dura, Evita® 4, Evita® XL, Savina®	8412935
C	Pneumatic medication nebulizer, for Evita® and Evita® 2	8405000
D	Nebulizer hose	8412985

A

MT-2258-2004

B

MT-2-1350-95

C

D-2367-2011

D

D-45106-2015

Not all articles are available worldwide.

HUMIDIFIER AND NEBULIZER

AEROGEN PRO*

Aerogen Pro works with an electronic micropump. Aerogen Pro is ideally suited to nebulizer therapy requirements for inline mechanical ventilation and it accommodates all patient age ranges from neonates to adults. It operates without changing patient ventilator parameters, without heating or degrading medications and it can be refilled without interrupting ventilation.

A	Medication nebulizer Aerogen Pro	MP01010
B	Nebulizer unit with filler cap for Aerogen Pro	MP01030
C	T-piece with plug for Aerogen Pro, A, ISO 22 mm, 5 pcs.	MP01031
D	T-piece set with plug for Aerogen Pro, N, 15 mm (0.6 in), w/ adapter 10 mm (0.4 in), 5 pcs.	MP01032
E	T-connector for Aerogen Pro, 12 mm, with plug, 5 pcs.	MP01037
F	Controller cable for Aerogen Pro	MP01036
G	Filler cap for Aerogen Pro, silicone, 5 pcs.	MP01035
	Sealing plug for Y-piece, 5 pcs.	8411024
	Inhalation mask for Inhalette	M11015
	Mouthpiece for Inhalette	M12394

*Produced by Aerogen

A

MT-957-2005

B

MT-0939-2005

C

MT-0944-2005

D

MT-0942-2005

E

MT-7733-2006

F

MT-4044-2006

G

MT-4039-2006

Not all articles are available worldwide.

HUMIDIFIER AND NEBULIZER

AEROGEN SOLO*

Aerogen Solo Starter Kit
Consists of: Control module, 2 Aerogen Solo Nebulizers with filler caps, adult T-adapter with silicone plug, Universal mounting bracket, AC/DC adapter and Instruction manual.

A	**Aerogen Solo Starter Kit, Int.**	**MP01071**
	Aerogen Solo Starter Kit, FR, NL, IT, GE	**MP01072**
	Aerogen Solo Starter Kit, ES, IT, PT, GR, TK	**MP01073**
	Aerogen Solo Starter Kit, SW, NO, FI, DK	**MP01074**
	Aerogen Solo Starter Kit, UK	**MP01075**
	Aerogen Solo Starter Kit, US	**MP01076**
B	**Nebulizer head, 5 pcs.**	**MP01078**
C	**Nebulizer head, 10 pcs.**	**MP01079**
	T-Adapter, adult, 10 pcs.	**MP01085**
	T-Adapter, pediatric, 10 pcs.	**MP01086**
	T-Adapter, neonates, 10 pcs.**	**MP02689**
	Kit T-Adapter, Pediatric with Neo connectors, 10 pcs.	**MP01087**
	Aerogen USB Controler	**MP01089**
	Aerogen USB Controler	**MP01095**

*Tradeware
**Made by Drägerwerk AG & Co. KGaA

A

D-94682-2013

B

D-94683-2013

C

D-94684-2013

Not all articles are available worldwide.

INTUBATION KITS

10. INTUBATION KITS

TRADEWARE

The practical design of the laryngoscope family* ensures optimum hygiene and reliable functioning in every situation. Its ergonomic design guarantees problem free handling.
*Made by Kirchner&Wilhelm, Asperg, Germany

WARM LIGHT (WL) LARYNGOSCOPES

	Blade size 0 (Mac), reusable, 79 × 13 mm	**MX03302**
A	**Blade size 1 (Mac), reusable, 93 × 20 mm**	**MX03303**
	Blade size 2 (Mac), reusable, 112 × 20 mm	**MX03304**
	Blade size 3 (Mac), reusable, 130 × 23 mm	**MX03305**
	Blade size 4 (Mac), reusable, 150 × 25 mm	**MX03306**
B	**Blade size 0 (Miller), reusable, 77 × 11 mm**	**MX03307**
	Blade size 1 (Miller), reusable, 102 × 11 mm	**MX03308**
	Blade size 2 (Miller), reusable, 153 × 13 mm	**MX03309**
C	**Universal laryngoscope set, reusable** (Battery grip adult; blade size 0 (Miller); blade size 1 (Mac); blade size 2 (Mac); blade size 3 (Mac); blade size 4 (Mac))	**MX03300**
	Laryngoscope set, adult, reusable (Battery grip adult; blade size 2 (Mac); blade size 3 (Mac); blade size 4 (Mac))	**MX03313**
	Laryngoscope set, pediatric, reusable (Battery grip pediatric; blade size 0 (Miller); blade size 1 (Miller), blade size 2 (Mac))	**MX03312**
D	**Battery grip, adult, 2.5 V, 28 mm Ø****	**MX03301**
	Battery grip, pediatric, 2.5 V, 19 mm Ø**	**MX03314**
E	**Battery, adult, 2.5 V**	**MX03327**
F	**Vacuum lamp for blade (size 00 – 1)**	**MX03316**
	Vacuum lamp for blade (size 2 – 5)	**MX03311**

**Battery grip can be used with standard batteries.

A

D-404-2010

B

D-405-2010

C

D-402-2010

D

D-406-2010

E

D-4585-2010

F

D-4593-2010

Not all articles are available worldwide.

INTUBATION KITS

TRADEWARE

Made by Kirchner&Wilhelm, Asperg, Germany

FIBER OPTIC (F.O.) LARYNGOSCOPES

	F.O. blade size 0 (Mac), reusable, 82 × 14 mm	MX03319
A	F.O. blade size 1 (Mac), reusable, 93 × 14 mm	MX03320
	F.O. blade size 2 (Mac), reusable, 115 × 17 mm	MX03321
	F.O. blade size 3 (Mac), reusable, 135 × 18 mm	MX03322
	F.O. blade size 4 (Mac), reusable, 155 × 18 mm	MX03323
	F.O. blade size 00 (Miller), reusable, 66 × 11 mm	MX50052
	F.O. blade size 0 (Miller), reusable, 78 × 11 mm	MX03324
	F.O. blade size 1 (Miller), reusable, 103 × 11 mm	MX03325
B	F.O. blade size 2 (Miller), reusable, 154 × 14 mm	MX03326
	F.O. blade size 3 (Miller), reusable, 195 × 15 mm	MX50053
	F.O. blade size 4 (Miller), reusable, 210 × 18 mm	MX50054
	F.O. universal laryngoscope set, reusable	MX03317
	(F.O. battery grip adult; F.O. blade size 0 (Miller); F.O. blade size 1 (Mac); F.O. blade size 2 (Mac); F.O. blade size 3 (Mac); F.O. blade size 4 (Mac))	
	F.O. laryngoscope set, adult, reusable	MX03330
	(F.O. battery grip adult; F.O. blade size 2 (Mac); F.O. blade size 3 (Mac); F.O. blade size 4 (Mac))	
C	F.O. laryngoscope set, pediatric, reusable	MX03329
	(F.O. battery grip pediatric; F.O. blade size 0 (Miller); F.O. blade size 1 (Miller); F.O. blade size 2 (Mac))	
D	F.O. battery grip, adult, 2.5 V, 28 mm Ø*	MX03318
	F.O. battery grip, pediatric, 2.5 V, 19 mm Ø*	MX03331
	Xenon lamps for battery grip, 2.5 V	MX03328
E	Battery, adult, 2.5 V	MX03327
F	Universal charging station MedCharge 4000 „ALL in ONE“	MX50028

*Battery grip can be used with standard batteries.

A

D-407-2010

B

D-408-2010

C

D-25049-2010

D

D-410-2010

E

D-4585-2010

F

D-98933-2013

SPARE PARTS FOR RESUSCITATORS

11. SPARE PARTS FOR RESUSCITATORS

A	Oxidem 3000 demand valve incl. adapter (2120496, 2120488)	2111764
	1.5 m spiral hose and M12×1 screw connector	2M86291
	1.5 m spiral hose and probe for central supply system	2M86292
	3.0 m spiral hose and probe for central supply system	2M86293
	Adapter for Oxidem for M12×1 (for existing hose systems)	8410547
B	Adapter for Ambu Mark III*	2120488
C	Adapter for Laerdal**	2120496
	Adapter for Laerdal	5790124
D	Adapter for Combibag	2M86913
E	Adapter for Resutator 2000/MR-100**	2120461
F	Sealing rings for spiral hoses, 20 pcs.	M07152

*Made by Spiracle Technology
**Made by Allied Healthcare, USA

A

D-5706-2010

B

D-5708-2010

C

D-5709-2010

D

D-5707-2010

E

D-5710-2010

F

D-5721-2010

Soda lime

Something you can count on:

As a medical manufacturer of soda lime, we take responsibility to offer you high quality soda lime for your anaesthesia machines. Drägersorb CLIC is a disposable absorber that is easy to use and practical to handle thanks to its hygienic cartridge.

There is:

- no contact with the soda lime when replacing the cartridge.
- no exposure to dust.

Additionally, you save on costs as the absorber filling is used up completely, and saves on time as it is easy to replace at any time – even during surgery.

D-12232-2020

CONTENT

Soda lime	99
Absorber with CLIC System	99

SODA LIME

A	Soda lime Drägersorb® 800+, for CO_2 absorption, canister, 5 l, 2 pcs.	MX00001
B	Soda lime Drägersorb® Free, for CO_2 absorption, canister, 5 l, 2 pcs.	MX50050
C	Canister opener, for canisters MX00001 and MX50050, 5 pcs.	MX10209

CO_2 ABSORBER WITH CLIC SYSTEM

D	CLIC Absorber 800+, disposable absorber, 1.2 l, 6 pcs.	MX00004
E	CLIC Absorber Free, disposable absorber, 1.2 l, 6 pcs.	MX50100
	Infinity® ID CLIC Absorber 800+, disposable absorber, 1.2 l, 6 pcs.	MX50004
	Infinity® ID CLIC Absorber Free, disposable absorber, 1.2 l, 6 pcs.	MX50120

A

D-12684-2010

B

D-12685-2010

C

D-98710-2013

D

D-11882-2019

E

D-11890-2019

Not all articles are available worldwide.

SODA LIME

A	Absorber adapter CLIC, for Dräger anesthesia workstations	MX50090
B	Bacteria filter IBF absorber, only use with Zeus®/Zeus® IE, 5 pcs.	MK02588
C	Dust filter Perseus, 5 pcs.	MX50115

A

D-565-2009

B

MT-4622-2005

C

D-45156-2015

Not all articles are available worldwide.

Sensors

Something you can count on:

Sensor development is one of our core competencies. As an original sensor manufacturer, we aim to produce highly sensitive measuring technology to give you fast and accurate results. Our entire sensor portfolio is 100% compatible with all Dräger devices and systems.

We guarantee you high measuring accuracy because we believe in raising the bar when it comes to quality standards and extensive testing—every Dräger sensor has been tried and tested for reliability and effectiveness.

D-11241-2019

CONTENT

Flow sensors by Dräger	105
Oxygen sensors by Dräger	107

SENSORS

FLOW SENSORS BY DRÄGER

Hot-wire anemometry: Accurate and intelligent flow measurement
Spirolog®, neonatal flow sensors and SpiroLife® are based on proven hot-wire anemometry techniques. Due to extremely fast and accurate measurement results, as well as extremely low inspiratory and expiratory resistances, it is clearly superior to other methods. You only need one flow sensor for all patients. Neonatal flow sensors offer customized solutions for the sole exception of the specific needs of neonates in intensive care. The sterilizable neonatal flow sensors and SpiroLife® combine the advantages of hot-wire technology with the possibility of sterilizability. Therefore, they integrate seamlessly into your hospital's sterilization processes.

A	Flow sensor Spirolog®, PC/ABS, 5 pcs.	8403735
B	Flow sensor SpiroLife®, PPSU, sterilizable	MK01900
C	Flow sensor Infinity® ID, PC/ABS, 5 pcs.	6871980
D	Neonatal flow sensor with Y-piece, PSU, sterilizable	8410185
E	Neonatal flow sensor ISO 15, PSU, sterilizable	8411130
F	Insert for neonatal flow sensor, PSU, sterilizable, 5 pcs.	8410179

Differential pressure measurement: proven technology for emergencies
The sterilizable reusable flow sensor for the emergency room is based on the proven principle of differential pressure measurement. Because of its robustness, it really is the ideal solution for the specialties of the emergency room.The pressure differential sensor is used on Oxylog® 3000 plus, Oxylog® 3000 and Oxylog® 2000 plus.

Whichever Dräger flow sensor you choose – you can be sure to have made the right choice with our extensive family of flow sensors.

G	Pressure difference flow sensor, PPSU, sterilizable	8412034

Not all articles are available worldwide.

A

D 21179-2015

B

D-7350-2011

C

D-23331-2020

D

MT-351-2003

E

D-9121-2009

F

MT-0510-2007

G

MT-3017-2004

SENSORS

A	Flow sensor cable, for neonatal flow sensor, e.g., Babylog	8409626
B	MRI flow sensor extension cable, for MRI patient monitor	8306370
C	Flow sensor cable for V-series with Neo option and VN-series	8416600

A

MT-2672-2004

B

MT-2665-2004

C

D-9315-2011

Not all articles are available worldwide.

SENSORS

OXYGEN SENSORS BY DRÄGER

Oxygen for Life
Oxygen sensors have the important task of measuring and monitoring the inspiratory and/or expiratory O_2 concentration in anesthesia and respiratory devices. Oxygen sensors from Dräger satisfy the highest national and international requirements. Furthermore, they have been extensively tested and fine-tuned for proper functional performance with Dräger devices and systems. Dräger's years of experience in the field of sensors, and their high quality has even convinced NASA. Dräger O_2 sensors are electrochemical transducers used to measure O_2 partial pressure. They operate on the principle of a galvanic cell.
Examples of locations where the sensors are used include the Fabius® family, Evita® family and the Primus®. To take into account the high value of oxygen measurement, we only recommend using O_2 sensors from Dräger.

A	O_2 sensor capsule, for mainstream measurement	6850645
B	O_2 sensor OxyTrace VE, for Savina® ventilator	MX01049
C	O_2 sensor OxyTrace INCU, for Caleo®	MX01050
D	O_2 sensor Oxycell, for Babyleo® TN500	6873065
E	O_2 sensor housing Oxydig, for O_2 sensor capsule, with spiral cable	6850250

A

MT-423-2002

B

D-34335-2009

C

MT-603-2002

D

D-7498-2016

E

MT-2662-2004

Not all articles are available worldwide.

Monitoring accessories

Something you can count on:

Imagine having the exact therapeutic tool at your fingertips. With Dräger monitoring accessories, we provide you with the right accessory for every need, whether as a disposable or reusable item. You benefit from precise measurement data because we believe in striving for the highest technological standards.

We can equip you with:

- ECG single cable solutions so that you can replace conventional multi-cable systems.
- A unifying solution of ECG, pulse oximetry, and temperature monitoring in one cable.
- Reducing cable clutter.

To further improve your clinical outcomes and protect your patients' well-being, it is our commitment to deliver disposable products that prevent cross infections in hospitals. Additionally, Dräger disposables also simplify your workflows – saving you time.

D-3894-2018

CONTENT

1.	**Infinity® Monitoring: Gamma, Delta, Kappa and Vista series**	**111**
1.1	MultiMed® Pods	111
1.2	Electrocardiography (ECG)	113
1.3	Pulse oximetry (SpO_2)	121
1.4	Temperature	139
1.5	Tcore® Temperature Monitoring System	141
1.6	Non-invasive blood pressure (NIBP)	142
1.7	CNAP continuous non-invasive arterial pressure	146
1.8	Invasive blood pressure (IBP) and cardiac output (CO)	148
1.9	Infinity® PiCCO	157
1.10	Bispectral index (BIS)	160
1.11	Electroencephalography (EEG)	161
1.12	Neuromuscular Transmission (NMT)	162
1.13	Capnography $etCO_2$	163
1.14	Scio	168
1.15	Recorder paper	169
2.	**Infinity® Acute Care System**	**170**
2.1	Electrocardiography (ECG)	170
2.2	Pulse oximetry (SpO_2)	175
2.3	Temperature	187
2.4	Tcore® Temperature Monitoring System	189
2.5	Non-invasive blood pressure (NIBP)	190
2.6	Invasive blood pressure (IBP) and cardiac output (CO)	194
2.7	$etCO_2$	196
2.8	ToFscan® Neuromuscular Transmission Monitor	199
3.	**Infinity® M300**	**200**
3.1	Electrocardiography (ECG)	200
3.2	Pulse oximetry (SpO_2)	203
3.3	Pouch	209
3.4	Codensation	209
4.	**Vista 120**	**210**
4.1	Electrocardiography (ECG)	210
4.2	Pulse oximetry (SpO_2)	215
4.3	Non-invasive blood pressure (NIBP)	217
4.4	Temperature	219
4.5	Invasive blood pressure (IBP)	222
4.6	CO_2 Sidestream	224
4.7	CO_2 Mainstream	225
5.	**VISTA 120 SPOTCHECK**	**228**
5.1	Pulse oximetry (SpO_2)	228
5.2	Non-invasive blood pressure (NIBP)	230
5.3	Temperature	232
6.	**Multi Vendor Adapter**	**234**
6.1	ECG Adapter	234
6.2	ECG Adapter Telemetry	236
6.3	TEMP Adapter	236

Note: size classification to adults (A), pediatrics (P) and neonats (N).

MULTIMED® PODS

1. INFINITY® MONITORING: GAMMA, DELTA, KAPPA AND VISTA SERIES

1.1 MULTIMED® PODS

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO_2, and temp., 1.5 m	5950196	■	■	■	■	■	■	■
	Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO_2, and temp., 2.5 m	3368391	■	■	■	■	■	■	■
B	Multiparameter cable MultiMed® 6 Pod, for ECG, resp., SpO_2, and temp., 2.5 m	5191221	■	■	■	■	■	■	■
C	Multiparameter cable MultiMed® plus, for ECG, resp., SpO_2, and temp., 2.5 m	MS20093	■	■	■	■	■	■	■
D	Multiparameter cable MultiMed® plus OR, for ECG, SpO_2, and temp., 2.5 m	MS20094	■	■	■	■	■	■	■
E	Multiparameter cable NeoMed Pod, for ECG, resp., SpO_2, temp., and FiO_2, 2.5 m	5590539	■	■	■	■	■	■	■
F	Patient parameter unit MultiMed® 12 Pod	5589663			■	■	■		

A

MT-0858-2008

B

MT-0855-2008

C

MT-5680-2005

D

MT-5679-2005

E

D-2351-2011

F

MT-0856-2008

Not all articles are available worldwide.

MULTIMED® PODS

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	Holder for MultiMed® 12 Pod	5202747			■	■	■		
B	Pod connection cable, 30 cm	7257988	■		■	■	■		
	Pod connection cable, 3 m	3368425	■		■	■	■		
	Pod connection cable, 5 m	5195198	■		■	■	■		
C	Holder for MultiMed® 5/6, MultiMed® Plus/OR, NeoMed Pods and Tcore®, swiveling 360°	MP00721	■	■	■	■	■	■	■
D	Holder for MultiMed® 5/6, MultiMed® Plus/OR, and NeoMed Pods	5598128	■	■	■	■	■	■	■
E	Universal pole mount	7485621	■	■	■	■	■	■	■

A



D-8990-2009

B

D-418-2014

C

MT-8451-2005

D



D-9020-2009

E

D-433-2014

Not all articles are available worldwide.

ELECTROCARDIOGRAPHY (ECG)

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
	1.2 ELECTROCARDIOGRAPHY (ECG)								
	MONOLEAD® SINGLE-PIN CONNECTOR								
	ECG single-pin connectors can be connected directly to MultiMed® plus/MultiMed® plus OR as well as to Infinity® M300 and Infinity® M540.								
	MonoLead® is an ECG single cable solution patented by Dräger that replaces multi-cable systems. The single tangle-proof lead set accommodates standard electrodes while eliminating the tangled mess that frequently occurs with traditional multi-lead sets.								
	Note: Not for use with Infinity® TruST™ Telemetry.								
A	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 2 m	MS14555	■	■	■	■	■	■	■
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	MS14556	■	■	■	■	■	■	■
B	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m	MS14559	■	■	■	■	■	■	■
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m	MS14560	■	■	■	■	■	■	■
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 3 m	MS14683	■	■	■	■	■	■	■
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 3 m	MS14682	■	■	■	■	■	■	■

A

MT-8510-2005

B



MT-353-2008

Not all articles are available worldwide.

ELECTROCARDIOGRAPHY (ECG)

		GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
MONOLEAD LONG, SINGLE-PIN CONNECTOR								
Not for use with ECG extension cable MS16256.								
ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 4.1 m	**MS28561**	■	■	■	■	■	■	■
ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 4.1 m	**MS28557**	■	■	■	■	■	■	■
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 5.3 m	**MS28559**	■	■	■	■	■	■	■
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 5.3 m	**MS28558**	■	■	■	■	■	■	■
A ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 5.7 m	**MS28560**	■	■	■	■	■	■	■
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 5.7 m	**MS17185**	■	■	■	■	■	■	■

A

D-7685-2010

ELECTROCARDIOGRAPHY (ECG)

		GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
MONOLEAD® DUAL PIN CONNECTOR								
ECG dual-pin connectors can be connected directly to MultiMed® 5,6 and MultiMed® 12.								
A ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC1 (European color code), 2 m	**MS16160**	■	■	■	■	■	■	■
ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	**MS16233**	■	■	■	■	■	■	■
B ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m	**MS16161**	■	■	■	■	■	■	■
ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m	**MS16229**	■	■	■	■	■	■	■
CHESTLEADS FOR USE WITH MULTIMED® 12								
ECG dual-pin connectors can be connected directly to MultiMed® 12.								
C ECG cable for C lead MonoLead® 5, IEC1 (European color code), 1.5 m	**MS16232**				■	■	■	■
ECG cable for V lead MonoLead® 5, IEC2 (AHA/US color code), 1.5 m	**MS16230**				■	■	■	■

A



MT-5687-2005

B

MT-5688-2005

C

D-16852-2018

ELECTROCARDIOGRAPHY (ECG)

		GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
SINGLE-PATIENT USE ECG LEADS SINGLE-PIN CONNECTOR								
ECG single-pin connectors can be connected directly to MultiMed® plus/MultiMed® plus OR as well as to Infinity® M300 and Infinity® M540.								
A **ECG cable, 3-lead, single-pin connector, single-patient use, IEC1 (European color code), 1 m, 20 pcs.**	MP00875	■	■	■	■	■	■	■
ECG cable, 3-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1 m, 20 pcs.	MP00877	■	■	■	■	■	■	■
B **ECG cable, 5-lead, single-pin connector, single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs.**	MP00879	■	■	■	■	■	■	■
ECG cable, 5-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	MP00881	■	■	■	■	■	■	■
C **ECG cable, 6-lead, single-pin connector, single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs.**	MP03122	■	■	■	■	■	■	■
ECG cable, 6-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	MP03123	■	■	■	■	■	■	■

A

D-25816-2020

B

D-25813-2020

C

D-25815-2020

Not all articles are available worldwide.

ELECTROCARDIOGRAPHY (ECG)

		GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
REUSABLE ECG LEADS SINGLE-PIN CONNECTOR								
ECG single-pin connectors can be connected directly to MultiMed® plus/MultiMed® plus OR as well as to Infinity® M300 and Infinity® M540.								
A **ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m**	MP03401	■	■	■	■	■	■	■
ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MP03402	■	■	■	■	■	■	■
B **ECG cable, 5-lead, single-pin connector, IEC1 (European color code), 1/1.5 m**	MP03403	■	■	■	■	■	■	■
ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03404	■	■	■	■	■	■	■
C **ECG cable, 6-lead, single-pin connector, IEC1 (European color code), 1/1.5 m**	MP03405	■	■	■	■	■	■	■
ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03406	■	■	■	■	■	■	■

A

D-86298-2013

B

D-86306-2013

C

D-86307-2013

Not all articles are available worldwide.

ELECTROCARDIOGRAPHY (ECG)

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
	REUSABLE ECG LEADS DUAL-PIN CONNECTOR								
	ECG dual-pin connectors can be connected directly to MultiMed® 5,6 and MultiMed® 12.								
A	ECG cable, 3-lead, dual-pin connector, IEC1 (European color code), 1 m	MP03411	■	■	■	■	■	■	■
	ECG cable, 3-lead, dual-pin connector, IEC2 (AHA/US color code), 1 m	MP03412	■	■	■	■	■	■	■
B	ECG cable, 5-lead, dual-pin connector, IEC1 (European color code), 1/1.5 m	MP03413	■	■	■	■	■	■	■
	ECG cable, 5-lead, dual-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03414	■	■	■	■	■	■	■
C	ECG cable, 6-lead, dual-pin connector, IEC1 (European color code), 1/1.5 m	MP03415	■	■	■	■	■	■	■
	ECG cable, 6-lead, dual-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03416	■	■	■	■	■	■	■
	CHESTLEADS FOR USE WITH MULTIMED® 12								
	ECG dual-pin connectors can be connected directly to MultiMed® 12.								
D	ECG cable for C lead, IEC1 (European color code), 1 m	MP03417			■	■	■	■	
	ECG cable for V lead, IEC2 (AHA/US color code), 1 m	MP03418			■	■	■	■	

A

D-86309-2013

B

D-86312-2013

C

D-86313-2013

D

D-16837-2018

Not all articles are available worldwide.

ELECTROCARDIOGRAPHY (ECG)

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
	ELECTRODES								
A	ECG electrodes, single-patient use, adult/child, 50 pcs.	4527750	■	■	■	■	■	■	■
B	ECG electrodes*, single-patient use, neonate, 300 pcs.	5195024	■	■	■	■	■	■	■
	NEONATAL ECG								
C	Electrode adapter, to connect neonatal electrodes to MultiMed® pod, 10 pcs.	5194779	■	■	■	■	■	■	■
D	ECG intermediate cable, 3-lead, for NeoMed Pod, 1.5 m	5592162	■	■	■	■	■	■	■
B	ECG electrodes*, single-patient use, neonate, 300 pcs.	5195024	■	■	■	■	■	■	■

*Tradeware

A

D-8966-2009

B

D-8983-2009

C

D-2341-2011

D

D-9001-2009

Not all articles are available worldwide.

ELECTROCARDIOGRAPHY (ECG)

		GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
ECG ACCESSORIES								
A	ECG adapter for single-pin ECG cable to MultiMed® 5	MS14679	■	■	■	■	■	■
	ECG adapter for single-pin ECG cable to MultiMed® 6	MS14680	■	■	■	■	■	■
	Telemetry cable adapter, connects single-pin cable to telemetry transmitter	MS14681	■	■	■	■	■	■
B	ECG extension cable, 6-lead, single-pin connector, 2 m	MS16256	■	■	■	■	■	■
C	ECG extension cable, dual-pin connector, 2 m	MS16492	■	■	■	■	■	■
D	ECG ESU block, for OR use of 3- or 5-lead ECG cables with MultiMed® 5	5947226	■	■	■	■	■	■
E	ECG ESU block, for OR use of 3-, 5-, or 6-lead ECG cables with MultiMed® 6	7486140	■	■	■	■	■	■

A

MT-2716-2004

B

D-1599-2009

C

MT-350-2008

D

D-9016-2009

E

D-9039-2009

Not all articles are available worldwide.

PULSE OXIMETRY (SPO_2)

		GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
1.3 PULSE OXIMETRY (SPO_2)								
DRÄGER								
DRÄGER/NELLCOR® CABLES								
	SpO_2 intermediate cables for connection to MultiMed® 5, 6, 12 and NeoMed Pods.							
A	SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 1 m	3368433	■	■	■	■	■	■
	SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 2 m	3375834	■	■	■	■	■	■
	SpO_2 intermediate cables for connection to MultiMed® plus/plus OR and Infinity® M300.							
B	SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m	MS18683	■	■	■	■	■	■
C	SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m	MS17330	■	■	■	■	■	■

A

MT-344-2008

B

D-2394-2011

C

D-2393-2011

Not all articles are available worldwide.

PULSE OXIMETRY (SPO_2)

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
	DRÄGER REUSABLE SENSOR								
A	**SpO_2 finger sensor Dräger, reusable**	**MS13235**	■	■	■	■	■	■	■
	DRÄGER DISPOSABLE SENSORS								
B	**SpO_2 adhesive sensor Dräger, vinyl, disposable, adult, 24 pcs.**	**MS16449**	■	■	■	■	■	■	■
C	**SpO_2 adhesive sensor Dräger, foam, disposable, adult, 24 pcs.**	**MS16445**	■	■	■	■	■	■	■
D	**SpO_2 adhesive sensor Dräger, vinyl, disposable, child, 24 pcs.**	**MS16448**	■	■	■	■	■	■	■
E	**SpO_2 adhesive sensor Dräger, foam, disposable, child, 24 pcs.**	**MS16444**	■	■	■	■	■	■	■

A

MT-3057-2003

B

MT-8243-2005

C

MT-8242-2005

D

MT-8245-2005

E

MT-8237-2005

PULSE OXIMETRY (SPO_2)

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	**SpO_2 adhesive sensor Dräger, cloth, disposable, baby, 24 pcs.**	**MS16447**	■	■	■	■	■	■	■
B	**SpO_2 adhesive sensor Dräger, cloth, disposable, neonate, 24 pcs.**	**MS16446**	■	■	■	■	■	■	■

A

MT-8240-2005

B



MT-8238-2005

PULSE OXIMETRY (SpO_2)

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
	DRÄGER/NELLCOR® CABLES								
	SpO_2 intermediate cables for connection to MultiMed® 5, 6, 12 and NeoMed Pods.								
A	**SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 1 m***	**3368433**	■	■	■	■	■	■	■
	SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 2 m*	**3375834**	■	■	■	■	■	■	■
	SpO_2 intermediate cables for connection to MultiMed® plus/plus OR.								
B	**SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m***	**MS18683**	■	■	■	■	■	■	■
C	**SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m***	**MS17330**	■	■	■	■	■	■	■
	MASIMO®								
	MASIMO® LNCS CABLES**								
	SpO_2 intermediate cables for connection to Infinity® M300 and Masimo® SET Pod.								
D	**SpO_2 intermediate cable Masimo® LNCS, 3 m**	**MS17522**	■	■	■	■	■	■	■
D	**SpO_2 intermediate cable Masimo® LNCS, 1.2 m**	**MS24303**	■	■	■	■	■	■	■
	MASIMO® RD-SET CABLES**								
	Connects the Masimo SET approved sensors to the Masimo SET pod or to Infinity M300. This cable cannot be used with the MultiMed.								
E	**SpO_2 intermediate cable Masimo® RD-SET, 3 m (9.8 ft)**	**MS34437**	■	■	■	■	■	■	■
E	**SpO_2 intermediate cable Masimo® RD-SET, 1.2 m (3.9 ft)**	**MS34436**	■	■	■	■	■	■	■

*Note: Requires Nellcor sensor software setting.
**Tradeware

A

MT-344-2008

B

D-2394-2011

C

D-2393-2011

D

D-438-2014

E

D-954-2019

Not all articles are available worldwide.

PULSE OXIMETRY (SpO_2)

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
	MASIMO® LNCS REUSABLE SENSORS*								
A	**SpO_2 finger sensor Masimo® LNCS DCI, reusable, adult**	**MP00796**	■	■	■	■	■	■	■
B	**SpO_2 finger sensor Masimo® LNCS DCIP, reusable, child**	**MP00795**	■	■	■	■	■	■	■
	SpO_2 Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult	**MP00788**	■	■	■	■	■	■	■
	SpO_2 Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	**MP00789**	■	■	■	■	■	■	■
	SpO_2 Masimo® sensor LNCS-TF-I, reusable, pediatric/adult	**MP00799**	■	■	■	■	■	■	■
C	**SpO_2 Masimo® sensor LNCS-DBI, reusable, adult**	**MP02993**	■	■	■	■	■	■	■

*Tradeware

A

MT-342-2008

B

MT-341-2008

C

D-463-2014

Not all articles are available worldwide.

PULSE OXIMETRY (SPO_2)

MASIMO® LNCS DISPOSABLE SENSORS*

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	SpO_2 adhesive sensor Masimo® LNCS Adtx, disposable, adult, 20 pcs.	MP00790	■	■	■	■	■	■	■
B	SpO_2 adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.	MP00791	■	■	■	■	■	■	■
C	SpO_2 adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.	MP00792	■	■	■	■	■	■	■
D	SpO_2 adhesive sensor Masimo® LNCS Pdtx, disposable, child, 20 pcs.	MP00793	■	■	■	■	■	■	■
E	SpO_2 adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794	■	■	■	■	■	■	■

*Tradeware

A

D-32549-2011

B

D-32551-2011

C

D-32560-2011

D

D-501-2014

E

D-32850-2011

PULSE OXIMETRY (SPO_2)

MASIMO® LNCS TRAUMA SENSORS*

Masimo® LNCS Trauma sensors are for use with Masimo® SET technology only.

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	Masimo® LNCS Trauma sensor, adult, 20 pcs.	MP03191	■	■	■	■	■	■	■
B	Masimo® LNCS Trauma sensor, infant/pedi, 20 pcs.	MP03193	■	■	■	■	■	■	■
C	Masimo® LNCS Trauma sensor, neonate, 20 pcs.	MP03192	■	■	■	■	■	■	■

*Tradeware

A

D-460-2014

B

D-462-2014

C

D-461-2014

PULSE OXIMETRY (SPO_2)

MASIMO® RD-SET ADAPTER CABLES*

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	**Adapter cable RD-SET to LNOP, for connection of RD-SET sensors to Infinity® M300 and Masimo® SET Pod via the LNOP intermediate cables MS18680 and MS17041, as well as to MultiMed® 5/6/12, NeoMed Pods and MultiMed® Plus/Plus OR via the according intermediate cables MS13926/7492601 or MS20163****	**MS33731**	■		■	■			■
B	**Adapter cable RD-SET to LNCS, for connection of RD-SET sensors to Infinity® M300 and Masimo® SET Pod via the LNCS intermediate cables MS24303 or MS17522**	**MS33732**	■		■	■			■
B	**Adapter cable RD-SET to MultiMed®, for connection of RD-SET sensors to MultiMed® 5/6/12, NeoMed Pods as well as MultiMed® Plus/Plus OR via the according intermediate cables 3368433/3375834 or MS18683/MS17330**	**MS33733**	■		■	■			■

*Tradeware
**Products are not available any more.
Adapter is to be used to switch from sensors to the installed base.

A

D-271-2017

B

D-257-2017

PULSE OXIMETRY (SPO_2)

MASIMO® RD-SET REUSABLE SENSORS*

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	**Masimo® RD-SET DCI sensor, adult, reusable**	**MS33740**	■		■	■			■
B	**Masimo® RD-SET DC-IP sensor, pediatric, reusable**	**MS33741**	■		■	■			■
C	**Masimo® RD-SET sensor TC-I Ear, pediatric/adult, reusable**	**MS40067**	■		■	■			■
D	**Masimo® RD-SET sensor YI Multisite, neonate/pediatric/adult, reusable**	**MS40070**	■		■	■			■
E	**Masimo® RD-SET sensor TF-I, pediatric/adult, reusable**	**MS40073**	■		■	■			■

*Tradeware

A

D-265-2017

B

D-266-2017

C

D-939-2019

D

D-940-2019

E

D-941-2019

PULSE OXIMETRY (SPO_2)

MASIMO® RD-SET DISPOSABLE SENSORS*

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	Masimo® RD-SET sensor, adult, disposable	MS33726	■		■	■			■
B	Masimo® RD-SET sensor, pediatric, disposable	MS33727	■		■	■			■
C	Masimo® RD-SET sensor, infant, disposable	MS33728	■		■	■			■
D	Masimo® RD-SET sensor, neonatal, disposable	MS33729	■		■	■			■
E	Masimo® RD-SET sensor, neonatal preterm, disposable	MS33730	■		■	■			■

*Tradeware

A



D-260-2017

B

D-261-2017

C

D-262-2017

D

D-263-2017

E



D-264-2017

Not all articles are available worldwide.

PULSE OXIMETRY (SPO_2)

MASIMO® RD-SET TRAUMA DISPOSABLE SENSORS*

For use with Masimo SET technology only.

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	Masimo® Trauma sensor RD-SET, adult, disposable	MS40088	■		■	■			■
B	Masimo® Trauma sensor RD-SET, infant/pedi, disposable	MS40091	■		■	■			■
C	Masimo® Trauma sensor RD-SET, neonate, disposable	MS40094	■		■	■			■

*Tradeware

A



D-942-2019

B



D-943-2019

C



D-944-2019

Not all articles are available worldwide.

PULSE OXIMETRY (SPO_2)

MASIMO® ACCESSORIES*

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	SpO_2 adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO_2 sensor, 100 pcs.	7496917	■	■	■	■	■	■	■
B	SpO_2 adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO_2 sensor, 100 pcs.	7496909	■	■	■	■	■	■	■
C	SpO_2 adhesive square Masimo®, 12 pcs.	7496875	■	■	■	■	■	■	■
D	SpO_2 foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO_2 sensor, 12 pcs.	7496891	■	■	■	■	■	■	■

*Tradeware

A

MT-4305-2004

B

D-445-2014

C

D-2358-2011

D



MT-4304-2004

Not all articles are available worldwide.

PULSE OXIMETRY (SPO_2)

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	Headband* LNCS TF-I, 5 pcs.	MP03197	■	■	■	■	■	■	■
B	Adhesive Pad* LNCS TF-I, 20 pcs.	MP03198	■	■	■	■	■	■	■

*Tradeware

A

D-446-2014

B

D-447-2014

Not all articles are available worldwide.

PULSE OXIMETRY (SPO_2)

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
	NELLCOR®								
	DRÄGER/NELLCOR® CABLES								
	SpO_2 intermediate cables for connection to MultiMed® 5, 6, 12 and NeoMed Pods.								
A	**SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 1 m**	3368433	■	■	■	■	■	■	■
	SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 2 m	3375834	■	■	■	■	■	■	■
	SpO_2 intermediate cables for connection to, MultiMed® plus/plus OR, Infinity® M300 and Nellcor® Oximax.								
B	**SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m**	MS18683	■	■	■	■	■	■	■
C	**SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m**	MS17330	■	■	■	■	■	■	■

A

MT-344-2008

B

D-2394-2011

C

D-2393-2011

Not all articles are available worldwide.

PULSE OXIMETRY (SPO_2)

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
	NELLCOR® REUSABLE SENSORS*								
A	**SpO_2 finger sensor Nellcor® DURA DS 100A**	7262764	■	■	■	■	■	■	■
B	**SpO_2 multisite sensor Nellcor® DURA-Y™, reusable**	MX01004	■	■	■	■	■	■	■
C	**Ear clip for Nellcor® DURA-Y™**	MX01005	■	■	■	■	■	■	■
D	**Adhesive wrap for Nellcor® Oxiband™ A/N, 100 pcs.**	8201012	■	■	■	■	■	■	■
E	**Adhesive wrap for Nellcor® Oxiband™ P/I, 100 pcs.**	2170221	■	■	■	■	■	■	■

*Tradeware

A

D-500-2014

B

D-35680-2009

C

MT-2355-2004

D

MT-2257-2004

E

MT-2218-2004

Not all articles are available worldwide.

PULSE OXIMETRY (SPO_2)

NELLCOR® DISPOSABLE SENSORS*

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	SpO_2 adhesive sensor Nellcor® Oximax® Max-A, disposable, adult, cable 46 cm, 24 pcs.	MX50065	■	■	■	■	■	■	■
B	SpO_2 adhesive sensor Nellcor® Oximax® Max-AL, disposable, adult, cable 91 cm, 24 pcs.	MX50071	■	■	■	■	■	■	■
C	SpO_2 adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	MX50067	■	■	■	■	■	■	■
D	SpO_2 adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	MX50068	■	■	■	■	■	■	■
E	SpO_2 adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.	MX50066	■	■	■	■	■	■	■

*Tradeware

A

MT-152-2003

B

MT-166-2003

C

MT-156-2003

D

MT-158-2003

E

MT-154-2003

PULSE OXIMETRY (SPO_2)

For use with Oximax® technology.

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	SpO_2 adhesive sensor Nellcor® Oximax® Max-Fast*, disposable, application on forehead, 24 pcs.	MX50070	■	■	■	■	■	■	■
B	SpO_2 adhesive sensor Nellcor® Oximax® Max-R*, disposable, application on nose, 24 pcs.	MX50069	■	■	■	■	■	■	■
C	SpO_2 Nellcor® FLEXMAX* Adt	MS34677	■	■	■	■	■	■	■
C	SpO_2 Nellcor® FLEXMAX* Pdt	MS34678	■	■	■	■	■	■	■

*Tradeware

A

MT-164-2003

B

MT-162-2003

C

D-6923-2019

PULSE OXIMETRY (SPO_2)



Not all articles are available worldwide.

TEMPERATURE

1.4 TEMPERATURE

ADAPTER CABLES

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	Adapter cable, 7-pin connector for temperature probe with ¼“ connector	5198333	■	■	■	■	■	■	■
B	Y-cable, reusable, 7-pin connector, for 2 temperature probes	5592154		■	■	■	■	■	

SINGLE-PATIENT USE TEMPERATURE PROBES

C	General-purpose temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00991	■	■	■	■	■	■	■
	General-purpose temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00992	■	■	■	■	■	■	■
D	General-purpose temperature probe, single-patient use, child, 7-pin connector, 1.6 m	MP00993	■	■	■	■	■	■	■
	General-purpose temperature probe, single-patient use, child, 7-pin connector, 3 m	MP00994	■	■	■	■	■	■	■
E	Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00995	■	■	■	■	■	■	■
	Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00996	■	■	■	■	■	■	■
F	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	MP00997	■	■	■	■	■	■	■
	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998	■	■	■	■	■	■	■

A

D-2344-2011

B

D-9000-2009

C

D-7371-2011

D

D-7373-2011

E

D-7375-2011

F

D-7377-2011

Not all articles are available worldwide.

TEMPERATURE

REUSABLE TEMPERATURE PROBES

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m	4329889	■	■	■	■	■	■	■
A	General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m	5204644	■	■	■	■	■	■	■
A	General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m	4329848	■	■	■	■	■	■	■
A	General-purpose temperature probe, reusable, child, 7-pin connector, 3 m	5204651	■	■	■	■	■	■	■
B	Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822	■	■	■	■	■	■	■
B	Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669	■	■	■	■	■	■	■
C	Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616	■	■	■	■	■	■	■
	Protective cover* for general-purpose temperature probe, latexfree, 100 pcs.	MS40243	■	■	■	■	■	■	■

*Tradeware

A

D-2336-2011

B

D-2335-2011

C

D-2354-2011

TCORE® TEMPERATURE MONITORING SYSTEM

1.5 TCORE® TEMPERATURE MONITORING SYSTEM

Tcore® – a new non-invasive technology for accurate core temperature monitoring Tcore® employs a unique dual-sensor heat flux technology, which, following a short ramp-up time, calculates core body temperature continuously and accurately. A simple, self-adhesive sensor – for children from 5 years of age and adults – placed on the patient's forehead is all that's required. This single-use sensor can be connected through a battery-powered adapter to all current Dräger monitors*, eliminating the need for a dedicated display.
*Exception: Vista 120 product family, patient monitors.

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	Tcore® adapter, reusable	MP00999	■	■	■	■	■	■	■
B	Tcore® sensor, single patient use	MP00989	■	■	■	■	■	■	■
C	Tcore® extension cable	MP02201	■	■	■	■	■	■	■
D	Holder for MultiMed® 5/6, MultiMed® Plus/OR, NeoMed Pods and Tcore®, swiveling 360°	MP00721	■	■	■	■	■	■	■

A

D-19408-2015

B

D-19411-2015

C

D-16855-2018

D

MT-8451-2006

NON-INVASIVE BLOOD PRESSURE (NIBP)

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
	1.6 NON-INVASIVE BLOOD PRESSURE (NIBP)								
	NIBP HOSES								
A	NIBP connection tube, adult, 3.7 m, for Infinity® monitors	MP00953	■	■	■	■	■	■	■
B	NIBP hose, neonate, 2.4 m	2870298	■	■	■	■	■	■	■

A

D-15791-2009

B

D-8954-2009

NON-INVASIVE BLOOD PRESSURE (NIBP)

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
	NIBP CUFFS, REUSABLE								
A	❶ NIBP cuff XXS, reusable, infant, 8 – 13 cm/13 cm	MP00911	■	■	■	■	■	■	■
	❷ NIBP cuff XS, reusable, child, 12 – 19 cm/19 cm	MP00912	■	■	■	■	■	■	■
	❸ NIBP cuff S, reusable, small adult, 17 – 25 cm/29 cm	MP00913	■	■	■	■	■	■	■
	❹ NIBP cuff M, reusable, adult, 23 – 33 cm/33 cm	MP00915	■	■	■	■	■	■	■
	❺ NIBP cuff M+, reusable, adult, long, 23 – 33 cm/43 cm	MP00916	■	■	■	■	■	■	■
	❻ NIBP cuff M++, reusable, adult, extra long, 23 – 33 cm/53 cm	MP00917	■	■	■	■	■	■	■
	❼ NIBP cuff L, reusable, large adult, 31 – 40 cm/40 cm	MP00918	■	■	■	■	■	■	■
	❽ NIBP cuff L+, reusable, large adult, long, 31 – 40 cm/55 cm	MP00919	■	■	■	■	■	■	■
	❾ NIBP cuff XL, reusable, thigh, 38 – 50 cm/50 cm	MP00921	■	■	■	■	■	■	■

A

D-25285-2009

NON-INVASIVE BLOOD PRESSURE (NIBP)

		GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
NIBP CUFFS, SINGLE-PATIENT USE								
A ❶ NIBP cuff XXS, single-patient use, infant, 8 – 13 cm/13 cm, 10 pcs.	MP00924	■	■	■	■	■	■	■
❷ NIBP cuff XS, single-patient use, child, 12 – 19 cm/19 cm, 10 pcs.	MP00925	■	■	■	■	■	■	■
❸ NIBP cuff S, single-patient use, small adult, 17 – 25 cm/29 cm, 10 pcs.	MP00926	■	■	■	■	■	■	■
❹ NIBP cuff M, single-patient use, adult, 23 – 33 cm/33 cm, 10 pcs.	MP00928	■	■	■	■	■	■	■
❺ NIBP cuff M+, single-patient use, adult long, 23 – 33 cm/43 cm, 10 pcs.	MP00929	■	■	■	■	■	■	■
❻ NIBP cuff M++, single-patient use, adult extra long, 23 – 33 cm/53 cm, 10 pcs.	MP00930	■	■	■	■	■	■	■
❼ NIBP cuff L, single-patient use, large adult, 31 – 40 cm/40 cm, 10 pcs.	MP00931	■	■	■	■	■	■	■
❽ NIBP cuff L+, single-patient use, large adult long, 31 – 40 cm/55 cm, 10 pcs.	MP00932	■	■	■	■	■	■	■
❾ NIBP cuff XL, single-patient use, thigh, 38 – 50 cm/50 cm, 10 pcs.	MP00934	■	■	■	■	■	■	■

A

D-25287-2009

Not all articles are available worldwide.

NON-INVASIVE BLOOD PRESSURE (NIBP)

		GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
NIBP CUFFS NEONATAL, DISPOSABLE								
A NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	2870181	■	■	■	■	■	■	■
B NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	2870199	■	■	■	■	■	■	■
C NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	2870207	■	■	■	■	■	■	■
D NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	2870215	■	■	■	■	■	■	■
E NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	2870173	■	■	■	■	■	■	■

A

MT-2073-2007

B

MT-2072-2007

C

MT-2071-2007

D

MT-2069-2007

E

MT-2070-2007

Not all articles are available worldwide.

CNAP CONTINUOUS NON-INVASIVE ARTERIAL PRESSURE

1.7 CNAP CONTINUOUS NON-INVASIVE ARTERIAL PRESSURE

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	Starter kit for patient parameter unit Infinity® CNAP™ SmartPod®	MS17075			■	■			
	Includes the following accessories:								
	CNAP™ cuff controller and cradle	MS26125			■	■			
B	CNAP™ intermediate cable for Infinity® CNAP™ SmartPod®, for CNAP™ controller	MS15893			■	■			
C	CNAP™ cuff controller forearm strap	MS26122			■	■			
D	Cuff controller cradle allows CNAP™ cuff controller to “slide” with movement of patient’s arm	MS26123			■	■			

A

D-3543-2011

B

MT-1543-2005

C

D-27351-2017

D

D-16416-2010

CNAP CONTINUOUS NON-INVASIVE ARTERIAL PRESSURE

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	CNAP™ sensor cuff, size L	MS15896			■	■			
B	CNAP™ sensor cuff, size M	MS15895			■	■			
C	CNAP™ sensor cuff, size S	MS15894			■	■			
D	Pod connection cable, 3 m	3368425			■	■			
E	Universal pole mount	7485621	■	■	■	■	■	■	■

A

D-556-2014

B

D-557-2014

C

D-558-2014

D

D-418-2014

E

D-433-2014

INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

1.8 INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP AND CO HEMO PODS

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	Infinity® MPod-QuadHemo, cardiac output, 2 temperatures, up to 4 invasive pressures	MS20725			■	■	■		
B	Patient parameter unit Infinity® HemoMed Pod	5588822	■	■	■	■	■		■
C	Connection cable, connects HemoMed Pod to monitor, 3 m	5591925	■	■	■	■	■		■
	Connection cable, connects HemoMed Pod to monitor, 5 m	5591933	■	■	■	■	■		■
D	Universal pole mount	7485621	■	■	■	■	■	■	■

A

D-19899-2009

B

D-104506-2013

C

D-431-2014

D

D-433-2014

Not all articles are available worldwide.

INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP QUADHEMO ADAPTERS

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	IBP transducer adapter Abbott/Medex/ICU Medical	MS22535			■	■	■		
	IBP transducer adapter Argon/Merit Medical	MS22148			■	■	■		
	IBP transducer adapter Baxter/Edwards	MS22147			■	■	■		
B	IBP transducer adapter Utah Medical	MS22534			■	■	■		
C	IBP transducer adapter cable, Dräger 7-pin	MS22533			■	■	■		
D	IBP transducer adapter cable, Dräger 10-pin	MS22532			■	■	■		

A



D-16392-2010

B

D-16393-2010

C

D-45145-2015

D

D-45144-2015

Not all articles are available worldwide.

INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP HEMO POD ADAPTERS AND PLATES

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	Pod adapter, 10-pin, for pressure transducer	3375958	■	■	■	■	■		■
B	Pod adapter, for Abbott/Medex/ICU Medical pressure transducer	5196998	■	■	■	■	■		■
C	Pod adapter, for Edwards pressure transducer	5196980	■	■	■	■	■		■
D	Pod adapter, for Argon/Merit Medical pressure transducer (former Becton Dickinson/Ohmeda)	3375941	■	■	■	■	■		■
	Pod adapter SensoNor, for connecting pressure transducer cables, 7-pin	MS23598	■	■	■	■	■		■

A

D-8956-2009

B

D-8986-2009

C

D-8985-2009

D

D-8955-2009

Not all articles are available worldwide.

INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	IBP pressure transducer plate, for Hemo2/4 Pods, for Abbott Transpac IV, 5 pcs.	7270460	■	■	■	■	■		■
B	IBP pressure transducer plate, for Hemo2/4 Pods, for Abbott TranspacII/III/Braun, 5 pcs.	5192112	■	■	■	■	■		■
C	IBP pressure transducer plate, for Hemo4 Pod, for Memscap (Capto/SensoNor), 5 pcs.	4721416	■	■	■	■	■		■
D	IBP pressure transducer plate, for Hemo4 Pod, universal, 5 pcs.	4721424	■	■	■	■	■		■
	IBP pressure transducer plate, for Hemo2 Pod, for Memscap (Capto/SensoNor), 5 pcs.	4721614	■	■	■	■	■		■

D-2357-2011

B



D-9077-2009

C



D-2339-2011



D-8977-2009

Not all articles are available worldwide.

INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP Y-ADAPTERS AND CABLES

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	IBP Y-adapter, 7-pin	5592147		■	■	■	■		■
B	IBP Y-adapter, 10-pin	5731281		■	■	■	■		■
C	IBP adapter, 10-pin to 7-pin	3368383	■						■
D	IBP Y-adapter, 10-pin to 7-pin	5588095	■					■	
E	IBP Y-cable, Baxter/Edwards, 3.7 m	5206607	■					■	

A

D-2352-2011

B

D-9021-2009

C

D-2332-2011

D

D-2350-2011

E

D-8994-2009

Not all articles are available worldwide.

INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP MEMSCAP CABLES AND TRANSDUCERS

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	IBP pressure transducer cable for Memscap (Capto/SensoNor), 3.7 m	4321563	■					■	
	IBP pressure transducer for Memscap (Capto/SensoNor) 844, disposable, sterile, 50 pcs.	7864908	■	■	■	■	■	■	■
B	IBP Y-cable, for Memscap (Capto/SensoNor), 3.7 m	5195180	■					■	
C	IBP pressure transducer set* for Memscap (Capto/SensoNor) 844, disposable, 10 pcs.	7489433	■	■	■	■	■	■	■
D	IBP holder* for pressure transducer Memscap (Capto/SensoNor) 844, 4 pcs.	7864155	■	■	■	■	■	■	■
E	IBP pressure transducer* for Memscap (Capto/SensoNor) 844, reusable	7489417	■	■	■	■	■	■	■
	IBP pressure transducer set* for Memscap (Capto/SensoNor) 844	7498947	■	■	■	■	■	■	■

*Tradeware

A

D-8961-2009

B

D-423-2014

C

D-9042-2009

D

D-2366-2011

E

D-9041-2009

Not all articles are available worldwide.

INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

IBP OHMEDA CABLES AND TRANSDUCERS

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	IBP connection cable Argon/Merit Medical, 3.7 m (12.1 ft)	3375933	■	■	■	■	■	■	■
B	IBP Y-cable Argon/Merit Medical 3.7 m (12.1 ft)	5206581	■					■	
C	IBP pressure transducer set* Argon/Merit Medical disposable, sterile, 5 pcs.	4528741	■	■	■	■	■	■	■

*Tradeware

A

D-420-2014

B

D-2349-2011

C

D-8967-2009

INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

CO CABLES, CATHETERS AND THERMISTORS

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	CO thermistor cable* Argon/Merit Medical	8420077			■	■	■		■
B	CO thermistor T-piece* Argon/Merit Medical	5741975			■	■	■		■
C	CO thermistor cable* Baxter/Edwards	8539983			■	■	■		■
D	CO connection cable, 1 m	3368458			■	■	■		■
E	CO catheter cable	8419160			■	■	■		■

*Tradeware

A

D-9062-2009

B

D-9030-2009

C



D-2377-2011

D

D-8952-2009

E

D-9060-2009

INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)



INFINITY® PiCCO

	1.9 INFINITY® PiCCO		GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	Infinity® PiCCO Gen II SmartPod®	MS23133			■	■			
	Infinity® PiCCO Gen II SmartPod® kit	MS32282			■	■			
B	CO thermistor cable* for Infinity® PiCCO Pod	MS16919			■	■			
	CO catheter cable for Infinity® PiCCO Pod	MS16918			■	■			
	CO cable for Infinity® PiCCO Pod	MS16916			■	■			
C	IBP transducer adapter cable, Dräger 10-pin	MS22532			■	■			
D	Pod adapter, 10-pin, for pressure transducer	3375958			■	■			
	Adapter cable* for Infinity® PiCCO SmartPod®, for 10-pin connector	MS16920			■	■			

*Tradeware

A

D-13-2016

B

MT-5840-2006

C

D-45144-2015

D

D-8956-2009

INFINITY® PiCCO



Not all articles are available worldwide.

INFINITY® PiCCO GEN II SMARTPOD®



Not all articles are available worldwide.

BISPECTRAL INDEX (BIS)

		GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
1.10 BISPECTRAL INDEX (BIS)								
INFINITY® BISX SMARTPOD®								
A	Patient parameter unit Infinity® BISx SmartPod®			■	■			

A

MT-5816-2006

ELECTROENCEPHALOGRAPHY (EEG)

		GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
1.11 ELECTROENCEPHALOGRAPHY (EEG)								
INFINITY® EEG POD AND ACCESSORIES								
A	Patient parameter unit Infinity® EEG Pod			■	■	■		
B	EEG electrode cable, color-coded, 9 pcs.			■	■	■		
C	Block for EEG referential lead conversion			■	■	■		
D	EEG electrodes*, disposable, 25 pcs.			■	■	■		

*Tradeware

A

D-9026-2009

B

D-2353-2011

C

D-9032-2009

D

MT-2335-2004

NEUROMUSCULAR TRANSMISSION (NMT)

1.12 NEUROMUSCULAR TRANSMISSION (NMT)

INFINITY® TRIDENT (NMT) SMARTPOD® AND ACCESSORIES

		GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL	
A	Patient parameter unit set Infinity® Trident® NMT SmartPod®			■	■	■			MS15007
	Includes the following accessories:								
B	NMT accelerometer Trident®			■	■	■			MS15085
C	NMT thermistor Trident®			■	■	■			MS15053
D	NMT hand adapter Trident®			■	■	■			MS15086
E	NMT thumb adapter for Infinity® Trident (NMT) SmartPod®, disposable, 50 pcs.			■	■	■			MS15084
F	NMT intermediate cable for Infinity® Trident (NMT) SmartPod®, 1.9 m			■	■	■			7872174
	NMT electrode cable Trident®, 2-lead, 0.3 m			■	■	■			MS13218
G	Bed clip for cables			■	■	■			MS15087

A

MT-5600-2004

B

D-10568-2018

C



D-10566-2018

D

D-10569-2018

E

D-45134-2015

F

D-10562-2018

G

D-45096-2015

Not all articles are available worldwide.

CAPNOGRAPHY ETCO$_2$

1.13 CAPNOGRAPHY ETCO$_2$

		GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL	
A	etCO$_2$ airway adapter, reusable, adult	■	■	■	■	■		■	4721796
A	etCO$_2$ airway adapter, reusable, neonate	■	■	■	■	■		■	4721788
B	CO$_2$ airway adapter*, adult, disposable, 10 pcs.	■	■	■	■	■		■	2606227
C	CO$_2$ airway adapter*, neonatal (infant/pediatric), disposable, 10 pcs.	■	■	■	■	■		■	2606228

*Tradeware

A

D-8978-2009

B

D-16293-2010

C

D-16294-2010

Not all articles are available worldwide.

CAPNOGRAPHY ETCO$_2$

		GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
CO_2 CABLES								
A	**MCable Mainstream CO_2, for Evita, Infinity® V500, Infinity® M540, Vista120, Vista120 S, and Delta VF9.1 and higher**			■				
	For fans and monitors that have a yellow connector for the CO_2 sensor.							
B	**Y-cable CO_2 and analog/sync** — MS22259			■				
CO_2 CUVETTES, DISPOSABLE								
C	**CO_2 cuvette disposable, adult, 10 pcs.** — MP01062			■				
D	**CO_2 cuvette disposable, pediatric, 10 pcs.** — MP01063			■				
CO_2 CUVETTES, REUSABLE								
E	**CO_2 cuvette reusable, adult** — 6870279			■				
F	**CO_2 cuvette reusable, pediatric** — 6870280			■				

A

D-28791-2017

B

D-45143-2015

C

D-7059-2009

D

D-7061-2009

E

D-7062-2009

F

D-7060-2009

Not all articles are available worldwide.

CAPNOGRAPHY ETCO$_2$

		GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
ACCESSORIES								
	Calibration set, with test connection and test gas cylinder — 8412710			■				
	Test gas cylinder 5 Vol.% CO_2, 95 Vol. % N_2 — 6850435			■				
A	**Parking holder for CO_2 sensor** — 8416352			■				
	Test filter — 6870281			■				

A

D-45108-2015

Not all articles are available worldwide.

CAPNOGRAPHY $ETCO_2$

$ETCO_2$ MICROSTREAM ADAPTERS AND CANNULAS*

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	$etCO_2$ airway adapter Microstream®, adult/child, max. 12 h, 25 pcs.	7869535			■	■	■		
B	$etCO_2$ airway adapter Microstream®, neonate/child, max. 72 h, 25 pcs.	7869550			■	■	■		
C	$etCO_2$ airway adapter Microstream®, adult/child, max. 72 h, 25 pcs.	7869543			■	■	■		
D	$etCO_2$ nasal cannula Microstream®, adult, max. 12 h, 25 pcs.	7869477			■	■	■		
E	$etCO_2$ nasal cannula Microstream®, child, max. 12 h, 25 pcs.	7869469			■	■	■		
F	$etCO_2$ nasal cannula Microstream®, adult, max. 24 h, 25 pcs.	7869592			■	■	■		

*Tradeware

A

D-1070-2014

B

D-1478-2009

C

MT-3011-2004

D

D-9157-2009

E

D-1065-2014

F

MT-3013-2004

CAPNOGRAPHY $ETCO_2$

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	$etCO_2$ nasal cannula Microstream®, + O_2, adult, max. 24 h, 25 pcs.	7869493			■	■	■		
	$etCO_2$ nasal cannula Microstream®, + O_2, child, max. 24 h, 25 pcs.	7869485			■	■	■		
B	$etCO_2$ nasal/mouth cannula Microstream®, + O_2, child, max. 12 h, 25 pcs.	7869584			■	■	■		
C	$etCO_2$ nasal/mouth cannula Microstream®, child, max. 12 h, 25 pcs.	7869501			■	■	■		
	Smart Capnoline® Plus, adult/intermediate, 25 pcs.	MS26187			■	■	■		
	Smart Capnoline® Plus O_2, adult/intermediate, 25 pcs.	MS26188			■	■	■		

A

MT-3012-2004

B

MT-3010-2004

C

D-1067-2014

SCIO

1.14 SCIO

SCIO ACCESSORIES

A	Calibration kit MultiGas, incl. bottle, regulator, reservoir bag	5207415
B	Sample line, disposable, 10 pcs.	8290286
C	Watertrap WaterLock® 2, 12 pcs.	6872130
	Water trap Infinity® ID WaterLock® 2, 12 pcs.	6872020
	Sample gas return line for Fabius®, with filter	M32692
D	Bacterial filter for Dräger patient monitors, disposable	8402868

A

MT-2250-2004

B

D-37369-2015

C

D-14348-2017

D

MT-0107-2008

RECORDER PAPER

1.15 RECORDER PAPER

			GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A	Recording paper for Infinity® R 50, 50 mm, approx. 30 m, 10 rolls	4711201	■	■	■	■	■	■	■

A



D-8972-2009

INFINITY® ACUTE CARE SYSTEM

2. INFINITY® ACUTE CARE SYSTEM

2.1 ELECTROCARDIOGRAPHY (ECG)

MONOLEAD® SINGLE-PIN CONNECTOR

A	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 2 m	MS14555
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	MS14556
B	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m	MS14559
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m	MS14560
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 3 m	MS14683
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 3 m	MS14682

A

MT-8510-2005

B



MT-353-2008

INFINITY® ACUTE CARE SYSTEM

MONOLEAD LONG, SINGLE-PIN CONNECTOR

Not for use with ECG extension cable MS16256.

	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 4.1 m	MS28561
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 4.1 m	MS28557
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 5.3 m	MS28559
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 5.3 m	MS28558
A	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 5.7 m	MS28560
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 5.7 m	MS17185

CHESTLEADS MONOLEAD®

ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1 (European color code), 1.7 m	MS14693
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2 (AHA/US color code), 1.7 m	MS14694
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1 (European color code), 3.7 m*	MS20476
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2 (AHA/US color code), 3.7 m*	MS20475

*Not for use with extension cable MS31435.

A

D-7685-2010

INFINITY® ACUTE CARE SYSTEM

REUSABLE ECG LEADS SINGLE-PIN CONNECTOR

A	ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m	MP03401
	ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MP03402
B	ECG cable, 5-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	MP03403
	ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03404
C	ECG cable, 6-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	MP03405
	ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03406

CHESTLEADS

D	ECG cable, 4-lead, single-pin connector, IEC1 (European color code), 1 m	MP03407
	ECG cable, 4-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MP03408

A

D-86298-2013

B

D-86306-2013

C

D-86307-2013

D

D-86308-2013

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

SINGLE-PATIENT USE ECG LEADS SINGLE-PIN CONNECTOR

A	ECG cable, 3-lead, single-pin connector, single-patient use, IEC1 (European color code), 1 m, 20 pcs.	MP00875
	ECG cable, 3-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1 m, 20 pcs.	MP00877
B	ECG cable, 5-lead, single-pin connector, single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs.	MP00879
	ECG cable, 5-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	MP00881
C	ECG cable, 6-lead, single-pin connector, single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs.	MP03122
	ECG cable, 6-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	MP03123

SINGLE-PATIENT USE ECG LEADS SINGLE-PIN CONNECTOR FOR CHESTLEADS

D	ECG cable, 4-lead, single-pin connector, single-patient use, IEC1 (European color code), 1 m, 20 pcs.	MP03120
	ECG cable, 4-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1 m, 20 pcs.	MP03121

A

D-25816-2020

B

D-25813-2020

C



D-25815-2020

D

D-1003-2020

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

ELECTRODES

A	ECG electrodes, single-patient use, adult/child, 50 pcs.	4527750
B	ECG electrodes*, single-patient use, neonate, 300 pcs.	5195024

NEONATAL ECG

	ECG neonatal 3-lead adapter cable, 2 m	MS25951
B	ECG electrodes*, single-patient use, neonate, 300 pcs.	5195024

ECG ACCESSORIES

C	ECG adapter for single-pin ECG cable to MultiMed® 5	MS14679
	ECG adapter for single-pin ECG cable to MultiMed® 6	MS14680
D	ECG „4-lead“ spacer, 10 pcs.	MS22832
E	ECG extension cable, 6-lead, single-pin connector, 2 m	MS16256
F	ECG extension cable, 4-lead, single-pin connector, 2 m	MS31435

*Tradeware

A

D-8966-2009

B

D-8983-2009

C

MT-2716-2004

D

D-45146-2015

E

D-1599-2009

F

D-9630-2014

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

2.2 PULSE OXIMETRY (SPO_2)

MASIMO®

For Masimo® accessories, specific part numbers for USA and Japan apply. Please contact your local Dräger Sales representative for further information.

MASIMO® LNCS CABLES*

For connection of LNCS sensors to Masimo® SET Mcable.

A	SpO_2 intermediate cable Masimo® LNCS, 1.2 m	MP00800
A	SpO_2 intermediate cable Masimo® LNCS, 3 m	MP00797
A	SpO_2 intermediate cable Masimo® LNCS, 4.3 m	MP03194

For connection of LNCS sensors to Masimo® rainbow SET Mcable.

B	SpO_2 intermediate cable Masimo® Red LNCS, 1.2 m	MP02991
B	SpO_2 intermediate cable Masimo® Red LNCS, 3 m	MP02992
B	SpO_2 intermediate cable Masimo® Red LNCS, 4.3 m	MP03196

*Tradeware

A

D-502-2014

B

D-466-2014

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

MASIMO® LNCS REUSABLE SENSORS*

A	SpO_2 finger sensor Masimo® LNCS DCI, reusable, adult	MP00796
B	SpO_2 finger sensor Masimo® LNCS DCIP, reusable, child	MP00795
	SpO_2 Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult	MP00788
	SpO_2 Masimo® sensor LNCS-TF-I, reusable, pediatric/adult	MP00799
	SpO_2 Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	MP00789
C	SpO_2 Masimo® sensor LNCS-DBI, reusable, adult	MP02993

*Tradeware

A

MT-342-2008

B

MT-341-2008

C

D-463-2014

INFINITY® ACUTE CARE SYSTEM

MASIMO® DISPOSABLE SENSORS*

A	SpO_2 adhesive sensor Masimo® LNCS Adtx, disposable, adult, 20 pcs.	MP00790
B	SpO_2 adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.	MP00791
C	SpO_2 adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.	MP00792
D	SpO_2 adhesive sensor Masimo® LNCS Pdtx, disposable, child, 20 pcs.	MP00793
E	SpO_2 adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794

*Tradeware

A

D-32549-2011

B

D-32551-2011

C

D-32560-2011

D

D-501-2014

E

D-32550-2011

INFINITY® ACUTE CARE SYSTEM

MASIMO® LNCS TRAUMA SENSORS*

Masimo® LNCS Trauma sensors are for use with Masimo® SET technology only.

A	Masimo® LNCS Trauma sensor, adult, 20 pcs.	MP03191
B	Masimo® LNCS Trauma sensor, infant/pedi, 20 pcs.	MP03193
C	Masimo® LNCS Trauma sensor, neonate, 20 pcs.	MP03192

*Tradeware

A



D-460-2014

B

D-462-2014

C

D-461-2014

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

MASIMO® RD-SET CABLES*

Connection of RD-SET sensors to Masimo® SET Mcable.

A	RD-SET intermediate cable for Masimo® SET Mcable, 1.5 m	MS33736
A	RD-SET intermediate cable for Masimo® SET Mcable, 3.6 m	MS33737

For connection of RD-SET sensors to Masimo® rainbow SET Mcable.

B	RD-SET intermediate cable for Masimo® rainbow SET Mcable, 1.5 m	MS33738
B	RD-SET intermediate cable for Masimo® rainbow SET Mcable, 3.6 m	MS33739

MASIMO® RD-SET DISPOSABLE SENSORS*

C	Masimo® RD-SET sensor, adult, disposable	MS33726
D	Masimo® RD-SET sensor, pediatric, disposable	MS33727
E	Masimo® RD-SET sensor, infant, disposable	MS33728
F	Masimo® RD-SET sensor, neonatal, disposable	MS33729
G	Masimo® RD-SET sensor, neonatal preterm, disposable	MS33730

*Tradeware

A

D-267-2017

B

D-268-2017

C



D-260-2017

D

D-261-2017

E

D-262-2017

F

D-263-2017

G

D-264-2017

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

MASIMO® RD-SET REUSABLE SENSORS*

A	Masimo® RD-SET DCI sensor, adult, reusable	MS33740
B	Masimo® RD-SET DC-IP sensor, pediatric, reusable	MS33741
C	Masimo® RD-SET sensor TC-I Ear, pediatric/adult, reusable	MS40067
D	Masimo® RD-SET sensor YI Multisite, neonate/pediatric/adult, reusable	MS40070
E	Masimo® RD-SET sensor TF-I, pediatric/adult, reusable	MS40073

MASIMO® RD-SET TRAUMA DISPOSABLE SENSORS*

For use with Masimo SET technology only.

F	Masimo® Trauma sensor RD-SET, adult, disposable	MS40088
G	Masimo® Trauma sensor RD-SET, infant/pedi, disposable	MS40091
	Masimo® Trauma sensor RD-SET, neonate, disposable	MS40094

*Tradeware

A

D-265-2017

B

D-266-2017

C

D-939-2019

D

D-940-2019

E

D-941-2019

F

D-942-2019

G

D-943-2019

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

MASIMO® RAINBOW CABLES*

For connection of rainbow sensors to Masimo® rainbow SET Mcable.

A	SpO_2 intermediate cable Masimo® rainbow, 1.2 m	MP02974
A	SpO_2 intermediate cable Masimo® rainbow, 3.6 m	MP02975

MASIMO® RAINBOW DISPOSABLE SENSORS (SPCO, SPMET, SPOC, PVI)*

B	Rainbow sensor R25-L, neonate, 10 pcs.	MP02961
C	Rainbow sensor R20-L, infant, 10 pcs.	MP02962
D	Rainbow sensor R25, pedi, 10 pcs.	MP02959
E	Rainbow sensor R20, adult, 10 pcs.	MP02960

MASIMO® RAINBOW REUSABLE SENSORS (SPCO, SPMET, SPOC, PVI)*

F	Rainbow sensor DCI, Adt	MP02971
	Rainbow sensor DCIP, pedi	MP02972

*Tradeware

A

D-486-2014

B

D-482-2014

C

D-483-2014

D

D-484-2014

E

D-485-2014

F

D-494-2014

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

MASIMO® RD RAINBOW SET MCABLE*

A	Masimo® RD rainbow SET sensor, disposable, adult	MS40076
B	Masimo® RD rainbow SET sensor, disposable, pediatric	MS40079
C	Masimo® RD rainbow SET sensor, disposable, infant	MS40082
D	Masimo® RD rainbow SET sensor, disposable, neonate	MS40085

MASIMO RD RAINBOW DISPOSABLE SENSORS (SPHB, SPMET, SPOC, PVI)*

For connection of RD-SET sensors to Masimo® rainbow SET Mcable.

E	RD-SET intermediate cable for Masimo® rainbow SET Mcable, 1.5 m	MS33738
E	RD-SET intermediate cable for Masimo® rainbow SET Mcable, 3.6 m	MS33739

*Tradeware

A



D-945-2019

B



D-946-2019

C

D-947-2019

D



D-948-2019

E

D-268-2017

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

MASIMO® ACCESSORIES*

A	SpO_2 adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO_2 sensor, 100 pcs.	7496917
B	SpO_2 adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO_2 sensor, 100 pcs.	7496909
C	SpO_2 adhesive square Masimo®, 12 pcs.	7496875
D	SpO_2 foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO_2 sensor, 12 pcs.	7496891

*Tradeware

A

MT-4305-2004

B

D-445-2014

C

D-2358-2011

D



MT-4304-2004

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

A	Headband* LNCS TF-I, 5 pcs.	MP03197
B	Adhesive Pad* LNCS TF-I, 20 pcs.	MP03198
C	Masimo® rainbow sensor cover*, 10 pcs.	MP03203

*Tradeware

A

D-446-2014

B

D-447-2014

C

D-489-2014

INFINITY® ACUTE CARE SYSTEM

Masimo SpO_2 and rainbow® Sensor Connectivity



INFINITY® ACUTE CARE SYSTEM

NELLCOR®

NELLCOR® CABLES*

A	Nellcor® intermediate cable, 1.2 m	MP00748
	Nellcor® intermediate cable, 3 m	MS20979

NELLCOR® REUSABLE SENSOR*

B	SpO_2 finger sensor Nellcor® DURA DS 100A	7262764
	SpO_2 Nellcor® FLEXMAX Adt	MS34677
	SpO_2 Nellcor® FLEXMAX Pdt	MS34678

NELLCOR® DISPOSABLE SENSORS*

C	SpO_2 adhesive sensor Nellcor® Oximax® Max-A, disposable, adult, cable 46 cm, 24 pcs.	MX50065
D	SpO_2 adhesive sensor Nellcor® Oximax® Max-AL, disposable, adult, cable 91 cm, 24 pcs.	MX50071
E	SpO_2 adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	MX50067
F	SpO_2 adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	MX50068
G	SpO_2 adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.	MX50066

*Tradeware

A

D-45130-2015

B

D-500-2014

C

MT-152-2003

D

MT-166-2003

E

MT-156-2003

F

MT-158-2003

G

MT-154-2003

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

2.3 TEMPERATURE

ADAPTER CABLE

A	Y-cable, reusable, 7-pin connector, for 2 temperature probes	5592154

SINGLE-PATIENT USE TEMPERATURE PROBES

B	General-purpose temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00991
	General-purpose temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00992
C	General-purpose temperature probe, single-patient use, child, 7-pin connector, 1.6 m	MP00993
	General-purpose temperature probe, single-patient use, child, 7-pin connector, 3 m	MP00994
D	Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00995
	Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00996
E	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	MP00997
	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998

A

D-9000-2009

B

D-7371-2011

C

D-7373-2011

D

D-7375-2011

E

D-7377-2011

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

REUSABLE TEMPERATURE PROBES

A	General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m	4329889
A	General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m	5204644
A	General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m	4329848
A	General-purpose temperature probe, reusable, child, 7-pin connector, 3 m	5204651
B	Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822
B	Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669
C	Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616
	Protective cover* for general-purpose temperature probe, latexfree, 100 pcs.	MS40243

*Tradeware

A

D-2336-2011

B

D-2335-2011

C

D-2354-2011

INFINITY® ACUTE CARE SYSTEM

2.4 TCORE® TEMPERATURE MONITORING SYSTEM

Tcore® – a new non-invasive technology for accurate core temperature monitoring Tcore® employs a unique dual-sensor heat flux technology, which, following a short ramp-up time, calculates core body temperature continuously and accurately. A simple, self-adhesive sensor – for children from 5 years of age and adults – placed on the patient's forehead is all that's required.
This single-use sensor can be connected through a battery-powered adapter to all current Dräger monitors*, eliminating the need for a dedicated display.
*Exception: Vista 120 product family, patient monitors.

A	Tcore® adapter, reusable	MP00999
B	Tcore® sensor, single patient use	MP00989
C	Tcore® extension cable	MP02201
	Tcore® mount for M540	MS33239
D	Holder for MultiMed® 5/6, MultiMed® Plus/OR, NeoMed Pods and Tcore®, swiveling 360°	MP00721

A

D-19408-2015

B

D-19411-2015

C

D-16855-2018

D

MT-8451-2005

INFINITY® ACUTE CARE SYSTEM

2.5 NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP HOSES

A	NIBP connection tube, adult, 3.7 m, for Infinity® monitors	MP00953
B	NIBP hose, neonate, 2.4 m	2870298

A

D-15791-2009

B

D-8954-2009

INFINITY® ACUTE CARE SYSTEM

NIBP CUFFS, REUSABLE

A	❶ NIBP cuff XXS, reusable, infant, 8 – 13 cm/13 cm	MP00911
	❷ NIBP cuff XS, reusable, child, 12 – 19 cm/19 cm	MP00912
	❸ NIBP cuff S, reusable, small adult, 17 – 25 cm/29 cm	MP00913
	❹ NIBP cuff M, reusable, adult, 23 – 33 cm/33 cm	MP00915
	❺ NIBP cuff M+, reusable, adult, long, 23 – 33 cm/43 cm	MP00916
	❻ NIBP cuff M++, reusable, adult, extra long, 23 – 33 cm/53 cm	MP00917
	❼ NIBP cuff L, reusable, large adult, 31 – 40 cm/40 cm	MP00918
	❽ NIBP cuff L+, reusable, large adult, long, 31 – 40 cm/55 cm	MP00919
	❾ NIBP cuff XL, reusable, thigh, 38 – 50 cm/50 cm	MP00921

A



D-25285-2009

INFINITY® ACUTE CARE SYSTEM

NIBP CUFFS, SINGLE-PATIENT USE

A

❶ NIBP cuff XXS, single-patient use, infant, 8 – 13 cm/13 cm, 10 pcs.	MP00924
❷ NIBP cuff XS, single-patient use, child, 12 – 19 cm/19 cm, 10 pcs.	MP00925
❸ NIBP cuff S, single-patient use, small adult, 17 – 25 cm/29 cm, 10 pcs.	MP00926
❹ NIBP cuff M, single-patient use, adult, 23 – 33 cm/33 cm, 10 pcs.	MP00928
❺ NIBP cuff M+, single-patient use, adult long, 23 – 33 cm/43 cm, 10 pcs.	MP00929
❻ NIBP cuff M++, single-patient use, adult extra long, 23 – 33 cm/53 cm, 10 pcs.	MP00930
❼ NIBP cuff L, single-patient use, large adult, 31 – 40 cm/40 cm, 10 pcs.	MP00931
❽ NIBP cuff L+, single-patient use, large adult long, 31 – 40 cm/55 cm, 10 pcs.	MP00932
❾ NIBP cuff XL, single-patient use, thigh, 38 – 50 cm/50 cm, 10 pcs.	MP00934

A

D-25297-2009

INFINITY® ACUTE CARE SYSTEM

NIBP CUFFS NEONATAL, DISPOSABLE

A	NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	2870181
B	NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	2870199
C	NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	2870207
D	NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	2870215
E	NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	2870173

A

MT-2073-2007

B

MT-2072-2007

C

MT-2071-2007

D

MT-2069-2007

E

MT-2070-2007

INFINITY® ACUTE CARE SYSTEM

2.6 INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

A	MPod-Dual Hemo, 2 invasive blood pressures for M540*	MS20783
B	Infinity® MPod-QuadHemo, cardiac output, 2 temperatures, up to 4 invasive pressures*	MS20725
	Required to connect MPod-QuadHemo, Hemo2 or Hemo4 to IACS:	
C	M540 Hemo connection cable, 1.5 m	MS23897
	M540 Hemo connection cable, 3 m	MS23898
	Required to connect two MPod-QuadHemo:	
	Pod connection cable, 30 cm	7257988
	Pod connection cable, 3 m	3368425
	Pod connection cable, 5 m	5195198

IBP TRANSDUCER ADAPTER CABLES

D	IBP transducer adapter Abbott/Medex/ICU Medical	MS22535
	IBP transducer adapter Argon/Merit Medical	MS22148
	IBP transducer adapter Baxter/Edwards	MS22147
E	IBP transducer adapter Utah Medical	MS22534
F	IBP transducer adapter cable, Dräger 7-pin	MS22533
G	IBP transducer adapter cable, Dräger 10-pin	MS22532

*Adapter cable not included.

A

D-104505-2013

B

D-19899-2009

C

D-45149-2015

D

D-16392-2010

E

D-16393-2010

F

D-45145-2015

G

D-45144-2015

INFINITY® ACUTE CARE SYSTEM

CO CABLES AND THERMISTORS

A	CO thermistor cable* Argon/Merit Medical	8420077
B	CO thermistor T-piece* Argon/Merit Medical	5741975
C	CO thermistor cable Baxter/Edwards	8539983
D	CO connection cable, 1 m	3368458
E	CO catheter cable	8419160

CARDIAC OUTPUT KITS

Cardiac output kit, Baxter	7265155
Cardiac output kit, Argon/Merit Medical	7265163

*Tradeware

A

D-9062-2009

B

D-9030-2009

C

D-2377-2011

D

D-8952-2009

E

D-9060-2009

INFINITY® ACUTE CARE SYSTEM

2.7 ETCO$_2$

CO$_2$ CABLES

A	**MCable Mainstream CO$_2$, for Evita, Infinity® V500, Infinity® M540, Vista120, Vista120 S, and Delta VF9.1 and higher**	**6871950**
	For fans and monitors that have a yellow connector for the CO$_2$ sensor.	
B	**Y-cable CO$_2$ and analog/sync**	**MS22259**

CO$_2$ CUVETTES, DISPOSABLE

C	**CO$_2$ cuvette disposable, adult, 10 pcs.**	**MP01062**
D	**CO$_2$ cuvette disposable, pediatric, 10 pcs.**	**MP01063**

CO$_2$ CUVETTES, REUSABLE

E	**CO$_2$ cuvette reusable, adult**	**6870279**
F	**CO$_2$ cuvette reusable, pediatric**	**6870280**

ACCESSORIES

	Calibration set, with test connection and test gas cylinder	**8412710**
	Test gas cylinder 5 Vol.% CO$_2$, 95 Vol. % N$_2$	**6850435**
G	**Parking holder for CO$_2$ sensor**	**8416352**
	Test filter	**6870281**

A

D-28791-2017

B

D-45143-2015

C

D-7059-2009

D

D-7061-2009

E

D-7062-2009

F

D-7060-2009

G

D-45108-2015

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

ETCO$_2$ MICROSTREAM ACCESSORIES*

A	**etCO$_2$ airway adapter Microstream®, adult/child, max. 12 h, 25 pcs.**	**7869535**
B	**etCO$_2$ airway adapter Microstream®, neonate/child, max. 72 h, 25 pcs.**	**7869550**
C	**etCO$_2$ airway adapter Microstream®, adult/child, max. 72 h, 25 pcs.**	**7869543**
D	**etCO$_2$ nasal cannula Microstream®, adult, max. 12 h, 25 pcs.**	**7869477**
E	**etCO$_2$ nasal cannula Microstream®, child, max. 12 h, 25 pcs.**	**7869469**
F	**etCO$_2$ nasal cannula Microstream®, adult, max. 24 h, 25 pcs.**	**7869592**

*Tradeware

A

D-1070-2014

B

D-1479-2009

C

MT-3011-2004

D

D-9157-2009

E

D-1065-2014

F

MT-3013-2004

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

A	$etCO_2$ nasal cannula Microstream®, + O_2, adult, max. 24 h, 25 pcs.	7869493
	$etCO_2$ nasal cannula Microstream®, + O_2, child, max. 24 h, 25 pcs.	7869485
B	$etCO_2$ nasal/mouth cannula Microstream®, + O_2, child, max. 12 h, 25 pcs.	7869584
C	$etCO_2$ nasal/mouth cannula Microstream®, child, max. 12 h, 25 pcs.	7869501
	Smart Capnoline® Plus, adult/intermediate, 25 pcs.	MS26187
	Smart Capnoline® Plus O_2, adult/intermediate, 25 pcs.	MS26188

A

MT-3012-2004

B

MT-3010-2004

C

D-1067-2014

Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

ToFscan® MONITOR
ToFscan® MONITOR, SOFTWARE 1.8

2.8 TOFSCAN® NEUROMUSCULAR TRANSMISSION MONITOR*

ToFscan® is a nerve stimulator module for the measurementof neuromuscular transmission, via accelerometry. It provides an easy, accurate way to measure of patient muscle relaxation. ToFscan® supports evidence-based judgment about the state of a patient's neuromuscular blockade.

	ToFscan® Kit configurator	MS32318	■	
A	ToFscan® monitor	MS32146	■	
	ToFscan® monitor, Software 1.8	MS40015		■
B	Hand sensor, reusable, adult	MS32154	■	
	Hand sensor, reusable, adult, as of Software 1.8	MS40317		■
	Hand sensor, reusable, pediatric	MS32289	■	
	Hand sensor, reusable, pediatric, as of Software 1.8	MS40318		■
	Hand sensor, reusable, small pediatric, as of Software 1.8	MS40319		■
C	Eyebrow sensor, reusable	MS32291	■	
	Eyebrow sensor, reusable, as of Software 1.8	MS40321		■
D	Foot sensor, reusable	MS32290	■	
	Foot sensor, reusable, as of Software 1.8	MS40322		■
E	Extension cable	MS32153	■	
F	Mount clamp 10 – 40 mm (0.4 – 1.57 in)	MS32150	■	
	Mount clamp 20 – 60 mm (0.79 – 2.36 in)	MS32151	■	
G	Optic serial RS 232 cable (1 meter) to connect the device to a Dräger monitorAC	MS32156	■	
	ToFscan® to IACS connectivity kit	MS25836	■	

*Tradeware

A

D-28482-2015

B

D-28514-2015

C

D-254-2017

D

D-255-2017

E

D-28517-2015

F

D-28533-2015

G

D-28509-2015

Not all articles are available worldwide.

INFINITY® M300

3. INFINITY® M300
3.1 ELECTROCARDIOGRAPHY (ECG)

MONOLEAD® SINGLE-PIN CONNECTOR

A	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 2 m	MS14555
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	MS14556
B	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m	MS14559
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m	MS14560
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 3 m	MS14683
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 3 m	MS14682

A

MT-8510-2005

B



MT-353-2008

INFINITY® M300

ECG-LEAD SETS FOR TELEMETRY

Infinity® TruST™ Telemetry lead sets can also be used in combination with MultiMed® plus. Shielded, not for use in the OR.

A	ECG cable, 3-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03421
	ECG cable, 3-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03422
B	ECG cable, 5-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03423
	ECG cable, 5-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03424
C	ECG cable, 6-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03425
	ECG cable, 6-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03426

REUSABLE ECG LEADS SINGLE-PIN CONNECTOR

D	ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m	MP03401
	ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MP03402
E	ECG cable, 5-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	MP03403
	ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03404
F	ECG cable, 6-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	MP03405
	ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03406

A

D-86318-2013

B

D-86323-2013

C

D-86324-2013

D

D-86298-2013

E

D-86306-2013

F

D-86307-2013

INFINITY® M300

SINGLE-PATIENT USE ECG LEADS SINGLE-PIN CONNECTOR

A	ECG cable, 3-lead, single-pin connector, single-patient use, IEC1 (European color code), 1 m, 20 pcs.	MP00875
	ECG cable, 3-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1 m, 20 pcs.	MP00877
B	ECG cable, 5-lead, single-pin connector, single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs.	MP00879
	ECG cable, 5-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	MP00881
C	ECG cable, 6-lead, single-pin connector, single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs.	MP03122
	ECG cable, 6-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	MP03123

A

D-25816-2020

B

D-25813-2020

C

D-25815-2020

Not all articles are available worldwide.

INFINITY® M300

3.2 PULSE OXIMETRY (SPO_2)

DRÄGER

DRÄGER CABLES

A	SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m	MS18683
B	SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m	MS17330

A

D-2394-2011

B

D-2393-2011

Not all articles are available worldwide.

INFINITY® M300

DRÄGER REUSABLE SENSOR

A	SpO_2 finger sensor Dräger, reusable	MS13235

DRÄGER DISPOSABLE SENSORS

B	SpO_2 adhesive sensor Dräger, vinyl, disposable, adult, 24 pcs.	MS16449
C	SpO_2 adhesive sensor Dräger, foam, disposable, adult, 24 pcs.	MS16445
D	SpO_2 adhesive sensor Dräger, vinyl, disposable, child, 24 pcs.	MS16448
E	SpO_2 adhesive sensor Dräger, foam, disposable, child, 24 pcs.	MS16444

A

MT-3057-2003

B

MT-8243-2005

C

MT-8242-2005

D

MT-8245-2005

E

MT-8237-2005

Not all articles are available worldwide.

INFINITY® M300

MASIMO®

For Masimo® accessories, specific part numbers for USA and Japan apply. Please contact your local Dräger Sales representative for further information.

MASIMO® LNCS CABLES*

A	SpO_2 intermediate cable Masimo® LNCS, 3 m	MS17522
A	SpO_2 intermediate cable Masimo® LNCS, 1.2 m	MS24303

MASIMO® LNCS REUSABLE SENSORS*

B	SpO_2 finger sensor Masimo® LNCS DCI, reusable, adult	MP00796
C	SpO_2 finger sensor Masimo® LNCS DCIP, reusable, child	MP00795
	SpO_2 Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult	MP00788
	SpO_2 Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	MP00789
	SpO_2 Masimo® sensor LNCS-TF-I, reusable, pediatric/adult	MP00799
D	SpO_2 Masimo® sensor LNCS-DBI, reusable, adult	MP02993

MASIMO® LNCS DISPOSABLE SENSORS*

E	SpO_2 adhesive sensor Masimo® LNCS Adtx, disposable, adult, 20 pcs.	MP00790
F	SpO_2 adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.	MP00791
G	SpO_2 adhesive sensor Masimo® LNCS Pdtx, disposable, child, 20 pcs.	MP00793

*Tradeware

A

D-438-2014

B

MT-342-2008

C

MT-341-2008

D

D-463-2014

E

D-32549-2011

F

D-32551-2011

G

D-501-2014

Not all articles are available worldwide.

INFINITY® M300

MASIMO® RD-SET ADAPTER CABLES*

A	Adapter cable RD-SET to LNOP, for connection of RD-SET sensors to Infinity® M300 and Masimo® SET Pod via the LNOP intermediate cables MS18680 and MS17041, as well as to MultiMed® 5/6/12, NeoMed Pods and MultiMed® Plus/Plus OR via the according intermediate cables MS13926/7492601 or MS20163**	MS33731
B	Adapter cable RD-SET to LNCS, for connection of RD-SET sensors to Infinity® M300 and Masimo® SET Pod via the LNCS intermediate cables MS24303 or MS17522	MS33732
	SpO_2 intermediate cable Masimo® RD-SET, 3 m (9.8 ft)	MS34437
	SpO_2 intermediate cable Masimo® RD-SET, 1.2 m (3.9 ft)	MS34436

MASIMO® RD-SET DISPOSABLE SENSORS*

C	Masimo® RD-SET sensor, adult, disposable	MS33726
D	Masimo® RD-SET sensor, pediatric, disposable	MS33727
E	Masimo® RD-SET sensor, infant, disposable	MS33728

MASIMO® RD-SET REUSABLE SENSORS*

F	Masimo® RD-SET DCI sensor, adult, reusable	MS33740
G	Masimo® RD-SET DC-IP sensor, pediatric, reusable	MS33741

*Tradeware
**Products are not available any more.
Adapter is to be used to switch from sensors to the installed base.

A

D-271-2017

B

D-257-2017

C

D-260-2017

D

D-261-2017

E

D-262-2017

F

D-265-2017

G

D-266-2017

Not all articles are available worldwide.

INFINITY® M300

MASIMO® ACCESSORIES*

A	SpO_2 adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO_2 sensor, 100 pcs.	7496917
B	SpO_2 adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO_2 sensor, 100 pcs.	7496909
C	SpO_2 adhesive square Masimo®, 12 pcs.	7496875
D	SpO_2 foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO_2 sensor, 12 pcs.	7496891

*Tradeware

A

MT-4305-2004

B

D-445-2014

C

D-2358-2011

D

MT-4304-2004

Not all articles are available worldwide.

INFINITY® M300

NELLCOR®

NELLCOR® CABLES*

A	SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m	MS18683
B	SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m	MS17330

NELLCOR® REUSABLE SENSOR*

C	SpO_2 finger sensor Nellcor® DURA DS 100A	7262764

NELLCOR® DISPOSABLE SENSORS*

D	SpO_2 adhesive sensor Nellcor® Oximax® Max-A, disposable, adult, cable 46 cm, 24 pcs.	MX50065
E	SpO_2 adhesive sensor Nellcor® Oximax® Max-AL, disposable, adult, cable 91 cm, 24 pcs.	MX50071
F	SpO_2 adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.	MX50066
G	SpO_2 adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	MX50068

*Tradeware

A

D-2394-2011

B

D-2393-2011

C

D-500-2014

D

MT-152-2003

E

MT-166-2003

F

MT-154-2003

G

MT-158-2003

Not all articles are available worldwide.

INFINITY® M300

3.3 POUCH

A	Telemetry transmitter pouch, disposable, 100 pcs.	MS22905

3.4 CODENSATION

B	Holder for Infinity® M300 bedside charger, swiveling 360°	MP00990

A

D-32541-2011

B

D-35689-2009

Not all articles are available worldwide.

VISTA 120

4. VISTA 120
4.1 ELECTROCARDIOGRAPHY (ECG)

Not all articles are available worldwide.

VISTA 120 ECG SINGLE-PIN

A	ECG defib trunk cable, 3/5-lead single-pin, IEC/AHA 1.5 m	2612020
	ECG defib trunk cable, 3/5-lead single-pin, IEC/AHA 2.5 m	2612021
B	ECG ESU trunk cable, 3/5-lead single-pin,IEC/AHA 1.5 m	2612024
	ECG ESU trunk cable, 3/5-lead single-pin, IEC/AHA, 2.5 m	2612025
C	ECG defib trunk cable, Neonate, single-pin, IEC/AHA, 1.5 m	2612026
	ECG defib trunk cable, Neonate, single-pin, IEC/AHA, 2.5 m	2612027
D	ECG ESU trunk cable, Neonate, single-pin, IEC/AHA, 1.5 m	2612028
	ECG ESU trunk cable, Neonate, single-pin, IEC/AHA, 2.5 m	2612029

A

D-5911-2018

B

D-5912-2018

C

D-5914-2018

D

D-5913-2018

VISTA 120

A	ECG leadwire, 3-lead single-pin, IEC, 1 m	2612000
	ECG leadwire, 3-lead single-pin, AHA, 1 m	2612001
	ECG leadwire, 5-lead single-pin, IEC, 1.5 m	2612002
B	ECG leadwire, 5-lead single-pin, AHA, 1.5 m	2612003

A

D-5921-2018

B

D-5920-2018

VISTA 120

INFINITY ECG CABLE

The following lead cables from the Infinity ECG portfolio can be used together with the Vista 120 single-pin connection cables.

A	ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m	MP03401
	ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MP03402
B	ECG cable, 5-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	MP03403
	ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03404
C	ECG cable, 3-lead, single-pin connector, single-patient use, IEC1 (European color code), 1 m, 20 pcs.	MP00875
	ECG cable, 3-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1 m, 20 pcs.	MP00877
D	ECG cable, 5-lead, single-pin connector, single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs.	MP00879
	ECG cable, 5-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	MP00881

A

D-86298-2013

B

D-109417-2013

C

D-25816-2020

D

D-25813-2020

Not all articles are available worldwide.

VISTA 120

The following lead cables from the Infinity ECG portfolio can be used together with the Vista 120 single-pin connection cables.

A	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 2 m	MS14555
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	MS14556
B	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m	MS14559
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m	MS14560
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 4.1 m	MS28561
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 4.1 m	MS28557
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 5.3 m	MS28559
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 5.3 m	MS28558

A

MT-8510-2005

B



D-57232-2012

Not all articles are available worldwide.

VISTA 120

VISTA 120 DUAL-PIN ECG CABLE

A	ECG trunk cable, 5-lead, IEC/AHA colour code	2606496
	ECG trunk cable, 3-lead, IEC/AHA colour code	2606495
B	ECG trunk cable, 3-lead, for neonates, IEC & AHA	2606492
C	ECG limb wires, 5-lead, Grabber, IEC colour code	2606494
	ECG limb wires, 3-lead, Grabber, IEC colour code	2606493
D	ECG limb wires, 5-lead, Grabber, AHA colour code	2606498
	ECG limb wires, 3-lead, Grabber, AHA colour code	2606497
E	ECG electrodes, adult, disposable, 300 pcs.*	2606247
	ECG electrodes, child, disposable, 500 pcs.*	2606248
F	ECG electrodes, adult/child, disposable, 1,000 pcs.*	2606249
G	ECG electrodes, single-patient use, neonate, 300 pcs.*	5195024

*Tradeware

A

D-76158-2013

B

D-76153-2013

C

D-76155-2013

D

D-16832-2018

E

D-16825-2018

F

D-16826-2018

G

D-8983-2009

Not all articles are available worldwide.

VISTA 120

VISTA 120 | VISTA 120 SC

4.2 PULSE OXIMETRY (SPO_2)

DRÄGER SPO_2

Not for use with Vista 120 Nellcor models.

			VISTA 120	VISTA 120 SC
A	SpO_2 finger sensor, adult, 2.5 m, reusable	2606483	■	■
B	SpO_2 finger sensor, adult, 1 m, reusable	2606484	■	■
C	SpO_2 extension cable, 2 m, reusable	2606487	■	■
D	SpO_2 silicone Soft-tip sensor, adult, 1 m, reusable	2606485	■	■
	SpO_2 silicone Soft-tip sensor, pediatric, 1 m, reusable	2606486	■	■
E	SpO_2 sensor*, adult, 0.5 m, disposable, 25 pcs.	2606208	■	■
F	SpO_2 sensor*, pediatric, 0.5 m, disposable, 25 pcs.	2606209	■	■
G	SpO_2 sensor*, infant, 0.5 m, disposable, 25 pcs.	2606210	■	■
	SpO_2 sensor*, neonate, 0.5 m, disposable, 25 pcs.	2606211	■	■

Can be used with Vista 120 SC Model A and Model B.

*Tradeware

A

D-76143-2013

B

D-16263-2010

C

D-16248-2010

D

D-509-2014

E

D-16252-2010

F

D-16254-2010

G

D-16255-2010

Not all articles are available worldwide.

VISTA 120

			VISTA 120	VISTA 120 SC
	NELLCOR OXIMAX SPO_2*			
	Only for use with Vista 120 Nellcor models.			
A	**Nellcor® intermediate cable, 1.2 m**	**MP00748**	■	■
	Nellcor® intermediate cable, 3 m	**MS20979**	■	■
B	**SpO_2 finger sensor Nellcor® DURA DS 100A**	**7262764**	■	■
C	**SpO_2 multisite sensor Nellcor® DURA-Y™, reusable**	**MX01004**	■	■
D	**Ear clip for Nellcor® DURA-Y™**	**MX01005**	■	■
E	**SpO_2 adhesive sensor Nellcor® Oximax® Max-Fast, disposable, application on forehead, 24 pcs.**	**MX50070**	■	■

Can be used with Vista 120 SC Model C.

*Tradeware

A

D-45130-2015

B

D-500-2014

C

D-4425-2014

D

D-35680-2009

E

MT-2355-2004

MT-164-2003

Not all articles are available worldwide.

VISTA 120

			VISTA 120	VISTA 120 SC
	4.3 NON-INVASIVE BLOOD PRESSURE (NIBP)*			
A	**NIBP tube, 3 m**	**2601195**	■	■
B	**NIBP cuff, infant, 10 cm – 15 cm, reusable, Vista120**	**2606151**	■	■
C	**NIBP cuff, small child, 13 cm – 17 cm, reusable, Vista120**	**2606152**	■	■
D	**NIBP cuff, child, 16 cm - 21 cm, reusable, Vista120**	**2606153**	■	■
E	**NIBP cuff, small adult, 20.5 cm – 28 cm, reusable, Vista120**	**2606154**	■	■
F	**NIBP cuff, adult, 27 cm – 35 cm, reusable, Vista120**	**2606155**	■	■
G	**NIBP cuff, larger adult, 34 cm – 43 cm, reusable, Vista120**	**2606156**	■	■

Can be used with Vista 120 SC Model A and Model B.

*Tradeware

A

D-16306-2010

D-6383-2017

D-6384-2017

D

D-12483-2014

D-6382-2017

F

D-12481-2014

G

D-6381-2017

Not all articles are available worldwide.

VISTA 120

			VISTA 120	VISTA 120 SC
A	NIBP cuff, neonatal #1, 3 – 6 cm, disposable, 20 pcs., Vista120	2607034	■	■
B	NIBP cuff, neonatal #2, 4 – 8 cm, disposable, 20 pcs., Vista120	2607035	■	■
C	NIBP cuff, neonatal #3, 6 – 11 cm, disposable, 20 pcs., Vista120	2607036	■	■
D	NIBP cuff, neonatal #4, 7 – 13 cm, disposable, 20 pcs., Vista120	2607037	■	■
E	NIBP cuff, neonatal #5, 8 – 15 cm, disposable, 20 pcs., Vista120	2607038	■	■

A

D-6385-2017

B

D-6389-2017

C

D-6388-2017

D

D-6387-2017

E

D-6386-2017

VISTA 120

4.4 TEMPERATURE

	Temperature probe skin*, adult, 3 m, reusable	2601197
	Temperature probe*, rectal/oral, adult, 3 m, reusable	2601198
A	Temperature probe skin*, neonate/infant, 3 m, reusable	2601200
B	Temperature probe*, rectal/oral, neonatal/Infant, 3 m, reusable	2601199
C	Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616
	Protective cover* for general-purpose temperature probe, latexfree, 100 pcs.	MS40243

*Tradeware

A

D-6380-2017

B

D-6379-2017

C

D-2354-2011

VISTA 120

The following temperature probes from the Infinity® temperature portfolio can be used from software 3.11 with the Vista 120 in combination with the MP00943.

SINGLE-PATIENT USE TEMPERATURE PROBES

A	General-purpose temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00991
	General-purpose temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00992
B	General-purpose temperature probe, single-patient use, child, 7-pin connector, 1.6 m	MP00993
	General-purpose temperature probe, single-patient use, child, 7-pin connector, 3 m	MP00994
C	Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00995
	Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00996
D	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	MP00997
	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998

A

D-7371-2011

B

D-7373-2011

C

D-7375-2011

D

D-7377-2011

VISTA 120

REUSABLE TEMPERATURE PROBES

A	General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m	4329889
A	General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m	5204644
A	General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m	4329848
A	General-purpose temperature probe, reusable, child, 7-pin connector, 3 m	5204651
B	Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822
B	Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669
C	Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616
	Protective cover* for general-purpose temperature probe, latexfree, 100 pcs.	MS40243

*Tradeware

A

D-2336-2011

B

D-2335-2011

C

D-2354-2011

VISTA 120

4.5 INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT* (C.O)

*For supported Vista 120 models only.

A	IBP pressure transducer kit**, BD/Argon, disposable, 5 kits	2606225
B	IBP cable** Becton Dickinson/Argon	2606488
C	IBP cable** Edwards	2606489
D	IBP cable** Abbott, Medex	2606490
E	IBP cable** Utah	2606491
F	IBP cable** 7pin	2607558
G	IBP cable** 10pin	2607559

**Tradeware

A

D-16296-2010

B

D-16312-2010

C

D-16857-2018

D

D-16858-2018

E

D-16856-2018

F

D-4540-2019

G

D-4541-2019

Not all articles are available worldwide.

VISTA 120

A	Cardiac Output cable*, 3 m	2601201
B	CO In-line Injection temperature probe* Becton Dickinson	2601190
	CO In-line Injection temperature probe housing*	2601191
C	CO Control Syringe*	2601192

*Tradeware

A

D-6391-2017

B

D-6392-2017

C

D-6390-2017

Not all articles are available worldwide.

VISTA 120

4.6 CO_2 SIDESTREAM

DRÄGER G2 SIDESTREAM*

A	CO_2 sampling line, disposable, for Vista 120, 100 pcs.	2607550
B	CO_2 nasal cannula, adult, disposable, for Vista 120, 100 pcs.	2607551
C	CO_2 nasal cannula, pediatric, disposable, for Vista 120, 100 pcs.	2607552
D	CO_2 nasal cannula, infant, disposable, for Vista 120, 100 pcs.	2607553
E	CO_2 nasal cannula + O_2, adult, disposable, for Vista 120, 50 pcs.	2607554
F	CO_2 nasal cannula + O_2, child, disposable, for Vista 120, 50 pcs.	2607555
G	CO_2 sidestream water trap, for Vista 120, 20 pcs.	2605124

*Tradeware

A

D-16815-2018

B

D-16796-2018

C

D-16798-2018

D

D-16799-2018

E

D-16800-2018

F

D-16801-2018

G

D-16819-2018

Not all articles are available worldwide.

VISTA 120

4.7 CO_2 MAINSTREAM

Not all products are available worldwide.

DRÄGER CO_2 MAINSTREAM

Compatible with Vista 120 from software 3.11.

A	MCable Mainstream CO_2, for Evita, Infinity® V500, Infinity® M540, Vista120, Vista120 S, and Delta VF9.1 and higher	6871950
	For fans and monitors that have a yellow connector for the CO_2 sensor.	
B	CO_2 cuvette disposable, adult, 10 pcs.	MP01062
C	CO_2 cuvette disposable, pediatric, 10 pcs.	MP01063
D	CO_2 cuvette reusable, adult	6870279
E	CO_2 cuvette reusable, pediatric	6870280

A

D-28791-2017

B

D-7059-2009

C

D-7061-2009

D

D-7062-2009

E

D-7060-2009

Not all articles are available worldwide.

VISTA 120

RESPIRONICS CO_2 MAINSTREAM*

Not all products are available worldwide.

A	**$etCO_2$ sensor Capnostat 5, reusable**	**2606226**
B	**CO_2 airway adapter, adult, disposable, 10 pcs.**	**2606227**
C	**CO_2 airway adapter, neonatal (infant/pediatric), disposable, 10 pcs.**	**2606228**

*Tradeware

A

D-508-2014

B



D-16293-2010

C



D-16294-2010

VISTA 120

	Vista 120 rechargeable Lithium-Ion battery*	**2606229**
A	**Vista 120 printing paper*, 4 rolls**	**2606231**
B	**BISx adapter cable Vista120**	**2607560**
	BISx pod Vista120	**2607561**

*Tradeware

A

D-16313-2010

VISTA 120

			VISTA 120	VISTA 120 SC
	5. VISTA 120 SPOTCHECK			
	5.1 PULSE OXIMETRY (SPO_2)			
	DRÄGER SPO_2			
A	SpO_2 extension cable, 2 m, reusable	2606487	■	■
B	SpO_2 silicone Soft-tip sensor, adult, 1 m, reusable	2606485	■	■
	SpO_2 silicone Soft-tip sensor, pediatric, 1 m, reusable	2606486	■	■
C	SpO_2 sensor*, adult, 0.5 m, disposable, 25 pcs.	2606208	■	■
D	SpO_2 sensor*, pediatric, 0.5 m, disposable, 25 pcs.	2606209	■	■
E	SpO_2 sensor*, infant, 0.5 m, disposable, 25 pcs.	2606210	■	■
F	SpO_2 sensor*, neonate, 0.5 m, disposable, 25 pcs.	2606211	■	■
G	SpO_2 finger sensor, adult, 2.5 m, reusable	2606483	■	■
	SpO_2 finger sensor, adult, 1 m, reusable	2606484	■	■

Can be used with Vista 120 SC Model A and Model B.

*Tradeware

A

D-16248-2010

B

D-509-2014

C

D-16252-2010

D

D-16254-2010

E

D-16255-2010

F

D-16256-2010

G

D-76143-2013

Not all articles are available worldwide.

VISTA 120

			VISTA 120	VISTA 120 SC
	NELLCOR SPO_2*			
A	Nellcor® intermediate cable, 1.2 m	MP00748	■	■
	Nellcor® intermediate cable, 3 m	MS20979	■	■
B	SpO_2 finger sensor Nellcor® DURA DS 100A	7262764	■	■
C	SpO_2 multisite sensor Nellcor® DURA-Y™, reusable	MX01004	■	■
D	Ear clip for Nellcor® DURA-Y™	MX01005	■	■
E	SpO_2 adhesive sensor Nellcor® Oximax® Max-Fast, disposable, application on forehead, 24 pcs.	MX50070	■	■

Can be used with Vista 120 SC Model C.

*Tradeware

A

D-46130-2015

B

D-500-2014

C

D-35680-2009

D

MT-2355-2004

E

MT-164-2003

Not all articles are available worldwide.

VISTA 120

VISTA 120
VISTA 120 SC

5.2 NON-INVASIVE BLOOD PRESSURE (NIBP)*

			VISTA 120	VISTA 120 SC
A	NIBP tube, 3 m	2601195	■	■
B	NIBP cuff, infant, 10 cm – 15 cm, reusable, Vista120	2606151	■	■
C	NIBP cuff, small child, 13 cm – 17 cm, reusable, Vista120	2606152	■	■
D	NIBP cuff, child, 16 cm - 21 cm, reusable, Vista120	2606153	■	■
E	NIBP cuff, small adult, 20.5 cm – 28 cm, reusable, Vista120	2606154	■	■
F	NIBP cuff, adult, 27 cm – 35 cm, reusable, Vista120	2606155	■	■
G	NIBP cuff, larger adult, 34 cm – 43 cm, reusable, Vista120	2606156	■	■

Can be used with Vista 120 SC Model A and Model B.

*Tradeware

A

D-16306-2010

B

D-6383-2017

C

D-6384-2017

D

D-12493-2014

E

D-6382-2017

F

D-12481-2014

G

D-6381-2017

Not all articles are available worldwide.

VISTA 120

SUNTECH NIBP*

	APC NIBP Cuff, child, 12 cm – 19 cm, reusable, Vista120 SC	2600930
A	APC NIBP Cuff, small adult, 17 cm – 25 cm, reusable, Vista120 SC	2600932
	APC NIBP Cuff, adult, 23 cm – 33 cm, reusable, Vista120 SC	2600933
B	APC NIBP Cuff, large adult, 31 cm – 40 cm, reusable, Vista120	2600934
	OPC NIBP Cuff, child, 12 cm – 19 cm, reusable, 5 pcs., Vista120 SC	2600935
	OPC NIBP Cuff, child, 17 cm – 25 cm, reusable, 5 pcs., Vista120 SC	2600936
	OPC NIBP Cuff, child, 23 cm – 33 cm, reusable, 5 pcs., Vista120 SC	2600937
	OPC NIBP Cuff, child, 31 cm – 40 cm, reusable, 5 pcs., Vista120 SC	2600938

Can be used with Vista 120 SC Model C.
APC = All Purpose Cuff, OPC= One Piece Cuff

*Tradeware

A

D-23668-2020

B

D-23367-2020

Not all articles are available worldwide.

VISTA 120

5.3. TEMPERATURE

EXERGEN THERMOMETER*

A	TAT-5000S Temporal Scanner, Vista 120 SC	2600946
B	TAT-5000S Probe Caps, single-use, 1,000 pcs., Vista 120 SC	2600948
	TAT-5000S Sheats, single-use, latexfree, 250 pcs., Vista 120 SC	2600949

Can be used with Vista 120 SC Model B and Model C.

*Tradeware

A

D-23370-2020

B

D-23375-2020

VISTA 120

FILAC 3000*

A	Filac 3000 Probe, oral, reusable, 1.2 m, Vista 120 SC	2600939
	Filac 3000 Probe, oral, reusable, 2.7 m, Vista 120 SC	2600940
	Filac 3000 Isolation Chamber, oral, Vista 120 SC	2600941
B	Filac 3000 Probe, rectal, reusable, 1.2 m, Vista 120 SC	2600942
	Filac 3000 Probe, rectal, reusable, 2.7 m, Vista 120 SC	2600943
	Filac 3000 Isolation Chamber, rectal, Vista 120 SC	2600944
C	Filac 3000 Probe Covers, 20 pcs. Vista 120 SC	2600945

Can be used with Vista 120 SC Model B and Model C.

*Tradeware

A

D-21236-2020

B

D-21237-2020

C

D-23313-2020

MULTI VENDOR ADAPTER

6. MULTI VENDOR ADAPTER

Multi Vendor Accessories (MVA)

6.1 ECG ADAPTER*

A	ECG Adapter, 3 Lead GE	MP04322
	ECG Adapter, 5 Lead GE	MP04320
B	ECG Adapter, 3 Lead Mindray	MP04312
	ECG Adapter, 5 Lead Mindray	MP04310
C	ECG Adapter, 3 Lead NK	MP04316
	ECG Adapter, 6 Lead NK	MP04315
D	ECG Adapter, 3 Lead Philips	MP04325
	ECG Adapter, 5 Lead Philips	MP04326
	ECG Adapter, 6 Lead Philips	MP04327
E	ECG Adapter, 3 Lead Spacelabs	MP04300
	ECG Adapter, 5 Lead Spacelabs	MP04301
F	ECG Adapter, 3 Lead Welch Allyn	MP04305
	ECG Adapter, 5 Lead Welch Allyn	MP04306

*Tradeware

A

D-12402-2014

B

D-12398-2014

C

D-12400-2014

D

D-12403-2014

E

D-12393-2014

F

D-12395-2014

MULTI VENDOR ADAPTER



MULTI VENDOR ADAPTER

6.2 ECG ADAPTER TELEMETRY*

A	ECG adapter tel, GE-AP-CH, 3 Lead	MP04350
	ECG adapter tel, GE-AP-CH, 5 Lead	MP04351
	ECG adapter tel, GE-AP-CH, 6 Lead	MP04352
B	ECG adapter tel, GE-AP-FH, 5 Lead	MP04353
C	ECG adapter tel, PH MX40, 3 Lead	MP04355
	ECG adapter tel, PH MX40, 5 Lead	MP04356
	ECG adapter tel, PH MX40, 6 Lead	MP04357
D	ECG adapter tel, PH M, 5 Lead	MP04358
	ECG adapter tel, PH M, 6 Lead	MP04359
E	ECG adapter tel, SL AT, 5 Lead	MP04365
F	ECG adapter tel, SL UV, 5 Lead	MP04366

6.3 TEMP ADAPTER

	TEMP Adapter Jack	MP00943
G	TEMP Adapter 2-pin	MP00944

*Tradeware

A

D-4866-2017

B

D-4879-2017

C

D-4887-2017

D

D-4883-2017

E

D-4876-2017

F

D-4878-2017

G

D-3850-2014

Not all articles are available worldwide.

MULTI VENDOR ADAPTER



Not all articles are available worldwide.

Ward equipment

Something you can count on:

With decades of experience in developing and manufacturing high-quality ward accessories, as your acute care specialist, we are driven to improve clinical outcomes through the continuous development and manufacturing of high-quality ward accessories. Our Dräger VarioAir® suction ejector and Dräger compact flowmeter are examples of smart accessories that are designed to meet the high demands throughout every ward and station.

We can help you conceptualise your hospital installations with intelligent workstations integrated with complementing accessory products for safer and more optimized patient care.

D-11346-2019

CONTENT

1.	**Oxygen therapy**	**241**
1.1	Flowmeter	241
1.2	Oxymixer	253
1.3	Pressure reducer	255
1.4	Humidifier, adapter and application	263
2.	**Medical aspiration**	**265**
2.1	Bronchial aspiration	265
2.2	OR aspiration	285
2.3	Continuous and thoracic drainage	289
3.	**Accessory for gas supply**	**299**
3.1	CS hoses	299
3.1.1	German standard	299
3.1.2	French standard	301
3.1.3	British standard	303
3.1.4	Sweden standard	305
3.1.5	Swiss standard	306
3.1.6	Italian standard	307
3.1.7	Australian standard	308
3.1.8	Japanese standard	309
3.1.9	US american standard	310
3.1.10	Canadian standard	312
3.1.11	Chinese standard	313
3.2	Adapter	314

FLOWMETER

1. OXYGEN THERAPY

1.1 FLOWMETER

These O_2 Flowmeters are plugged directly into a wall terminal unit for oxygen and are used to control the flow of oxygen in inhalation and insufflation. Flow rates can be set with a high degree of accuracy. The large rotary knob makes setting easier.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)**
± 15% (corresponding to smallest setting value)
± 10% (all other setting values)
** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D):	160 × 40 × 130 mm (6.3 × 1.6 × 5.1 in)
Material:	Housing: Aluminium Pressure dome: Polyamide Flow indicator: Glass
Weight:	Approx. 500 g (1.1 lb)

A	**O_2 flowmeter, 4 l/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16“ for accessories and sterile water systems**	**MP04551**
B	**O_2 flowmeter, 16 l/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16“ for accessories and sterile water systems**	**MP04558**
C	**O_2 flowmeter, 16 l/min, CS, long CS plug (6 cm; 2.4 in), DIN, ISO and neutral color, M34×1.5 and 9/16“ for accessories and sterile water systems**	**MP04561**

A

D-940-2016

B

D-941-2016

C

D-943-2016

Not all articles are available worldwide.

FLOWMETER

A	**O_2 flowmeter, 16 l/min, CS, British Standard, ISO, M34×1.5, adapter 9/16“**	**MP04565**
B	**O_2 flowmeter, 16 l/min, CS, French Standard, ISO, M34×1.5, adapter 9/16“**	**MP04566**
C	**O_2 flowmeter, 10 l/min, CS, CARBA, including adapter to 9/16“ for sterile water**	**MP04554**
D	**O_2 flowmeter, 16 l/min, CS, CARBA, including adapter to 9/16“ for sterile water**	**MP04563**
E	**O_2 flowmeter, 32 l/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16“ for accessories and sterile water systems**	**MP04571**

A

D-960-2016

B

D-961-2016

C

D-950-2016

D

D-952-2016

E

D-945-2016

FLOWMETER

TWIN FLOWMETER

The particular advantage of the twin flowmeter is, that two patients can be treated simultaneously and independently of one another, while occupying only one wall terminal.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)**
± 15% (corresponding to smallest setting value)
± 10% (all other setting values)
** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D):	160 × 150 × 190 mm (6.3 × 5.9 × 7.15 in)
Material:	Housing: Aluminium Pressure dome: Polyamide Flow indicator: Glass
Weight:	Approx. 900 g (1.98 lb)

A	**O_2 twin flowmeter, 2 × 16 l/min, CS, DIN, ISO, neutral color, M34×1.5 and 9/16“ for accessories and sterile water systems**	**MP04560**
B	**O_2 twin flowmeter, 2 × 10 l/min, CS, CARBA, 2 × M34×1.5, including adapter to 9/16“ for sterile water**	**MP04555**
C	**O_2 twin flowmeter, 2 × 10 l/min, rail fitting with NIST gas inlet, 2 × M34×1.5, adapter 9/16“**	**MP04557**
	O_2 twin flowmeter, 2 × 16 l/min, rail fitting with NIST gas inlet, 2 × M34×1.5, adapter 9/16“	**MP04569**

A

D-944-2016

B

D-955-2016

C

D-956-2016

FLOWMETER

These O_2 flowmeters for rail attachment can be used to control the flow of oxygen in inhalation and insufflation. Flow rates up to 4 and 16 l/min can be set with a high degree of accuracy. The large rotay knob makes setting easier. Using the rail clamp, the flowmeter can be quickly and safely attached to all rail profiles. The connection to the gas supply can be ensured by a CS hose with NIST coupling nut.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)**
± 15% (corresponding to smallest setting value)
± 10% (all other setting values)
** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D):	160 × 40 × 130 mm (6.3 × 1.6 × 5.1 in)
Material:	Housing: Aluminium Pressure dome: Polyamide Flow indicator: Glass
Weight:	Approx. 950 g (2.09 lbs)

A O_2 flowmeter, 4 l/min, rail with NIST gas inlet, M34×1.5 and 9/16“ for accessories and sterile water systems — **MP04552**

B O_2 flowmeter, 16 l/min, rail NIST, packed with hose 1.5 m, DIN, ISO, M34×1.5 and 9/16“ for accessories and sterile water systems — **MP04573**

C O_2 flowmeter, 16 l/min, rail NIST, packed with hose 1.5 m, DIN, neutral color, M34×1.5 and 9/16“ for accessories and sterile water systems — **MP04575**

A

D-962-2016

B

D-663-2016

C

D-664-2016

Not all articles are available worldwide.

FLOWMETER

A O_2 flowmeter, 4 l/min, rail, 90°, NIST gas inlet, M34×1.5 and 9/16“ for accessories and sterile water systems — **MP04553**

B O_2 flowmeter, 16 l/min, rail, 90°, NIST gas inlet, M34×1.5 and 9/16“ for accessories and sterile water systems — **MP04570**

C O_2 flowmeter, 32 l/min, rail, NIST, M34×1.5 and adapter 9/16“ — **MP04580**

A

D-947-2016

B

D-946-2016

C

D-948-2016

Not all articles are available worldwide.

FLOWMETER

A	O_2 flowmeter for anesthesia, 16 l/min, rail, with NIST ISO hose 1.2 m, connector 9/16“ UNF to 6 mm	MP04576
B	O_2 flowmeter for anesthesia, 16 l/min, rail, with NIST black hose 1 m, connector 9/16-18 UNF to 6 mm	MP04577
C	O_2 flowmeter for anesthesia, 16 l/min, 90°, rail, with NIST ISO hose 1.2 m, connector 9/16-18 UNF to 6 mm	MP04578
D	O_2 flowmeter for anesthesia, 16 l/min, 90°, rail, with NIST black hose 1 m, connector 9/16-18 UNF to 6 mm	MP04579

A

D-5883-2018

B

D-5886-2018

C

D-5884-2018

D

D-5885-2018

FLOWMETER

A	O_2 flowmeter, 16 l/min, rail, NIST gas inlet, M34×1.5, adapter 9/16“	MP04567
B	O_2 flowmeter, 10 l/min, rail fitting with NIST gas inlet, M34×1.5, adapter 9/16“	MP04556

CS hoses

Several hoses to connect flowmeter with the central supply.
For CS hoses see chapter 4, „Accessory for gas supply“.

A

D-948-2016

B



D-951-2016

FLOWMETER

These flowmeters are plugged directly into a wall terminal unit for medical air and are used to control the flow of medical air for aerosoltherapy. Flow rates of up to 16 or 32 l/min can be set with a high degree of accuracy. The large rotary knob makes setting easier. With integrated sintered filter.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)**
± 15% (corresponding to smallest setting value)
± 10% (all other setting values)
** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D):	160 × 40 × 130 mm (6.3 × 1.6 × 5.1 in)
Material:	Housing: Aluminium Pressure dome: Polyamide Flow indicator: Glass
Weight:	Approx. 500 g (1.1 lb)

A	**AIR flowmeter, 16 l/min, CS, DIN, ISO and neutral color, M32×1.5**	**MP04559**
B	**AIR flowmeter, 16 l/min, CS, long cs plug (6 cm; 2.4 in), DIN, ISO and neutral color, M32×1.5**	**MP04562**
C	**AIR flowmeter, 16 l/min, CS, CARBA, ISO, M32×1.5**	**MP04564**
D	**AIR flowmeter, 32 l/min, CS, DIN, ISO and neutral color, M32×1.5**	**MP04572**

A

D-942-2016

B

D-957-2016

C

D-953-2016

D

D-999-2016

Not all articles are available worldwide.

FLOWMETER

These Flowmeters for rail attachment can be used to control the flow of medical air for aerosol therapy. Flow rates of up to 16 l/min can be set with a high degree of accuracy.
The large setting knob makes setting easier. Using the rail clamp, the flowmeter can be quickly and safely attached to standard rail profiles. The connection to the gas supply can be ensured by a CS hose with NIST coupling nut.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)**
± 15% (corresponding to smallest setting value)
± 10% (all other setting values)
** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D):	160 × 40 × 130 mm (6.3 × 1.6 × 5.1 in)
Material:	Housing: Aluminium Pressure dome: Polyamide Flow indicator: Glass
Weight:	Approx. 950 g (2.09 lbs)

A	**AIR flowmeter, 16 l/min, rail, NIST, M32×1.5**	**MP04568**
B	**AIR flowmeter, 32 l/min, rail, NIST, M32×1.5**	**MP04581**

CS hoses

Several hoses to connect flowmeter with the central supply.
For CS hoses see chapter 4, „Accessory for gas supply“.

A



D-954-2016

B



D-954-2016

Not all articles are available worldwide.

FLOWMETER

COMPACT FLOWMETER CLICKFLOW

Input pressure:	4.5 ± 0.5 bar*
Adjustable ranges:	**0.1 – 1 l/min** (0; 0.1; 0.2; 0.3; 0.4; 0.5; 0.6; 0.7; 0.8; 1 l/min) **0.5 – 5 l/min** (0; 0.5; 1; 1.5; 2; 2.5; 3; 3.5; 4; 5 l/min) **1 – 16 l/min** (0; 1; 2; 3; 4; 6; 8; 10; 12; 16 l/min) **1 – 32 l/min** (0; 1; 5; 8; 12; 16; 20; 25; 28; 32 l/min)
Accuracy (at 4.5 ± 0.5 bar):	0.5 – 5 l/min, 1 – 16 l/min and 1 – 32 l/min: ± 20%; 0 – 1 l/min ± 30%
Gas inlet:	CS plug O_2 or AIR; NIST (rail)
Gas outlet:	6 mm nozzle for application unit, thread 9/16” for sterile water or adapter for reusable humidifyer
Weight:	approx. 420 g (CS); approx. 700 g (rail)
Housing material:	nickel-coated brass
Dimensions:	diameter about 38 mm, length about 92 mm (CS version); about 118 mm (rail version)

*1 bar = 1 kPa × 100

A

D-20365-2020

A	**Compact flowmeter Clickflow configurator, gives you the option of arranging the compact flowmeter according to your requirements, selectable options for configuration:**	**MP13000**
Gas type:	O_2; AIR	
Mounting:	CS; rail with NIST gas inlet	
CS connection:	DIN; Carbamed; BS (England); NF (France)	
Version:	single compact flowmeter; double compact flowmeter	
Flow:	0.1 – 1 l/min; 0.5 – 5 l/min; 1 – 16 l/min, 1 – 32 l/min	
Gas outlet:	6 mm nozzle, thread 9/16“ for sterile water	

FLOWMETER

A	**O_2 compact flowmeter Clickflow, DIN CS, 1 – 16 l/min, 6 mm nozzle**	**MP13012**
B	**O_2 compact flowmeter Clickflow, DIN CS, 1 – 16 l/min, 9/16"**	**MP13011**

A

D-20364-2020

B

D-20363-2020

FLOWMETER

A	**O_2 compact flowmeter Clickflow, rail, NIST, 1 – 16 l/min, 9/16"**	**MP13013**
B	**O_2 twin compact flowmeter Clickflow, DIN, 2 × 1 – 16 l/min, 9/16"**	**MP13014**
C	**AIR compact flowmeter Clickflow, DIN, 1 – 16 l/min, 9/16"**	**MP13015**
D	**AIR compact flowmeter Clickflow, DIN, 1 – 16 l/min, 6 mm nozzle**	**MP13016**
E	**AIR compact flowmeter Clickflow, rail, 1 – 16 l/min, 9/16"**	**MP13017**

Accessories for Flowmeter in chapter 1.4
(Humidifier, adapter and application).

Several hoses to connect Clickflow with the central supply.
For CS hoses see chapter 4, “Accessory for gas supply”.

A

D-25950-2020

B

D-20358-2020

C

D-20361-2020

D

D-20362-2020

E

D-25945-2020

Not all articles are available worldwide.

OXYMIXER*

1.2 OXYMIXER*

Oxymixer enables a continuous and individually adjusted mixture of medical air and medical oxygen to be administered to infants, children and adults. The O_2 concentration is easily adjusted to a highly accurate flow by means of the bleed – even with flow rates of less than 3 l/min.

	Oxymixer configuration Configurable Oxymixer	**MP04200**
A	**Oxymixer High Flow**	**MP04201**
B	**Oxymixer High Flow with monitor**	**MP04202**
C	**Oxymixer Low Flow with monitor**	**MP04204**
D	**Oxymixer Low Flow with 1 – 15 l flowmeter right**	**MP04229**
E	**Multi-P trolley basic**** Including base with 5 castors, 38-mm Ø pole, 3 rail clamps, basket.	**MP13020**
F	**Multi-P trolley basic**** Including base with 5 castors and 38 mm Ø pole for accessories.	**MP13021**

Several hoses to connect Oxymixer with the central supply.
For CS hoses see chapter 4, “Accessory for gas supply”.

*Tradeware
**Tradeware. This product is expected to be available in April 2021.

A

D-17766-2016

B

D-17765-2016

C

D-17768-2016

D

D-5872-2018

E

D-32262-2020

F

D-32264-2020

Not all articles are available worldwide.

OXYMIXER

A	**Oxymixer sound damper 9/16"**	**MP04218**
B	**Oxymixer sound damper 22 and 15 mm**	**MP04219**
C	**Adapter 9/16" to 15/22mm**	**MP05305**
D	**Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection**	**MP00416**
	Oxymixer oxygen sensor (spare part)	**MP04221**

*Produced by DEHAS

A

D-13933-2017

B

D-15154-2017

C

D1781-2019

D

D-122-2016

PRESSURE REDUCER

1.3 PRESSURE REDUCER

A **Pressure reducer OxyLine, customized configuration of pressure reducers** **MP00100**

OxyLine's modular design means you can accurately choose the pressure reducer you need from the following components:

- O_2 or AIR pressure reducer with 200 bar technology
- Manometer, vertical or horizontal
- Flow regulator settings (1, 2, 3, 4, 6, 8, 12 and 15 l/min) and 9/16" sterile water connector
- Flowmeter for up to 16 l/min with connector for Dräger reusable humidifier, sterile water connector and 6 mm (0.2 in) nozzle for an oxygen mask
- Self-closing NIST connector
- Centralized gas supply coupling, e.g. to connect up a mains-operated ventilation device
- Ejector for short-time suction of eg. secret

Type:	Single-stage pre-set pressure reducer
Permissible inlet pressure range:	11 to 200 kPa × 100
Nominal outlet pressure (p2):	non-adjustable, output pressure as per rating plate
Weight:	1.2 kg to 2 kg (depending on connector type)
Material:	Brass with chemical nickel surface

A

D-4945-2017

PRESSURE REDUCER

OxyLine® Pressure reducer MP00100

Order information international

Make your own configuration by setting a cross or a number.

☐ = One position must be chosen

⬚ = One position can be chosen

MT-3990-2003

D-4946-2017 D-6378-2017 D-4947-2017

MT-1005-2004



MT-1004-2004 MT-1000-2004 MT-1011-2004 MT-1012-2004

		O_2 (200 bar)		O_2 (200 bar)		AIR (200 bar)
1	**Pressure Reducer Basis**					
1.1	**O_2 200 bar**			☐		
1.2	**AIR 200 bar**					☐
1.3	**Oxett / Oxator**					
	Oxatorhead 200	☐				
	Oxetthead 200, Flowregulator	☐				
	Oxetthead 200, Flowmeter	☐				
2	**Pressure Gauge**					
2.1	**O_2**					
	40 mm vertical 200 bar			☐		
	40 mm horizontal			☐		
2.2	**AIR**					
	40 mm vertical 200 bar					☐
	40 mm horizontal					☐
3	**High Pressure Inlet**					
3.1	**O_2-Inlet**					
	G¾ (German Standard)	☐	☐			
	SS (Swedish Standard, AGA) (GA)	☐	☐			
	EN 850 P/I (Pin Index)	☐	☐			
	NBN 226 (Belgium Standard)					
3.2	**AIR-Inlet**					☐
	G⅝					☐
	EN 850 P/I (Pin Index)					
			O_2	O_2	O_2	AIR

PRESSURE REDUCER

MT-1321-2003

MT-1333-2003

D-8465-2016

MT-1332-2003

D-4941-2017

4	**Outlet**
4.1	**Flow O_2**
	Flowmeter O_2
	left
	right
	Flowregulator O_2 / 4,5 bar
	left
	right
4.2	**Central Supply coupling-O_2**
	DIN13260-2
	left
	right
	BS 5682 (British Standard)
	left
	right
	NFS90-116 (French Standard)
	left
	right
	Carba-Coupling O_2 (Swiss Standard)
	left
	right
4.3	**Central Supply coupling-AIR**
	DIN13260-2
	left
	right
	Carba-Coupling AIR (Swiss Standard)
	left
	right
4.4	**NIST O_2**
	NIST O_2 with ball valve down side
	left
	right
4.5	**NIST AIR**
	NIST AIR with ball valve
	down side
	left
	right
4.6	**Ejector VarioO2**
	down side



			O_2	AIR
5	**Accessories**			
	Adapter NIST to DIN CS-Coupling O_2	M35056	⬚	
	Adapter NIST to DIN CS-Coupling AIR	M35058		⬚
	Adapter, with 6 mm nozzle, 9/16" connection	MP00416	⬚	
	Humidifier-bubbler, for oxygen humidification	2M85834	⬚	
	Humidifier-nebulizer, for oxygen humidification	2M85835	⬚	

PRESSURE REDUCER

A	Oxett head OxyLine, pressure reducer G¾“, 200 bar, NIST, flowmeter, DIN-CS, ejector VarioO2	MP01101
B	Oxett head OxyLine, pressure reducer G¾“, 200 bar, NIST, flow regulator, DIN-CS, ejector VarioO2	MP01102
C	Oxator head OxyLine, pressure reducer G¾“, 200 bar, NIST, 2 × DIN-CS, ejector VarioO2	MP01103
D	Pressure reducer w/ flowmeter OxyLine, G¾“, 200 bar, 16 l/min, M34×1.5, 9/16“, nozzle	MP01104
E	Pressure reducer with NIST OxyLine, G¾“, for 200 bar, NIST	MP01105

A

D-4931-2017

B

D-4932-2017

C

D-6378-2017

D

D-15199-2010

E

MT-10984-2006

PRESSURE REDUCER

Oxett

Oxett is a portable oxygen supply unit for mobile use. Oxett ensures consistent treatment, because the device can be mounted to bed, rail and stretcher. All devices for inhalation, insufflation and suction are available on a solid aluminum plate. Precise O_2 delivery is handled through the pressure compensated flow meter or the compact flowmeter. Manual or automatic short-term ventilation is even possible, because the Oxylog® can be connected via the O_2 standard coupling. The portable Oxett unit meets the requirements of daily hospital and emergency medical practice in a simple way. It removes all well-practiced temporary supply solutions.

A	Oxett carrying frame, for Oxett head+O_2 cylinder up to 2.5 l, with secretion jar and rail for suction ejector	MP04110
	Oxett head, configurable via OxyLine®	MP00100
B	Oxett head OxyLine, pressure reducer G¾“, 200 bar, NIST, flowmeter, DIN-CS, ejector VarioO2	MP01101
B	Oxett head OxyLine, pressure reducer G¾“, 200 bar, NIST, flow regulator, DIN-CS, ejector VarioO2	MP01102
C	Oxett adapter plate, to mount Oxett on bed in higher position	2M86205

A

D-14354-2017

B

D-4931-2017

B

D-4932-2017

C

D-9404-2014

PRESSURE REDUCER

A	**Small Oxator**	
	Space-saving solution for transportation of large gas-cylinder. The stable trolley can be used flexible. Set up from components below:	
B	**Simple cylinder trolley, for one gas cylinders up to a volume of 11 L**	**MP00038**
C	**Oxator head, configurable via OxyLine®**	**MP00100**
	Oxator head OxyLine, pressure reducer G¾“, 200 bar, NIST, 2 × DIN-CS, ejector	**MP01103**
D	**Ejector VarioO2® B/OR Rail, for bronchial and OR suction, gas connection O_2**	**MP00552**
D	**NIST-NIST Connecting hose 1.2 m**	**M36053**

A

D-6406-2017

B

MT-219-2003

C

D-6378-2017

D

D-4939-2017

PRESSURE REDUCER

A	**Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg**	**2M85337**
B	**Secretion jar set, with 700 ml secretion jars (2 pcs.) and 1.5 m suction hose, maximum capacity up to the overflow safeguard 2 × 1000 ml, scale in steps of 10 ml up to max. 700 ml**	**2M85056**
C	**Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail, for compact suction unit and secretion jar set**	**M26842**

For CS hoses please refer to chapter „Accessory for gas supply“.

A

MT-21198-94

B

D-7354-2011

C

MT-2542-95

PRESSURE REDUCER

A	Simple cylinder trolley, for one gas cylinders up to a volume of 11 L	MP00038
B	Rail holder, for 38 mm tube, standard rail profile 25 × 10 mm, 40 cm, length: 40 cm, weight: 0.9 kg, max. load: 5 kg	2M86185
C	Adapter NIST to DIN CS-Coupling O_2	M35056
D	Adapter NIST to DIN CS-Coupling AIR	M35058

A

MT-219-2003

B

MT-471-99

C

D-15201-2010

D

D-15202-2010

HUMIDIFIER, ADAPTER AND APPLICATION

1.4 HUMIDIFIER, ADAPTER AND APPLICATION

A	Humidifier-bubbler, for oxygen humidification up to appr. 60% relative humidity and flows up to 5 l/min	2M85834
B	Humidifier-nebulizer, for oxygen humidification up to 100% relative humidity and flows up to 5 l/min	2M85835
C	Adapter, to connect e.g a tube or nasal cannula to O_2 flowmeter, M34×1.5 to 6 mm nozzle	M06258
C	Adapter, to connect e.g a tube or nasal cannula to AIR flowmeter, M32×1.5 to 6 mm nozzle	2M85575
D	Adapter, to connect Dräger humidifier to mixing block, M15×1 to M34×1.5	2M85853
E	Adapter 9/16“ to M34×1.5 for Dräger reusable humidifier	MP03325

A

MT-246-2000

B

MT-247-2000

C

D-49003-2015

D

MT-2341-96

E

D-8457-2016

HUMIDIFIER, ADAPTER AND APPLICATION

A	**Adapter, for disposable sterilized water systems to O_2 flowmeters, M34×1.5 to 9/16“**	**2M86680**
A	**Adapter, for disposable sterilized water systems to AIR flowmeter, M32×1.5 to 9/16“**	**MP03366**
B	**Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16“ connection**	**MP00416**

Oxygen and aerosol therapy masks, venturi mask kids, nasal cannulas and accessories in chapter 5.3, breathing accessories.

A

MT-83-2000

B

D-122-2016

Not all articles are available worldwide.

MEDICAL ASPIRATION

2.1 Bronchial aspiration

Dräger offers an extensive line of bronchial aspirators, while also providing individual solutions to meet your specific needs in the ICU and OR. Generally you have the choice between vacuum, medical air or oxygen as the drive gas. We differ by the driving units between the ejectors and the vacuum regulators. In addition, we can supply the attachments and hose brackets you need to ensure an ergonomically efficient workplace. You could also choose the connection you require and the fitting jar system. We offer reusable solutions as well as disposables.



1	MP00501	VarioVac® B DIN
	MP00502	VarioVac® B BS
	MP00503	VarioVac® B NF
	MP00504	VarioVac® B AGA
	MP00514	VarioVac® B CARBA
2	MP00505	VarioVac® B/OR Rail
	MP00660	VarioVac® P Rail
	MP00516	Dual VarioVac® B/OR Rail
	MP03222	VarioVac® MRI B/OR Rail
	MP03223	VarioVac® MRI P Rail
3	MP00506	VarioVac® B compact
	MP00661	VarioVac® P compact
4	MP00530	VarioAir® B DIN
	MP00531	VarioAir® B BS
	MP00532	VarioAir® B NF
	MP00533	VarioAir® B AGA
	MP00534	VarioAir® B UNI
	MP00548	VarioAir® B CARBA
5	MP00535	VarioAir® B/OR Rail
	MP00545	VarioAir® P Rail
	MP03220	VarioAir® MRI B/OR Rail
	MP03221	VarioAir® MRI P Rail
6	MP00550	VarioO2® B DIN
	MP00551	VarioO2® B CARBA
7	MP00552	VarioO2® B/OR Rail
8	MP00536	VarioAir® B compact
	MP00547	VarioAir® P compact
9	2M85056	Secretion jar set
10	2M85607	Secretion jar set, with protection jar
11	M26859	Wall holder
12	M26842	Rail clamp lever type
13	2M85119	Ceiling holder
14	2M86207	Secretion jar, 300 ml
	2M85594	Secretion jar, 700 ml
15	2M86758	Protection jar
16	2M85446	CS connection hose holder
17	2M85239	Suction hose holder
18	MX23023	Secretion jar VacuSmart®, 700 ml
	MX23025	Secretion jar VacuSmart® Gel, 700 ml
19	MX23026	Suction tube VacuSmart® Tube
20	MP00570	Shut-off valve for VarioVac®

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

2. MEDICAL ASPIRATION
2.1 BRONCHIAL ASPIRATION

The vacuum regulator is connected directly to a central vacuum supply system or to rails. The vacuum is infinitely variable up to max. -90 kPa (-900 mbar) and is shown on a turnable, manually adjustable pressure gauge. Shut-off valve is included.
You can use the VarioSafe® disposable filter system to reliably protect the **VarioVac®** series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	55 l/min
Weight:	600 to 800 g 800 g for rail version 1,700 g for dual version (MP00516)
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe) MP00516 for dual version: 200 × 210 × 210 (without VarioSafe) 200 × 340 × 210 (with VarioSafe)
Maximum sound level:	43 dB(A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

A	**Vacuum regulator VarioVac® B DIN, for bronchial suction, gas connection VAC**	**MP00501**
B	**Vacuum regulator VarioVac® B BS, for bronchial suction, gas connection VAC**	**MP00502**
C	**Vacuum regulator VarioVac® B NF, for bronchial suction, gas connection VAC**	**MP00503**
D	**Vacuum regulator VarioVac® B AGA, for bronchial suction, gas connection VAC, Swedish standard**	**MP00504**
E	**Vacuum regulator VarioVac® B CARBA, for bronchial suction, gas connection VAC**	**MP00514**

For CS hoses please refer to chapter „Accessory for gas supply“.

A

D-10282-2011

B

D-10290-2011

C

D-10317-2011

D

D-10292-2011

E

D-10292-2011

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

VarioVac® vacuum regulator for rail.
Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	55 l/min
Weight:	800 g for rail version 1,700 g for dual version (MP00516)
Dimensions (W/H/D) in mm:	for rail version 80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe) for dual version (MP00516): 200 × 210 × 210 (without VarioSafe) 200 × 340 × 210 (with VarioSafe)
Maximum sound level:	43 dB(A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

A	**Vacuum regulator VarioVac® B/OR Rail, for bronchial and OR suction, gas connection NIST VAC**	**MP00505**
B	**Vacuum regulator dual VarioVac® B/OR Rail, for bronchial and OR suction, gas connection NIST VAC**	**MP00516**
C	**Vacuum regulator VarioVac® B/OR Rail DISS, for bronchial and OR suction, gas connection DISS VAC**	**MP00631**

For CS hoses please refer to chapter „Accessory for gas supply“.

A

D-10296-2011

B

D-75707-2013

C

D-10296-2011

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

VarioVac® vacuum regulator for rail.
The gas supply is ensured by VAC connection hose.
This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).
You can use the VarioSafe® disposable filter system to reliably protect the VarioVac® series and the central vacuum system against contamination.
A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:
VarioVac P (MP00660, MP03223)

Maximum vacuum:	-55 to 0 kPa (-550 to 0 mbar)
Maximum suction flow:	20 l/min
Maximum sound level:	40 dB(A)

VarioVac B/OP (MP03222)

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	55 l/min
Maximum sound level:	43 dB(A)

Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe)
	80 × 340 × 160 (with VarioSafe)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

A **Vacuum regulator VarioVac® P Rail, for bronchial suction, gas connection NIST VAC, for connection to all standard wall rails** — **MP00660**

A **Vacuum regulator VarioVac® P Rail DISS, for bronchial suction, gas connection DISS VAC, for connection to all standard wall rails** — **MP00632**

These bronchial aspirators are suited for use in MRI.
The bronchial aspirators can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla.
Minimum distance from the center of the magnetic field: Magnetic flux density of 40 millitesla (400 gauss).

B **Vacuum regulator VarioVac® MRI P Rail, for bronchial suction, gas connection NIST VAC, for connection to all standard wall rails** — **MP03223**

C **Vacuum regulator VarioVac® MRI B/OR Rail, for bronchial and OR suction, gas connection NIST VAC, for connection to all standard wall rails** — **MP03222**

For CS hoses please refer to chapter „Accessory for gas supply“.

A

D-12456-2014

B

D-10296-2011

C

D-12456-2014

BRONCHIAL ASPIRATION

VACUUM SUCTION

For connecting via CS vacuum connecting hose.
This rail version can be connected to all standard wall rails (10 mm width and 25 mm height). The gas supply is ensured by VAC connection hose.
You can use the bacterial filter MK00514 to reliably protect the central vacuum system against contamination.
Two bacterial filters are included within the scope of delivery.
These bronchial aspirators are suited for use in MRI.
The bronchial aspirators can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla. Minimum distance from the center of the magnetic field: Magnetic flux density of 40 millitesla (400 gauss).

Technical data:

Maximum vacuum:	-95 to 0 kPa (-950 to 0 mbar)
Maximum suction flow:	50 l/min
Dimensions (W/H/D) in mm:	130 × 190 × 120
Maximum sound level:	55 dB(A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.999% (with filter)
Viral retention:	99.999% (with filter)

A **Vacuum suction NIST, for bronchial suction, gas connection VAC** — **MK01422**

A **Vacuum suction DISS, for bronchial suction, gas connection VAC** — **MK03140**

A **Vacuum suction DISS Canada, for bronchial suction, gas connection VAC** — **MK03320**

B **Vacuum aspirator DISS, version for Atlan A300/ A350 and Perseus A500** — **MP00686**

Vacuum aspirator DISS Canada, version for Atlan A300/ A350 and Perseus A500 — **MP00687**

Vacuum aspirator NIST, version for Atlan A300/ A350 and Perseus A500 — **MP00689**

For CS hoses please refer to chapter „Accessory for gas supply“.

A

MT-4533-2005

B

D-10785-2018

BRONCHIAL ASPIRATION

The **VarioAir®** ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -90 kPa (-900 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge.
All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side.
The vacuum adjusting knob is also the on/off switch to interrupt the suction without reset the values.
A new VarioSafe® disposable filter system reliably protects the VarioAir® series and the patient environment against contamination. One piece of the new VarioSafe® filter system is always included.

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Minimum suction flow:	40 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	55 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe)
	80 × 330 × 160 (with VarioSafe)
Maximum sound level:	57 dB(A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

A	**Ejector VarioAir® B DIN, for bronchial suction, gas connection AIR**	**MP00530**
B	**Ejector VarioAir® B BS, for bronchial suction, gas connection AIR**	**MP00531**
C	**Ejector VarioAir® B NF, for bronchial suction, gas connection AIR**	**MP00532**
D	**Ejector VarioAir® B AGA, for bronchial suction, gas connection AIR, Swedish standard**	**MP00533**
E	**Ejector VarioAir® B UNI, for bronchial suction, gas connection AIR**	**MP00534**
F	**Ejector VarioAir® B CARBA, for bronchial suction, gas connection AIR**	**MP00548**

For CS hoses please refer to chapter „Accessory for gas supply“.

A

D-28511-2009

B

D-28513-2009

C

D-28515-2009

D

D-28517-2009

E

D-28519-2009

F

D-28511-2009

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

VarioAir® ejector for rail.
Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Minimum suction flow:	40 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	55 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe)
	80 × 330 × 160 (with VarioSafe)
Maximum sound level:	57 dB(A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

A	**Ejector VarioAir® B/OR Rail, for Bronchial and OR suction, gas connection NIST AIR**	**MP00535**
A	**Ejector VarioAir® B/OR Rail DISS, for Bronchial and OR suction, gas connection DISS AIR**	**MP00638**
B	**Ejector VarioO2® B DIN, for bronchial suction, gas connection O_2**	**MP00550**
B	**Ejector VarioO2® B CARBA, for bronchial suction, gas connection O_2**	**MP00551**
C	**Ejector VarioO2® B/OR Rail, for bronchial and OR suction, gas connection NIST O_2**	**MP00552**

For CS hoses please refer to chapter „Accessory for gas supply“.

A

D-28521-2009

B

D-28511-2009

C

D-28521-2009

Not all articles are available worldwide.

BRONCHIAL ASPIRATION

VarioAir® ejector for rail.
The gas supply is ensured by AIR connection hose.
This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).
You can use the VarioSafe® disposable filter system to reliably protect the VarioAir® series and the central vacuum system against contamination.

A

D-28521-2009

Technical data:
VarioAir P (MP00545, MP03221)

Maximum vacuum:	-48 to 0 kPa (-480 to 0 mbar)
Maximum suction flow:	20 l/min
Maximum gas consumption:	40 l/min
Maximum sound level:	47 dB(A)

VarioAir B/OP (MP03220)

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	40 l/min
Maximum gas consumption:	55 l/min
Maximum sound level:	57 dB(A)

Inlet pressure range:	4 to 5.5 bar
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	from 0.1 kPa on (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

A **Ejector VarioAir® P Rail,**
for bronchial suction, gas connection NIST AIR,
for connection to all standard wall rails — **MP00545**

A **Ejector VarioAir® P Rail DISS,**
for bronchial suction, gas connection DISS AIR,
for connection to all standard wall rails — **MP00639**

These bronchial aspirators are suited for use in MRI.
The bronchial aspirators can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla. Minimum distance from the center of the magnetic field: Magnetic flux density of 40 millitesla (400 gauss).

A **Ejector VarioAir® MRI B/OR Rail,**
for bronchial suction, gas connection NIST AIR,
for connection to all standard wall rails — **MP03220**

A **Ejector VarioAir® MRI P Rail,**
for bronchial suction, gas connection NIST AIR,
for connection to all standard wall rails — **MP03221**

For CS hoses please refer to chapter „Accessory for gas supply“.

BRONCHIAL ASPIRATION

EJECTOR SUCTION

A

MT-4533-2005

For connecting via CS vacuum connecting hose.
The gas supply is ensured by AIR connection hose.
You can use the bacterial filter MK00514 to reliably protect the central vacuum system against contamination.
Two bacterial filters are included within the scope of delivery.
These bronchial aspirators are suited for use in MRI.
The bronchial aspirators can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla. Minimum distance from the center of the magnetic field: Magnetic flux density of 40 millitesla (400 gauss).

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	30 l/min
Pressure range:	2.7 to 6.9 bar
Maximal gas consumption:	60 l/min
Dimensions (W/H/D) in mm:	130 × 190 × 120
Maximum sound level:	55 dB(A)
Pressure relief valve:	ex 1 kPa (10 mbar)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.999% (with filter)
Viral retention:	99.999% (with filter)

A **Ejector suction NIST AIR O_2**
for bronchial suction, gas connection AIR/O_2,
for connection to all standard wall rails — **MK01418**

A **Ejector suction NIST**
for bronchial suction, gas connection AIR,
for connection to all standard wall rails — **MK01420**

A **Ejector suction NIST,**
for bronchial suction, gas connection AIR,
version for Atlan A300/ A350 and Perseus A500 — **MP00688**

For CS hoses please refer to chapter „Accessory for gas supply“.

BRONCHIAL ASPIRATION

Drive unit (VarioVac® or VarioAir®) and jar set are joined together, so that you have a complete, convinient and easy solution. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the aspirator quickly. The gas supply is ensured by CS connection hose. You can use the VarioSafe® disposable filter system to reliably protect the device and the patient environment against contamination. This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

A

D-10322-2011

Technical data:

Weight:	1,600 g (empty)
Dimensions (W/H/D) in mm:	300 × 440 × 160
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

A **Vacuum regulator VarioVac® B compact, for bronchial suction, gas connection NIST VAC, including secretion jar set and integrated vacuum regulator** **MP00506**

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	55 l/min
Maximum sound level:	43 dB(A)

A **Vacuum regulator VarioVac® P compact, for bronchial suction, gas connection NIST VAC, including secretion jar set and integrated vacuum regulator** **MP00661**

Technical data:

Maximum vacuum:	-55 to 0 kPa (-550 to 0 mbar)
Maximum suction flow:	20 l/min
Maximum sound level:	40 dB(A)

For CS hoses please refer to chapter „Accessory for gas supply“.

BRONCHIAL ASPIRATION

A **Ejector VarioAir® B compact, for bronchial suction, gas connection NIST AIR, including secretion jar set and integrated ejector** **MP00536**

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Minimum suction flow:	40 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	55 l/min
Maximum sound level:	57 dB(A)
Pressure relief valve:	Ex 0.1 kPa (1 mbar)

A **Ejector VarioAir® P compact, for bronchial suction, gas connection NIST AIR, including secretion jar set and integrated ejector** **MP00547**

Technical data:

Maximum vacuum:	-48 to 0 kPa (-480 to 0 mbar)
Maximum suction flow:	20 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	40 l/min
Maximum sound level:	47 dB(A)
Pressure relief valve:	Ex 0.1 kPa (1 mbar)

For CS hoses please refer to chapter „Accessory for gas supply“.

A

D-33493-2009

BRONCHIAL ASPIRATION

Extra lightweight portable secretion jar set for bronchial aspiration. The set is made of high quality and extremely robust plastic and can be autoclaved at up to 134 °C. The two 700 ml jars, which are used as secretion and rinsing jars, are identical, making hospital logistics considerably easier. The jars are made of high quality polysulfone, are reusable, extremely robust and implosion proof. The long service lifes makes the jars both environmentally friendly and cost effective.
An automatic overflow safeguard is fitted in the secretion jar cap to prevent secretion from entering the drive unit and the piped medical gas supply. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the secretion jar set quickly.

A	**Secretion jar set, with 700 ml secretion jars (2 pcs.) and 1.5 m suction hose, maximum capacity up to the overflow safeguard 2 × 1,000 ml, scale in steps of 10 ml up to max. 700 ml**	**2M85056**
B	**Secretion jar set, with protection jar and 700 ml secretion jars (2 pcs.), maximum capacity up to the overflow safeguard 2 × 1,000 ml, scale in steps of 10 ml up to max. 700 ml, with additional protection jar 300 ml**	**2M85607**

A

D-7354-2011

B

D-35829-2011

BRONCHIAL ASPIRATION

A	**Secretion jar set with clamp**	**MP00646**
B	**Carrier rack CD**	**2M85380**
C	**Carrying rack bronchial suction**	**2M85381**

A

D-10776-2018

B

D-10775-2018

C

D-10777-2018

BRONCHIAL ASPIRATION

Holders for attaching a compact bronchial aspirator or a secretion jar set to the wall/ rail or to a rail on a ceiling supply unit.
The devices are only latched and can be detached and moved easily if this is requiered.

A	**Wall holder, with fixing screws, for compact suction unit and secretion jar set**	**M26859**
B	**Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail, for compact suction unit and secretion jar set**	**M26842**
C	**Ceiling holder, rail holder for compact suction systems and secretion jar sets**	**2M85119**

Holders for holding a central supply connecting hose or an aspiration hose. For attachment to an intensive care rail or compact rail.

D	**CS connection hose holder**	**2M85446**
E	**Suction hose holder, suitable for various diameters**	**2M85239**

A

MT-2473-95

B

MT-2542-95

C

MT-10962-2006

D

MT-2517-95

E



MT-2524-95

BRONCHIAL ASPIRATION

VacuSmart® disposable cartridge for bronchial suction
VacuSmart® is a disposable cartridge for 700 ml secretion jars. This product has been specifically designed and thoroughly tested to work with Dräger suction units. Therefore there is absolutely no need to modify the installed base. An integrated hydrophobic filter acts as an overflow safeguard by stopping suction of secretion once maximum capacity has been reached. The closed and leakproof system, optional with an integrated gelling agent, reduces the risk of cross contamination to a minimum.
The optional gelling agent prevent leakages e.g. during the waste disposal in a waste press. The gelling agent is secured in a water soluble bag.

Technical data:

Maximum capacity:	700 ml
Maximum capacity up to the overflow safeguard:	1,000 ml
Overflow safeguard:	Integrated, hydrophobic filter
Recommended duration of use:	24 h
Gelling agent:	Sodium polyacrylate

A	**Secretion jar VacuSmart®, PE (Polyethylene), disposable, 700 ml, 25 pcs.**	**MX23023**
B	**Secretion jar VacuSmart® Gel, PE (Polyethylene), disposable, 700 ml, 25 pcs.**	**MX23025**
C	**Suction tube VacuSmart® Tube, PE (Polyethylene), disposable, 2 m, w/ finger tip, 25 pcs.**	**MX23026**

You can also enjoy some smart savings by choosing any of the following packing unit 25 pieces sets:

D	**Suction set, disposable, VacuSmart®, 700 ml and VacuSmart® Tube, 25 pcs. each**	**MP00061**
D	**Set VacuSmart® Gel and Tube, 25 pcs.**	**MP03211**

A



MT-1711-2003

B

MT-3716-2008

C



MT-953-2000

D

D-35687-2009

BRONCHIAL ASPIRATION

A Bacterial filter 767, for ejectors (model range until 2010), 5 pcs. — **6723976**

A Bacterial filter 767, disposable, for ejectors (model range until 2010) — **CH00102**

The filter 767 reliably protects the ejector and the patient environment against contamination.

Technical data:

Bacterial retention:	99.992%**
Viral retention:	99.99%**
Material:	PS (polystyrol)
Recommended duration of use:	7 days
Filtration method:	Mechanical (HEPA)**

B Bacterial filter disposable, 20 pcs. — **MK00514**

You can use the bacterial filter to reliably protect the suction devices against contamination.

Technical data:

Bacterial retention:	99.999%**
Viral retention:	99.999%**
Material:	Acryl
Recommended duration of use:	7 days
Filtration method:	Hydrophobic (HEPA)**

C Bacterial and viral filter system VarioSafe, for VarioAir®, VarioVac®, VarioO2, disposable, 10 pcs. — **MP00555**

The new VarioSafe® disposable filter system reliably protects the VarioAir®, VarioVac® and VarioO2 series and the patient environment against contamination.

Technical data:

Maximum capacity:	90 ml
Bacterial retention:	99.99998%*
Viral retention:	99.9998%*
Material:	PS (polystyrol)
Recommended duration of use:	7 days
Filtration method:	Mechanical and hydrophobic (HEPA)*

*Test has been performed by Nelson Lab, USA, before 2010
**According to EN 1822-1:1998 Filter for suspended particles (HEPA and ULPA)

A

MT-3005-2004

B

MT-4617-2005

C

D-28537-2009

BRONCHIAL ASPIRATION

A Suction hose, silicone, reusable, 1.5 m, for medical suction — **M25780**

B Connection hose, silicone, reusable, ID 5 mm, wall thickness 2 mm, by meter — **1203606**

Silicone hose 6 × 2.5, 2 m — **5001330**

C Cap, for 700 ml secretion jar, with overflow safeguard — **2M85011**

D Cap, for secretion jar, for fistula indicator for continuous and thoracic drainage — **2M85013**

E Cap, for secretion jar, w/ overflow safeguard and pressure relief valve (≥ 0.1 kPa) — **2M85012**

A

MT-2568-95

B

MT-2219-92

C

MT-21146-96

D

MT-2335-96

E

MT-21145-96

BRONCHIAL ASPIRATION

A	Secretion jar, PSU (Polysulfone), reusable, 300 ml, autoclavable up to 134°C	2M86207
B	Secretion jar, PSU (Polysulfone), reusable, 700 ml, autoclavable up to 134°C	2M85594
C	Elbow, angled hose connection for secretion jar caps	2M19063
D	Shut-off valve for VarioVac®, for temporary opening and closing of suction flow	MP00570
E	Secretion control glass	M07582

A

MT-10979-2006

B

D-7359-2011

C

MT-2492-95

D

D-10325-2011

E

D-10787-2018

BRONCHIAL ASPIRATION

A	Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -100 kPa (-1000 mbar)	MP00578
B	Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -60 kPa (-600 mbar)	MP00580
C	Pressure gauge -100 kPa MRI, double scale kPa/mmHg, -100 kPA (-1000 mbar)	MP03589
D	Pressure gauge -60 kPa MRI, double scale kPa/mmHg, -60 kPA (-600 mbar)	MP03587

A

D-28496-2009

B

D-33499-2009

C

D-10414-2016

D

D-10413-2016

BRONCHIAL ASPIRATION

A	**Universal holder with groove 25 × 5 for wall rails 25 × 8 to 35 × 10 mm, for compact suction system and secretion jar set**	**2M86757**
B	**Universal holder profile 30 × 5 for wall rails 25 × 8 to 35 × 10 mm, for secretion jars Medela**	**MP00634**
C	**Universal holder for wall rails 25 × 8 to 35 × 10 mm with M5 drill hole 15 mm distance**	**MP00635**
D	**Universal holder for wall rails 25 × 8 to 35 × 10 mm with M5 drill hole 22 mm distance**	**MP00636**
E	**Universal holder flex 15 for wall rails 25 × 8 to 35 × 10 mm with bottle screw**	**MP00637**

A

MT-109-2001

B

D-107551-2013

C

D-107557-2013

D

D-107553-2013

E

D-107555-2013

MEDICAL ASPIRATION

2.2 OR aspiration

During surgical, endoscopical and minimally invasive procedures you do not have to abandon the easy use of these products.
A modular design facilitates the easy replacement of components and allows the system to be upgraded with any of Dräger's rail-mounted accessories. The negative pressure can be generated either by a vacuum regulator or an ejector.

An overflow safeguard in the secretion jar and an additional protection jar reduce the risk of contamination of the drive element and the pressure or vacuum generating system.
The OR aspirators can be connected either to the central vacuum system or, when used with an ejector drive unit, to the piped oxygen or medical air supply system.



1	MP00505	VarioVac® B/OR Rail
	MP00516	Dual VarioVac® B/OR Rail
2	MP00535	VarioAir® B/OR Rail
3	MP00552	VarioO2® B/OR Rail
4	2M85441	Trolley, for OR suction unit
5	MP03231	Cap secretion jar Medela
6	MP03230	Secretion jar 3 L Medela
7	MP03233	Connection hose Medela
8	MP03232	Switchover valve Medela
9	MP00634	Universal holder profile 30 × 5
10	2M86758	Protection jar
11	2M85446	CS connection hose holder
12	2M85239	Suction hose holder
13	MX37021	Bacterial filter, disposable, for Evac 40

OR ASPIRATION

2.2 OR ASPIRATION

A Vacuum regulator VarioVac® B/OR Rail, for bronchial suction, gas connection VAC — **MP00505**

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	55 l/min
Weight:	600 to 800 g (800 g for rail versions)
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Maximum sound level:	43 dB(A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

B Vacuum regulator dual VarioVac® B/OR Rail, for bronchial suction, gas connection VAC — **MP00516**

Weight:	1,700 g
Dimensions (W/H/D) in mm:	200 × 210 × 210 (without VarioSafe) 200 × 340 × 210 (with VarioSafe)

C Ejector VarioAir® B/OR Rail, for bronchial and OR suction, gas connection AIR — **MP00535**

C Ejector VarioO2® B/OR Rail, for bronchial and OR suction, gas connection O_2 — **MP00552**

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Minimum suction flow:	40 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	55 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	57 dB(A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

For CS hoses please refer to chapter „Accessory for gas supply“.

A

D-10296-2011

B

D-75707-2013

C

D-28521-2009

OR ASPIRATION

A	Trolley, for OR suction unit, with protection jar, w/o 4 L secretion jars	2M85441
B	Secretion jar 3 L Medela*	MP03230
C	Cap secretion jar Medela*	MP03231
D	Switchover valve Medela*	MP03232
	Connection hose Medela*	MP03233

*Made by Medela AG, Schweiz

A

MT-10987-2006

B

D-114-2016

C

D-116-2016

D

D-117-2016

OR ASPIRATION

A	**Universal holder with groove 25 × 5 for wall rails 25 × 8 to 35 × 10 mm, for compact suction system and secretion jar set**	**2M86757**
B	**Universal holder profile 30 × 5 for wall rails 25 × 8 to 35 × 10 mm, for secretion jars Medela**	**MP00634**
C	**Bacterial filter, disposable, for Evac 40, 10 pcs.**	**MX37021**
D	**CS connection hose holder**	**2M85446**
E	**Suction hose holder, suitable for various diameters**	**2M85239**

A

MT-109-2001

B

D-107551-2013

C

MT-950-2000

D

MT-2517-95

E



MT-2524-95

Not all articles are available worldwide.

MEDICAL ASPIRATION

2.3 Continuous and thoracic drainages

Continuous drainages are used for drainage of secretion, blood and/or air from body cavities over long periods, following operations, particularly after open-thorax surgery.

All of Dräger's continuous drainages are made from high-quality materials and are designed with space in mind.
Individual solutions allows you to choose between pneumatic or electrical driven drainages, while also assisting you in optimizing your specific needs and requirements.



1	MP00507	VarioVac® D DIN
	MP00508	VarioVac® D BS
	MP00509	VarioVac® D NF
	MP00510	VarioVac® D AGA
	MP00515	VarioVac® D CARBA
	MP00664	VarioVac® T DIN
2	MP00511	VarioVac® D Rail
	MP00663	VarioVac® T Rail
3	MP00512	VarioVac® T Rail WV
4	MP00537	VarioAir® D DIN
	MP00538	VarioAir® D BS
	MP00539	VarioAir® D NF
	MP00540	VarioAir® D AGA
	MP00541	VarioAir® D UNI
	MP00549	VarioAir® D CARBA
	MP00553	VarioAir® T DIN
5	MP00542	VarioAir® D Rail
	MP00543	VarioAir® T Rail

6	MP00544	VarioAir® T Rail WV
7	2M85153	Continuous drainage 3
8	2M85151	Continuous drainage 1
9	2M85056	Secretion jar set
10	2M85607	Secretion jar set, with protection jar
11	2M85163	Secretion jar set, with rail holder and secretion jar 700 ml
12	MP00518	Water vacuum gauge
13	M26859	Wall holder
14	M26842	Rail clamp lever type
15	2M85119	Ceiling holder
16	2M85446	CS connection hose holder
17	2M85239	Suction hose holder
18	6723976	Bacterial filter 767, for ejectors (until 2010)

CONTINUOUS AND THORACIC DRAINAGES

2.3 CONTINUOUS AND THORACIC DRAINAGES

The vacuum regulator is directly connected to a central vacuum supply, or mounted on a rail. The smoothly adjustable vacuum, up to max. -160 mbar (-16 kPa), is displayed on a rotating manometer, legible from all sides.
All vacuum regulators include a shut-off valve.
You can use the VarioSafe® disposable filter system to reliably protect the **VarioVac®** series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 l/min
Weight:	600 to 800 g (800 g for rail versions)
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB(A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

A Vacuum regulator VarioVac® D DIN,
for continuous and wound drainage, gas connection VAC — **MP00507**

B Vacuum regulator VarioVac® D BS,
for continuous and wound drainage, gas connection VAC — **MP00508**

C Vacuum regulator VarioVac® D NF,
for continuous and wound drainage, gas connection VAC — **MP00509**

D Vacuum regulator VarioVac® D AGA,
for continuous and wound drainage, gas connection VAC — **MP00510**

E Vacuum regulator VarioVac® D CARBA,
for continuous and wound drainage, gas connection VAC — **MP00515**

F Vacuum regulator VarioVac® D Rail,
for continuous and wound drainage, gas connection VAC — **MP00511**

For CS hoses please refer to chapter „Accessory for gas supply“.

A

D-10300-2011

B

D-10302-2011

C

D-10315-2011

D

D-10306-2011

E

D-10306-2011

F

D-10309-2011

CONTINUOUS AND THORACIC DRAINAGES

A Vacuum regulator VarioVac® T Rail WV,
for thoracic drainage, gas connection VAC,
water vacuum gauge included,
for connection to all standard wall rails,
double-scaled immersion pipe (kPa and cmH_2O) — **MP00512**

For connecting via CS vacuum connection hose.
The filter MK00514 protects the product and the central vacuum supply against contamination.
Two filters are included in the scope of delivery.

Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Minimum suction flow:	15 l/min
Weight:	1,100 g
Dimensions (W/H/D) in mm:	80 × 860 × 160
Maximum sound level:	40 dB(A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.999%
Viral retention:	99.999%

B Vacuum regulator VarioVac® T Rail,
for thoracic drainage, gas connection VAC,
for connection to all standard wall rails — **MP00663**

For connecting via CS vacuum connecting hose.
The gas supply is ensured by VAC connection hose.

Technical data:

Maximum vacuum:	-7 to 0 kPa (-70 to 0 mbar)
Minimum Flow:	15 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB(A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

C Vacuum regulator VarioVac® T DIN,
for thoracic drainage, gas connection VAC,
for connecting to the central vacuum supply — **MP00664**

Technical data:

Maximum vacuum:	-7 to 0 kPa (-70 to 0 mbar)
Minimum Flow:	15 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB(A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

For CS hoses please refer to chapter „Accessory for gas supply“.

A

MT-0029-2004

B

D-12453-2014

C

D-12452-2014

CONTINUOUS AND THORACIC DRAINAGES

The **VarioAir®** ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -16 kPa (-160 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge. All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side.
A new VarioSafe® disposable filter system reliably protects the VarioAir® series and the patient environment against contamination. One piece of the new VarioSafe® filter system is always included.

Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	25 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Maximum sound level:	45 dB(A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

A Ejector VarioAir® D DIN,
for continuous and wound drainage, gas connection AIR — **MP00537**

B Ejector VarioAir® D BS,
for continuous and wound drainage, gas connection AIR — **MP00538**

C Ejector VarioAir® D NF,
for continuous and wound drainage, gas connection AIR — **MP00539**

D Ejector VarioAir® D AGA,
for continuous and wound drainage, gas connection AIR — **MP00540**

E Ejector VarioAir® D UNI,
for continuous and wound drainage, gas connection AIR — **MP00541**

F Ejector VarioAir® D CARBA,
for continuous and wound drainage, gas connection AIR — **MP00549**

G Ejector VarioAir® D Rail,
for continuous and wound drainage, gas connection AIR,
for connection to all standard wall rails — **MP00542**

For gas supply via CS vacuum connection hose.
Connection thread: NIST.

For CS hoses please refer to chapter „Accessory for gas supply“.

Not all articles are available worldwide.

A

D-28523-2009

B

D-28525-2009

C

D-28526-2009

D

D-28530-2009

E

D-28532-2009

F

D-28523-2009

G

D-28534-2009

CONTINUOUS AND THORACIC DRAINAGES

A Ejector VarioAir® T Rail WV,
for thoracic drainage, with water vacuum gauge,
for connection to all standard wall rails — **MP00544**

For gas supply via CS vacuum connection hose.
Connection thread: NIST.
Double-scaled immersion pipe (kPa and cmH_2O).
The filter MK00514 protects the product and the central vacuum supply against contamination.
Two filters are included in the scope of delivery.

Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Minimum suction flow:	15 l/min
Maximum gas consumption:	30 l/min
Weight:	1,100 g
Dimensions (W/H/D) in mm:	80 × 860 × 160
Maximum sound level:	50 dB(A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.999%
Viral retention:	99.999%

B Ejector VarioAir® T Rail,
for thoracic drainage, gas connection NIST AIR,
for connection to all standard wall rails — **MP00543**

The gas supply is ensured by AIR connection hose.

Technical data:

Maximum vacuum:	-7 to 0 kPa (-70 to 0 mbar)
Minimum suction flow:	15 l/min
Maximum gas consumption:	30 l/min
Maximum sound level:	40 dB(A)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

C Ejector VarioAir® T DIN,
for thoracic drainage, gas connection DIN,
for connecting to the central AIR supply
according to DIN standard — **MP00553**

Technical data:

Maximum vacuum:	-7 to 0 kPa (-70 to 0 mbar)
Minimum suction flow:	15 l/min
Maximum gas consumption:	30 l/min
Maximum sound level:	40 dB(A)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

For CS hoses please refer to chapter „Accessory for gas supply“.

Not all articles are available worldwide.

A

D-28535-2009

B

D-48572-2015

C

D-48571-2015

CONTINUOUS AND THORACIC DRAINAGES

The vacuum can either be generated by an ejector or via a vacuum regulator. When used with the ejector, a bacterial filter reliably protects against contamination of the environment. All these pneumatic continuous drainages can be used in potentially explosive areas.
All parts which may become contaminated can be autoclaved at up to 134 °C.
The continuous drainage systems 1 and 3 can be used for continuous- and wound drainage as well as for thoracic drainage in the combination with a regulator from the VarioVac® D and VarioAir® D series. An additional precision regulator make it easy to adjust lowest vacuum levels.

A Continuous drainage 1,
for continuous and wound drainage,
precision regulator, fistula indicator
and bacterial filter 767 included, capacity 700 ml,
maximum capacity up to the overflow safeguard 1,000 ml,
scale in steps of 10 ml up to max. 700 ml — **2M85151**

Technical data:

Maximum vacuum:	-10 to 0 kPa (-100 to 0 mbar)
Maximum suction flow:	14 l/min
Weight:	3 kg (empty)
Dimensions (W/H/D) in mm:	285 × 340 × 160

B Continuous drainage 3,
for continuous, wound, and thoracic drainage,
precision regulator, water vacuummeter, fistula indicator
and bacterial filter 767 included, capacity 700 ml,
maximum capacity up to the overflow safeguard 1,000 ml,
scale in steps of 10 ml up to max. 700 ml — **2M85153**

Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Maximum suction flow:	14 l/min
Weight:	5.5 kg (empty)
Dimensions (W/H/D) in mm:	260 × 800 × 180

A

D-35826-2011

B

MT-3702-2008

CONTINUOUS AND THORACIC DRAINAGES

A Vacuum regulator VarioVac® T Rail WV,
for thoracic drainage, gas connection VAC,
water vacuum gauge included,
for connection to all standard wall rails,
double-scaled immersion pipe (kPa and cmH_2O) — **MP00512**

For connecting via CS vacuum connection hose.
The filter MK00514 protects the product and the central vacuum supply against contamination.
Two filters are included in the scope of delivery.

Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Minimum suction flow:	15 l/min
Weight:	1,100 g
Dimensions (W/H/D) in mm:	80 × 860 × 160
Maximum sound level:	40 dB(A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.999%
Viral retention:	99.999%

For CS hoses please refer to chapter „Accessory for gas supply“.

B Water vacuum gauge,
for thoracic drainage,
combination w/ VarioVac® D and VarioAir® D,
for connection to all standard wall rails,
double-scaled immersion pipe (kPa and cmH_2O) — **MP00518**

Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Maximum suction flow:	10 l/min
Pressure relief valve:	from 0.1 kPa on (1 mbar)
Hose nozzle:	2 × Ø 6 mm
Weight:	1 kg (empty)
Dimensions (W/H/D) in mm:	80 × 860 × 160

C Secretion jar set,
with rail holder and secretion jar 700 ml,
for continuous drainage units — **2M85163**

D Cylinder support — **2M85180**

A

MT-0029-2004

B

MT-10950-2006

C

D-35830-2011

D

D-10781-2018

CONTINUOUS AND THORACIC DRAINAGES

A Bacterial filter 767,
for ejectors (model range until 2010), 5 pcs. — **6723976**

A Bacterial filter 767, disposable,
for ejectors (model range until 2010) — **CH00102**

The filter 767 reliably protects the ejector and the patient environment against contamination.

Technical data:

Bacterial retention:	99.992%**
Viral retention:	99.99%**
Material:	PS (polystyrol)
Recommended duration of use:	7 days
Filtration method:	Mechanical (HEPA)**

B Bacterial filter disposable, 20 pcs. — **MK00514**

You can use the bacterial filter to reliably protect the suction devices against contamination.

Technical data:

Bacterial retention:	99.999%**
Viral retention:	99.999%**
Material:	Acryl
Recommended duration of use:	7 days
Filtration method:	Hydrophobic (HEPA)**

C Bacterial and viral filter system VarioSafe,
for VarioAir®, VarioVac®, VarioO2, disposable, 10 pcs. — **MP00555**

The new VarioSafe® disposable filter system reliably protects the VarioAir®, VarioVac® and VarioO2 series and the patient environment against contamination.

Technical data:

Maximum capacity:	90 ml
Bacterial retention:	99.99998%*
Viral retention:	99.9998%*
Material:	PS (polystyrol)
Recommended duration of use:	7 days
Filtration method:	Mechanical and hydrophobic (HEPA)*

*Test has been performed by Nelson Lab, USA, before 2010
**According to EN 1822-1:1998 Filter for suspended particles (HEPA and ULPA)

A

MT-3005-2004

B

MT-4617-2005

C

D-28537-2009

CONTINUOUS AND THORACIC DRAINAGES

A Immersion tube, for continuous drainages, not scaled — **M16395**

Rubber plug, for immersion tube of water vacuum gauge — **2M85139**

B Water container, for continuous drainage system 2 – 4,
w/o screw thread — **M20668**

C Pressure gauge for VarioVac® + VarioAir®,
double scale kPa/mmHg, -16 kPa (-160 mbar) — **MP00579**

D Pressure gauge for VarioVac® + VarioAir®,
double scale kPa/mmHg, -8 kPa (-80 mbar) — **MP03597**

A

MT-2578-95

B

MT-698-97

C

D-28477-2009

D

D-12478-2014

CONTINUOUS AND THORACIC DRAINAGES

A	Immersion tube, for water vacuum gauge of for VarioVac® T + VarioAir® T, scaled	MP00569
B	Locking screw, for immersion tube, with gaskets, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518)	MP00596
C	Water container with screw thread + gaskets, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518)	MP00565
D	Cap for water vacuum gauge, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518), including gaskets, combination possible with filter MK00514 and plug nozzle MP00566	MP00595
E	Plug nozzle water vacuum gauge, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518)	MP00566
E	Hose nozzle 8 mm small, connection nozzle double sided 8 mm	5000833

A



D-28449-2009

B



D-28446-2009

C

D-28451-2009

D

D-6412-2017

E

D-28536-2009

Not all articles are available worldwide.

ACCESSORY FOR GAS SUPPLY

3. ACCESSORY FOR GAS SUPPLY

3.1 CS HOSES

	CS hoses, several hoses to connect flowmeter with the central supply	8601697

3.1.1 GERMAN STANDARD

A	O_2 CS hose 0.9 m (2.95 ft) NIST EN DIN	M36729
	O_2 CS hose 1.5 m (4.9 ft) NIST EN DIN	M35489
	O_2 CS hose 3 m (9.8 ft) NIST EN DIN	M35490
	O_2 CS hose 5 m (16.4 ft) NIST EN DIN	M35491
B	AIR CS hose 0.9 m (2.95 ft) NIST EN DIN	M36730
	AIR CS hose 1.5 m (4.9 ft) NIST EN DIN	M35495
	AIR CS hose 3 m (9.8 ft) NIST EN DIN	M35496
	AIR CS hose 5 m (16.4 ft) NIST EN DIN	M35497
C	VAC CS hose 1.5 m (4.9 ft) NIST EN DIN	M35498
	VAC CS hose 3 m (9.8 ft) NIST EN DIN	M35499
	VAC CS hose 5 m (16.4 ft) NIST EN DIN	M36000
D	AIR/O_2 CS hose 1.5 m (4.9 ft) NIST EN DIN	M36001
	AIR/O_2 CS hose 3 m (9.8 ft) NIST EN DIN	M36002
	AIR/O_2 CS hose 5 m (16.4 ft) NIST EN DIN	M36003
E	N_2O CS hose 0.9 m (2.95 ft) NIST EN DIN	M36731
	N_2O CS hose 1.5 m (4.9 ft) NIST EN DIN	M35492
	N_2O CS hose 3 m (9.8 ft) NIST EN DIN	M35493
	N_2O CS hose 5 m (16.4 ft) NIST EN DIN	M35494

A

D-2300-2014

B

D-2301-2014

C

D-2302-2014

D

D-2303-2014

E

D-45117-2015

Not all articles are available worldwide.

ACCESSORY FOR GAS SUPPLY

A	O_2 CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36004
	O_2 CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36005
	O_2 CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36006
B	AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36010
	AIR CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36011
	AIR CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36012
C	VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36013
	VAC CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36014
	VAC CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36015
D	AIR/O_2 CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36016
	AIR/O_2 CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36017
	AIR/O_2 CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36018
E	N_2O CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36007
	N_2O CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36008
	N_2O CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36009

A

D-2304-2014

B

D-2305-2014

C

D-2306-2014

D

D-2307-2014

E

D-45123-2015

Not all articles are available worldwide.

ACCESSORY FOR GAS SUPPLY

3.1.2 FRENCH STANDARD

A	O_2 CS hose 1.5 m (4.9 ft) NIST EN NF	M35416
	O_2 CS hose 3 m (9.8 ft) NIST EN NF	M35417
	O_2 CS hose 5 m (16.4 ft) NIST EN NF	M35330
B	AIR CS hose 1.5 m (4.9 ft) NIST EN NF	M35420
	AIR CS hose 3 m (9.8 ft) NIST EN NF	M35421
	AIR CS hose 5 m (16.4 ft) NIST EN NF	M35332
C	VAC CS hose 1.5 m (4.9 ft) NIST EN NF	M35422
	VAC CS hose 3 m (9.8 ft) NIST EN NF	M35423
	VAC CS hose 5 m (16.4 ft) NIST EN NF	M35424
D	N_2O CS hose 1.5 m (4.9 ft) NIST EN NF	M35418
	N_2O CS hose 3 m (9.8 ft) NIST EN NF	M35419
	N_2O CS hose 5 m (16.4 ft) NIST EN NF	M35331
E	O_2 CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35434
	O_2 CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35435
	O_2 CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35436
F	AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35452
	AIR CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35453
	AIR CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35454
G	VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35455
	VAC CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35456
	VAC CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35457

A

D-2294-2014

B

D-2295-2014

C

D-2296-2014

D

D-10448-2016

E

D-2297-2014

F

D-2298-2014

G

D-2299-2014

Not all articles are available worldwide.

ACCESSORY FOR GAS SUPPLY

A	N_2O CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35437
	N_2O CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35438
	N_2O CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35439
B	O_2 CS hose 0.9 m (2.95 ft) NF EN NF	M36723
	O_2 CS hose 1.5 m (4.9 ft) NF EN NF	M35425
	O_2 CS hose 3 m (9.8 ft) NF EN NF	M35426
	O_2 CS hose 5 m (16.4 ft) NF EN NF	M35342
C	AIR CS hose 0.9 m (2.95 ft) NF EN NF	M36724
	AIR CS hose 1.5 m (4.9 ft) NF EN NF	M35429
	AIR CS hose 3 m (9.8 ft) NF EN NF	M35430
	AIR CS hose 5 m (16.4 ft) NF EN NF	M35343
D	VAC CS hose 1.5 m (4.9 ft) NF EN NF	M35431
	VAC CS hose 3 m (9.8 ft) NF EN NF	M35432
	VAC CS hose 5 m (16.4 ft) NF EN NF	M35433
E	N_2O CS hose 0.9 m (2.95 ft) NF EN NF	M36725
	N_2O CS hose 1.5 m (4.9 ft) NF EN NF	M35427
	N_2O CS hose 3 m (9.8 ft) NF EN NF	M35428
	N_2O CS hose 5 m (16.4 ft) NF EN NF	M35344

A

D-10477-2016

B

D-10481-2016

C

D-10457-2016

D

D-10464-2016

E

D-10449-2016

ACCESSORY FOR GAS SUPPLY

3.1.3 BRITISH STANDARD

A	O_2 CS hose 0.9 m (2.95 ft) NIST EN BS	M36726
	O_2 CS hose 1.5 m (4.9 ft) NIST EN BS	M35389
	O_2 CS hose 3 m (9.8 ft) NIST EN BS	M35390
	O_2 CS hose 5 m (16.4 ft) NIST EN BS	M35333
B	AIR CS hose 0.9 m (2.95 ft) NIST EN BS	M36727
	AIR CS hose 1.5 m (4.9 ft) NIST EN BS	M35393
	AIR CS hose 3 m (9.8 ft) NIST EN BS	M35394
	AIR CS hose 5 m (16.4 ft) NIST EN BS	M35335
C	VAC CS hose 1.5 m (4.9 ft) NIST EN BS	M35395
	VAC CS hose 3 m (9.8 ft) NIST EN BS	M35396
	VAC CS hose 5 m (16.4 ft) NIST EN BS	M35397
D	N_2O CS hose 0.9 m (2.95 ft) NIST EN BS	M36728
	N_2O CS hose 1.5 m (4.9 ft) NIST EN BS	M35391
	N_2O CS hose 3 m (9.8 ft) NIST EN BS	M35392
	N_2O CS hose 5 m (16.4 ft) NIST EN BS	M35334

A

D-2287-2014

B

D-2288-2014

C

D-2289-2014

D

D-10473-2016

ACCESSORY FOR GAS SUPPLY

A	O_2 CS hose 1.5 m (4.9 ft) NIST EN BS straight	M35398
	O_2 CS hose 3 m (9.8 ft) NIST EN BS straight	M35399
	O_2 CS hose 5 m (16.4 ft) NIST EN BS straight	M35339
B	AIR CS hose 1.5 m (4.9 ft) NIST BS straight	M35402
	AIR CS hose 3 m (9.8 ft) NIST BS straight	M35403
	AIR CS hose 5 m (16.4 ft) NIST BS straight	M35340
C	VAC CS hose 1.5 m (4.9 ft) NIST BS straight	M35404
	VAC CS hose 3 m (9.8 ft) NIST BS straight	M35405
	VAC CS hose 5 m (16.4 ft) NIST BS straight	M35406
D	N_2O CS hose 1.5 m (4.9 ft) NIST EN BS straight	M35400
	N_2O CS hose 3 m (9.8 ft) NIST EN BS straight	M35401
	N_2O CS hose 5 m (16.4 ft) NIST EN BS straight	M35341

A

D-2290-2014

B

D-2291-2014

C

D-2293-2014

D

D-10471-2016

Not all articles are available worldwide.

ACCESSORY FOR GAS SUPPLY

3.1.4 SWEDEN STANDARD

A	O_2 CS hose 1.5 m (4.9 ft) NIST EN SS	M35375
	O_2 CS hose 3 m (9.8 ft) NIST EN SS	M35376
	O_2 CS hose 5 m (16.4 ft) NIST EN SS	M35377
B	AIR CS hose 1.5 m (4.9 ft) NIST EN SS	M35383
	AIR CS hose 3 m (9.8 ft) NIST EN SS	M35384
	AIR CS hose 5 m (16.4 ft) NIST EN SS	M35385
C	VAC CS hose 1.5 m (4.9 ft) NIST EN SS	M35386
	VAC CS hose 3 m (9.8 ft) NIST EN SS	M35387
	VAC CS hose 5 m (16.4 ft) NIST EN SS	M35388
D	N_2O CS hose 1.5 m (4.9 ft) NIST EN SS	M35378
	N_2O CS hose 3 m (9.8 ft) NIST EN SS	M35379
	N_2O CS hose 5 m (16.4 ft) NIST EN SS	M35382

A

D-2284-2014

B

D-2285-2014

C

D-2286-2014

D

D-11087-2016

Not all articles are available worldwide.

ACCESSORY FOR GAS SUPPLY

3.1.5 SWISS STANDARD

A	O_2 CS hose 1.5 m (4.9 ft) NIST EN Carba	M35469
	O_2 CS hose 3 m (9.8 ft) NIST EN Carba	M35472
	O_2 CS hose 5 m (16.4 ft) NIST EN Carba	M35345
B	AIR CS hose 1.5 m (4.9 ft) NIST EN Carba	M35475
	AIR CS hose 3 m (9.8 ft) NIST EN Carba	M35476
	AIR CS hose 5 m (16.4 ft) NIST EN Carba	M35346
C	VAC CS hose 1.5 m (4.9 ft) NIST EN Carba	M35477
	VAC CS hose 3 m (9.8 ft) NIST EN Carba	M35478
	VAC CS hose 5 m (16.4 ft) NIST EN Carba	M35479
D	N_2O CS hose 1.5 m (4.9 ft) NIST EN Carba	M35473
	N_2O CS hose 3 m (9.8 ft) NIST EN Carba	M35474
	N_2O CS hose 5 m (16.4 ft) NIST EN Carba	M35347

A

D-10480-2016

B

D-10458-2016

C

D-10478-2016

D

D-10469-2016

Not all articles are available worldwide.

ACCESSORY FOR GAS SUPPLY

3.1.6 ITALIAN STANDARD

A	O_2 CS hose 1.5 m (4.9 ft) NIST EN UNI	M35407
	O_2 CS hose 3 m (9.8 ft) NIST EN UNI	M35408
	O_2 CS hose 5 m (16.4 ft) NIST EN UNI	M35357
B	AIR CS hose 1.5 m (4.9 ft) NIST EN UNI	M35411
	AIR CS hose 3 m (9.8 ft) NIST EN UNI	M35412
	AIR CS hose 5 m (16.4 ft) NIST EN UNI	M35358
C	VAC CS hose 1.5 m (4.9 ft) NIST EN UNI	M35413
	VAC CS hose 3 m (9.8 ft) NIST EN UNI	M35414
	VAC CS hose 5 m (16.4 ft) NIST EN UNI	M35415
D	N_2O CS hose 1.5 m (4.9 ft) NIST EN UNI	M35409
	N_2O CS hose 3 m (9.8 ft) NIST EN UNI	M35410
	N_2O CS hose 5 m (16.4 ft) NIST EN UNI	M35359

A

D-10482-2016

B

D-10476-2016

C

D-11089-2016

D

D-11088-2016

Not all articles are available worldwide.

ACCESSORY FOR GAS SUPPLY

3.1.7 AUSTRALIAN STANDARD

A	O_2 CS hose 1.5 m (4.9 ft) NIST EN AS	M36153
	O_2 CS hose 3 m (9.8 ft) NIST EN AS	M36152
	O_2 CS hose 5 m (16.4 ft) NIST EN AS	M36151
B	AIR CS hose 1.5 m (4.9 ft) NIST EN AS	M36150
	AIR CS hose 3 m (9.8 ft) NIST EN AS	M36149
	AIR CS hose 5 m (16.4 ft) NIST EN AS	M36148
C	N_2O CS hose 1.5 m (4.9 ft) NIST EN AS	M36156
	N_2O CS hose 3 m (9.8 ft) NIST EN AS	M36155
	N_2O CS hose 5 m (16.4 ft) NIST EN AS	M36154
D	VAC CS hose 1.5 m (4.9 ft) NIST EN AS	M36826
	VAC CS hose 3 m (9.8 ft) NIST EN AS	M36827
	VAC CS hose 5 m (16.4 ft) NIST EN AS	M36828

A

D-10479-2016

B

D-10475-2016

C

D-10468-2016

D

D-12626-2018

ACCESSORY FOR GAS SUPPLY

3.1.8 JAPANESE STANDARD

A	O_2 CS hose 1.5 m (4.9 ft) DISS US KAWA	M35806
	O_2 CS hose 3 m (9.8 ft) DISS US KAWA	M35805
	O_2 CS hose 5 m (16.4 ft) DISS US KAWA	M35804
	O_2 CS hose 8 m (26,25 ft) DISS US KAWA	M35866
B	AIR CS hose 1.5 m (4.9 ft) DISS US KAWA	M35803
	AIR CS hose 3 m (9.8 ft) DISS US KAWA	M35802
	AIR CS hose 5 m (16.4 ft) DISS US KAWA	M35801
	AIR CS hose 8 m (26,25 ft) DISS US KAWA	M35865
C	N_2O CS hose 1.5 m (4.9 ft) DISS US KAWA	M35809
	N_2O CS hose 3 m (9.8 ft) DISS US KAWA	M35808
	N_2O CS hose 5 m (16.4 ft) DISS US KAWA	M35807
	N_2O CS hose 8 m (26,25 ft) DISS US KAWA	M35867
D	VAC CS hose 5 m (16.4 ft) DISS JIS KAWA	M35820

A

D-10453-2016

B

D-10461-2016

C

D-10470-2016

D

D-11090-2016

ACCESSORY FOR GAS SUPPLY

3.1.9 US AMERICAN STANDARD

A	O_2 CS hose DISS N/DISS N 10L	4185140
	O_2 CS hose DISS N/DISS N 15L	4185141
	O_2 CS hose DISS N/DISS N 20L	4199714
B	O_2 CS hose DISS Hand 10L	4199592
	O_2 CS hose DISS Hand 15L	4199591
C	AIR CS hose DISS N/DISS N 10L	4199605
	AIR CS hose DISS N/DISS N 15L	4199604
	AIR CS hose DISS N/DISS N 20L	4199712
D	AIR CS hose DISS Hand 10L	4199594
	AIR CS hose DISS Hand 15L	4199593
E	VAC CS hose DISS N/DISS N 10L	4199602
	VAC CS hose DISS N/DISS N 15L	4199601
	VAC CS hose DISS N/DISS N 20L	4199600
F	VAC CS hose DISS Hand 10L	4199590
	VAC CS hose DISS Hand 15L	4199589

A

D-10474-2016

B

D-10454-2016

C

D-10463-2016

D

D-10462-2016

E

D-10467-2016

F

D-10466-2016

ACCESSORY FOR GAS SUPPLY

A	N_2O CS hose DISS N/DISS N 10L	4185142
	N_2O CS hose DISS N/DISS N 15L	4185143
	N_2O CS hose DISS N/DISS N 20L	4199713
B	N_2O CS hose DISS Hand 10L	4199596
	N_2O CS hose DISS Hand 15L	4199595
C	Hose ASM-WAGD DISS N/ DISS N 10L	MP20022
	Hose ASM-WAGD DISS N/ DISS N 15L	MP20023
	Hose ASM-WAGD DISS N/ DISS N 20L	MP20024
D	Hose ASM-WAGD HAND DISS N 10L	MP20029
	Hose ASM-WAGD HAND DISS N 15L	MP20030

A

D-10450-2016

B

D-10451-2016

C

D-10455-2016

D

D-23380-2020

ACCESSORY FOR GAS SUPPLY

3.1.10 CANADIAN STANDARD

Now with check valve as standard.

A	O_2 CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36290
	O_2 CS hose 3 m (9.8 ft) DISSB EN HAND	M36291
	O_2 CS hose 5 m (16.4 ft) DISSB EN HAND	M36292
B	AIR CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36296
	AIR CS hose 3 m (9.8 ft) DISSB EN HAND	M36297
	AIR CS hose 5 m (16.4 ft) DISSB EN HAND	M36298
C	VAC CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36299
	VAC CS hose 3 m (9.8 ft) DISSB EN HAND	M36300
	VAC CS hose 5 m (16.4 ft) DISSB EN HAND	M36301
D	N_2O CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36293
	N_2O CS hose 3 m (9.8 ft) DISSB EN HAND	M36294
	N_2O CS hose 5 m (16.4 ft) DISSB EN HAND	M36295
E	Hose ASM-WAGD HAND DISS N 10L	MP20029
	Hose ASM-WAGD HAND DISS N 15L	MP20030

A

D-23376-2020

B

D-28321-2020

C

D-23377-2020

D

D-23378-2020

E

D-23380-2020

ACCESSORY FOR GAS SUPPLY

3.1.11 CHINESE STANDARD

	O_2 CS hose 3 m (9.8 ft) NIST GB BS	M36732
	O_2 CS hose 5 m (16.4 ft) NIST GB BS	M36733
	AIR CS hose 3 m (9.8 ft) NIST GB BS	M36736
	AIR CS hose 5 m (16.4 ft) NIST GB BS	M36737
	N_2O CS hose 3 m (9.8 ft) NIST GB BS	M36734
	N_2O CS hose 5 m (16.4 ft) NIST GB BS	M36735
	O_2 CS hose 0.9 m (2.95 ft) NIST GB DIN	M36784
	O_2 CS hose 1.5 m (4.9 ft) NIST GB DIN	M36785
	O_2 CS hose 3 m (9.8 ft) NIST GB DIN	M36738
A	O_2 CS hose 5 m (16.4 ft) NIST GB DIN	M36739
	N_2O CS hose 0.9 m (2.95 ft) NIST GB DIN	M36788
	N_2O CS hose 1.5 m (4.9 ft) NIST GB DIN	M36789
	N_2O CS hose 3 m (9.8 ft) NIST GB DIN	M36740
B	N_2O CS hose 5 m (16.4 ft) NIST GB DIN	M36741
	AIR CS hose 0.9 m (2.95 ft) NIST GB DIN	M36786
	AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36010
	AIR CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36011
	AIR CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36012

A

D-6367-2017

B

D-6366-201

ACCESSORY FOR GAS SUPPLY

3.2 ADAPTER

A	Adapter DISS M/QC-N_2O-Chemetron	4119065
	Adapter DISS M/QC-AIR-Chemetron	4119066
	Adapter DISS M/QC-VAC-Chemetron	4119067
	Adapter DISS M/QC-O_2-Chemetron	4119068
	Adapter DISS M/QC-EVAC-Chemetron	4119069
B	Adapter DISS M/QC-N_2O-Ohmeda	4119070
	Adapter DISS M/QC-AIR-Ohmeda	4119071
	Adapter DISS M/QC-VAC-Ohmeda	4119072
	Adapter DISS M/QC-O_2-Ohmeda	4119073
	Adapter DISS M/QC-EVAC-Ohmeda	4119074
C	Adapter DISS M/QC-N_2O-Pur Ben	4119075
	Adapter DISS M/QC-AIR-Pur Ben	4119076
	Adapter DISS M/QC-VAC-Pur Ben	4119077
	Adapter DISS M/QC-O_2-Pur Ben	4119078
	Adapter DISS M/QC-EVAC-Pur Ben	4119079
	Adapter DISS M/QC-N_2O-Schrader	4119080
	Adapter DISS M/QC-AIR-Schrader	4119081
	Adapter DISS M/QC-VAC-Schrader	4119082
	Adapter DISS M/QC-O_2-Schrader	4119083
D	Double-Plug coupling AIR	G01166
	Double-Plug coupling O_2	G01168
	Double-Plug coupling VAC	G01169

A

D-10412-2016

B

D-10401-2016

C

D-10410-2016

D

D-10397-2016

Not all articles are available worldwide.

ACCESSORY FOR GAS SUPPLY

A	Adapter O_2 NIST/DIN	M32493
	Adapter N_2O NIST/DIN	M32494
	Adapter AIR NIST/DIN	M32495
	Adapter VAC NIST/DIN	M32496
	Adapter AIR/O_2 NIST/DIN	M32497
B	Adapter O_2, DISS-NIST	M34875
	Adapter N_2O, DISS-NIST	M34876
	Adapter AIR, DISS-NIST	M34877
	Adapter VAC, DISS-NIST	M34878
C	Adapter O_2 NIST/DIN	M35056
	Adapter N_2O NIST/DIN	M35057
	Adapter AIR NIST/DIN	M35058
	Adapter AIR-O_2/O_2 NIST/DIN	M36042
D	T-piece AIR NIST	M36056
	T-piece O_2 NIST	M36250
E	Adapter O_2 NF/NIST	M35336
	Adapter N_2O NF/NIST	M35337
	Adapter AIR NF/NIST	M35338

A

D-10407-2016

B

D-10406-2016

C

D-10409-2016

D

D-10399-2016

E

D-10403-2016

Not all articles are available worldwide.

Rail accessories
and examination lights

Something you can count on:

Hospital lighting has a vital impact on the health and well-being of your patients. Our smart solutions equip you with ideally suited lightning giving you excellent illumination and working conditions. Sophisticated without being complicated, our Quickstop Hinged Arms are easy to handle, allowing you more flexibility and improved patient care.

We can help you conceptualise your hospital installations with intelligent workstations integrated with complementing accessory products for safer and more optimized patient care.

D-26583-2009

CONTENT

1.	Rail accessories	319
2.	Examination light	322
3.	Hinged arms	324
4.	Device related accessories	325

RAIL ACCESSORIES AND EXAMINATION LIGHT

1. RAIL ACCESSORIES

A	Rail clamp, for attachment to poles of different diameters, rotable by 90° to left and right, length of standard rail (profile 25 × 10 mm): 20 cm	2M85274
B	Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail, for compact suction unit and secretion jar set	M26842
C	CS connection hose holder	2M85446
D	Suction hose holder, suitable for various diameters	2M85239

A



MT-1978-2008

B

MT-2542-95

C

MT-2517-95

D



MT-2524-95

Not all articles are available worldwide.

RAIL ACCESSORIES AND EXAMINATION LIGHT

A	**Ceiling holder, rail holder for compact suction systems and secretion jar sets**	**2M85119**
	Wire baskets*	
	The wire baskets are used for storage of disposable catheters or dispoables gloves. The catheters can be simply stored in bundles and are then easy to take out one by one. The baskets are chromeplated and are thus easy to clean and can be autoclaved at up to 134 °C. The amount of space for a basket on the rails is around 150 mm (5.9 in).	
B	**Basket 150, 15 × 20 × 10 cm, e.g., for disposable gloves**	**M26146**
B	**Basket 300, 15 × 28 × 10 cm, e.g., for 300 mm catheters**	**M26145**
B	**Basket 600, 15 × 48 × 10 cm, e.g., for 600 mm catheters**	**M25121**
C	**Litter bag holder, stainless steel, with base plate and litter bags (100 pcs.)**	**M24695**
	Litter bags, disposable, for litter bag holder, 100 pcs.	**M26240**

*Tradeware

A

MT-10962-2006

B

MT-2558-95

C

MT-3720-2008

RAIL ACCESSORIES AND EXAMINATION LIGHT

A	**Cable holder for rail, 10 pcs., cable holder set for guiding cables and hoses along standard rails (25 × 10 mm), consisting of 10 plastic rail clips**	**G15225**
A	**Cable holder for support pole, 4 pcs., cable holder set for guiding cables and hoses along support tubes with a diameter of 38 mm (1.5 in), consisting of 4 two-part plastic clamps and screws**	**G13171**
B	**Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg**	**2M85337**
C	**Extension arm set, for cables and hoses, with cable/hose guide channels**	**G13040**

A

MT-21201-94

B

MT-21198-94

C

D-2380-2011

RAIL ACCESSORIES AND EXAMINATION LIGHT

2. EXAMINATION LIGHT

The Dräger **VarioLux®** offers cool, highly efficient, and variable intensity examination light and was specially designed for use in neonatology and pediatric settings. Made for single-handed operation, it features adjustable color temperature settings as well as a dimmer function.

Operating mode:	Continuous operation
Weight:	1.5 kg (3.3 lbs)
Electrical values:	100 – 240 V, 50/60 Hz
Max. illumination intensity Ec at 0.5 m:	30,000 lx
Dimming levels:	30,000 lx, 24,000 lx, 18,000 lx, 12,000 lx, 7,000 lx
Light field diameter d10 at 0.5 m:	20 cm (7.9 in)
Light field diameter d50 at 0.5 m:	9 cm (3.5 in)
Color temperature adjustable:	Cool white (blue) 4,700 K, Neutral white (white) 4,100 K, Warm white (red) 3,500 K
Min. service life of bulb (LEDs):	> 50,000 h
Color reproduction index:	Ra>= 96 (at 3,500 K) R9 = 89 (at 3,500 K)
Max. radiant power at 0.5 m:	105 W/m²

A	**Medical examination light VarioLux® with LED technology, EU**	**MP00601**
	Medical examination light VarioLux® with LED technology, US	**MP00602**
	Medical examination light VarioLux® with LED technology, GB	**MP00603**
	Medical examination light VarioLux® with LED technology, AUS	**MP00606**
	Medical examination light VarioLux® with LED technology, ZA	**MP00607**
	Medical examination light VarioLux® with LED technology, JPN	**MP00608**
	Power cable EU, 1.8 m, 2 pin	**MP00591**
	Power cable US/JPN, 1.8 m, 2 pin	**MP00592**
	Power cable GB, 1.8 m, 2 pin	**MP00593**
	Power cable AUS, 1.8 m, 2 pin	**MP00626**
	Power cable ZA, 1.8 m, 2 pin	**MP00597**

A

D-50753-2012

A

D-50637-2012

A

D-50764-2012

Not all articles are available worldwide.

RAIL ACCESSORIES AND EXAMINATION LIGHT

A	**Rail claw for lamp**	**MP00615**
B	**Turn knob, compl.**	**MP00587**
C	**Control panel**	**MP00589**
D	**Rail clamp, for attachment to poles of different diameters, rotable by 90° to left and right, length of standard rail (profile 25 × 10 mm): 20 cm**	**2M85274**
E	**Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg**	**2M85337**

A

D-50773-2012

B

D-50772-2012

C

D-50659-2012

D

MT-1978-2008

E

MT-21198-94

Not all articles are available worldwide.

RAIL ACCESSORIES AND EXAMINATION LIGHT

3. HINGED ARMS

Keeping everything close at hand. To leave your hands free to care for the patient, all the joints can be fixed into place and released with just one quick hand movement.
All cables, lines and hose systems can be arranged in such a way as to more or less completely prevent accidental disconnection.

A	**Hinged arm Infinity® ACS, for positioning and fixation of breathing hoses, this arm can be fixed into place without a hand movement through a patent registered friction torque-breaking system, length 1,080 mm, max. load 0.5 kg, includes hose clamps: MP00693 (1×), 8417396 (2×)**	**MP00690**
B	**Hinged arm 240°, 3 hinges, fixable, ball holder system, length 1,155 mm, max. load 0.3 kg, includes hose clamps: MP00493 (1×), 8409841 (1×), 8409746 (1×)**	**8409609**
C	**Hinged arm Quickstop 2, with universal ball holder system for optional accessories length 858 mm, max. load 0.4 kg, includes hose clamps: MP00493 (1×), 8404761 (2×), 8409841 (1×)**	**2M85706**
D	**Hinged arm Quickstop 1, length 847 mm, max. load 0.4 kg, includes hose clamps: MP00493 (1×), 8404761 (3×)**	**2M85705**
E	**Hinged arm Quickstop short, with universal tube holder plate, for various cable and tube dimensions and coaxial hoses, specifically designed for OR tables, length 323 mm, max. load 1 kg**	**2M86463**

A

MT-3980-2008

B

MT-215-99

C

MT-2547-95

D

MT-2551-95

E

MT-4419-2005

Not all articles are available worldwide.

DEVICE RELATED ACCESSORIES

4. DEVICE RELATED ACCESSORIES

A	**Disposable Handle Polaris, Dual, for Polaris 100/200, 600 and Multimedia, adapter required, 60 pcs.**	**MP05700**
A	**Disposable Handle Polaris, Single, for Polaris 100/200, 600 and Multimedia, adapter required, 120 pcs.**	**MP05701**

CONVERSION KITS

Polaris 100 with sterilizable handle (G92099), 1 pc.	**G35332**
Polaris 200 with sterilizable handle (G92099), 1 pc.	**G35614**
Polaris 100/200 with sterilizable handle E (G36993), 1 pc.	**G35325**
Polaris 600 with sterilizable handles (G92099 or G36993), 1 pc.	**G35324**
Polaris Multimedia (display adapter) with sterilizable handles (G92099 or G36993), 1 pc.	**G35333**

A

D-26056-2017

Not all articles are available worldwide.

Neonatal care
and thermoregulation

Something you can count on:

NICU equipment by Dräger provides complete neonatal care solutions, right down to the accessories. We offer you a wide range of specialised products to meet the most diverse needs of your smallest patients. To ensure safe and optimal care, we are committed on using high quality materials. Our solutions support you with effective clinical therapies that respect your specific budget.

D-14827-2018

CONTENT

1.	**Warming therapy**	**329**
	Babyleo® TN500	329
	Caleo®	331
	Isolette® 8000/8000 plus	333
	Air-Shields® Isolette® C2000/8000	335
	Babytherm® 8000 WB/8004/8010/4200	337
	Air-Shields® Resuscitaire®	340
	Globe-Trotter GT5400	343
	Air-Shields® TI 500 Globe-Trotter	346
	Air-Shields® Isolette® TI 500	349
	Photo Therapy	351
	Developmental Care	352
	Miscellaneous	354
2.	**Ventilation accessories**	**355**
3.	**Sensors**	**391**
4.	**Monitoring accessories**	**393**
5.	**Ward equipment**	**402**
6.	**Rail accessories and examination light**	**417**

Note: size classification to adults (A), pediatrics (P) and neonats (N).

BABYLEO® TN500

1. WARMING THERAPY

A	**Skin temperature probe ThermoTrace, disposable, yellow, central, 5 pcs.**	**MX11000**
B	**Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.**	**MX11001**
C	**Mattress SoftBed, for Babyleo TN500, reusable, lining: 100% polyurethane, fabric: 100% polyester**	**2M60390**
D	**Incubator cover, for Babyleo TN500, reusable, outer fabric: 100% polyester, inner fabric: 100% polyester**	**MP03730**
E	**Towel doll Babyleo TN500*, lion, orange**	**MP03737**
F	**O_2 sensor Oxycell, for Babyleo® TN500**	**6873065**

*Tradeware

A

MT-606-2002

B

MT-607-2002

C

D-27676-2017

D

D-26324-2020

E

D-10415-2016

F

D-7498-2016

Not all articles are available worldwide.

BABYLEO® TN500

A	Ventilation hose holder, reusable, 40 cm	8411075
B	Air intake filter for Caleo® and Babyleo TN500, reusable, 20 pcs.	MX17015
C	Water transfer hose for Caleo® and Babyleo TN500, disposable, 20 pcs.	MX17018
D	Gastroschisis arm, complete	2M60180
E	Holder for cylinder packet for GCX profile	4118453
F	Rail, 100 mm for GCX profile	4118555
	Clamp for GCX rail, 5 pcs.	2M60401

A



MT-2984-2004

B

MT-602-2002

C

MT-600-2002

D

D-7457-2016

E

MT-4540-2005

F

MT-3886-2008

Not all articles are available worldwide.

CALEO®

A	Skin temperature probe ThermoTrace, disposable, yellow, central, 5 pcs.	MX11000
B	Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.	MX11001
C	Mattress SoftBed, for Caleo®, reusable, lining: 100% polyurethane, fabric: 100% polyester	MX17012
D	Incubator cover, for Caleo®, reusable, outer fabric: 100% polyester, inner fabric: 100% polyester	MP01423
E	Tubing grommet for Caleo®, reusable, angle	2M50385
F	Tubing grommet for Caleo®, reusable, flap	2M50412

A

MT-606-2002

B

MT-607-2002

C

D-27676-2017

D

D-26323-2020

E

MT-7736-2006

F

MT-3276-2005

Not all articles are available worldwide.

CALEO®

A	Ventilation hose holder, reusable, 40 cm	8411075
B	O_2 sensor OxyTrace INCU, for Caleo®	MX01050
C	Air intake filter for Caleo® and Babyleo TN500, reusable, 20 pcs.	MX17015
D	Water transfer hose for Caleo® and Babyleo TN500, disposable, 20 pcs.	MX17018
E	Water tank and water transfer hose, for Caleo®, reusable	2M50040
F	Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm	2M21514
G	Swivel table, reusable, for poles with Ø 38 mm	2M21186

A

MT-2984-2004

B

MT-603-2002

C

MT-602-2002

D

MT-600-2002

E

D-45092-2015

F

MT-621-2002

G

MT-2-1069-94

Not all articles are available worldwide.

ISOLETTE® 8000/8000 PLUS

A	Skin temperature probe Premi-Probe for Isolette® 8000 plus, disposable, yellow, central, 10 pcs.	MU26041
B	Skin temperature probe Premi-Probe for Isolette® 8000 plus, disposable, white, peripheral, 10 pcs.	MU26042
C	Mattress SoftBed, for Isolette® C2000, 8000 and 8000 plus, reusable, lining: 100% polyurethane, fabric: 100% polyester	MP01401
D	Incubator cover, for Isolette® C2000, 8000 and 8000 plus, reusable, outer fabric: 100% polyester, inner fabric: 100% polyester	MP01424

A

D-4759-2017

B

D-4758-2017

C

D-27676-2017

D

D-26322-2020

Not all articles are available worldwide.

ISOLETTE® 8000/8000 PLUS

A	Tubing grommet for Isolette® C2000, 8000 and 8000 plus, reusable	MU12609
B	O_2 sensor for Isolette® C2000, 8000 and 8000 plus, reusable, 2 pcs.	MU24903
C	Air intake filter for Isolette® C2000, 8000 and 8000 plus, reusable, 4 pcs.	MU12504
D	Condensate management hoses for Isolette® 8000 and 8000 plus, disposable, 20 pcs.	MU21120
E	Suction bottle with filter and tube for Isolette® 8000, disposable, 800 mL, 20 pcs.	MU10918
F	Iris port sleeve, disposable, 100 pcs.	MU03876

A

D-22629-2010

B

MT-7727-2006

C

MT-1146-2005

D

D-22626-2010.tif

E

MT-1980-2005

F

MT-1157-2005

AIR-SHIELDS® ISOLETTE® C2000/8000

A	Skin temperature probe Premi-Probe 5, reusable	MU12533
B	Skin temperature probe Premi-Probe 5, disposable, 10 pcs.	MU12551
C	Mattress SoftBed, for Isolette® C2000, 8000 and 8000 plus, reusable, lining: 100% polyurethane, fabric: 100% polyester	MP01401
D	Incubator cover, for Isolette® C2000, 8000 and 8000 plus, reusable, outer fabric: 100% polyester, inner fabric: 100% polyester	MP01424

A

MT-1974-2005

B

D-20979-2015

C

D-27676-2017

D

D-26322-2020

AIR-SHIELDS® ISOLETTE® C2000/8000

A	Tubing grommet for Isolette® C2000, 8000 and 8000 plus, reusable	MU12609
B	O_2 sensor for Isolette® C2000, 8000 and 8000 plus, reusable, 2 pcs.	MU24903
C	Air intake filter for Isolette® C2000, 8000 and 8000 plus, reusable, 4 pcs.	MU12504
	Humidifier chamber for Isolette® C2000, reusable	MU17191
D	Condensate management hoses for Isolette® 8000 and 8000 plus, disposable, 20 pcs.	MU21120
E	Suction bottle with filter and tube for Isolette® 8000, disposable, 800 mL, 20 pcs.	MU10918
F	Iris port sleeve, disposable, 100 pcs.	MU03876
G	Hand port cuff, disposable, oval, 100 pcs.	MU06570

A

D-22629-2010

B

MT-7727-2006

C

MT-1146-2005

D

D-22626-2010.tif

E

MT-1980-2005

F

MT-1157-2005

G

MT-1110-2005

Not all articles are available worldwide.

BABYTHERM® 8000 WB/8004/8010/4200

A	Skin temperature probe ThermoTrace, disposable, yellow, central, 5 pcs.	MX11000
B	Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.	MX11001
C	Gel mattress for Babytherm® 8000 / 8010, reusable	2M20827
D	Mattress SoftBed, for Babytherm®, reusable, lining: 100% polyurethane, fabric: 100% polyester	2M21012

A

MT-606-2002

B

MT-607-2002

C



MT-2979-2004

D

D-27576-2017

Not all articles are available worldwide.

BABYTHERM® 8000 WB/8004/8010/4200

A	Holder for hinged hood for Babytherm® 8000 WB, 8004 and 8010, reusable, neonatal, mounts to hand rail	2M21342
B	Deposit plate for Babytherm® 8000	2M21158
C	Handle, complete for Babytherm® 8000	2M21161
D	Breathing hose holder for Babytherm®, neonatal, for 10 mm breathing hose	2M21191
	Tubing grommet, reusable	2M20434

A

MT-2985-2004

B



MT-2980-2004

C

MT-2315-2011

D

MT-2984-2004

BABYTHERM® 8000 WB/8004/8010/4200

A	Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm	2M21514
B	Infusion bottle holder for Babytherm®, reusable, neonatal	2M16520
C	Swivel table, reusable, for poles with Ø 38 mm	2M21186
	Multiple socket for Babytherm® 8000, 220/240 V	2M20914

A

MT-621-2002

B

MT-2976-2004

C

MT-2-1069-94

AIR-SHIELDS® RESUSCITAIRE®

A	Skin temperature probe Premi-Probe 3, reusable	MU11225
B	Skin temperature probe Premi-Probe 3, disposable, 10 pcs.	MU11228
C	Mattress SoftBed, for Resuscitaire®, reusable, with scale, lining: 100% polyurethane, fabric: 100% polyester	MP01404
C	Mattress SoftBed, for Resuscitaire®, reusable, without scale, lining: 100% polyurethane, fabric: 100% polyester	MP01402

A

D-2395-2011

B

D-7475-2016

C

D-27576-2017

Not all articles are available worldwide.

AIR-SHIELDS® RESUSCITAIRE®

A	Breathing hose for Resuscitaire® with AutoBreath, disposable, 25 pcs.	MU10841
B	Breathing hose for breathing bag, disposable, 15 mm, 25 pcs.	MU10900
C	VentStar® Resuscitation Neo, disposable, N, 1 m, 25 pcs., not made with natural rubber latex	MP00310
D	Breathing circuit for Resuscitaire VentStar®, disposable, N, press. meas. line, 1 m, 25 pcs., not made with natural rubber latex	MP00311
E	T-piece adapter for MX 300/MX 300i and Resuscitaire® breathing circuit, disposable, 20 pcs.	MP01880
F	Silicone mask, reusable, size 00, premature baby	MP02900
F	Silicone mask, reusable, size 0, small neonate	MP01910
F	Silicone mask, reusable, size 1, large neonate	MP01911

A

MT-1139-2005

B



MT-1987-2005

C

D-19278-2009

D



D-7352-2011

E

D-21185-2015

F

D-20977-2015

Not all articles are available worldwide.

AIR-SHIELDS® RESUSCITAIRE®

A	T-connector, disposable, Ø 15 mm, 25 pcs.	MU10902
B	Suction bottle with holder for Resuscitaire, disposable, 40 mL	MU10916
C	Suction bottle, disposable, 40 mL, 10 pcs.	MU10917
D	Filter for suction bottle 40 ml for Resuscitaire®, disposable, 10 pcs.	MU10915
E	Suction bottle with filter and tube, disposable, 800 mL, 20 pcs.	MU10918

A

MT-1142-2005

B

MT-1145-2005

C

MT-1025-2005

D

MT-4617-2005

E

MT-1980-2005

Not all articles are available worldwide.

GLOBE-TROTTER GT5400

A	Skin temperature probe Premi-Probe 1, disposable, 10 pcs.	MU06933
B	Skin temperature probe Premi-Probe 1, reusable	MU06951
C	Mattress SoftBed, for TI 500 and TI 500 Globe-Trotter, reusable, lining: 100% polyurethane, fabric: 100% polyester	MP01419
D	Restraining strap, disposable, 10 pcs.	MU06011
	Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable	MU04366
E	Iris port sleeve, disposable, 100 pcs.	MU03876
F	Hand port cuff, disposable, oval, 100 pcs.	MU06570

A

D-7474-2016

B

MT-1968-2005

C

D-27675-2017

D

MT-1026-2005

E

MT-1157-2005

F

MT-1110-2005

Not all articles are available worldwide.

GLOBE-TROTTER GT5400

A	Air intake filter for TI 500 and TI 500 Globe-Trotter, disposable, 6 pcs.	MU04472
B	Humidity pad, disposable, antibacterial, 25 pcs.	MU06008
	Water nozzle for humidity pad, disposable, 25 pcs.	MU25426
C	O_2 sensor* for Crossvent 2i+	MU24402
D	Flow sensor* for Crossvent 2i+, disposable, infant, 10 pcs.	MU24401
E	Breathing circuit* for active humidification, disposable, neonate, 20 pcs., not made with natural rubber latex	MU24409

*Tradeware

A

MT-1060-2005

B

MT-1104-2005

C

D-101219-2013

D



D-101222-2013

E

D-101214-2013

GLOBE-TROTTER GT5400

A	SpO_2 adhesive sensor* Masimo® LNCS Neo, disposable, neonate, 20 pcs.	MP00792
B	SpO_2 adhesive sensor* Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794

*Tradeware

A

D-32560-2011

B

D-32550-2011

AIR-SHIELDS® TI 500 GLOBE-TROTTER

A	Skin temperature probe Premi-Probe 1, disposable, 10 pcs.	MU06933
B	Skin temperature probe Premi-Probe 1, reusable	MU06951
C	Mattress SoftBed, for TI 500 and TI 500 Globe-Trotter, reusable, lining: 100% polyurethane, fabric: 100% polyester	MP01419
	Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable	MU04366
	Breathing hose for TI 500 Globe-Trotter, disposable, 20 pcs.	MU04771
	O_2 sensor for TI 500 Globe-Trotter, reusable	MU04804

A

D-7474-2016

B

MT-1968-2005

C

D-27575-2017

Not all articles are available worldwide.

AIR-SHIELDS® TI 500 GLOBE-TROTTER

A	Air intake filter for TI 500 and TI 500 Globe-Trotter, disposable, 6 pcs.	MU04472
B	Iris port sleeve, disposable, 100 pcs.	MU03876
C	Hand port cuff, disposable, oval, 100 pcs.	MU06570

A

MT-1060-2005

B

MT-1157-2005

C

MT-1110-2005

Not all articles are available worldwide.

AIR-SHIELDS® TI 500 GLOBE-TROTTER

A	Humidity pad, disposable, antibacterial, 25 pcs.	MU06008
B	Restraining strap, disposable, 10 pcs.	MU06011

A

MT-1104-2005

B

MT-1028-2005

Not all articles are available worldwide.

AIR-SHIELDS® ISOLETTE® TI 500

A	Skin temperature probe Premi-Probe 1, disposable, 10 pcs.	MU06933
B	Skin temperature probe Premi-Probe 1, reusable	MU06951
C	Mattress SoftBed, for TI 500 and TI 500 Globe-Trotter, reusable, lining: 100% polyurethane, fabric: 100% polyester	MP01419
	Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable	MU04366
D	Air intake filter for TI 500 and TI 500 Globe-Trotter, disposable, 6 pcs.	MU04472
E	Iris port sleeve, disposable, 100 pcs.	MU03876
F	Hand port cuff, disposable, oval, 100 pcs.	MU06570

A

D-7474-2016

B

MT-1968-2005

C

D-27675-2017

D

MT-1060-2005

E

MT-1157-2005

F

MT-1110-2005

Not all articles are available worldwide.

AIR-SHIELDS® ISOLETTE® TI 500

A	Humidity pad, disposable, antibacterial, 25 pcs.	MU06008
B	Restraining strap, disposable, 10 pcs.	MU06011

A

MT-1104-2005

B

MT-1028-2005

Not all articles are available worldwide.

PHOTO THERAPY

A	Light shield curtain for BiliLux, reusable, woven fabric: 100% cotton, miscellaneous: Polyester (PES)	MP03760
B	Phototherapy mask Eyemax 2*, disposable, micro, head circumference 20-25 cm, 20 pcs.	MP03770
C	Phototherapy mask Eyemax 2*, disposable, preemie, head circumference 26-32 cm, 20 pcs.	MP03771
D	Phototherapy mask Eyemax 2*, disposable, regular, head circumference 33-38 cm, 20 pcs.	MP03772
E	Light for Photo Therapy 4000*, fluorescent bulb, white	2M21009
E	Light for Photo Therapy 4000*, fluorescent bulb, blue	2M21010

*Tradeware

A

D-17882-2017

B

D-4767-2017

C

D-4766-2017

D

D-4765-2017

E

MT-21083-94

Not all articles are available worldwide.

DEVELOPMENTAL CARE

A	Towel doll Cally, reusable, light blue or pink*	2M30462
B	Towel doll Babyleo TN500*, lion, orange	MP03737
C	Towel doll Isi*, deer, green	MP03738

*Tradeware

A

MT-0092-2008

A

MT-0094-2008

B

D-10415-2016

C

D-26316-2020

DEVELOPMENTAL CARE

A	Incubator cover, for Babyleo TN500, reusable, outer fabric: 100% polyester, inner fabric: 100% polyester	MP03730
B	Incubator cover, for Caleo®, reusable, outer fabric: 100% polyester, inner fabric: 100% polyester	MP01423
C	Incubator cover, for Isolette® C2000, 8000 and 8000 plus, reusable, outer fabric: 100% polyester, inner fabric: 100% polyester	MP01424

A

D-26324-2020

B

D-26323-2020

C

D-26322-2020

MISCELLANEOUS

A	Warming mattress TransWarmer®*, disposable, self warming for approx. 2 h, 6 pcs.	MP01414
B	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, small, 100 pcs.	MU06944
C	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, large, 100 pcs.	MU06943

*Tradeware

A

MT-3278-2005

B

MT-1967-2005

C

MT-1965-2005

Not all articles are available worldwide.

VENTILATION ACCESSORIES

2. VENTILATION ACCESSORIES

MX 300-i

A	O_2 analyzer MX 300-i*	MP01440
B	O_2 sensor* for MX 300 and MX 300-i, reusable	MP01442
C	Holder* for MX 300 and MX 300-i	MP01443
D	Connection cable* for MX 300 and MX 300-i	MP01444
E	T-piece adapter* for MX 300 and MX 300-i, reusable	MP01445
F	T-piece adapter for MX 300/MX 300i and Resuscitaire® breathing circuit, disposable, 20 pcs.	MP01880

*Tradeware

A

D-7364-2011

B

D-7368-2011

C

D-7370-2011

D

D-9309-2011

E

D-9310-2011

F

D-21185-2015

Not all articles are available worldwide.

VENTILATION ACCESSORIES

SEATTLE PAP PLUS – BUBBLE CPAP SYSTEM

Helping infants with respiratory distress breathe easier. The Seattle-Positive Airway Pressure (PAP) system is an innovation, which uses the proven advantages of Bubble CPAP therapy, such as oscillatory effects similar to high frequency ventilation and combines it with an unique design.
Seattle-PAP plus is safe, effective and easy to use.
It was designed to:

- Promote infant safety with a uniquely designed pressure manifold with pressure relief valve.
- Safety tube lock to avoid unintended changes of the PEEP level.
- Provide comfort and optimum CPAP support to the infant due to disposable BabyFlow plus interfaces complementing the system.
- Include funnel with the filling tube which minimises spillages.
- The swivel connector to the expiratory limb prevents unneccessary disconnections and pressure loss.
- The water trap in the expiratory limb prevents unwanted presssure peaks due to condensation in the expiratory limb.

It requires only oxygen and compressed air, both to be administered by an O_2 blender like the Oxymixer from Dräger and a humidification source for the circuit.

A	**Seattle PAP plus**	**MP02260**
	Trolley	**5790148**
B	**Multi-P trolley* basic** Including base with 5 castors, 38-mm Ø pole, 3 rail clamps, basket.	**MP13020**
C	**Multi-P trolley* basic** Including base with 5 castors and 38 mm Ø pole for accessories.	**MP13021**

*Tradeware. This product is expected to be available in April 2021.

A

D-15228-2017

B

D-32262-2020

C

D-32264-2020

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	**Compact rail,** **for 38 mm tube, standard rail profile 25 × 10 mm,** **each side 10 cm, weight: 0.9 kg, max. load: 30 kg**	**2M85337**
B	**Universal holder profile 30 × 5** **for wall rails 25 × 8 to 35 × 10 mm,** **for secretion jars Medela**	**MP00634**
C	**Adapter, with 6 mm nozzle,** **e.g., for disposable breathing masks, 9/16“ connection**	**MP00416**
D	**Rail clamp for F&P humidifier** **and Seattle PAP bubble box***	**8411074**
E	**Rail clamp,** **for attachment to poles of different diameters,** **rotable by 90° to left and right,** **length of standard rail (profile 25 × 10 mm): 20 cm**	**2M85274**

*Produced by Fisher & Paykel

A

MT-21198-94

B

D-107551-2013

C

D-122-2016

D

MT-139-98

E

MT-1978-2008

Not all articles are available worldwide.

VENTILATION ACCESSORIES

ACCESSORIES FOR SEATTLE PAP PLUS

A	BabyFlow plus, disposable, size S, 20 pcs.	MP03700
	BabyFlow plus, disposable, size M, 20 pcs.	MP03701
	BabyFlow plus, disposable, size L, 20 pcs.	MP03702
B	Demo package BabyFlow plus, disposable, size S	MP03703
	Demo package BabyFlow plus, disposable, size M	MP03704
C	Soft connector N, disposable, 20 pcs.	MP03826
	Prong BabyFlow, standard, disposable, size XS, 10 pcs.	8418415
	Prong BabyFlow, standard, disposable, size S, 10 pcs.	8418605
	Prong BabyFlow, standard, disposable, size M, 10 pcs.	8418416
D	Prong BabyFlow, standard, disposable, size L, 10 pcs.	8418531
	Prong BabyFlow, standard, disposable, size XL, 10 pcs.	8418417
	Prong BabyFlow, standard, disposable, size XXL, 10 pcs.	8418617
	Prong BabyFlow, wide, disposable, size 3, 10 pcs.	8418603
	Prong BabyFlow, wide, disposable, size 4, 10 pcs.	8418607
	Prong BabyFlow, wide, disposable, size 5, 10 pcs.	8418609
	Prong BabyFlow, wide, disposable, size 6, 10 pcs.	8418611
E	Neo-mask, silicone, disposable, size S, 10 pcs.	8418491
	Neo-mask, silicone, disposable, size M, 10 pcs.	8418490
	Neo-mask, silicone, disposable, size L, 10 pcs.	8418619
	Neo-mask, TPE, disposable, size 4, 10 pcs.	MP01494
	Neo-mask, TPE, disposable, size 5, 10 pcs.	MP01495
	Neo-mask, TPE, disposable, size 6, 10 pcs.	MP01496

A

D-7477-2016

B

D-2195-2015

C

D-42601-2015

D

D-150-2018

E

D-23992-2015

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	Headgear, disposable, size XXS, 17 – 20 cm (6.7 – 7.9 in) head circumference, 5 pcs.	MP03880
	Headgear, disposable, size XS, 20 – 23 cm (7.9 – 9.1 in) head circumference, 5 pcs.	MP03881
	Headgear, disposable, size S, 23 – 27 cm (9.1 – 10.6 in) head circumference, 5 pcs.	MP03882
	Headgear, disposable, size M, 27 – 31 cm (10.6 – 12.2 in) head circumference, 5 pcs.	MP03883
	Headgear, disposable, size L, 31 – 37 cm (12.2 – 14.6 in) head circumference, 5 pcs.	MP03884
	Headgear, disposable, size XL, 37 – 42 cm (14.6 – 16.5 in) head circumference, 5 pcs.	MP03885
	Cap BabyFlow, disposable, size XS, white, 18 – 20.5 cm (7.1 – 8.1 in) head circumference, 5 pcs.	8418533
	Cap BabyFlow, disposable, size S, yellow, 20.5 – 23 cm (8.1 – 9.1 in) head circumference, 5 pcs.	8418534
	Cap BabyFlow, disposable, size M, red, 23 – 25.5 cm (9.1 – 10 in) head circumference, 5 pcs.	8418535
	Cap BabyFlow, disposable, size L, green, 25.5 – 28 cm (10 – 11 in) head circumference, 5 pcs.	8418536
	Cap BabyFlow, disposable, size XL, orange, 28 – 30.5 cm (11 – 12 in) head circumference, 5 pcs.	8418537
	Cap BabyFlow, disposable, size XXL, blue, 30.5 – 33 cm (12 – 13 in) head circumference, 5 pcs.	8418538
B	Cap BabyFlow, disposable, size XXL+, white/black, 33 – 36 cm (13 – 14.2 in) head circumference, 5 pcs.	8418539

A

D-23991-2015

B

D-33871-2015

Not all articles are available worldwide.

VENTILATION ACCESSORIES

OXYMIXER*

Oxymixer enables a continuous and individually adjusted mixture of medical air and medical oxygen to be administered to infants, children and adults. The O_2 concentration is easily adjusted to a highly accurate flow by means of the bleed – even with flow rates of less than 3 l/min.

	Oxymixer configuration Configurable Oxymixer	**MP04200**
A	**Oxymixer Low Flow**	**MP04203**
B	**Oxymixer Low Flow with monitor**	**MP04204**
C	**Oxymixer Low Flow with 1 – 15 l flowmeter right**	**MP04229**

Several hoses to connect Oxymixer with the central supply.
For CS hoses see chapter 4, “Accessory for gas supply”.

*Tradeware

A

D-17770-2016

B

D-17768-2016

C

D-5872-2018

VENTILATION ACCESSORIES

A	**Oxymixer* sound damper 9/16“**	**MP04218**
B	**Oxymixer* sound damper 22 and 15 mm**	**MP04219**
C	**Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16“ connection**	**MP00416**
	Oxymixer* oxygen sensor (spare part)	**MP04221**

*Produced by DEHAS

A

D-13933-2017

B

D-15154-2017

C

D-122-2016

VENTILATION ACCESSORIES

BABYFLOW® PLUS

BabyFlow® plus – The superior non-invasive respiratory support system, designed to maximise performance and patient comfort.

A	BabyFlow plus, disposable, size S, 20 pcs.	MP03700
	BabyFlow plus, disposable, size M, 20 pcs.	MP03701
	BabyFlow plus, disposable, size L, 20 pcs.	MP03702
B	Demo package BabyFlow plus, disposable, size S	MP03703
	Demo package BabyFlow plus, disposable, size M	MP03704
	Demo package BabyFlow plus, disposable, size L	MP03705
C	Soft connector N, disposable, 20 pcs.	MP03826

A



D-7477-2016

B

D-2195-2015

C

D-42601-2015

Not all articles are available worldwide.

VENTILATION ACCESSORIES

STANDARD PRONGS

Soft anatomically formed nasale silicone prongs, disposable.

A	❶ Prong BabyFlow, standard, disposable, size XS, 10 pcs.	8418415
	❷ Prong BabyFlow, standard, disposable, size S, 10 pcs.	8418605
	❸ Prong BabyFlow, standard, disposable, size M, 10 pcs.	8418416
	❹ Prong BabyFlow, standard, disposable, size L, 10 pcs.	8418531
	❺ Prong BabyFlow, standard, disposable, size XL, 10 pcs.	8418417
B	Prong BabyFlow, standard, disposable, size XXL, 10 pcs.	8418617

WIDE PRONGS

C	❶ Prong BabyFlow, wide, disposable, size 3, 10 pcs.	8418603
	❷ Prong BabyFlow, wide, disposable, size 4, 10 pcs.	8418607
	❸ Prong BabyFlow, wide, disposable, size 5, 10 pcs.	8418609
	❹ Prong BabyFlow, wide, disposable, size 6, 10 pcs.	8418611

A



D-34337-2009

B

D-37402-2015

C

MT-2010-2005

Not all articles are available worldwide.

VENTILATION ACCESSORIES

MASKS

Nasal masks of silicone and TPE complete the portfolio and increase the comfort for the patient!

A	❶ Neo-mask, silicone, disposable, size S, 10 pcs.	8418491
	❷ Neo-mask, silicone, disposable, size M, 10 pcs.	8418490
	❸ Neo-mask, silicone, disposable, size L, 10 pcs.	8418619
B	Neo-mask, TPE, disposable, size 4, 10 pcs.	MP01494
C	Neo-mask, TPE, disposable, size 5, 10 pcs.	MP01495
D	Neo-mask, TPE, disposable, size 6, 10 pcs.	MP01496

A



D-34336-2009

B

D-23992-2015

C

D-23996-2015

D

D-23995-2015

VENTILATION ACCESSORIES

HEADGEARS

The new headgear enable the customer to choose the most comfortable fit and combination for each of their tiny patients.

A	Headgear, disposable, size XXS, 17 – 20 cm (6.7 – 7.9 in) head circumference, 5 pcs.	MP03880
	Headgear, disposable, size XS, 20 – 23 cm (7.9 – 9.1 in) head circumference, 5 pcs.	MP03881
B	Headgear, disposable, size S, 23 – 27 cm (9.1 – 10.6 in) head circumference, 5 pcs.	MP03882
	Headgear, disposable, size M, 27 – 31 cm (10.6 – 12.2 in) head circumference, 5 pcs.	MP03883
C	Headgear, disposable, size L, 31 – 37 cm (12.2 – 14.6 in) head circumference, 5 pcs.	MP03884
	Headgear, disposable, size XL, 37 – 42 cm (14.6 – 16.5 in) head circumference, 5 pcs.	MP03885

A

D-23991-2015

B

D-23988-2015

C

D-23986-2015

VENTILATION ACCESSORIES

CAPS

The disposable and breathable microfiber caps (95% cotton, 5% spandex) are available in seven sizes (color-coded).

A	❶ Cap BabyFlow, disposable, size XS, white, 18 – 20.5 cm (7.1 – 8.1 in) head circumference, 5 pcs.	8418533
	Cap BabyFlow, disposable, size S, yellow, 20.5 – 23 cm (8.1 – 9.1 in) head circumference, 5 pcs.	8418534
	Cap BabyFlow, disposable, size M, red, 23 – 25.5 cm (9.1 – 10 in) head circumference, 5 pcs.	8418535
	❷ Cap BabyFlow, disposable, size L, green, 25.5 – 28 cm (10 – 11 in) head circumference, 5 pcs.	8418536
	❸ Cap BabyFlow, disposable, size XL, orange, 28 – 30.5 cm (11 – 12 in) head circumference, 5 pcs.	8418537
	Cap BabyFlow, disposable, size XXL, blue, 30.5 – 33 cm (12 – 13 in) head circumference, 5 pcs.	8418538
B	Cap BabyFlow, disposable, size XXL+, white/black, 33 – 36 cm (13 – 14.2 in) head circumference, 5 pcs.	8418539

A

D-46861-2015

B

D-33871-2015

Not all articles are available worldwide.

VENTILATION ACCESSORIES

The **MiniMe2*** nasal mask is designed for children ages 2 – 12. It features an ergonomic silicone gel cushion and a shapeable shell mask to fit individual needs and thus ensuring an effective seal and a comfortable fit.

A	Pediatric nasal mask MiniMe2 non vented, disposable, size S	MP01555
	Pediatric nasal mask MiniMe2 non vented, disposable, size L	MP01556
B	Pediatric nasal mask MiniMe2 vented, disposable, size S	MP01553
	Pediatric nasal mask MiniMe2 vented, disposable, size L	MP01554

*Tradeware

A

D-42721-2015

B

D-42714-2015

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A VentStar® Resuscitation Neo,
disposable, N, 1 m, 25 pcs.,
not made with natural rubber latex — MP00310

B Breathing circuit for Resuscitaire VentStar®,
disposable, N, press. meas. line, 1 m, 25 pcs.,
not made with natural rubber latex — MP00311

C Breathing circuit VentStar®,
disposable, N, basic, 1.8 m, 25 pcs.,
not made with natural rubber latex — MP00353

D Breathing circuit VentStar®,
disposable, N, water trap, 1.8 m, 25 pcs.,
not made with natural rubber latex — MP00363

E Breathing circuit VentStar®,
disposable, N, MRI, 3 m, 10 pcs.,
not made with natural rubber latex — MP00329

F Breathing bag set VentStar®,
disposable, N, 0.5 L, 1.1 m, 25 pcs.,
not made with natural rubber latex — MP00383

Anesthesia set VentStar®,
disposable, N, 1.8 m/1.1 m, 25 pcs.,
not made with natural rubber latex — MP00333

G VentStar® Breathing Bag 0.5 L, 25 pcs. — MP02710

A

D-19278-2009

B

D-7352-2011

C

D-24200-2009

D

D-19285-2009

E

D-34334-2009

F

D-24211-2009

G

D-43631-2015

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A Breathing circuit Infinity® ID,
disposable, N, basic, 1.8 m, 25 pcs.,
not made with natural rubber latex — MP01327

Breathing circuit Infinity® ID,
disposable, N, water trap, 1.8 m, 25 pcs.,
not made with natural rubber latex — MP01328

B Breathing bag set Infinity® ID,
disposable, N, 0.5 L, 1.1 m, 25 pcs.,
not made with natural rubber latex — MP01329

A

D-45195-2015

B

D-25803-2009

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	Breathing circuit VentStar®, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex	MP00308
B	Breathing circuit VentStar®, disposable, N, heated, w/o chamber, 1.2 m, 10 pcs., not made with natural rubber latex	MP00309
C	Breathing circuit Infinity® ID, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex	MP00343
D	Breathing circuit VentStar® Helix, disposable, N, dual heated, 1.7 m, 10 pcs., not made with natural rubber latex	MP02650
E	Breathing circuit VentStar® Helix, disposable, N, heated, 1.7 m, 10 pcs., not made with natural rubber latex	MP02608
	VentStar® Aquapor, dual heated, N plus, 10 pcs.	MP07150
	VentStar® Aquapor, heated, N plus, 10 pcs.	MP07151

A

D-10093-2009

B

D-19276-2009

C

D-31560-2011

D

D-50801-2015

E

D-7479-2016

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	Humidifier chamber VentStar®, disposable, 10 pcs.	MP00234
B	Humidifier chamber VentStar®, disposable, N, 10 pcs.	MP02590
C	Double connector 11ID/15OD, disposable, 10 pcs.	MP02655

A

D-24199-2009

B

D-42729-2015

C

D-7480-2016

Not all articles are available worldwide.

VENTILATION ACCESSORIES

REUSABLE BREATHING SYSTEMS: BLUESET VENTILATION

A	BlueSet Ventilation (N)	8412344
	Consists of:	
1	Y-piece, reusable, N, 90°, with suction opening	8403075
2	Corrugated hose, reusable, N/P, 14 cm, connector 10 mm/10 mm, Ø 10 mm	8403333
3	Temperature sensor mount, reusable, N	8403056
4	Water trap with outlet, reusable N/P	8404760
5	Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/10 mm, Ø 10 mm	2165848
6	Water trap, reusable, N/P	8409627
7	Red cap, 7 mm	8401645
8	Breathing hose, silicone, reusable, N/P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	2165856
9	Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	2165821

A

D-101206-2013

Not all articles are available worldwide.

VENTILATION ACCESSORIES

REUSABLE ANESTHESIA SYSTEMS: BLUESET ANESTHESIA

A	BlueSet Anesthesia (N)	M27542
	Consists of:	
1	Breathing hose, silicone, reusable, N/P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961
2	Breathing hose, silicone, reusable, N/P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm	2165678
3	Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex	2166054
4	Adapter, reusable, 22 mm/22 mm	M25647
5	Y-piece, reusable, N, 90°, with suction opening	8403075
6	Elbow, reusable, N/P, metal, Luer Lock	M34568
6	Cap for Luer Lock	M34461
7	Set of 5 red caps, 7 mm	8402953

A



D-42-2016

Not all articles are available worldwide.

VENTILATION ACCESSORIES

Silicone breathing hose (pediatric) with
standard sleeves 10 mm (0.4 in) on both sides
and 10 mm (0.4 in) inner diameter

A	**Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/10 mm, Ø 10 mm**	**2165848**

A



D-36215-2011

VENTILATION ACCESSORIES

Silicone breathing hose (pediatric) with
standard sleeves with one 10 mm (0.4 in)
and one 22 mm (0.9 in) sleeve
and 10 mm (0.4 in) inner diameter

A	**Breathing hose, silicone, reusable, N/P, 40 cm, connector 10 mm/22 mm, Ø 10 mm**	**2165856**
B	**Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/22 mm, Ø 10 mm**	**2165821**
C	**Breathing hose, silicone, reusable, N/P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm**	**2165651**
D	**Breathing hose, silicone, reusable, N/P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm**	**2165961**

A

D-36200-2011

B

D-36214-2011

C



D-36212-2011

D

D-36218-2011

VENTILATION ACCESSORIES

A	Y-piece straight, reusable, N/P	M27077
B	Y-piece, reusable, N, 90°, with suction opening	8403075
C	Elbow, reusable, N/P, metal, Luer Lock	M34568

A

MT-520-2002

B

MT-2728-2004

C

D-1529-2009

Not all articles are available worldwide.

VENTILATION ACCESSORIES

	Transparent breathing bags of silicone elastomer	
A	Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex	2166054
B	Breathing bag, silicone, reusable, 1.5 L, not made with natural rubber latex	2166127
C	Neo Testlung*, disposable, N, 10 pcs., not made with natural rubber latex	MP02425
D	Demo lung to simulate neonatal lungs, with suitcase	8418077
E	Neonatal Test Lung, reusable, 50 mL, not made with natural rubber latex	MP20050

*Tradeware

A

D-10519-2016

B

D-10445-2016

C

D-2939-2018

D

D-1457-2009

E

D-26320-2020

Not all articles are available worldwide.

VENTILATION ACCESSORIES

The TwinStar® filter/HME from Dräger is a combination of an efficient HME and a high-performance breathing s ystem filter, thereby significantly contributing to infection prophylaxis in ventilation treatment.

- Combination of efficient HME and high-performance breathing system filter
- High retention rates for bacteria and viruses
- High return of heat and moisture
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components

A	**Electrostatic filter and HME TwinStar® 8, disposable, 8 mL deadspace, 50 pcs.**	**MP01820**

HumidStar® heat and moisture exchangers from Dräger partially take over the function of the upper airways and efficiently heat and humidify the inspired air.

- High return of heat and moisture
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components

B	**HME HumidStar® 10A, disposable, 10 mL deadspace, angled, 50 pcs.**	**MP01740**
C	**HME HumidStar® 2 Plus, disposable, 2 mL deadspace, 100 pcs.**	**MP05845**

A

MT-4396-2007

B

MT-4395-2007

C

D-1021-2020

Not all articles are available worldwide.

VENTILATION ACCESSORIES

CO_2 cuvettes are designed for the monitoring of CO_2 concentration during patient ventilation.

A	**CO_2 cuvette disposable, pediatric, 10 pcs.**	**MP01063**
B	**CO_2 cuvette reusable, pediatric**	**6870280**
C	**CO_2 mainstream sensor, for Evita® 2 dura, Evita® 4 Editionand Evita® XL**	**6871500**
D	**MCable Mainstream CO_2, for Evita, Infinity® V500, Infinity® M540, Vista120, Vista120 S, and Delta VF9.1 and higher**	**6871950**

For fans and monitors that have a yellow connector for the CO_2 sensor.

A

D-7061-2009

B

D-7060-2009

C

MT-0986-2007

D

D-28791-2017

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A Anesthesia mask LiteStar®, disposable, w/o hook ring, size 1, premature baby, 30 pcs. — MP01501

B Anesthesia mask LiteStar®, disposable, w/o hook ring, size 2, baby, 30 pcs. — MP01502

Additional disposable hook rings and disposable headgears for fixation are available (cf. Mask accessories).

A

D-938-2010

B

D-937-2010

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 0, premature baby, 20 pcs. — MP01510

B Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 1, neonatal, 20 pcs. — MP01511

C Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 2, baby, 20 pcs. — MP01512

D Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 1, neonatal, 20 pcs. — MP01521

E Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 2, baby, 20 pcs. — MP01522

F Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 1, neonatal, 20 pcs. — MP01531

G Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 2, baby, 20 pcs. — MP01532

Pumpball as well as different headgears for fixation are available (cf. Mask accessories).

A

MT-4105-2008

B

MT-4180-2008

C

MT-4184-2008

D

MT-4155-2008

E

MT-4160-2008

F

MT-4110-2008

G

MT-4115-2008

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	**Silicone mask, reusable, size 00, premature baby**	**MP02900**
B	**Silicone mask, reusable, size 0, small neonate**	**MP01910**
C	**Silicone mask, reusable, size 1, large neonate**	**MP01911**

Additional mask accessories, e. g. reusable hook rings as well as reusable headgears are available for fixation (cf. Mask accessories).

A

D-58209-2012

B

D-2292-2011

C

D-2291-2011

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	**O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, S, 50 pcs.**	**MP02920**
	O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, M, 50 pcs.	**MP02921**
B	**O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, S, 50 pcs.**	**MP02924**
	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, M, 50 pcs.	**MP02925**
C	**O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, S, 50 pcs.**	**MP02928**
	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, M, 50 pcs.	**MP02929**
D	**O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, S, 50 pcs.**	**MP02932**
	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, M, 50 pcs.	**MP02933**

A

D-99247-2013

B

D-99251-2013

C

D-99255-2013

D

D-99259-2013

Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	Headgear, disposable, soft fabric, small	MP01559
B	Headgear, disposable, soft rubber, small	MP01561
C	Hook ring for LiteStar® anesthesia masks, disposable, 15 mm OD, for sizes 1 – 2, 30 pcs.	MP01551
D	Hook ring for silicone masks, reusable, 15 mm OD, for sizes 00 – 1, 10 pcs.	MP01916
E	Two-sided pump ball for air management	MP01590

A

MT-9658-2006

B

MT-9654-2006

C

MT-0925-2008

D

D-35640-2009

E

MT-11178-2006

VENTILATION ACCESSORIES

SET2GO

With Dräger's Set2go solutions we offer you totally customised sets consisting of an individual selection of single-patient-use accessories. Dräger Set2go makes using and ordering consumables and accessories much simpler for you. You just need one article number to get all the items in a single package and accomplish your specific task.

Please contact your local Dräger sales organisation to create your individual accessory solution.

VENTILATION ACCESSORIES

TRADEWARE

A	Humidifier chamber for F&P MR 290, disposable, 10 pcs.*	8418282
B	Humidifier chamber for F&P MR 340, reusable, N/P*	8411047
C	Rail clamp for F&P humidifier and Seattle PAP bubble box*	8411074
D	Holder for F&P humidifier U-shaped, for trolley, with rail clamp*	MP01002
E	Hose heater for F&P MR 700/730, 70 cm*	8411154
F	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m*	8414993

*Produced by Fisher & Paykel

A

MT-0099-2004

B

D-7591-2019

C

MT-139-98

D

MT-1883-2004

E

MT-2264-2004

F

MT-2266-2004

VENTILATION ACCESSORIES

TRADEWARE

A	Temperature probe/flow sensor for F&P MR 850 for all breathing circuits, 1.1 m*	8414989
A	Temperature probe/flow sensor for F&P MR 850, for all breathing circuits, 1.5 m*	8414966
B	Hose heater adapter for F&P MR 850, for reusable breathing circuit*	8414968
C	Hose heater adapter for F&P MR 850, for third-party breathing circuit*	MP01001
D	Draw wire for hose heater 1.5 m, for reusable breathing circuit*	8411050

*Produced by Fisher & Paykel

A

MT-2265-2004

B

MT-2262-2004

C

MT-1887-2004

D

MT-142-98

VENTILATION ACCESSORIES

AEROGEN PRO*

A	Medication nebulizer Aerogen Pro	MP01010
B	Nebulizer unit with filler cap for Aerogen Pro	MP01030
C	T-piece set with plug for Aerogen Pro, N, 15 mm (0.6 in), w/ adapter 10 mm (0.4 in), 5 pcs.	MP01032
D	T-connector for Aerogen Pro, 12 mm, with plug, 5 pcs.	MP01037
	Sealing plug for Y-piece, 5 pcs.	8411024

AEROGEN SOLO*

E	Aerogen Solo Starter Kit, Int.	MP01071
	Aerogen Solo Starter Kit, FR, NL, IT, GE	MP01072
	Aerogen Solo Starter Kit, ES, IT, PT, GR, TK	MP01073
	Aerogen Solo Starter Kit, SW, NO, FI, DK	MP01074
	Aerogen Solo Starter Kit, UK	MP01075
	Aerogen Solo Starter Kit, US	MP01076
F	Nebulizer head, 5 pcs.	MP01078
G	Nebulizer head, 10 pcs.	MP01079
	T-Adapter, pediatric, 10 pcs.	MP01086
	T-Adapter, neonate, 10 pcs.	MP02689
	Kit T-Adapter, Pediatric with Neo connectors, 10 pcs.	MP01087
	Aerogen USB Controler	MP01089
	Aerogen USB Controler	MP01095

*Produced by Aerogen

A

MT-957-2005

B

MT-0939-2005

C

MT-0942-2005

D

MT-7733-2006

E

D-94682-2013

F

D-94683-2013

G

D-94684-2013

Not all articles are available worldwide.

VENTILATION ACCESSORIES

INTUBATION KITS

TRADEWARE

The practical design of the laryngoscope family* ensures optimum hygiene and reliable functioning in every situation. Its ergonomic design guarantees problem free handling.
*Made by Kirchner&Wilhelm, Asperg, Germany

WARM LIGHT (WL) LARYNGOSCOPES

	Blade size 0 (Mac), reusable, 79 × 13 mm	MX03302
A	Blade size 1 (Mac), reusable, 93 × 20 mm	MX03303
B	Blade size 0 (Miller), reusable, 77 × 11 mm	MX03307
	Blade size 1 (Miller), reusable, 102 × 11 mm	MX03308
C	Laryngoscope set, pediatric, reusable (Battery grip pediatric; blade size 0 (Miller); blade size 1 (Miller), blade size 2 (Mac))	MX03312
D	Battery grip, pediatric, 2.5 V, 19 mm Ø**	MX03314
E	Vacuum lamp for blade (size 00 – 1)	MX03316

**Battery grip can be used with standard batteries.

A

D-404-2010

B

D-405-2010

C

D-402-2010

D

D-406-2010

E

D-4593-2010

Not all articles are available worldwide.

VENTILATION ACCESSORIES

TRADEWARE

Made by Kirchner&Wilhelm, Asperg, Germany

FIBER OPTIC (F.O.) LARYNGOSCOPES

	F.O. blade size 0 (Mac), reusable, 82 × 14 mm	**MX03319**
A	**F.O. blade size 1 (Mac), reusable, 93 × 14 mm**	**MX03320**
	F.O. blade size 00 (Miller), reusable, 66 × 11 mm	**MX50052**
	F.O. blade size 0 (Miller), reusable, 78 × 11 mm	**MX03324**
	F.O. blade size 1 (Miller), reusable, 103 × 11 mm	**MX03325**
B	**F.O. laryngoscope set, pediatric, reusable** (F.O. battery grip pediatric; F.O. blade size 0 (Miller); F.O. blade size 1 (Miller); F.O. blade size 2 (Mac))	**MX03329**
C	**F.O. battery grip, pediatric, 2.5 V, 19 mm Ø***	**MX03331**
	Xenon lamps for battery grip, 2.5 V	**MX03328**

*Battery grip can be used with standard batteries.

A

D-407-2010

B

D-25049-2010

C

D-410-2010

SENSORS

3. SENSORS

A	**Neonatal flow sensor with Y-piece, PSU, sterilizable**	**8410185**
B	**Neonatal flow sensor ISO 15, PSU, sterilizable**	**8411130**
C	**Insert for neonatal flow sensor, PSU, sterilizable, 5 pcs.**	**8410179**
D	**Flow sensor cable, for neonatal flow sensor, e.g., Babylog**	**8409626**

A

MT-351-2003

B

D-9121-2009

C

MT-0510-2007

D

MT-2672-2004

SENSORS

A	O_2 sensor capsule, for mainstream measurement	6850645
B	O_2 sensor Oxycell, for Babyleo® TN500	6873065
C	O_2 sensor housing Oxydig, for O_2 sensor capsule, with spiral cable	6850250

A

MT-423-2002

B

D-7498-2016

C

MT-2662-2004

MONITORING ACCESSORIES

INFINITY® MONITORING

4. MONITORING ACCESSORIES

Infinity® Monitoring: Gamma, Gamma XL, Gamma X XL, Delta, Delta XL, Kappa, Kappa XLT.

ELECTROCARDIOGRAPHY (ECG)

A	Multiparameter cable NeoMed Pod, for ECG, resp., SpO_2, temp., and FiO_2, 2.5 m	5590539
B	ECG electrodes, single-patient use, neonate, 300 pcs.	5195024
C	Electrode adapter, to connect neonatal electrodes to MultiMed® pod, 10 pcs.	5194779
D	ECG intermediate cable, 3-lead, for NeoMed Pod, 1.5 m	5592162

A

D-2351-2011

B

D-8983-2009

C

D-2341-2011

D

D-9001-2009

MONITORING ACCESSORIES

INFINITY MONITORING | MICRO$_2$+

PULSE OXIMETRY (SPO_2)

DRÄGER/NELLCOR® CABLES

			INFINITY MONITORING	MICRO$_2$+
A	SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 1 m	3368433	■	■
	SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 2 m	3375834	■	■
B	SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m	MS18683	■	■
C	SpO_2 intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m	MS17330	■	■

A

MT-344-2008

B

D-2394-2011

C

D-2393-2011

Not all articles are available worldwide.

MONITORING ACCESSORIES

INFINITY MONITORING | MICRO$_2$+

DRÄGER DISPOSABLE SENSORS

			INFINITY MONITORING	MICRO$_2$+
A	SpO_2 adhesive sensor Dräger, cloth, disposable, baby, 24 pcs.	MS16447	■	■
B	SpO_2 adhesive sensor Dräger, cloth, disposable, neonate, 24 pcs.	MS16446	■	■

NELLCOR® SENSORS

C	SpO_2 adhesive sensor* Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	MX50067	■	■
D	SpO_2 adhesive sensor* Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	MX50068	■	■

NELLCOR® ACCESSORIES

E	Adhesive wrap*, for Nellcor® Oxiband™ A/N, 100 pcs.	8201012	■	

*Tradeware

A

MT-8240-2005

B



MT-8238-2005

C

MT-156-2003

D

MT-158-2003

E

MT-2257-2004

Not all articles are available worldwide.

MONITORING ACCESSORIES

INFINITY® MONITORING | MICRO$_2$+

MASIMO® CABLES*

SpO_2 intermediate cables for connection to Masimo® SET Pod.

			INFINITY® MONITORING	MICRO$_2$+
A	**SpO_2 intermediate cable Masimo® LNCS, 3 m**	**MS17522**	■	■
A	**SpO_2 intermediate cable Masimo® LNCS, 1.2 m**	**MS24303**	■	■

MASIMO® RD-SET ADAPTER CABLES*

B	**Adapter cable RD-SET to LNOP, for connection of RD-SET sensors to Masimo® SET Pod via the LNOP intermediate cables MS18680 and MS17041, as well as to MultiMed® 5/6/12, NeoMed Pods and MultiMed® Plus/Plus OR via the according intermediate cables MS13926/7492601 or MS20163***	**MS33731**	■	■
C	**Adapter cable RD-SET to LNCS, for connection of RD-SET sensors to Masimo® SET Pod via the LNCS intermediate cables MS24303 or MS17522**	**MS33732**	■	■
C	**Adapter cable RD-SET to MultiMed®, for connection of RD-SET sensors to MultiMed® 5/6/12, NeoMed Pods as well as MultiMed® Plus/Plus OR via the according intermediate cables 3368433/3375834 or MS18683/MS17330**	**MS33733**	■	■

*Tradeware
**Products are not available any more.
Adapter is to be used to switch from sensors to the installed base.

A

D-438-2014

B

D-271-2017

C

D-257-2017

MONITORING ACCESSORIES

INFINITY MONITORING | MICRO$_2$+

MASIMO® LNCS SENSORS*

For Masimo® accessories, specific part numbers for USA and Japan apply. Please contact your local Dräger Sales representative for further information.

			INFINITY MONITORING	MICRO$_2$+
A	**SpO_2 adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.**	**MP00792**	■	
B	**SpO_2 adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.**	**MP00794**	■	
	SpO_2 Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	**MP00789**	■	

MASIMO® LNCS TRAUMA DISPOSABLE SENSORS*

Masimo® LNCS Trauma sensors are for use with Masimo® SET technology only.

C	**Masimo® Trauma sensor LNCS, neonate, 20 pcs.**	**MP03192**	■	

MASIMO® RD-SET DISPOSABLE SENSORS*

D	**Masimo® RD-SET sensor, neonatal, disposable**	**MS33729**	■	
E	**Masimo® RD-SET sensor, neonatal preterm, disposable**	**MS33730**	■	

*Tradeware

A

D-32560-2011

B

D-32550-2011

C

D-461-2014

D

D-263-2017

E

D-264-2017

MONITORING ACCESSORIES

INFINITY® MONITORING | MICRO$_2$+

MASIMO® ACCESSORIES*

			INFINITY® MONITORING	MICRO$_2$+
A	SpO_2 adhesive wrap Masimo® Posey-Wrap, for NeoPt SpO_2 sensor, 12 pcs.	7496933	■	■
B	SpO_2 adhesive wrap Masimo®, for NeoPt SpO_2 sensor, 100 pcs.	7496925	■	■
C	SpO_2 adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO_2 sensor, 100 pcs.	7496917	■	■
D	SpO_2 adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO_2 sensor, 100 pcs.	7496909	■	■
E	SpO_2 foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO_2 sensor, 12 pcs.	7496891	■	■

*Tradeware

A

D-2362-2011

B

D-2361-2011

C

MT-4305-2004

D

D-445-2014

E

MT-4304-2004

Not all articles are available worldwide.

MONITORING ACCESSORIES

INFINITY® MONITORING

TEMPERATURE

SINGLE-PATIENT USE TEMPERATURE PROBES

			INFINITY® MONITORING
A	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	MP00997	■
B	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998	■

REUSABLE TEMPERATURE PROBES

			INFINITY® MONITORING
C	Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822	■
C	Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669	■

A

D-7377-2011

B

D-7378-2011

C

D-2335-2011

Not all articles are available worldwide.

MONITORING ACCESSORIES

INFINITY MONITORING

NON-INVASIVE BLOOD PRESSURE CUFFS (NIBP)

A	NIBP hose, neonate, 2.4 m	2870298
B	NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	2870181
C	NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	2870199
D	NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	2870207
E	NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	2870215
F	NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	2870173

A

D-8954-2009

B

MT-2073-2007

C

MT-2072-2007

D

MT-2071-2007

E

MT-2069-2007

F

MT-2070-2007

Not all articles are available worldwide.

MONITORING ACCESSORIES

INFINITY MONITORING

ETCO$_2$ AND RESPIRATORY MECHANICS

For Gamma X XL, Delta, Delta XL, Kappa.

A	etCO$_2$ airway adapter* Microstream®, neonate/child, max. 72 h, 25 pcs.	7869550
B	etCO$_2$ nasal cannula* Microstream®, child, max. 12 h, 25 pcs.	7869469
	etCO$_2$ nasal cannula Microstream®, child, max. 24 h, 25 pcs.	7869600
	etCO$_2$ nasal cannula Microstream®, + O$_2$, child, max. 24 h, 25 pcs.	7869485
C	etCO$_2$ nasal/mouth cannula Microstream®, + O$_2$, child, max. 12 h, 25 pcs.	7869584

For Gamma X XL, Delta, Delta XL, Kappa, Kappa XLT.

D	etCO$_2$ airway adapter, reusable, neonate	4721788
E	CO$_2$ airway adapter*, neonatal (infant/pediatric), disposable, 10 pcs.	2606228

RECORDER PAPER

F	Recording paper for Infinity® R 50, 50 mm, approx. 30 m, 10 rolls	4711201

*Tradeware

A

D-1478-2009

B

D-1065-2014

C

MT-3010-2004

D

D-8978-2009

E



D-16294-2010

F

D-8972-2009

Not all articles are available worldwide.

WARD EQUIPMENT

5. WARD EQUIPMENT

Please find more information in chapter 5 „Ward equipment“.

FLOWMETER

These O_2 Flowmeters are plugged directly into a wall terminal unit for oxygen and are used to control the flow of oxygen in inhalation and insufflation. Flow rates can be set with a high degree of accuracy. The large rotary knob makes setting easier.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)**
± 15% (corresponding to smallest setting value)
± 10% (all other setting values)
** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D):	160 × 40 × 130 mm (6.3 × 1.6 × 5.1 in)
Material:	Housing: Aluminium Pressure dome: Polyamide Flow indicator: Glass
Weight:	Approx. 500 g (1.1 lb)

A

D-940-2016

A **O_2 flowmeter, 4 l/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16“ for accessories and sterile water systems** **MP04551**

Not all articles are available worldwide.

WARD EQUIPMENT

TWIN FLOWMETER

The particular advantage of the twin flowmeter is, that two patients can be treated simultaneously and independently of one another, while occupying only one wall terminal.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)**
± 15% (corresponding to smallest setting value)
± 10% (all other setting values)
** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D):	160 × 150 × 190 mm (6.3 × 5.9 × 7.15 in)
Material:	Housing: Aluminium Pressure dome: Polyamide Flow indicator: Glass
Weight:	Approx. 900 g (1.98 lb)

A

D-944-2016

A **O_2 twin flowmeter, CS, 2 × 16 l/min, CS, DIN, ISO, neutral color, M34×1.5 and 9/16“ for accessories and sterile water systems** **MP04560**

O_2 twin flowmeter, 2 × 16 l/min, rail fitting with NIST gas inlet, 2 × M34×1.5, adapter 9/16“ **MP04569**

Not all articles are available worldwide.

WARD EQUIPMENT

These O_2 flowmeters for rail attachment can be used to control the flow of oxygen in inhalation and insufflation. Flow rates up to 4 and 16 l/min can be set with a high degree of accuracy. The large rotay knob makes setting easier. Using the rail clamp, the flowmeter can be quickly and safely attached to all rail profiles. The connection to the gas supply can be ensured by a CS hose with NIST coupling nut.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)**
± 15% (corresponding to smallest setting value)
± 10% (all other setting values)
** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D):	160 × 40 × 130 mm (6.3 × 1.6 × 5.1 in)
Material:	Housing: Aluminium Pressure dome: Polyamide Flow indicator: Glass
Weight:	Approx. 950 g (2.09 lbs)

A

D-962-2016

B

D-947-2016

C

D-948-2016

A O_2 flowmeter, 4 l/min, rail with NIST gas inlet, M34×1.5 and 9/16“ for accessories and sterile water systems — **MP04552**

B O_2 flowmeter, 4 l/min, rail, 90°, NIST gas inlet, M34×1.5 and 9/16“ for accessories and sterile water systems — **MP04553**

C O_2 flowmeter, 16 l/min, rail, NIST gas inlet, M34×1.5, adapter 9/16“ — **MP04567**

CS hoses

Several hoses to connect flowmeter with the central supply.
For CS hoses see chapter 5, „Accessory for gas supply“.

WARD EQUIPMENT

COMPACT FLOWMETER

Input pressure:	4.5 ± 0.5 bar*
Adjustable ranges:	**0.1 – 1 l/min** (0; 0.1; 0.2; 0.3; 0.4; 0.5; 0.6; 0.7; 0.8; 1 l/min) **0.5 – 5 l/min** (0; 0.5; 1; 1.5; 2; 2.5; 3; 3.5; 4; 5 l/min) **1 – 16 l/min** (0; 1; 2; 3; 4; 6; 8; 10; 12; 16 l/min) **1 – 32 l/min** (0; 1; 5; 8; 12; 16; 20; 25; 28; 32 l/min)
Accuracy (at 4.5 ± 0.5 bar):	0.5 – 5 l/min, 1 – 16 l/min and 1 – 32 l/min: ± 20%; 0 – 1 l/min ± 30%
Gas inlet:	CS plug O_2 or AIR; NIST (rail)
Gas outlet:	6 mm nozzle for application unit, thread 9/16” for sterile water or adapter for reusable humidifyer
Weight:	approx. 420 g (CS); approx. 700 g (rail)
Housing material:	nickel-coated brass
Dimensions:	diameter about 38 mm, length about 92 mm (CS version); about 118 mm (rail version)

*1 bar = 1 kPa × 100

A

D-20385-2020

B

D-20364-2020

C

D-20363-2020

A Compact flowmeter Clickflow configurator, gives you the option of arranging the compact flowmeter according to your requirements, selectable options for configuration: — **MP13000**

Gas type:	O_2; AIR
Mounting:	CS; rail with NIST gas inlet
CS connection:	DIN; Carbamed; BS (England); NF (France)
Version:	single compact flowmeter; double compact flowmeter
Flow:	0.1 – 1 l/min; 0.5 – 5 l/min; 1 – 16 l/min, 1 – 32 l/min
Gas outlet:	6 mm nozzle, thread 9/16“ for sterile water

B O_2 compact flowmeter Clickflow, DIN CS, 1 – 16 l/min, 6 mm nozzle — **MP13012**

C O_2 compact flowmeter Clickflow, DIN CS, 1 – 16 l/min, 9/16” — **MP13011**

Accessories for flowmeter: See section Ward Equipment, chapter 1.4 (humidifier, adapter and application).

WARD EQUIPMENT

A	**Humidifier-bubbler, for oxygen humidification up to appr. 60% relative humidity and flows up to 5 l/min**	**2M85834**
B	**Adapter, to connect e.g a tube or nasal cannula to O_2 flowmeter, M34×1.5 to 6 mm nozzle**	**M06258**
C	**Adapter, for disposable sterilized water systems to O_2 flowmeters, M34×1.5 to 9/16“**	**2M86680**
C	**Adapter, for disposable sterilized water systems to AIR flowmeter, M32×1.5 to 9/16“**	**MP03366**
D	**Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16“ connection**	**MP00416**
E	**Adapter 9/16“ to M34×1.5 for Dräger reusable humidifier**	**MP03325**

A

MT-246-2000

B

D-49003-2015

C

MT-83-2000

D

D-122-2016

E

D-8457-2016

WARD EQUIPMENT

MEDICAL ASPIRATION

The vacuum regulator is directly connected to a central vacuum supply, or mounted on a rail. The smoothly adjustable vacuum, up to max. -160 mbar (-16 kPa), is displayed on a rotating manometer, legible from all sides.
All vacuum regulators include a shut-off valve.
You can use the VarioSafe® disposable filter system to reliably protect the **VarioVac®** series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 l/min
Weight:	600 to 800 g (800 g for rail versions)
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB (A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

A	**Vacuum regulator VarioVac® D Rail, for continuous and wound drainage, gas connection VAC**	**MP00511**

For CS hoses please refer to chapter „Accessory for gas supply“.

A

D-10309-2011

WARD EQUIPMENT

VarioVac® vacuum regulator for rail.
The gas supply is ensured by VAC connection hose.
This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).
You can use the VarioSafe® disposable filter system to reliably protect the VarioVac® series and the central vacuum system against contamination.
A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:
VarioVac P (MP00660, MP03223)

Maximum vacuum:	-55 to 0 kPa (-550 to 0 mbar)
Maximum suction flow:	20 l/min
Maximum sound level:	40 dB(A)
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe)
	80 × 340 × 160 (with VarioSafe)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

A

D-12456-2014

B

D-10296-2011

A Vacuum regulator VarioVac® P Rail, for bronchial suction, gas connection VAC, for connection to all standard wall rails — **MP00660**

The bronchial aspirator can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla.
Minimum distance from the center of the magnetic field:
Magnetic flux density of 40 millitesla (400 gauss).

B Vacuum regulator VarioVac® MRI P Rail, for bronchial suction, gas connection VAC, for connection to all standard wall rails — **MP03223**

For CS hoses please refer to chapter „Accessory for gas supply“.

WARD EQUIPMENT

Drive unit VarioVac® and jar set are joined together, so that you have a complete, convinient and easy solution.
The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the aspirator quickly. The gas supply is ensured by CS connection hose.
You can use the VarioSafe® disposable filter system to reliably protect the device and the patient environment against contamination.
This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

Technical data:

Weight:	1,600 g (empty)
Dimensions (W/H/D) in mm:	300 × 440 × 160
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

A

D-10322-2011

A Vacuum regulator VarioVac® P compact, for bronchial suction, gas connection VAC, including secretion jar set and integrated vacuum regulator — **MP00661**

Technical data:

Maximum vacuum:	-55 to 0 kPa (-550 to 0 mbar)
Maximum suction flow:	20 l/min
Maximum sound level:	40 dB(A)

For CS hoses please refer to chapter „Accessory for gas supply“.

WARD EQUIPMENT

The **VarioAir®** ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -16 kPa (-160 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge. All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side.
A new VarioSafe® disposable filter system reliably protects the VarioAir® series and the patient environment against contamination. One piece of the new VarioSafe® filter system is always included.

A

D-28534-2009

Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	25 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe)
	80 × 330 × 160 (with VarioSafe)
Maximum sound level:	45 dB (A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

A **Ejector VarioAir® D Rail,**
for continuous and wound drainage, gas connection AIR,
for connection to all standard wall rails **MP00542**

For gas supply via CS vacuum connection hose.
Connection thread: NIST.

For CS hoses please refer to chapter „Accessory for gas supply“.

WARD EQUIPMENT

VarioAir® ejector for rail.
The gas supply is ensured by AIR connection hose.
This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).
You can use the VarioSafe® disposable filter system to reliably protect the VarioAir® series and the central vacuum system against contamination.

A

D-28521-2009

Technical data:
VarioAir P (MP00545, MP03221)

Maximum vacuum:	-48 to 0 kPa (-480 to 0 mbar)
Maximum suction flow:	20 l/min
Maximum gas consumption:	40 l/min
Maximum sound level:	47 dB(A)
Inlet pressure range:	4 to 5.5 bar
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe)
	80 × 330 × 160 (with VarioSafe)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	from 0.1 kPa on (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

A **Ejector VarioAir® P Rail,**
for bronchial suction, gas connection AIR,
for connection to all standard wall rails **MP00545**

The bronchial aspirator can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla.
Minimum distance from the center of the magnetic field:
Magnetic flux density of 40 millitesla (400 gauss).

A **Ejector VarioAir® MRI P Rail,**
for bronchial suction, gas connection AIR,
for connection to all standard wall rails **MP03221**

For CS hoses please refer to chapter „Accessory for gas supply“.

WARD EQUIPMENT

Drive unit VarioAir® and jar set are joined together, so that you have a complete, convinient and easy solution. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the aspirator quickly.
The gas supply is ensured by CS connection hose.
You can use the VarioSafe® disposable filter system to reliably protect the device and the patient environment against contamination.
This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

Technical data:

Weight:	1,600 g (empty)
Dimensions (W/H/D) in mm:	300 × 440 × 160
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

*Test has been performed by Nelson Lab, USA, before 2010

A

D-33493-2009

A Ejector VarioAir® P compact, for bronchial suction, gas connection AIR, including secretion jar set and integrated ejector **MP00547**

Technical data:

Maximum vacuum:	-48 to 0 kPa (-480 to 0 mbar)
Maximum suction flow:	20 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	40 l/min
Maximum sound level:	47 dB(A)
Pressure relief valve:	Ex 0.1 kPa (1 mbar)

For CS hoses please refer to chapter „Accessory for gas supply“.

WARD EQUIPMENT

Extra lightweight portable secretion jar set for bronchial aspiration. The set is made of high quality and extremely robust plastic and can be autoclaved at up to 134 °C.
The two 700 mL jars, which are used as secretion and rinsing jars, are identical, making hospital logistics considerably easier. The jars are made of high quality polysulfone, are reusable, extremely robust and implosion proof. The long service lifes makes the jars both environmentally friendly and cost effective.
An automatic overflow safeguard is fitted in the secretion jar cap to prevent secretion from entering the drive unit and the piped medical gas supply. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the secretion jar set quickly.

A

D-7354-2011

B

D-35829-2011

A Secretion jar set, with 700 mL secretion jars (2 pcs.) and 1.5 m suction hose, maximum capacity up to the overflow safeguard 2 × 1000 mL, scale in steps of 10 mL up to max. 700 mL **2M85056**

B Secretion jar set, with protection jar and 700 mL secretion jars (2 pcs.), maximum capacity up to the overflow safeguard 2 × 1000 mL, scale in steps of 10 mL up to max. 700 mL, with additional protection jar 300 mL **2M85607**

WARD EQUIPMENT

VacuSmart disposable cartridge for bronchial suction
VacuSmart is a disposable cartridge for 700 ml secretion jars. This product has been specifically designed and thoroughly tested to work with Dräger suction units. Therefore there is absolutely no need to modify the installed base. An integrated hydrophobic filter acts as an overflow safeguard by stopping suction of secretion once maximum capacity has been reached. The closed and leakproof system, optional with an integrated gelling agent, reduces the risk of cross contamination to a minimum.
The optional gelling agent prevent leakages e.g. during the waste disposal in a waste press. The gelling agent is secured in a water soluble bag.

Technical data:

Maximum capacity:	700 mL
Maximum capacity up to the overflow safeguard:	1,000 mL
Overflow safeguard:	Integrated, hydrophobic filter
Recommended duration of use:	24 h
Gelling agent:	Sodium polyacrylate

A	**Secretion jar VacuSmart®, PE (Polyethylene), disposable, 700 mL, 25 pcs.**	**MX23023**
B	**Secretion jar VacuSmart® Gel, PE (Polyethylene), disposable, 700 mL, 25 pcs.**	**MX23025**
C	**Suction tube VacuSmart® Tube, PE (Polyethylene), disposable, 2 m, w/ finger tip, 25 pcs.**	**MX23026**

You can also enjoy some smart savings by choosing any of the following packing unit 25 pieces sets:

D	**Suction set, disposable, VacuSmart®, 700 mL and VacuSmart® Tube, 25 pcs. each**	**MP00061**
D	**Set VacuSmart® Gel and Tube, 25 pcs.**	**MP03211**

A

MT-171-2003

B

MT-3716-2008

C

MT-953-2000

D

D-35687-2009

Not all articles are available worldwide.

WARD EQUIPMENT

A	**Bacterial filter 767, for ejectors (model range until 2010), 5 pcs.**	**6723976**
B	**Bacterial and viral filter system VarioSafe, for VarioAir®, VarioVac®, VarioO2, disposable, 10 pcs.**	**MP00555**

The new VarioSafe® disposable filter system reliably protects the VarioAir®, VarioVac® and VarioO2 series and the patient environment against contamination.

Technical data:

Maximum capacity:	90 mL
Bacterial retention:	99.99998%*
Viral retention:	99.9998%*
Material:	PS (polystyrol)
Recommended duration of use:	7 days
Filtration method:	Mechanical and hydrophobic (HEPA)*

C	**Suction hose, silicone, reusable, 1.5 m, for medical suction**	**M25780**
D	**Connection hose, silicone, reusable, ID 5 mm, wall thickness 2 mm, by meter**	**1203606**
E	**Secretion jar, PSU (Polysulfone), reusable, 300 mL, autoclavable up to 134°C**	**2M86207**
F	**Secretion jar, PSU (Polysulfone), reusable, 700 mL, autoclavable up to 134°C**	**2M85594**
G	**Elbow, angled hose connection for secretion jar caps**	**2M19063**

*Test has been performed by Nelson Lab, USA, before 2010

A

MT-3005-2004

B

D-28537-2009

C

MT-2568-95

D

MT-2219-92

E

MT-10979-2006

F

D-7359-2011

G

MT-2492-95

Not all articles are available worldwide.

WARD EQUIPMENT

Holders for attaching a compact bronchial aspirator or a secretion jar set to the wall/ rail or to a rail on a ceiling supply unit. The devices are only latched and can be detached and moved easily if this is requiered.

A	**Wall holder, with fixing screws, for compact suction unit and secretion jar set**	**M26859**
B	**Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail, for compact suction unit and secretion jar set**	**M26842**
C	**Ceiling holder, rail holder for compact suction systems and secretion jar sets**	**2M85119**

Holders for holding a central supply connecting hose or an aspiration hose. For attachment to an intensive care rail or compact rail.

D	**CS connection hose holder**	**2M85446**
E	**Suction hose holder, suitable for various diameters**	**2M85239**

A

MT-2473-95

B



MT-2542-95

C

MT-10962-2006

D

MT-2517-95

E



MT-2524-95

Not all articles are available worldwide.

RAIL ACCESSORIES AND EXAMINATION LIGHT

6. RAIL ACCESSORIES AND EXAMINATION LIGHT

RAIL ACCESSORIES

Wire baskets*

The wire baskets are used for storage of disposable catheters or dispoables gloves. The catheters can be simply stored in bundles and are then easy to take out one by one. The baskets are chromeplated and are thus easy to clean and can be autoclaved at up to 134 °C. The amount of space for a basket on the rails is around 150 mm (5.9 in).

A	**Basket 150, 15 × 20 × 10 cm, e.g., for disposable gloves**	**M26146**
A	**Basket 300, 15 × 28 × 10 cm, e.g., for 300 mm catheters**	**M26145**
A	**Basket 600, 15 × 48 × 10 cm, e.g., for 600 mm catheters**	**M25121**
B	**Litter bag holder, stainless steel, with base plate and litter bags (100 pcs.)**	**M24695**
	Litter bags, disposable, for litter bag holder, 100 pcs.	**M26240**

*Tradeware

A

MT-2558-95

B

MT-3720-2008

Not all articles are available worldwide.

RAIL ACCESSORIES AND EXAMINATION LIGHT

EXAMINATION LIGHT

The Dräger **VarioLux®** offers cool, highly efficient, and variable intensity examination light and was specially designed for use in neonatology and pediatric settings. Made for single-handed operation, it features adjustable color temperature settings as well as a dimmer function.

Operating mode:	Continuous operation
Weight:	1.5 kg (3.3 lbs)
Electrical values:	100 – 240 V, 50/60 Hz
Max. illumination intensity Ec at 0.5 m:	30,000 lx
Dimming levels:	30,000 lx, 24,000 lx, 18,000 lx, 12,000 lx, 7,000 lx
Light field diameter d10 at 0.5 m:	20 cm (7.9 in)
Light field diameter d50 at 0.5 m:	9 cm (3.5 in)
Color temperature adjustable:	Cool white (blue) 4,700 K, Neutral white (white) 4,100 K, Warm white (red) 3,500 K
Min. service life of bulb (LEDs):	> 50,000 h
Color reproduction index:	Ra>= 96 (at 3,500 K) R9 = 89 (at 3,500 K)
Max. radiant power at 0.5 m:	105 W/m²

A

D-50753-2012

A

D-50637-2012

A

D-50764-2012

A	**Medical examination light VarioLux® with LED technology, EU**	**MP00601**
	Medical examination light VarioLux® with LED technology, US	**MP00602**
	Medical examination light VarioLux® with LED technology, GB	**MP00603**
	Medical examination light VarioLux® with LED technology, AUS	**MP00606**
	Medical examination light VarioLux® with LED technology, ZA	**MP00607**
	Medical examination light VarioLux® with LED technology, JPN	**MP00608**
	Power cable EU, 1.8 m, 2 pin	**MP00591**
	Power cable US/JPN, 1.8 m, 2 pin	**MP00592**
	Power cable GB, 1.8 m, 2 pin	**MP00593**
	Power cable AUS, 1.8 m, 2 pin	**MP00626**
	Power cable ZA, 1.8 m, 2 pin	**MP00597**

Not all articles are available worldwide.

RAIL ACCESSORIES AND EXAMINATION LIGHT

A	**Rail claw for lamp**	**MP00615**
B	**Turn knob, compl.**	**MP00587**
C	**Control panel**	**MP00589**
D	**Rail clamp, for attachment to poles of different diameters, rotable by 90° to left and right, length of standard rail (profile 25 × 10 mm): 20 cm**	**2M85274**
E	**Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg**	**2M85337**

A

D-50773-2012

B

D-50772-2012

C

D-50659-2012

D



MT-1978-2008

E

MT-21198-94

Not all articles are available worldwide.

RAIL ACCESSORIES AND EXAMINATION LIGHT

HINGED ARMS

Keeping everything close at hand. To leave your hands free to care for the patient, all the joints can be fixed into place and released with just one quick hand movement.
All cables, lines and hose systems can be arranged in such a way as to more or less completely prevent accidental disconnection.

A	**Hinged arm Quickstop 2, w/ universal ball holder system for optional accessories length 858 mm, max. load 0.4 kg, includes hose clamps: MP00493 (1x), 8404761 (2x), 8409841 (1x)**	**2M85706**
B	**Hinged arm Quickstop short, with universal tube holder plate, for various cable and tube dimensions and coaxial hoses, specifically designed for OR tables, length 323 mm, max. load 1 kg**	**2M86463**

A

MT-2547-95

B

MT-4419-2005

Not all articles are available worldwide.

D-3394-2018

NOTES

NOTICE

Size classification to adults (A), pediatrics (P) and neonats (N)

Not made with natural rubber latex: product is produced without latex

INDEX BY ORDER NUMBER

1	1203606	281, 415
2	2111764	95
	2112760	37, 38
	2120461	95
	2120488	95
	2120496	95
	2165619	32, 39
	2165627	32, 35, 39
	2165651	41, 375
	2165678	36, 40, 373
	2165821	31, 41, 372, 375
	2165848	31, 40, 372, 374
	2165856	31, 41, 372, 375
	2165961	36, 41, 373, 375
	2166038	34, 35, 39
	2166046	33, 34, 37, 38, 39
	2166054	36, 45, 375, 377
	2166062	34, 35, 45
	2166070	45
	2166127	45, 377
	2170221	135
	2600930	231
	2600932	231
	2600933	231
	2600934	231
	2600935	231
	2600936	231
	2600937	231
	2600938	231
	2600939	233
	2600940	233
	2600941	233
	2600942	233
	2600943	233
	2600944	233
	2600945	233
	2600946	232
	2600948	232
	2600949	232
	2601190	223
	2601191	223
	2601192	223
	2601195	217, 230
	2601197	219
	2601198	219
	2601199	219
	2601200	219
	2601201	223
	2605124	224
	2606151	217, 230
	2606152	217, 230
	2606153	217, 230
	2606154	217, 230
	2606155	217, 230
	2606156	217, 230
	2606208	215, 228
	2606209	215, 228
	2606210	215, 228
	2606211	215, 228
	2606225	222
	2606226	226
	2606227	163, 226
	2606228	163, 226, 401
	2606229	227
	2606231	227
	2606247	214
	2606248	214
	2606249	214
	2606483	215, 228
	2606484	215, 228
	2606485	215, 228
	2606486	215, 228
	2606487	215, 228
	2606488	222
	2606489	222
	2606490	222
	2606491	222
	2606492	214
	2606493	214
	2606494	214
	2606495	214
	2606496	214
	2606497	214
	2606498	214
	2607034	218
	2607035	218
	2607036	218
	2607037	218
	2607038	218
	2607550	224
	2607551	224
	2607552	224
	2607553	224
	2607554	224
	2607555	224
	2607558	222
	2607559	222
	2607560	227
	2607561	227
	2612000	211
	2612001	211
	2612002	211
	2612003	211
	2612020	210
	2612021	210
	2612024	210
	2612025	210
	2612026	210
	2612027	210
	2612028	210
	2612029	210
	2870173	145, 193, 400
	2870181	145, 193, 400
	2870199	145, 193, 400
	2870207	145, 193, 400
	2870215	145, 193, 400
	2870298	142, 190, 400
3	3368383	152
	3368391	111
	3368425	112, 147, 194
	3368433	121, 124, 134, 394
	3368458	155, 195
	3375834	121, 124, 134, 394
	3375933	154
	3375941	150
	3375958	150, 157
4	4118453	330
	4118555	330
	4119065	314
	4119066	314
	4119067	314
	4119068	314
	4119069	314
	4119070	314
	4119071	314
	4119072	314
	4119073	314
	4119074	314
	4119075	314
	4119076	314
	4119077	314
	4119078	314
	4119079	314
	4119080	314
	4119081	314
	4119082	314
	4119083	314
	4185140	310
	4185141	310
	4185142	311
	4185143	311
	4199589	310
	4199590	310
	4199591	310
	4199592	310
	4199593	310
	4199594	310
	4199595	311
	4199596	311
	4199600	310
	4199601	310
	4199602	310
	4199604	310
	4199605	310
	4199712	310
	4199713	311
	4199714	310
	4321563	153
	4329822	140, 188, 221, 399
	4329848	140, 188, 221
	4329889	140, 188, 221
	4527750	119, 174
	4528741	154
	4711201	169, 401
	4721416	151
	4721424	151
	4721614	151
	4721788	163, 401
	4721796	163
5	5000833	298
	5001330	281
	5191221	111
	5192112	151
	5194779	119, 393
	5195024	119, 174, 214, 393
	5195180	153
	5195198	112, 194
	5196980	150
	5196998	150
	5198333	139
	5202747	112
	5204644	140, 188, 221
	5204651	140, 188, 221
	5204669	140, 188, 221, 399
	5206581	154
	5206607	152
	5207415	168
	5588095	152
	5588822	148
	5589663	111
	5590539	111, 393
	5591925	148
	5591933	148
	5592147	152
	5592154	139, 187
	5592162	119, 393
	5598128	112
	5703041	24
	5704962	26
	5704964	25
	5731281	152
	5736744	161
	5741975	155, 195
	5790124	95
	5790148	356
	5947226	120
	5947804	161
	5950196	111
	5954859	161
6	6723976	280, 296, 415
	6850250	107, 392
	6850435	165, 196
	6850645	107, 392
	6870279	54, 164, 196, 225
	6870280	54, 164, 196, 225, 379
	6870281	165, 196
	6871500	54, 379
	6871950	54, 164, 196, 225, 379
	6871980	105
	6872020	168
	6872130	168
	6873065	107, 329, 392
7	7014616	140, 188, 219, 221
	7257988	112, 194
	7262764	135, 186, 208, 216, 229
	7265155	195
	7265163	195
	7270460	151
	7485621	112, 147, 148
	7486140	120
	7489417	153
	7489433	153
	7496875	132, 183, 207
	7496891	132, 183, 207, 398
	7496909	132, 183, 207, 398
	7496917	132, 183, 207, 398
	7496925	398
	7496933	398
	7498947	153
	7864155	153
	7864908	153
	7869469	166, 197, 401
	7869477	166, 197
	7869485	167, 198, 401
	7869493	167, 198
	7869501	167, 198
	7869535	166, 197
	7869543	166, 197
	7869550	166, 197, 401
	7869584	167, 198, 401
	7869592	166, 197
	7869600	401
	7872174	162
8	8201012	135, 395
	8290274	32
	8290286	168
	8306370	106
	8401645	31, 43, 372
	8402041	32
	8402868	168
	8402918	32
	8402953	36, 373
	8403056	31, 44, 372
	8403075	31, 36, 43, 372, 373, 376
	8403076	32, 44
	8403201	46
	8403333	31, 372
	8403566	32
	8403735	105
	8404760	31, 372
	8404985	32, 35, 44
	8405000	90
	8405435	32, 43
	8407475	37
	8408950	79
	8409609	324
	8409626	106, 391
	8409627	31, 44, 372
	8409897	44
	8410049	32
	8410179	105, 391
	8410185	105, 391
	8410547	95
	8410580	79
	8410929	38
	8411024	91, 388
	8411030	90
	8411044	44
	8411045	87
	8411047	86, 386
	8411050	89, 387
	8411074	87, 357, 386
	8411075	330, 332
	8411130	105, 391
	8411154	87, 386
	8412001	38
	8412015	79
	8412034	38, 105
	8412068	38
	8412217	86
	8412235	38, 43
	8412344	31, 372
	8412710	165, 196
	8412860	33
	8412888	43
	8412913	38
	8412935	90
	8412985	90
	8413125	79
	8413146	32
	8413293	38
	8413660	80
	8414776	79
	8414966	88, 387
	8414968	88, 387
	8414969	87
	8414989	88, 387
	8414992	88
	8414993	87, 386
	8415270	79
	8415296	79
	8416352	165, 196
	8416600	106
	8416750	80
	8417050	80
	8418077	377
	8418282	86, 386
	8418289	43
	8418415	358, 363
	8418416	358, 363
	8418417	358, 363

INDEX BY ORDER NUMBER

	8418462	88
	8418490	358, 364
	8418491	358, 364
	8418531	358, 363
	8418533	359, 366
	8418534	359, 366
	8418535	359, 366
	8418536	359, 366
	8418537	359, 366
	8418538	359, 366
	8418539	359, 366
	8418603	358, 363
	8418605	358, 363
	8418607	358, 363
	8418609	358, 363
	8418611	358, 363
	8418617	358, 363
	8418619	358, 364
	8419160	155, 195
	8420077	155, 195
	8422215	20
	8539983	155, 195
	8601697	299
2M	2M16520	339
	2M19063	282, 415
	2M20434	338
	2M20827	337
	2M20914	339
	2M21009	351
	2M21010	351
	2M21012	337
	2M21158	338
	2M21161	338
	2M21186	332, 339
	2M21191	338
	2M21342	338
	2M21514	332, 339
	2M30462	352
	2M50040	332
	2M50385	331
	2M50412	331
	2M60180	330
	2M60390	329
	2M60401	330
	2M85011	281
	2M85012	281
	2M85013	281
	2M85056	261, 276, 413
	2M85119	278, 319, 416
	2M85139	297
	2M85151	294
	2M85153	294
	2M85163	295
	2M85180	295
	2M85239	278, 288, 319, 416
	2M85274	319, 323, 357, 419
	2M85337	261, 321, 323, 357, 419
	2M85380	277
	2M85381	277
	2M85441	287
	2M85446	278, 288, 319, 416
	2M85575	263
	2M85594	282, 415
	2M85607	276, 413
	2M85705	324
	2M85706	324, 406
	2M85834	263, 406
	2M85835	263
	2M85853	263
	2M86185	262
	2M86205	259
	2M86207	282, 415
	2M86291	95
	2M86292	95
	2M86293	95
	2M86463	324, 420
	2M86680	264, 406
	2M86757	284, 288
	2M86800	37
	2M86832	37
	2M86837	24
	2M86841	24
	2M86913	95
	5703041	24
C	CH00102	280, 296
G	G01166	314
	G01168	314
	G01169	314
	G13040	321
	G13171	321
	G15225	321
	G35324	82, 325
	G35325	82, 325
	G35332	82, 325
	G35333	82, 325
	G35614	82, 325
M	M06258	263, 406
	M07152	95
	M07582	282
	M11015	91
	M12394	91
	M16395	297
	M20668	297
	M24695	319, 417
	M25121	319, 417
	M25647	32, 34, 35, 36, 44, 373
	M25649	44
	M25650	33, 42
	M25780	281, 415
	M26145	319, 417
	M26146	319, 417
	M26240	319, 417
	M26842	261, 278, 319, 416
	M26859	278, 416
	M27077	43, 376
	M27542	36, 373
	M30146	34
	M32493	315
	M32494	315
	M32495	315
	M32496	315
	M32497	315
	M32692	168
	M33278	34, 35, 42
	M34461	36, 373
	M34568	36, 44, 373, 376
	M34875	315
	M34876	315
	M34877	315
	M34878	315
	M35056	262, 315
	M35057	315
	M35058	262, 315
	M35330	301
	M35331	301
	M35332	301
	M35333	303
	M35334	303
	M35335	303
	M35336	315
	M35337	315
	M35338	315
	M35339	304
	M35340	304
	M35341	304
	M35342	302
	M35343	302
	M35344	302
	M35345	306
	M35346	306
	M35347	306
	M35357	307
	M35358	307
	M35359	307
	M35375	305
	M35376	305
	M35377	305
	M35378	305
	M35379	305
	M35382	305
	M35383	305
	M35384	305
	M35385	305
	M35386	305
	M35387	305
	M35388	305
	M35389	303
	M35390	303
	M35391	303
	M35392	303
	M35393	303
	M35394	303
	M35395	303
	M35396	303
	M35397	303
	M35398	304
	M35399	304
	M35400	304
	M35401	304
	M35402	304
	M35403	304
	M35404	304
	M35405	304
	M35406	304
	M35407	307
	M35408	307
	M35409	307
	M35410	307
	M35411	307
	M35412	307
	M35413	307
	M35414	307
	M35415	307
	M35416	301
	M35417	301
	M35418	301
	M35419	301
	M35420	301
	M35421	301
	M35422	301
	M35423	301
	M35424	301
	M35425	302
	M35426	302
	M35427	302
	M35428	302
	M35429	302
	M35430	302
	M35431	302
	M35432	302
	M35433	302
	M35434	301
	M35435	301
	M35436	301
	M35437	302
	M35438	302
	M35439	302
	M35452	301
	M35453	301
	M35454	301
	M35455	301
	M35456	301
	M35457	301
	M35469	306
	M35472	306
	M35473	306
	M35474	306
	M35475	306
	M35476	306
	M35477	306
	M35478	306
	M35479	306
	M35489	299
	M35490	299
	M35491	299
	M35492	299
	M35493	299
	M35494	299
	M35495	299
	M35496	299
	M35497	299
	M35498	299
	M35499	299
	M35801	309
	M35802	309
	M35803	309
	M35804	309
	M35805	309
	M35806	309
	M35807	309
	M35808	309
	M35809	309
	M35820	309
	M35865	309
	M35866	309
	M35867	309
	M36000	299
	M36001	299
	M36002	299
	M36003	299
	M36004	300
	M36005	300
	M36006	300
	M36007	300
	M36008	300
	M36009	300
	M36010	300, 313
	M36011	300, 313
	M36012	300, 313
	M36013	300
	M36014	300
	M36015	300
	M36016	300
	M36017	300
	M36018	300
	M36042	315
	M36053	260
	M36056	315
	M36148	308
	M36149	308
	M36150	308
	M36151	308
	M36152	308
	M36153	308
	M36154	308
	M36155	308
	M36156	308
	M36250	315
	M36290	312
	M36291	312
	M36292	312
	M36293	312
	M36294	312
	M36295	312
	M36296	312
	M36297	312
	M36298	312
	M36299	312
	M36300	312
	M36301	312
	M36723	302
	M36724	302
	M36725	302
	M36726	303
	M36727	303
	M36728	303
	M36729	299
	M36730	299
	M36731	299
	M36732	313
	M36733	313
	M36734	313
	M36735	313
	M36736	313
	M36737	313
	M36738	313
	M36739	313
	M36740	313
	M36741	313
	M36784	313
	M36785	313
	M36786	313
	M36788	313
	M36789	313
	M36826	308
	M36827	308
	M36828	308
MK	MK00514	280, 296
	MK01418	273
	MK01420	273
	MK01422	269
	MK01900	105
	MK02588	101
	MK03140	269
	MK03320	269
	MK04248	35
MP	MP00038	260, 262
	MP00061	279, 414
	MP00100	255
	MP00100	260
	MP00100	259
	MP00220	80

INDEX BY ORDER NUMBER

MP00222	15
MP00224	80
MP00234	19, 371
MP00300	11
MP00301	16
MP00303	16
MP00305	14
MP00308	19, 370
MP00309	19, 370
MP00310	341, 368
MP00311	341, 368
MP00312	26
MP00313	26
MP00327	14
MP00329	14, 368
MP00330	16
MP00331	16
MP00333	16, 368
MP00334	12
MP00335	24
MP00337	12
MP00338	11
MP00340	27
MP00341	30
MP00343	23, 370
MP00349	11
MP00350	11
MP00351	11
MP00352	11
MP00353	11, 368
MP00355	14
MP00357	28
MP00358	18
MP00359	18
MP00361	12
MP00362	12
MP00363	12, 368
MP00365	17
MP00366	17
MP00367	28
MP00368	28
MP00370	28
MP00371	17
MP00372	17
MP00373	13
MP00374	18
MP00375	18
MP00378	28
MP00379	13
MP00380	15
MP00381	15
MP00383	15, 368
MP00384	15
MP00416	78, 254, 264, 357, 361, 406
MP00501	266
MP00502	266
MP00503	266
MP00504	266
MP00505	267, 286
MP00506	274
MP00507	290
MP00508	290
MP00509	290
MP00510	290
MP00511	290, 407
MP00512	291, 295
MP00514	266
MP00515	290
MP00516	267, 286
MP00518	295
MP00530	270
MP00531	270
MP00532	270
MP00533	270
MP00534	270
MP00535	271, 286
MP00536	275
MP00537	292
MP00538	292
MP00539	292
MP00540	292
MP00541	292
MP00542	292, 410
MP00543	293
MP00544	293
MP00545	272, 411
MP00547	275, 412
MP00548	270
MP00549	292
MP00550	271
MP00551	271
MP00552	260, 271, 286
MP00553	293
MP00555	280, 296, 415
MP00565	298
MP00566	298
MP00569	298
MP00570	282
MP00578	283
MP00579	297
MP00580	283
MP00587	323, 419
MP00589	323, 419
MP00591	322, 418
MP00592	322, 418
MP00593	322, 418
MP00595	298
MP00596	298
MP00597	322, 418
MP00601	322, 418
MP00602	322, 418
MP00603	322, 418
MP00606	322, 418
MP00607	322, 418
MP00608	322, 418
MP00615	323, 419
MP00626	322, 418
MP00631	267
MP00632	268
MP00634	284, 288, 357
MP00635	284
MP00636	284
MP00637	284
MP00638	271
MP00639	272
MP00646	277
MP00660	268, 408
MP00661	274, 409
MP00663	291
MP00664	291
MP00686	269
MP00687	269
MP00688	273
MP00689	269
MP00690	324
MP00721	112, 141, 189
MP00748	186, 216, 229
MP00788	125, 176, 205
MP00789	125, 176, 205, 397
MP00790	126, 177, 205
MP00791	126, 177, 205
MP00792	126, 177, 345, 397
MP00793	126, 177, 205
MP00794	126, 177, 345, 397
MP00795	125, 176, 205
MP00796	125, 176, 205
MP00797	175
MP00799	125, 176, 205
MP00800	175
MP00875	116, 173, 202, 212
MP00877	116, 173, 202, 212
MP00879	116, 173, 202, 212
MP00881	116, 173, 202, 212
MP00911	143, 191
MP00912	143, 191
MP00913	143, 191
MP00915	143, 191
MP00916	143, 191
MP00917	143, 191
MP00918	143, 191
MP00919	143, 191
MP00921	143, 191
MP00924	144, 192
MP00925	144, 192
MP00926	144, 192
MP00928	144, 192
MP00929	144, 192
MP00930	144, 192
MP00931	144, 192
MP00932	144, 192
MP00934	144, 192
MP00943	236
MP00944	236
MP00953	142, 190

INDEX BY ORDER NUMBER

MP00989	141, 189
MP00990	209
MP00991	139, 187, 220
MP00992	139, 187, 220
MP00993	139, 187, 220
MP00994	139, 187, 220
MP00995	139, 187, 220
MP00996	139, 187, 220
MP00997	139, 187, 220, 399
MP00998	139, 187, 220, 399
MP00999	141, 189
MP01000	23
MP01001	89, 387
MP01002	87, 386
MP01006	89
MP01007	43, 89
MP01008	87
MP01010	91, 388
MP01030	91, 388
MP01031	91
MP01032	91, 388
MP01035	91
MP01036	91
MP01037	91, 388
MP01060	80
MP01061	80
MP01062	54, 164, 196, 225
MP01063	54, 165, 196, 225, 379
MP01071	92, 388
MP01072	92, 388
MP01073	92, 388
MP01074	92, 388
MP01075	92, 388
MP01076	92, 388
MP01078	92, 388
MP01079	92, 388
MP01085	92
MP01086	92, 388
MP01087	92, 388
MP01089	92, 388
MP01095	92, 388
MP01101	258, 259
MP01102	258, 259
MP01103	258, 260
MP01104	258
MP01105	258
MP01325	27
MP01326	27
MP01327	29, 369
MP01328	29, 369
MP01329	30, 369
MP01330	30
MP01340	29
MP01341	29
MP01343	30
MP01347	27
MP01348	27
MP01350	27
MP01370	25
MP01371	25
MP01372	38
MP01390	38
MP01391	38
MP01401	333, 335
MP01402	340
MP01404	340
MP01414	354
MP01419	343, 346, 349
MP01423	331, 353
MP01424	333, 335, 353
MP01440	355
MP01441	361
MP01442	355
MP01443	355
MP01444	355
MP01445	355
MP01494	358, 364
MP01495	358, 364
MP01496	358, 364
MP01501	66, 380
MP01502	66, 380
MP01503	66
MP01504	66
MP01505	66
MP01506	66
MP01510	67, 381
MP01511	67, 381
MP01512	67, 381
MP01513	67
MP01514	67
MP01515	67
MP01516	67
MP01521	68, 381
MP01522	68, 381
MP01523	68
MP01524	68
MP01531	68, 381
MP01532	68, 381
MP01533	68
MP01534	68
MP01543	68
MP01544	68
MP01545	68
MP01546	68
MP01551	66, 384
MP01552	66
MP01553	63, 367
MP01554	63, 367
MP01555	63, 367
MP01556	63, 367
MP01559	70, 384
MP01560	70
MP01561	70, 384
MP01562	70
MP01570	57
MP01571	57
MP01572	57
MP01573	57
MP01574	57
MP01575	57
MP01590	64, 70, 384
MP01620	58
MP01621	58
MP01622	58
MP01623	58
MP01624	58
MP01625	58
MP01656	83
MP01657	83
MP01663	84
MP01664	84
MP01665	84
MP01671	56
MP01673	84
MP01674	84
MP01676	83
MP01677	83
MP01682	84
MP01701	65
MP01702	65
MP01703	65
MP01704	65
MP01705	65
MP01706	65
MP01707	65
MP01708	65
MP01730	50
MP01735	50
MP01740	378
MP01755	48
MP01765	48
MP01770	48
MP01780	81
MP01781	81
MP01785	49
MP01790	49
MP01795	49
MP01800	47
MP01801	47
MP01805	47
MP01810	47
MP01815	47
MP01820	47, 378
MP01825	47
MP01840	55
MP01845	55
MP01850	55
MP01855	55
MP01860	55
MP01880	341, 355
MP01890	55
MP01895	55
MP01910	69, 341, 382
MP01911	69, 341, 382

INDEX BY ORDER NUMBER

MP01912	69
MP01913	69
MP01914	69
MP01915	69
MP01916	69, 384
MP01917	69
MP01920	71
MP01921	71
MP01922	73
MP01923	73
MP01924	72
MP01925	72
MP01926	71
MP01927	75
MP01930	71
MP01931	71
MP01932	72
MP01933	72
MP01934	71
MP01935	73
MP01936	73
MP01940	75
MP01941	75
MP01942	75
MP01943	75
MP01944	75
MP01945	75
MP02201	141, 189
MP02260	356
MP02400	46
MP02401	46
MP02405	46
MP02425	46, 377
MP02590	20, 371
MP02600	79
MP02605	21
MP02606	21
MP02607	21
MP02608	20, 370
MP02650	20, 370
MP02655	20, 371
MP02689	92, 388
MP02710	15, 368
MP02711	15
MP02712	15
MP02713	15
MP02720	17
MP02721	17
MP02900	69, 341, 382
MP02910	59
MP02911	59
MP02912	59
MP02913	59
MP02914	59
MP02915	59
MP02916	59
MP02917	59
MP02918	59
MP02920	74, 383
MP02921	74, 383
MP02922	74
MP02923	74
MP02924	74, 383
MP02925	74, 383
MP02926	74
MP02927	74
MP02928	74, 383
MP02929	74, 383
MP02930	74
MP02931	74
MP02932	74, 383
MP02933	74, 383
MP02934	74
MP02935	74
MP02959	181
MP02960	181
MP02961	181
MP02962	181
MP02971	181
MP02972	181
MP02974	181
MP02975	181
MP02991	175
MP02992	175
MP02993	125, 176, 205
MP03120	173
MP03121	173
MP03122	116, 173, 202
MP03123	116, 173, 202
MP03191	127, 178
MP03192	127, 178, 397
MP03193	127, 178
MP03194	175
MP03196	175
MP03197	133, 184
MP03198	133, 184
MP03203	184
MP03211	279, 414
MP03220	272
MP03221	272, 411
MP03222	268
MP03223	268, 408
MP03230	287
MP03231	287
MP03232	287
MP03233	287
MP03325	263, 406
MP03366	264, 406
MP03373	13
MP03374	13
MP03375	28
MP03376	13
MP03377	28
MP03378	13
MP03379	13
MP03381	18
MP03383	18
MP03384	18
MP03388	28
MP03401	117, 172, 201, 212
MP03402	117, 172, 201, 212
MP03403	117, 172, 201, 212
MP03404	117, 172, 201, 212
MP03405	117, 172, 201
MP03406	117, 172, 201
MP03407	172
MP03408	172
MP03411	118
MP03412	118
MP03413	118
MP03414	118
MP03415	118
MP03416	118
MP03417	118
MP03418	118
MP03421	201
MP03422	201
MP03423	201
MP03424	201
MP03425	201
MP03426	201
MP03587	283
MP03589	283
MP03597	297
MP03700	358, 362
MP03701	358, 362
MP03702	358, 362
MP03703	358, 362
MP03704	358, 362
MP03705	362
MP03730	329, 353
MP03737	329, 352
MP03738	352
MP03760	351
MP03770	351
MP03771	351
MP03772	351
MP03826	358, 362
MP03880	359, 365
MP03881	359,365
MP03882	359, 365
MP03883	359, 365
MP03884	359, 365
MP03885	359, 365
MP04110	259
MP04200	77, 253, 360
MP04201	77, 253
MP04202	77, 253
MP04203	360
MP04204	77, 253, 360
MP04218	78, 254, 361
MP04219	78, 254, 361
MP04221	78, 254, 361
MP04229	77, 253, 360

INDEX BY ORDER NUMBER

MP04240	56
MP04242	56
MP04246	56
MP04300	234
MP04301	234
MP04305	234
MP04306	234
MP04310	234
MP04312	234
MP04315	234
MP04316	234
MP04320	234
MP04322	234
MP04325	234
MP04326	234
MP04327	234
MP04350	236
MP04351	236
MP04352	236
MP04353	236
MP04355	236
MP04356	236
MP04357	236
MP04358	236
MP04359	236
MP04365	236
MP04366	236
MP04551	241, 402
MP04552	244, 404
MP04553	245, 404
MP04554	242
MP04555	243
MP04556	247
MP04557	243
MP04558	241
MP04559	248
MP04560	243, 403
MP04561	241
MP04562	248
MP04563	242
MP04564	248
MP04565	242
MP04566	242
MP04567	247, 404
MP04568	249
MP04569	243, 403
MP04570	245
MP04571	242
MP04572	248
MP04573	244
MP04575	244
MP04576	246
MP04577	246
MP04578	246
MP04579	246
MP04580	245
MP04581	249
MP04711	60
MP04712	60
MP04713	60
MP04714	60
MP04721	60
MP04722	60
MP04723	60
MP04724	60
MP04731	60
MP04732	60
MP04733	60
MP04734	60
MP04741	61
MP04742	61
MP04743	61
MP04744	61
MP04751	61
MP04752	61
MP04753	61
MP04754	61
MP05051	62
MP05052	62
MP05053	62
MP05054	62
MP05061	62
MP05062	62
MP05063	62
MP05064	62
MP05071	62
MP05072	62
MP05073	62
MP05074	62
MP05080	64
MP05305	78, 254
MP05507	76
MP05508	76
MP05511	76
MP05512	76
MP05513	76
MP05601	76
MP05700	82, 325
MP05701	82, 325
MP05750	50
MP05845	50, 378
MP07101	23
MP07102	23
MP07106	23
MP07107	23
MP07108	23
MP07131	23
MP07150	23, 370
MP07151	23, 370
MP11060	431
MP11061	431
MP11062	431
MP11063	431
MP11064	431
MP11065	431
MP13000	250, 405
MP13011	251, 405
MP13012	251, 405
MP13013	252
MP13014	252
MP13015	252
MP13016	252
MP13017	252
MP13020	77, 253, 356
MP13021	77, 253, 356
MP17007	15
MP20022	311
MP20023	311
MP20024	311
MP20029	311, 312
MP20030	311, 312
MP20050	46, 377
MP20268	15
MP20269	13
MS MS13218	162
MS13235	122, 204
MS14555	113, 170, 200, 213
MS14556	113, 170, 200, 213
MS14559	113, 170, 200, 213
MS14560	113, 170, 200, 213
MS14679	120, 174
MS14680	120, 174
MS14681	120
MS14682	113, 170, 200
MS14683	113, 170, 200
MS14693	171
MS14694	171
MS14796	160
MS15007	162
MS15053	162
MS15084	162
MS15085	162
MS15086	162
MS15087	162
MS15893	146
MS15894	147
MS15895	147
MS15896	147
MS16160	115
MS16161	115
MS16229	115
MS16230	115
MS16232	115
MS16233	115
MS16256	120, 174
MS16444	122, 204
MS16445	122, 204
MS16446	123, 395
MS16447	123, 395
MS16448	122, 204
MS16449	122, 204
MS16492	120
MS16916	157

INDEX BY ORDER NUMBER

	MS16918	157
	MS16919	157
	MS16920	157
	MS17075	146
	MS17185	114, 171
	MS17330	121, 124, 134, 203, 208, 394
	MS17522	124, 205, 396
	MS18683	121, 124, 134, 203, 208, 394
	MS20093	111
	MS20094	111
	MS20475	171
	MS20476	171
	MS20725	148, 194
	MS20783	194
	MS20979	186, 216, 229
	MS22147	149, 194
	MS22148	149, 194
	MS22259	164, 196
	MS22532	149, 157, 194
	MS22533	149, 194
	MS22534	149, 194
	MS22535	149, 194
	MS22832	174
	MS22905	209
	MS23133	157
	MS23598	150
	MS23897	194
	MS23898	194
	MS24303	124, 205, 396
	MS25836	199
	MS25951	174
	MS26122	146
	MS26123	146
	MS26125	146
	MS26187	167, 198
	MS26188	167, 198
	MS28557	114, 171, 213
	MS28558	114, 171, 213
	MS28559	114, 171, 213
	MS28560	114, 171
	MS28561	114, 171, 213
	MS29468	161
	MS31435	174
	MS32146	199
	MS32150	199
	MS32151	199
	MS32153	199
	MS32154	199
	MS32156	199
	MS32282	157
	MS32289	199
	MS32290	199
	MS32291	199
	MS32318	199
	MS33239	189
	MS33726	130, 179, 206
	MS33727	130, 179, 206
	MS33728	130, 179, 206
	MS33729	397
	MS33730	130, 179, 397
	MS33731	128, 206, 396
	MS33732	128, 206, 396
	MS33733	128, 396
	MS33736	179
	MS33737	179
	MS33738	179, 182
	MS33739	179, 182
	MS33740	129, 180, 206
	MS33741	129, 180, 206
	MS34436	124, 206
	MS34437	124, 206
	MS34677	137, 186
	MS34678	137, 186
	MS40015	199
	MS40067	129, 180
	MS40070	129, 180
	MS40073	129, 180
	MS40076	182
	MS40079	182
	MS40082	182
	MS40085	182
	MS40088	131, 180
	MS40091	131, 180
	MS40094	131, 180
	MS40243	140, 188, 219, 221
	MS40317	199
	MS40318	199
	MS40319	199
	MS40321	199
	MS40322	199
MU	MU03876	334, 336, 343, 347, 349
	MU04366	343, 346, 349
	MU04472	344, 347, 349
	MU04771	346
	MU04804	346
	MU06008	344, 348, 350
	MU06011	343, 348, 350
	MU06570	336, 343, 347, 349
	MU06933	343, 346, 349
	MU06943	354
	MU06944	354
	MU06951	343, 346, 349
	MU10841	341
	MU10900	341
	MU10902	342
	MU10915	342
	MU10916	342
	MU10917	342
	MU10918	334, 336, 342
	MU11225	340
	MU11228	340
	MU12504	334, 336
	MU12533	335
	MU12551	335
	MU12609	334, 336
	MU17191	336
	MU21120	334, 336
	MU24401	344
	MU24402	344
	MU24409	344
	MU24903	334, 336
	MU25426	344
	MU26041	333
	MU26042	333
MX	MX00001	99
	MX00004	99
	MX01004	135, 216, 229
	MX01005	135, 216, 229
	MX01049	107
	MX01050	107, 332
	MX03300	93
	MX03301	93
	MX03302	93, 389
	MX03303	93, 389
	MX03304	93
	MX03305	93
	MX03306	93
	MX03307	93, 389
	MX03308	93, 389
	MX03309	93
	MX03311	93
	MX03312	93, 389
	MX03313	93
	MX03314	93, 389
	MX03316	93, 389
	MX03317	94
	MX03318	94
	MX03319	94, 390
	MX03320	94, 390
	MX03321	94
	MX03322	94
	MX03323	94
	MX03324	94, 390
	MX03325	94, 390
	MX03326	94
	MX03327	93, 94
	MX03328	94, 390
	MX03329	94, 390
	MX03330	94
	MX03331	94, 390
	MX10209	99
	MX11000	329, 331, 337
	MX11001	329, 331, 337
	MX17012	331
	MX17015	330, 332
	MX17018	330, 332
	MX23023	279, 414
	MX23025	279, 414
	MX23026	279, 414
	MX37021	288
	MX50004	99
	MX50028	94

INDEX BY ORDER NUMBER

MX50050	99
MX50052	94, 390
MX50053	94
MX50054	94
MX50065	136, 186, 208
MX50066	136, 186, 208
MX50067	136, 186, 395
MX50068	136, 186, 208, 395
MX50069	137
MX50070	137, 216, 229
MX50071	136, 186, 208
MX50090	101
MX50100	99
MX50115	101
MX50120	99

INDEX BY PRODUCT NAME

1	1.5 m spiral hose and M12×1 screw connector	2M86291	95
	1.5 m spiral hose and probe for central supply system	2M86292	95
3	3.0 m spiral hose and probe for central supply system	2M86293	95
	Absorber adapter CLIC, for Dräger anesthesia workstations	MX50090	101
A	Adapter 9/16” to 15/22mm	MP05305	78, 254
	Adapter 9/16“ to M34×1.5 for Dräger reusable humidifier	MP03325	263, 406
	Adapter AIR NF/NIST	M35338	315
	Adapter AIR NIST/DIN	M32495	315
	Adapter AIR-O_2/O_2 NIST/DIN	M36042	315
	Adapter AIR, DISS-NIST	M34877	315
	Adapter AIR/O_2 NIST/DIN	M32497	315
	Adapter cable for Infinity® PiCCO SmartPod®, for 10-pin connector	MS16920	157
	Adapter cable RD-SET to LNCS	MS33732	128, 206, 396
	Adapter cable RD-SET to LNOP	MS33731	128, 206, 396
	Adapter cable RD-SET to MultiMed®	MS33733	128, 396
	Adapter cable, 7-pin connector for temperature probe with ¼“ connector	5198333	139
	Adapter DISS M/QC-AIR-Chemetron	4119066	314
	Adapter DISS M/QC-AIR-Ohmeda	4119071	314
	Adapter DISS M/QC-AIR-Pur Ben	4119076	314
	Adapter DISS M/QC-AIR-Schrader	4119081	314
	Adapter DISS M/QC-EVAC-Chemetron	4119069	314
	Adapter DISS M/QC-EVAC-Ohmeda	4119074	314
	Adapter DISS M/QC-EVAC-Pur Ben	4119079	314
	Adapter DISS M/QC-N_2O-Chemetron	4119065	314
	Adapter DISS M/QC-N_2O-Ohmeda	4119070	314
	Adapter DISS M/QC-N_2O-Pur Ben	4119075	314
	Adapter DISS M/QC-N_2O-Schrader	4119080	314
	Adapter DISS M/QC-O_2-Chemetron	4119068	314
	Adapter DISS M/QC-O_2-Ohmeda	4119073	314
	Adapter DISS M/QC-O_2-Pur Ben	4119078	314
	Adapter DISS M/QC-O_2-Schrader	4119083	314
	Adapter DISS M/QC-VAC-Chemetron	4119067	314
	Adapter DISS M/QC-VAC-Ohmeda	4119072	314
	Adapter DISS M/QC-VAC-Pur Ben	4119077	314
	Adapter DISS M/QC-VAC-Schrader	4119082	314
	Adapter for Ambu Mark III	2120488	95
	Adapter for Combibag	2M86913	95
	Adapter for Laerdal	2120496	95
	Adapter for Laerdal	5790124	95
	Adapter for Oxidem for M12×1 (for existing hose systems)	8410547	95
	Adapter for Resutator 2000/MR-100	2120461	95
	Adapter N_2O NF/NIST	M35337	315
	Adapter N_2O NIST/DIN	M32494	315
	Adapter N_2O NIST/DIN	M35057	315
	Adapter N_2O, DISS-NIST	M34876	315
	Adapter NIST to DIN CS-Coupling AIR	M35058	262, 315
	Adapter NIST to DIN CS-Coupling O_2	M35056	262, 315
	Adapter O_2 NF/NIST	M35336	315
	Adapter O_2 NIST/DIN	M32493	315
	Adapter O_2, DISS-NIST	M34875	315
	Adapter straight, reusable, A, 18 mm/11 mm	8403076	32, 44
	Adapter VAC NIST/DIN	M32496	315
	Adapter VAC, DISS-NIST	M34878	315
	Adapter, for disposable sterilized water systems to AIR flowmeter, M32×1.5 to 9/16“	MP03366	264, 406
	Adapter, for disposable sterilized water systems to O_2 flowmeters, M34×1.5 to 9/16“	2M86680	264, 406
	Adapter, reusable, 22 mm/11 mm, metal, N/P	8409897	44
	Adapter, reusable, 22 mm/15 mm, 90°	8290274	32
	Adapter, reusable, 22 mm/22 mm	M25647	32, 34, 35, 36, 44, 373
	Adapter, reusable, 22 mm/22 mm, 90°	M25649	44
	Adapter, to connect Dräger humidifier to mixing block, M15×1 to M34×1.5	2M85853	263
	Adapter, to connect e.g a tube or nasal cannula to AIR flowmeter, M32×1.5 to 6 mm nozzle	2M85575	263
	Adapter, to connect e.g a tube or nasal cannula to O_2 flowmeter, M34×1.5 to 6 mm nozzle	M06258	263, 406
	Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16” connection	MP00416	78, 254, 264, 357, 361, 406
	Adhesive Pad LNCS TF-I, 20 pcs.	MP03198	133, 184
	Adhesive wrap for Nellcor® Oxiband™ A/N, 100 pcs.	8201012	135, 395
	Adhesive wrap for Nellcor® Oxiband™ P/I, 100 pcs.	2170221	135
	Aerogen Solo Starter Kit, ES, IT, PT, GR, TK	MP01073	92, 388
	Aerogen Solo Starter Kit, FR, NL, IT, GE	MP01072	92, 388
	Aerogen Solo Starter Kit, Int.	MP01071	92, 388
	Aerogen Solo Starter Kit, SW, NO, FI, DK	MP01074	92, 388
	Aerogen Solo Starter Kit, UK	MP01075	92, 388

INDEX BY PRODUCT NAME

Aerogen Solo Starter Kit, US	MP01076	92, 388
Aerogen USB Controler	MP01089	92, 388
Aerogen USB Controler	MP01095	92, 388
AIR compact flowmeter Clickflow, DIN, 1 – 16 l/min, 6 mm nozzle	MP13016	252
AIR compact flowmeter Clickflow, DIN, 1 – 16 l/min, 9/16”	MP13015	252
AIR compact flowmeter Clickflow, rail, 1 – 16 l/min, 9/16”	MP13017	252
AIR CS hose 0.9 m (2.95 ft) NF EN NF	M36724	302
AIR CS hose 0.9 m (2.95 ft) NIST EN BS	M36727	303
AIR CS hose 0.9 m (2.95 ft) NIST EN DIN	M36730	299
AIR CS hose 0.9 m (2.95 ft) NIST GB DIN	M36786	313
AIR CS hose 1.5 m (4.9 ft) DISS US KAWA	M35803	309
AIR CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36296	312
AIR CS hose 1.5 m (4.9 ft) NF EN NF	M35429	302
AIR CS hose 1.5 m (4.9 ft) NIST BS straight	M35402	304
AIR CS hose 1.5 m (4.9 ft) NIST EN AS	M36150	308
AIR CS hose 1.5 m (4.9 ft) NIST EN BS	M35393	303
AIR CS hose 1.5 m (4.9 ft) NIST EN Carba	M35475	306
AIR CS hose 1.5 m (4.9 ft) NIST EN DIN	M35495	299
AIR CS hose 1.5 m (4.9 ft) NIST EN NF	M35420	301
AIR CS hose 1.5 m (4.9 ft) NIST EN SS	M35383	305
AIR CS hose 1.5 m (4.9 ft) NIST EN UNI	M35411	307
AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36010	300, 313
AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35452	301
AIR CS hose 3 m (9.8 ft) DISS US KAWA	M35802	309
AIR CS hose 3 m (9.8 ft) DISSB EN HAND	M36297	312
AIR CS hose 3 m (9.8 ft) NF EN NF	M35430	302
AIR CS hose 3 m (9.8 ft) NIST BS straight	M35403	304
AIR CS hose 3 m (9.8 ft) NIST EN AS	M36149	308
AIR CS hose 3 m (9.8 ft) NIST EN BS	M35394	303
AIR CS hose 3 m (9.8 ft) NIST EN Carba	M35476	306
AIR CS hose 3 m (9.8 ft) NIST EN DIN	M35496	299
AIR CS hose 3 m (9.8 ft) NIST EN NF	M35421	301
AIR CS hose 3 m (9.8 ft) NIST EN SS	M35384	305
AIR CS hose 3 m (9.8 ft) NIST EN UNI	M35412	307
AIR CS hose 3 m (9.8 ft) NIST GB BS	M36736	313
AIR CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36011	300, 313
AIR CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35453	301
AIR CS hose 5 m (16.4 ft) DISS US KAWA	M35801	309
AIR CS hose 5 m (16.4 ft) DISSB EN HAND	M36298	312
AIR CS hose 5 m (16.4 ft) NF EN NF	M35343	302
AIR CS hose 5 m (16.4 ft) NIST BS straight	M35340	304
AIR CS hose 5 m (16.4 ft) NIST EN AS	M36148	308
AIR CS hose 5 m (16.4 ft) NIST EN BS	M35335	303
AIR CS hose 5 m (16.4 ft) NIST EN Carba	M35346	306
AIR CS hose 5 m (16.4 ft) NIST EN DIN	M35497	299
AIR CS hose 5 m (16.4 ft) NIST EN NF	M35332	301
AIR CS hose 5 m (16.4 ft) NIST EN SS	M35385	305
AIR CS hose 5 m (16.4 ft) NIST EN UNI	M35358	307
AIR CS hose 5 m (16.4 ft) NIST GB BS	M36737	313
AIR CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36012	300, 313
AIR CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35454	301
AIR CS hose 8 m (26,25 ft) DISS US KAWA	M35865	309
AIR CS hose DISS Hand 10L	4199594	310
AIR CS hose DISS Hand 15L	4199593	310
AIR CS hose DISS N/DISS N 10L	4199605	310
AIR CS hose DISS N/DISS N 15L	4199604	310
AIR CS hose DISS N/DISS N 20L	4199712	310
AIR flowmeter, 16 l/min, CS, CARBA, ISO, M32×1.5	MP04564	248

INDEX BY PRODUCT NAME

AIR flowmeter, 16 l/min, CS, DIN, ISO and neutral color, M32×1.5	MP04559	248
AIR flowmeter, 16 l/min, CS, long cs plug (6 cm; 2.4 in), DIN, ISO and neutral color, M32×1.5	MP04562	248
AIR flowmeter, 16 l/min, rail, NIST, M32×1.5	MP04568	249
AIR flowmeter, 32 l/min, CS, DIN, ISO and neutral color, M32×1.5	MP04572	248
AIR flowmeter, 32 l/min, rail, NIST, M32×1.5	MP04581	249
Air intake filter for Caleo® and Babyleo TN500, reusable, 20 pcs.	MX17015	330, 332
Air intake filter for Isolette® C2000, 8000 and 8000 plus, reusable, 4 pcs.	MU12504	334, 336
Air intake filter for TI 500 and TI 500 Globe-Trotter, disposable, 6 pcs.	MU04472	344, 347, 349
AIR/O_2 CS hose 1.5 m (4.9 ft) NIST EN DIN	M36001	299
AIR/O_2 CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36016	300
AIR/O_2 CS hose 3 m (9.8 ft) NIST EN DIN	M36002	299
AIR/O_2 CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36017	300
AIR/O_2 CS hose 5 m (16.4 ft) NIST EN DIN	M36003	299
AIR/O_2 CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36018	300
Airway connector ErgoStar® AC 90, disposable, double-swivel elbow w/ double cap, 100 pcs.	MP01890	55
Airway connector ErgoStar® AC 95, disposable, w/ Luer Lock sampling port, 100 pcs.	MP01895	55
Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 1, neonatal, 20 pcs.	MP01531	68, 381
Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 2, baby, 20 pcs.	MP01532	68, 381
Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 3, infant, 20 pcs.	MP01533	68
Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 4, adult S, 20 pcs.	MP01534	68
Anesthesia mask ComfortStar®, disposable, hook ring, mint, size 3, infant, 20 pcs.	MP01543	68
Anesthesia mask ComfortStar®, disposable, hook ring, mint, size 4, adult S, 20 pcs.	MP01544	68
Anesthesia mask ComfortStar®, disposable, hook ring, mint, size 5, adult M, 20 pcs.	MP01545	68
Anesthesia mask ComfortStar®, disposable, hook ring, mint, size 6, adult L, 20 pcs.	MP01546	68
Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 0, premature baby, 20 pcs.	MP01510	67, 381
Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 1, neonatal, 20 pcs.	MP01511	67, 381
Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 2, baby, 20 pcs.	MP01512	67, 381
Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 3, infant, 20 pcs.	MP01513	67
Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 4, adult S, 20 pcs.	MP01514	67
Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 5, adult M, 20 pcs.	MP01515	67
Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 6, adult L, 20 pcs.	MP01516	67
Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 1, neonatal, 20 pcs.	MP01521	68, 381
Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 2, baby, 20 pcs.	MP01522	68, 381
Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 3, infant, 20 pcs.	MP01523	68
Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 4, adult S, 20 pcs.	MP01524	68
Anesthesia mask LiteStar®, disposable, w/o hook ring, size 1, premature baby, 30 pcs.	MP01501	66, 380
Anesthesia mask LiteStar®, disposable, w/o hook ring, size 2, baby, 30 pcs.	MP01502	66, 380
Anesthesia mask LiteStar®, disposable, w/o hook ring, size 3, infant, 30 pcs.	MP01503	66
Anesthesia mask LiteStar®, disposable, w/o hook ring, size 4, adult S, 30 pcs.	MP01504	66
Anesthesia mask LiteStar®, disposable, w/o hook ring, size 5, adult M, 30 pcs.	MP01505	66
Anesthesia mask LiteStar®, disposable, w/o hook ring, size 6, adult L, 30 pcs.	MP01506	66

INDEX BY PRODUCT NAME

Anesthesia set Infinity ID®, disposable, coaxial, GSL, 2.3 m/1.2 m, 10 pcs., not made with natural rubber latex	MP00368	28
Anesthesia set Infinity ID®, disposable, coaxial, water trap, GSL, 2.1 m/1.2 m, 10 pcs., not made with natural rubber latex	MP00370	28
Anesthesia set Infinity® ID, disposable, coaxial, water trap, 2 L, 2.1/1.2 m, 10 pcs., not made with natural rubber latex	MP03388	28
Anesthesia set VentStar, disposable, coaxial, 2 L, 1.9 m/1.2 m, 10 pcs., not made with natural rubber latex	MP03384	18
Anesthesia set VentStar, disposable, coaxial, 2 L, 2.3 m/1.2 m, 10 pcs., not made with natural rubber latex	MP03383	18
Anesthesia set VentStar®, coaxial, water trap, GSL, 2 L, 2.1 m /1.2 m, pcs., not made with natural rubber latex	MP00359	18
Anesthesia set VentStar®, disposable, basic, 2 L, 1.8 m/1.5 m, 25 pcs., not made with natural rubber latex	MP00365	17
Anesthesia set VentStar®, disposable, basic, 2 L, 2.5 m/1.5 m, 10 pcs., not made with natural rubber latex	MP00366	17
Anesthesia set VentStar®, disposable, coaxial, GSL, 2 L, 2.3 m /1.2 m, 10 pcs., not made with natural rubber latex	MP00358	18
Anesthesia set VentStar®, disposable, coaxial, water trap, 2 L, 2.1/1.2 m, 10 pcs., not made with natural rubber latex	MP03381	18
Anesthesia set VentStar®, disposable, N, 1.8 m/1.1 m, 25 pcs., not made with natural rubber latex	MP00333	16, 368
Anesthesia set VentStar®, disposable, P, w/o Luer Lock, 1.5 m/1.1 m, 25 pcs., not made with natural rubber latex	MP00331	16
Anesthesia set VentStar®, disposable, P, water trap, 1 L, 1.8 m/1.1 m, 10 pcs., not made with natural rubber latex	MP00374	18
Anesthesia set VentStar®, disposable, P, water trap, w/o Luer Lock, 1 L, 1.8 m/1.1 m, 10 pcs., not made with natural rubber latex	MP00375	18
Anesthesia set VentStar®, disposable, w/o Luer Lock, 1.8 m/0.8 m, 25 pcs., not made with natural rubber latex	MP00330	16
Anesthesia set VentStar®, disposable, water trap, 2 L, 1.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP00372	17
Anesthesia set VentStar®, disposable, water trap, 2 L, 2.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP02721	17
Anesthesia set VentStar®, disposable, water trap, w/o Luer Lock, 2 L, 1.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP00371	17
Anesthesia set VentStar®, disposable, water trap, w/o Luer Lock, 2 L, 2.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP02720	17
Anesthesia set, disposable, basic, 1.5 m/0.8 m, 25 pcs., not made with natural rubber latex	MP00301	16
Anesthesia set, disposable, extendable, 1.8 m/0.8 m, 25 pcs., not made with natural rubber latex	MP00303	16
APC NIBP Cuff, adult, 23 cm – 33 cm, reusable, Vista120 SC	2600933	231
APC NIBP Cuff, child, 12 cm – 19 cm, reusable, Vista120 SC	2600930	231
APC NIBP Cuff, large adult, 31 cm – 40 cm, reusable, Vista120	2600934	231
APC NIBP Cuff, small adult, 17 cm – 25 cm, reusable, Vista120 SC	2600932	231
Aquapor H300 - Configuration	MP01000	23
Aquapor H300 Basic unit 115V	MP07102	23
Aquapor H300 Basic unit 230V	MP07101	23
B		
BabyFlow plus, disposable, size L, 20 pcs.	MP03702	358, 362
BabyFlow plus, disposable, size M, 20 pcs.	MP03701	358, 362
BabyFlow plus, disposable, size S, 20 pcs.	MP03700	358, 362
Bacteria filter IBF absorber, only use with Zeus®/Zeus® IE, 5 pcs.	MK02588	101
Bacterial and viral filter system VarioSafe, for VarioAir®, VarioVac®, VarioO2, disposable, 10 pcs.	MP00555	280, 296, 415
Bacterial filter 767, disposable, for ejectors (model range until 2010)	CH00102	280, 296

INDEX BY PRODUCT NAME

Bacterial filter 767, for ejectors (model range until 2010), 5 pcs.	6723976	280, 296, 415
Bacterial filter disposable, 20 pcs.	MK00514	280, 296
Bacterial filter for Dräger patient monitors, disposable	8402868	168
Bacterial filter, disposable, for Evac 40, 10 pcs.	MX37021	288
Basket 150, 15 × 20 × 10 cm, e.g., for disposable gloves	M26146	319, 417
Basket 300, 15 × 28 × 10 cm, e.g., for 300 mm catheters	M26145	319, 417
Basket 600, 15 × 48 × 10 cm, e.g., for 600 mm catheters	M25121	319, 417
Battery grip, adult, 2.5 V, 28 mm Ø	MX03301	93
Battery grip, pediatric, 2.5 V, 19 mm Ø	MX03314	93, 389
Battery, adult, 2.5 V	MX03327	93, 94
Bed clip for cables	MS15087	162
BISx adapter cable Vista120	2607560	227
BISx pod Vista120	2607561	211
Blade size 0 (Mac), reusable, 79 × 13 mm	MX03302	93, 389
Blade size 0 (Miller), reusable, 77 × 11 mm	MX03307	93, 389
Blade size 1 (Mac), reusable, 93 × 20 mm	MX03303	93, 389
Blade size 1 (Miller), reusable, 102 × 11 mm	MX03308	93, 389
Blade size 2 (Mac), reusable, 112 × 20 mm	MX03304	93
Blade size 2 (Miller), reusable, 153 × 13 mm	MX03309	93
Blade size 3 (Mac), reusable, 130 × 23 mm	MX03305	93
Blade size 4 (Mac), reusable, 150 × 25 mm	MX03306	93
Block for EEG referential lead conversion	5954859	161
BlueSet Anesthesia (N)	M27542	36, 373
BlueSet Anesthesia (P/A)	M30146	34
BlueSet Anesthesia water trap (P/A)	MK04248	35
BlueSet Ventilation (N)	8412344	31, 372
BlueSet Ventilation (P/A)	8413146	32
BlueSet Ventilation HME (P/A)	8412860	33
Breathing bag set Infinity® ID, disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex	MP00341	30
Breathing bag set Infinity® ID, disposable, 2 L, 1.5 m, 25 pcs., not made with natural rubber latex	MP01330	30
Breathing bag set Infinity® ID, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP01329	30, 369
Breathing bag set Infinity® ID, disposable, P, 1 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP01343	30
Breathing bag set VentStar® Flex, disposable, 2 L, 1.8 m 25 pcs., not made with natural rubber latex	MP17007	15
Breathing bag set VentStar®, disposable, 2 L, 0.8 m, 25 pcs., not made with natural rubber latex	MP00222	15
Breathing bag set VentStar®, disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex	MP00380	15
Breathing bag set VentStar®, disposable, 2 L, 1.5 m, 25 pcs., not made with natural rubber latex	MP00381	15
Breathing bag set VentStar®, disposable, extendable, 2 L, 1.8 m, 25 pcs., not made with natural rubber latex	MP20268	15
Breathing bag set VentStar®, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP00383	15, 368
Breathing bag set VentStar®, disposable, P, 1 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP00384	15
Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex	2166054	36, 45, 375, 377
Breathing bag, silicone, reusable, 1.5 L, not made with natural rubber latex	2166127	45, 377
Breathing bag, silicone, reusable, 2.3 L, not made with natural rubber latex	2166062	34, 35, 45
Breathing bag, silicone, reusable, 3 L, not made with natural rubber latex	2166070	45
Breathing circuit for active humidification, disposable, neonate, 20 pcs., not made with natural rubber latex	MU24409	344
Breathing circuit for Resuscitaire VentStar®, disposable, N, press. meas. line, 1 m, 25 pcs., not made with natural rubber latex	MP00311	341, 368
Breathing circuit Infinity ID®, disposable, coaxial, GSL, 2.3 m, 20 pcs., not made with natural rubber latex	MP00357	28
Breathing circuit Infinity® ID, disposable, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP01350	27
Breathing circuit Infinity® ID, disposable, basic, 2.5 m, 25 pcs., not made with natural rubber latex	MP01348	27
Breathing circuit Infinity® ID, disposable, coaxial, 1.9 m, 20 pcs., not made with natural rubber latex	MP03375	28

INDEX BY PRODUCT NAME

Breathing circuit Infinity® ID, disposable, coaxial, 2.3 m, 20 pcs., not made with natural rubber latex	MP03377	28
Breathing circuit Infinity® ID, disposable, extendable, 2.2 m, 25 pcs., not made with natural rubber latex	MP01347	27
Breathing circuit Infinity® ID, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP01327	29, 369
Breathing circuit Infinity® ID, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex	MP00343	23, 370
Breathing circuit Infinity® ID, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP01328	29, 369
Breathing circuit Infinity® ID, disposable, P, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP01340	29
Breathing circuit Infinity® ID, disposable, P, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP01341	29
Breathing circuit Infinity® ID, disposable, smoothbore, 1.6 m, 25 pcs., not made with natural rubber latex	MP00340	27
Breathing circuit Infinity® ID, disposable, smoothbore, 3 m, 10 pcs., not made with natural rubber latex	MP01325	27
Breathing circuit Infinity® ID, disposable, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP01326	27
Breathing circuit Infinity® ID, disposable, water trap, 2.1 m, 10 pcs., not made with natural rubber latex	MP00378	28
Breathing circuit Infinity® ID, disposable, water trap, GSL, 2.1 m, 10 pcs., not made with natural rubber latex	MP00367	28
Breathing circuit Vent Set, disposable, basic, 1.5 m, 25 pcs., not made with natural rubber latex	MP00300	11
Breathing circuit Vent Set, disposable, extendable, 1.8 m, 25 pcs., not made with natural rubber latex	MP00305	14
Breathing circuit VentStar® Carina® ExpV, disposable, 1.5 m, 10 pcs., not made with natural rubber latex	MP00313	26
Breathing circuit VentStar® Carina® ExpV, disposable, 2 m, 10 pcs., not made with natural rubber latex	5704962	26
Breathing circuit VentStar® Carina® LeakV, disposable, 1.5 m, 25 pcs., not made with natural rubber latex	MP00312	26
Breathing circuit VentStar® Helix, disposable, N, dual heated, 1.7 m, 10 pcs., not made with natural rubber latex	MP02650	20, 370
Breathing circuit VentStar® Helix, disposable, N, heated, 1.7 m, 10 pcs., not made with natural rubber latex	MP02608	20, 370
Breathing circuit VentStar® Oxylog 1000, disposable, 1.8 m, 25 pcs. set, not made with natural rubber latex	2M86837	24
Breathing circuit VentStar® Oxylog 2000, disposable, 1.8 m, 5 pcs., not made with natural rubber latex	2M86841	24
Breathing circuit VentStar® Oxylog 3000, 3000+, disposable, P, 1.9 m, 5 pcs., not made with natural rubber latex	5704964	25
Breathing circuit VentStar® Oxylog 3000F, 2000p, VE300, disposable, 1.5 m (4.92 ft), 5 pcs.	5703041	24
Breathing circuit VentStar® Oxylog 3000F, 2000p, VE300, disposable, 3 m (9.8 ft), 5 pcs., for Oxylog VE300 only with Option Plus	MP00335	24
Breathing circuit VentStar® Oxylog VE300, disposable, 3 m, 5 pcs., not made with natural rubber latex	MP01371	25
Breathing circuit VentStar® Oxylog VE300, disposable, 1.5 m, 5 pcs., not made with natural rubber latex	MP01370	25
Breathing circuit VentStar®, disposable, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP00349	11
Breathing circuit VentStar®, disposable, basic, 2.5 m, 10 pcs., not made with natural rubber latex	MP00350	11
Breathing circuit VentStar®, disposable, coaxial, 1.7 m, 20 pcs., not made with natural rubber latex	MP03373	13
Breathing circuit VentStar®, disposable, coaxial, 1.9 m, 20 pcs., not made with natural rubber latex	MP03374	13
Breathing circuit VentStar®, disposable, coaxial, 2.3 m, 20 pcs., not made with natural rubber latex	MP03376	13
Breathing circuit VentStar®, disposable, coaxial, 3.0 m, not made with natural rubber latex	MP20269	13

INDEX BY PRODUCT NAME

Breathing circuit VentStar®, disposable, coaxial, GSL, 2.3 m, 20 pcs., not made with natural rubber latex	MP03378	13
Breathing circuit VentStar®, disposable, coaxial, water trap, 2.1 m, 10 pcs., not made with natural rubber latex	MP00373	13
Breathing circuit VentStar®, disposable, coaxial, water trap, GSL, 2.1 m, 10 pcs., not made with natural rubber latex	MP03379	13
Breathing circuit VentStar®, disposable, extendable, 2.2 m, 25 pcs., not made with natural rubber latex	MP00355	14
Breathing circuit VentStar®, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP00353	11, 368
Breathing circuit VentStar®, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex	MP00308	19, 370
Breathing circuit VentStar®, disposable, N, heated, w/o chamber, 1.2 m, 10 pcs., not made with natural rubber latex	MP00309	19, 370
Breathing circuit VentStar®, disposable, N, MRI, 3 m, 10 pcs., not made with natural rubber latex	MP00329	14, 368
Breathing circuit VentStar®, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP00363	12, 368
Breathing circuit VentStar®, disposable, P, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP00351	11
Breathing circuit VentStar®, disposable, P, basic, 2.5 m, 25 pcs., not made with natural rubber latex	MP00352	11
Breathing circuit VentStar®, disposable, P, basic, w/o Luer Lock, 1.5 m, 25 pcs., not made with natural rubber latex	MP00338	11
Breathing circuit VentStar®, disposable, P, coaxial, 1.5 m, 20 pcs., not made with natural rubber latex	MP00379	13
Breathing circuit VentStar®, disposable, P, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP00361	12
Breathing circuit VentStar®, disposable, P, water trap, w/o Luer Lock, 1.8 m, 25 pcs., not made with natural rubber latex	MP00362	12
Breathing circuit VentStar®, disposable, smoothbore, for MRI, 3 m, 10 pcs., not made with natural rubber latex	MP00327	14
Breathing circuit VentStar®, disposable, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP00337	12
Breathing circuit VentStar®, disposable, water trap, w/o Luer Lock, 1.8 m, 25 pcs., not made with natural rubber latex	MP00334	12
Breathing hose for breathing bag, disposable, 15 mm, 25 pcs.	MU10900	341
Breathing hose for Oxylog® 1000, reusable, silicone, 3 m	2112760	37, 38
Breathing hose for Resuscitaire® with AutoBreath, disposable, 25 pcs.	MU10841	341
Breathing hose for TI 500 Globe-Trotter, disposable, 20 pcs.	MU04771	346
Breathing hose holder for Babytherm®, neonatal, for 10 mm breathing hose	2M21191	338
Breathing hose set for Oxylog® 2000/3000 family, reusable, w/ flow measurement line, 1.5 m	8412068	38
Breathing hose set for Oxylog® 2000/3000 family, reusable, w/ flow measurement line, 3 m	8412913	38
Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm, Ø 22 mm	2166038	34, 35, 39
Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm, Ø 22 mm	2166046	33, 34, 37, 38, 39
Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm	2165619	32, 39
Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm, Ø 22 mm	2165627	32, 35, 39
Breathing hose, silicone, reusable, N/P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm	2165651	41, 375
Breathing hose, silicone, reusable, N/P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm	2165678	36, 40, 373
Breathing hose, silicone, reusable, N/P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961	36, 41, 373, 375
Breathing hose, silicone, reusable, N/P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	2165856	31, 41, 372, 375

INDEX BY PRODUCT NAME

Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/10 mm, Ø 10 mm	2165848	31, 40, 372, 374
Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	2165821	31, 41, 372, 375
C		
Cable holder for rail, 10 pcs.	G15225	321
Cable holder for support pole, 4 pcs.	G13171	321
Calibration kit MultiGas, incl. bottle, regulator, reservoir bag	5207415	168
Calibration set, with test connection and test gas cylinder	8412710	165, 196
Canister opener, for canisters MX00001 and MX50050, 5 pcs.	MX10209	99
Cap BabyFlow, disposable, size L, green, 25.5 – 28 cm (10 – 11 in) head circumference, 5 pcs.	8418536	359, 366
Cap BabyFlow, disposable, size M, red, 23 – 25.5 cm (9.1 – 10 in) head circumference, 5 pcs.	8418535	359, 366
Cap BabyFlow, disposable, size S, yellow, 20.5 – 23 cm (8.1 – 9.1 in) head circumference, 5 pcs.	8418534	359, 366
Cap BabyFlow, disposable, size XL, orange, 28 – 30.5 cm (11 – 12 in) head circumference, 5 pcs.	8418537	359, 366
Cap BabyFlow, disposable, size XS, white, 18 – 20.5 cm (7.1 – 8.1 in) head circumference, 5 pcs.	8418533	359, 366
Cap BabyFlow, disposable, size XXL, blue, 30.5 – 33 cm (12 – 13 in) head circumference, 5 pcs.	8418538	359, 366
Cap BabyFlow, disposable, size XXL+, white/black, 33 – 36 cm (13 – 14.2 in) head circumference, 5 pcs.	8418539	359, 366
Cap for Luer Lock	M34461	36, 373
Cap for water vacuum gauge, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518)	MP00595	298
Cap secretion jar Medela	MP03231	287
Cap, for 700 ml secretion jar, with overflow safeguard	2M85011	281
Cap, for secretion jar, for fistula indicator for continuous and thoracic drainage	2M85013	281
Cap, for secretion jar, w/ overflow safeguard and pressure relief valve (≥ 0.1 kPa)	2M85012	281
Cardiac Output cable, 3 m	2601201	223
Cardiac output kit, Argon/Merit Medical	7265163	195
Cardiac output kit, Baxter	7265155	195
Carrier rack CD	2M85380	277
Carrying rack bronchial suction	2M85381	277
Catheter mount ErgoStar® CM 40, disposable, 10 cm, double swivel elbow, 50 pcs.	MP01840	55
Catheter mount ErgoStar® CM 45, disposable, 15 cm, double swivel elbow, 50 pcs.	MP01845	55
Catheter mount ErgoStar® CM 50, disposable, 10 – 16 cm, extendable, 50 pcs.	MP01850	55
Catheter mount ErgoStar® CM 55, disposable, 15 cm, straight, 50 pcs.	MP01855	55
Catheter mount ErgoStar® CM 60, disposable, 10 cm, small, double swivel elbow, 50 pcs.	MP01860	55
Ceiling holder, rail holder for compact suction systems and secretion jar sets	2M85119	278, 319, 416
Clamp for GCX rail, 5 pcs.	2M60401	330
CLIC Absorber 800+, disposable absorber, 1.2 l, 6 pcs.	MX00004	99
CLIC Absorber Free, disposable absorber, 1.2 l, 6 pcs.	MX50100	99
Closure temp. sensor mount, reusable	8410049	32
CNAP™ cuff controller and cradle	MS26125	146
CNAP™ cuff controller forearm strap	MS26122	146
CNAP™ intermediate cable for Infinity® CNAP™ SmartPod®, for CNAP™ controller	MS15893	146
CNAP™ sensor cuff, size L	MS15896	147
CNAP™ sensor cuff, size M	MS15895	147
CNAP™ sensor cuff, size S	MS15894	147
CO cable for Infinity® PiCCO Pod	MS16916	157
CO catheter cable	8419160	155, 195
CO catheter cable for Infinity® PiCCO Pod	MS16918	157
CO connection cable, 1 m	3368458	155, 195
CO Control Syringe	2601192	223
CO In-line Injection temperature probe Becton Dickinson	2601190	223
CO In-line Injection temperature probe housing	2601191	223
CO thermistor cable Argon/Merit Medical	8420077	155, 195
CO thermistor cable Baxter/Edwards	8539983	155, 195
CO thermistor cable for Infinity® PiCCO Pod	MS16919	157

INDEX BY PRODUCT NAME

CO thermistor T-piece Argon/Merit Medical	5741975	155, 195
CO_2 airway adapter, adult, disposable, 10 pcs.	2606227	163, 226
CO_2 airway adapter, neonatal (infant/pediatric), disposable, 10 pcs.	2606228	163, 226, 401
CO_2 cuvette disposable, adult, 10 pcs.	MP01062	54, 164, 196, 225
CO_2 cuvette disposable, pediatric, 10 pcs.	MP01063	54, 165, 196, 225, 379
CO_2 cuvette reusable, adult	6870279	54, 164, 196, 225
CO_2 cuvette reusable, pediatric	6870280	54, 164, 196, 225, 379
CO_2 mainstream sensor, for Evita® 2 dura, Evita® 4 Edition and Evita® XL	6871500	54, 379
CO_2 nasal cannula + O_2, adult, disposable, for Vista 120, 50 pcs.	2607554	224
CO_2 nasal cannula + O_2, child, disposable, for Vista 120, 50 pcs.	2607555	224
CO_2 nasal cannula, adult, disposable, for Vista 120, 100 pcs.	2607551	224
CO_2 nasal cannula, infant, disposable, for Vista 120, 100 pcs.	2607553	224
CO_2 nasal cannula, pediatric, disposable, for Vista 120, 100 pcs.	2607552	224
CO_2 sampling line, disposable, for Vista 120, 100 pcs.	2607550	224
CO_2 sidestream water trap, for Vista 120, 20 pcs.	2605124	224
CombiStar A Filter HME, combination of airway connector MP01845 and filter TwinStar® 55 (MP01805), 25 pcs.	MP01671	56
CombiStar F-HME HEPA flex, combination of flexible tube extention MP01850 and filter TwinStar® HEPA (MP01801), 25 pcs.	MP04242	56
CombiStar Filter HME flex, combination of flexible tube extention MP01850 and filter TwinStar® 55 (MP01805), 25 pcs.	MP04240	56
CombiStar mechanical Filter flex, combination of flexible tube extention MP01850 and filter SafeStar® 55 (MP01790), 25 pcs.	MP04246	56
Compact flowmeter Clickflow configurator	MP13000	250, 405
Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm	2M85337	261, 321, 323, 357, 419
Condensate management hoses for Isolette® 8000 and 8000 plus, disposable, 20 pcs.	MU21120	334, 336
Connection cable for MX 300 and MX 300-i	MP01444	355
Connection cable, connects HemoMed Pod to monitor, 3 m	5591925	148
Connection cable, connects HemoMed Pod to monitor, 5 m	5591933	148
Connection hose Medela	MP03233	287
Connection hose, silicone, reusable, ID 5 mm, wall thickness 2 mm, by meter	1203606	281, 415
Connector pressure Oxylog® VE300	MP01372	38
Continuous drainage 1, for continuous and wound drainage	2M85151	294
Continuous drainage 3, for continuous, wound, and thoracic drainage	2M85153	294
Control panel	MP00589	323, 419
Controller cable for Aerogen Pro	MP01036	91
Corrugated hose, reusable, N/P, 14 cm, connector 10 mm/10 mm, Ø 10 mm	8403333	31, 372
Corrugated hose, silicone, reusable, N/P, 28 cm, connector 10 mm/10 mm, Ø 10 mm	8402041	32
Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, large, 100 pcs.	MU06943	354
Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, small, 100 pcs.	MU06944	354
CS connection hose holder	2M85446	278, 288, 319, 416
CS hoses, several hoses to connect flowmeter with the central supply	8601697	299
Cuff controller cradle allows CNAP™ cuff controller to “slide” with movement of patient’s arm	MS26123	146
Cylinder support	2M85180	295
D		
Demo lung SmartLung, max.1 L, reusable, not made with natural rubber latex	MP02405	46
Demo lung to simulate neonatal lungs, with suitcase	8418077	377
Demo package BabyFlow plus, disposable, size L	MP03705	362
Demo package BabyFlow plus, disposable, size M	MP03704	358, 362
Demo package BabyFlow plus, disposable, size S	MP03703	358, 362
Deposit plate for Babytherm® 8000	2M21158	338
Disposable Handle Polaris, Dual, for Polaris 100/200, 600 and Multimedia, adapter required, 60 pcs.	MP05700	82, 325

INDEX BY PRODUCT NAME

	Disposable Handle Polaris, Single, for Polaris 100/200, 600 and Multimedia, adapter required, 120 pcs.	MP05701	82, 325
	Double connector 11ID/15OD, disposable, 10 pcs.	MP02655	20, 371
	Double-Plug coupling AIR	G01166	314
	Double-Plug coupling O_2	G01168	314
	Double-Plug coupling VAC	G01169	314
	Dräger X-plore® 1720	MP11060	431
	Dräger X-plore® 1730	MP11061	431
	Dräger X-plore® 1920 (M/L)	MP11062	431
	Dräger X-plore® 1920 (S)	MP11063	431
	Dräger X-plore® 1930 (M/L)	MP11064	431
	Dräger X-plore® 1930 (S)	MP11065	431
	Draw wire for hose heater 1.5 m, for reusable breathing circuit	8411050	89, 387
	Dust filter Perseus, 5 pcs.	MX50115	101
E	Ear clip for Nellcor® DURA-Y™	MX01005	135, 216, 229
	ECG „4-lead“ spacer, 10 pcs.	MS22832	174
	ECG adapter for single-pin ECG cable to MultiMed® 6	MS14680	120, 174
	ECG adapter for single-pin ECG cableto MultiMed® 5	MS14679	120, 174
	ECG adapter tel, GE-AP-CH, 3 Lead	MP04350	236
	ECG adapter tel, GE-AP-CH, 5 Lead	MP04351	236
	ECG adapter tel, GE-AP-CH, 6 Lead	MP04352	236
	ECG adapter tel, GE-AP-FH, 5 Lead	MP04353	236
	ECG adapter tel, PH M, 5 Lead	MP04358	236
	ECG adapter tel, PH M, 6 Lead	MP04359	236
	ECG adapter tel, PH MX40, 3 Lead	MP04355	236
	ECG adapter tel, PH MX40, 5 Lead	MP04356	236
	ECG adapter tel, PH MX40, 6 Lead	MP04357	236
	ECG adapter tel, SL AT, 5 Lead	MP04365	236
	ECG adapter tel, SL UV, 5 Lead	MP04366	236
	ECG Adapter, 3 Lead GE	MP04322	234
	ECG Adapter, 3 Lead Mindray	MP04312	234
	ECG Adapter, 3 Lead NK	MP04316	234
	ECG Adapter, 3 Lead Philips	MP04325	234
	ECG Adapter, 3 Lead Spacelabs	MP04300	234
	ECG Adapter, 3 Lead Welch Allyn	MP04305	234
	ECG Adapter, 5 Lead GE	MP04320	234
	ECG Adapter, 5 Lead Mindray	MP04310	234
	ECG Adapter, 5 Lead Philips	MP04326	234
	ECG Adapter, 5 Lead Spacelabs	MP04301	234
	ECG Adapter, 5 Lead Welch Allyn	MP04306	234
	ECG Adapter, 6 Lead NK	MP04315	234
	ECG Adapter, 6 Lead Philips	MP04327	234
	ECG cable for C lead MonoLead® 5, IEC1 (European color code), 1.5 m	MS16232	115
	ECG cable for C lead, IEC1 (European color code), 1 m	MP03417	118
	ECG cable for V lead MonoLead® 5, IEC2 (AHA/US color code), 1.5 m	MS16230	115
	ECG cable for V lead, IEC2 (AHA/US color code), 1 m	MP03418	118
	ECG cable, 3-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03421	201
	ECG cable, 3-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03422	201
	ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC1 (European color code), 2 m	MS16160	115
	ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	MS16233	115
	ECG cable, 3-lead, dual-pin connector, IEC1 (European color code), 1 m	MP03411	118
	ECG cable, 3-lead, dual-pin connector, IEC2 (AHA/US color code), 1 m	MP03412	118
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 2 m	MS14555	113, 170, 200, 213
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 4.1 m	MS28561	114, 171, 213
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	MS14556	113, 170, 200, 213
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 4.1 m	MS28557	114, 171, 213
	ECG cable, 3-lead, single-pin connector IEC1 (European color code), 1 m	MP03401	117, 172, 201, 212
	ECG cable, 3-lead, single-pin connector IEC2 (AHA/US color code), 1 m	MP03402	117, 172, 201, 212
	ECG cable, 3-lead, single-pin connector single-patient use, IEC1 (European color code), 1 m, 20 pcs.	MP00875	116, 173, 202, 212
	ECG cable, 3-lead, single-pin connector single-patient use, IEC2 (AHA/US color code), 1 m, 20 pcs.	MP00877	116, 173, 202, 212
	ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1 (European color code), 1.7 m	MS14693	171
	ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1 (European color code), 3.7 m	MS20476	171
	ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2 (AHA/US color code), 1.7 m	MS14694	171
	ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2 (AHA/US color code), 3.7 m	MS20475	171

INDEX BY PRODUCT NAME

ECG cable, 4-lead, single-pin connector IEC1 (European color code), 1 m	MP03407	172
ECG cable, 4-lead, single-pin connector IEC2 (AHA/US color code), 1 m	MP03408	172
ECG cable, 4-lead, single-pin connector single-patient use, IEC1 (European color code), 1 m, 20 pcs.	MP03120	173
ECG cable, 4-lead, single-pin connector single-patient use, IEC2 (AHA/US color code), 1 m, 20 pcs.	MP03121	173
ECG cable, 5-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03423	201
ECG cable, 5-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03424	201
ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m	MS16161	115
ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m	MS16229	115
ECG cable, 5-lead, dual-pin connector, IEC1 (European color code), 1/1.5 m	MP03413	118
ECG cable, 5-lead, dual-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03414	118
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m	MS14559	113, 170, 200, 213
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 5.3 m	MS28559	114, 171, 213
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m	MS14560	113, 170, 200, 213
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 5.3 m	MS28558	114, 171, 213
ECG cable, 5-lead, single-pin connector IEC1 (European color code), 1/1.5 m	MP03403	117, 172, 201, 212
ECG cable, 5-lead, single-pin connector IEC2 (AHA/US color code), 1/1.5 m	MP03404	117, 172, 201, 212
ECG cable, 5-lead, single-pin connector single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs.	MP00879	116, 173, 202, 212
ECG cable, 5-lead, single-pin connector single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	MP00881	116, 173, 202, 212
ECG cable, 6-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03425	201
ECG cable, 6-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03426	201
ECG cable, 6-lead, dual-pin connector, IEC1 (European color code), 1/1.5 m	MP03415	118
ECG cable, 6-lead, dual-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03416	118
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 3 m	MS14683	113, 170, 200
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 5.7 m	MS17185	114, 171
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 3 m	MS14682	113, 170, 200
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 5.7 m	MS28560	114, 171
ECG cable, 6-lead, single-pin connector IEC1 (European color code), 1/1.5 m	MP03405	117, 172, 201
ECG cable, 6-lead, single-pin connector IEC2 (AHA/US color code), 1/1.5 m	MP03406	117, 172, 201
ECG cable, 6-lead, single-pin connector single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs.	MP03122	116, 173, 202
ECG cable, 6-lead, single-pin connector single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	MP03123	116, 173, 202
ECG defib trunk cable, 3/5-lead single-pin, IEC/AHA 1.5 m	2612020	210
ECG defib trunk cable, 3/5-lead single-pin, IEC/AHA 2.5 m	2612021	210
ECG defib trunk cable, Neonate, single-pin, IEC/AHA, 1.5 m	2612026	210
ECG defib trunk cable, Neonate, single-pin, IEC/AHA, 2.5 m	2612027	210
ECG electrodes, adult, disposable, 300 pcs.	2606247	214
ECG electrodes, adult/child, disposable, 1,000 pcs.	2606249	214

INDEX BY PRODUCT NAME

ECG electrodes, child, disposable, 500 pcs.	2606248	214
ECG electrodes, single-patient use, adult/child, 50 pcs.	4527750	119, 174
ECG electrodes, single-patient use, neonate, 300 pcs.	5195024	119, 174, 214, 393
ECG ESU block, for OR use of 3- or 5-lead ECG cables with MultiMed® 5	5947226	120
ECG ESU block, for OR use of 3-, 5-, or 6-lead ECG cables with MultiMed® 6	7486140	120
ECG ESU trunk cable, 3/5-lead single-pin, IEC/AHA, 2.5 m	2612025	210
ECG ESU trunk cable, 3/5-lead single-pin,IEC/AHA 1.5 m	2612024	210
ECG ESU trunk cable, Neonate, single-pin, IEC/AHA, 1.5 m	2612028	210
ECG ESU trunk cable, Neonate, single-pin, IEC/AHA, 2.5 m	2612029	210
ECG extension cable, 4-lead, single-pin connector, 2 m	MS31435	174
ECG extension cable, 6-lead, single-pin connector 2 m	MS16256	120, 174
ECG extension cable, dual-pin connector, 2 m	MS16492	120
ECG intermediate cable, 3-lead, for NeoMed Pod, 1.5 m	5592162	119, 393
ECG leadwire, 3-lead single-pin, AHA, 1 m	2612001	211
ECG leadwire, 3-lead single-pin, IEC, 1 m	2612000	211
ECG leadwire, 5-lead single-pin, AHA, 1.5 m	2612003	211
ECG leadwire, 5-lead single-pin, IEC, 1.5 m	2612002	211
ECG limb wires, 3-lead, Grabber, AHA colour code	2606497	214
ECG limb wires, 3-lead, Grabber, IEC colour code	2606493	214
ECG limb wires, 5-lead, Grabber, AHA colour code	2606498	214
ECG limb wires, 5-lead, Grabber, IEC colour code	2606494	214
ECG neonatal 3-lead adapter cable, 2 m	MS25951	174
ECG trunk cable, 3-lead, for neonates, IEC & AHA	2606492	214
ECG trunk cable, 3-lead, IEC/AHA colour code	2606495	214
ECG trunk cable, 5-lead, IEC/AHA colour code	2606496	214
EEG electrode cable, color-coded, 9 pcs.	5947804	161
EEG electrodes, disposable, 25 pcs.	MS29468	161

Ejector suction NIST AIR O_2, for bronchial suction, gas connection AIR/O_2, for connection to all standard wall rails	MK01418	273
Ejector suction NIST, for bronchial suction, gas connection AIR, for connection to all standard wall rails	MK01420	273
Ejector suction NIST, for bronchial suction, gas connection AIR, version for Atlan A300/ A350 and Perseus A500	MP00688	273
Ejector VarioAir® B AGA, for bronchial suction, gas connection AIR, Swedish standard	MP00533	270
Ejector VarioAir® B BS, for bronchial suction, gas connection AIR	MP00531	270
Ejector VarioAir® B CARBA, for bronchial suction, gas connection AIR	MP00548	270
Ejector VarioAir® B compact, for bronchial suction, gas connection NIST AIR, including secretion jar set and integrated ejector	MP00536	275
Ejector VarioAir® B DIN, for bronchial suction, gas connection AIR	MP00530	270
Ejector VarioAir® B NF, for bronchial suction, gas connection AIR	MP00532	270
Ejector VarioAir® B UNI, for bronchial suction, gas connection AIR	MP00534	270
Ejector VarioAir® B/OR Rail DISS, for Bronchial and OR suction, gas connection DISS AIR	MP00638	271
Ejector VarioAir® B/OR Rail, for Bronchial and OR suction, gas connection NIST AIR	MP00535	271, 286
Ejector VarioAir® D AGA, for continuous and wound drainage, gas connection AIR	MP00540	292
Ejector VarioAir® D BS, for continuous and wound drainage, gas connection AIR	MP00538	292
Ejector VarioAir® D CARBA, for continuous and wound drainage, gas connection AIR	MP00549	292
Ejector VarioAir® D DIN, for continuous and wound drainage, gas connection AIR	MP00537	292
Ejector VarioAir® D NF, for continuous and wound drainage, gas connection AIR	MP00539	292

INDEX BY PRODUCT NAME

Ejector VarioAir® D Rail, for continuous and wound drainage, gas connection AIR, for connection to all standard wall rails	MP00542	292, 410
Ejector VarioAir® D UNI, for continuous and wound drainage, gas connection AIR	MP00541	292
Ejector VarioAir® MRI B/OR Rail, for bronchial suction, gas connection NIST AIR, for connection to all standard wall rails	MP03220	272
Ejector VarioAir® MRI P Rail, for bronchial suction, gas connection NIST AIR, for connection to all standard wall rails	MP03221	272, 411
Ejector VarioAir® P compact, for bronchial suction, gas connection NIST AIR, including secretion jar set and integrated ejector	MP00547	275, 412
Ejector VarioAir® P Rail DISS, for bronchial suction, gas connection DISS AIR, for connection to all standard wall rails	MP00639	272
Ejector VarioAir® P Rail, for bronchial suction, gas connection NIST AIR, for connection to all standard wall rails	MP00545	272, 411
Ejector VarioAir® T DIN, for thoracic drainage, gas connection DIN, for connecting to the central AIR supply according to DIN standard	MP00553	293
Ejector VarioAir® T Rail WV, for thoracic drainage, with water vacuum gauge, for connection to all standard wall rails	MP00544	293
Ejector VarioAir® T Rail, for thoracic drainage, gas connection NIST AIR, for connection to all standard wall rails	MP00543	293
Ejector VarioO2® B CARBA, for bronchial suction, gas connection O_2	MP00551	271
Ejector VarioO2® B DIN, for bronchial suction, gas connection O_2	MP00550	271
Ejector VarioO2® B/OR Rail, for bronchial and OR suction, gas connection O_2	MP00552	260, 271, 286
Elbow for F&P, reusable	8418289	43
Elbow, angled hose connection for secretion jar caps	2M19063	282, 415
Elbow, reusable	8412235	38, 43
Elbow, reusable, N/P, metal, Luer Lock	M34568	36, 44, 373, 376

Electrode adapter, to connect neonatal electrodes to MultiMed® pod, 10 pcs.	5194779	119, 393
Electrostatic filter and HME TwinStar® 10A, disposable, 10 ml deadspace, angled, 50 pcs.	MP01825	47
Electrostatic filter and HME TwinStar® 25, disposable, 25 ml deadspace, 50 pcs.	MP01815	47
Electrostatic filter and HME TwinStar® 55, disposable, 55 ml deadspace, 50 pcs.	MP01805	47
Electrostatic filter and HME TwinStar® 65A, disposable, 65 ml deadspace, angled, 50 pcs.	MP01810	47
Electrostatic filter and HME TwinStar® 8, disposable, 8 ml deadspace, 50 pcs.	MP01820	47, 378
Electrostatic filter and HME TwinStar® 90, disposable, 90 ml deadspace, 50 pcs.	MP01800	47
Electrostatic filter CareStar® 30, disposable, 30 ml deadspace, 50 pcs.	MP01770	48
Electrostatic filter CareStar® 40A, disposable, 40 ml deadspace, angled, 50 pcs.	MP01765	48
Electrostatic filter CareStar® 45, disposable, 45 ml deadspace, 50 pcs.	MP01755	48
$etCO_2$ airway adapter Microstream®, adult/child, max. 12 h, 25 pcs.	7869535	166, 197
$etCO_2$ airway adapter Microstream®, adult/child, max. 72 h, 25 pcs.	7869543	166, 197
$etCO_2$ airway adapter Microstream®, neonate/child, max. 72 h, 25 pcs.	7869550	166, 197, 401
$etCO_2$ airway adapter, reusable, adult	4721796	163
$etCO_2$ airway adapter, reusable, neonate	4721788	163, 401
$etCO_2$ nasal cannula Microstream®, + O_2, adult, max. 24 h, 25 pcs.	7869493	167, 198
$etCO_2$ nasal cannula Microstream®, + O_2, child, max. 24 h, 25 pcs.	7869485	167, 198, 401
$etCO_2$ nasal cannula Microstream®, adult, max. 12 h, 25 pcs.	7869477	166, 197
$etCO_2$ nasal cannula Microstream®, adult, max. 24 h, 25 pcs.	7869592	166, 197
$etCO_2$ nasal cannula Microstream®, child, max. 12 h, 25 pcs.	7869469	166, 197, 401
$etCO_2$ nasal cannula Microstream®, child, max. 24 h, 25 pcs.	7869600	401
$etCO_2$ nasal/mouth cannula Microstream®, + O_2, child, max. 12 h, 25 pcs.	7869584	167, 198, 401

INDEX BY PRODUCT NAME

$etCO_2$ nasal/mouth cannula Microstream®, child, max. 12 h, 25 pcs.	7869501	167, 198
$etCO_2$ sensor Capnostat 5, reusable	2606226	226
Expiratory filter, disposable, 20 pcs.	MP01781	81
Expiratory valve for Babylog® 8000	8408950	79
Expiratory valve for Babylog® VN 500, reusable (RFID)	8415270	79
Expiratory valve for Carina®, disposable, 25 pcs.	MP00220	80
Expiratory valve for Evita Infinity® V500, reusable	8416750	80
Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	8414776	79
Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	MP02600	79
Expiratory valve for Evita®, reusable	8410580	79
Expiratory valve for Savina®, reusable	8413660	80
Expiratory valve, disposable, 10 pcs.	MP01061	80
Expiratory valve, for neonatal/ pediatric patients (Non-RFID), reusable	8415296	79
Expiratory valve, reusable	8417050	80
Extension arm set, for cables and hoses, with cable/hose guide channels	G13040	321
Extension cable	MS32153	199
Eyebrow sensor, reusable	MS32291	199
Eyebrow sensor, reusable, as of Software 1.8	MS40321	199
F		
F.O. battery grip, adult, 2.5 V, 28 mm Ø	MX03318	94
F.O. battery grip, pediatric, 2.5 V, 19 mm Ø	MX03331	94, 390
F.O. blade size 0 (Mac), reusable, 82 × 14 mm	MX03319	94, 390
F.O. blade size 0 (Miller), reusable, 78 × 11 mm	MX03324	94, 390
F.O. blade size 00 (Miller), reusable, 66 × 11 mm	MX50052	94, 390
F.O. blade size 1 (Mac), reusable, 93 × 14 mm	MX03320	94, 390
F.O. blade size 1 (Miller), reusable, 103 × 11 mm	MX03325	94, 390
F.O. blade size 2 (Mac), reusable, 115 × 17 mm	MX03321	94
F.O. blade size 2 (Miller), reusable, 154 × 14 mm	MX03326	94
F.O. blade size 3 (Mac), reusable, 135 × 18 mm	MX03322	94
F.O. blade size 3 (Miller), reusable, 195 × 15 mm	MX50053	94
F.O. blade size 4 (Mac), reusable, 155 × 18 mm	MX03323	94
F.O. blade size 4 (Miller), reusable, 210 × 18 mm	MX50054	94
F.O. laryngoscope set, adult, reusable	MX03330	94
F.O. laryngoscope set, pediatric, reusable	MX03329	94, 390
F.O. universal laryngoscope set, reusable	MX03317	94
Filac 3000 Isolation Chamber, oral, Vista 120 SC	2600941	233
Filac 3000 Isolation Chamber, rectal, Vista 120 SC	2600944	233
Filac 3000 Probe Covers, 20 pcs. Vista 120 SC	2600945	233
Filac 3000 Probe, oral, reusable, 1.2m, Vista 120 SC	2600939	233
Filac 3000 Probe, oral, reusable, 2.7m, Vista 120 SC	2600940	233
Filac 3000 Probe, rectal, reusable, 1.2m, Vista 120 SC	2600942	233
Filac 3000 Probe, rectal, reusable, 2.7m, Vista 120 SC	2600943	233
Filler cap for Aerogen Pro, silicone, 5 pcs.	MP01035	91
Filter for suction bottle 40 ml for Resuscitaire®, disposable, 10 pcs.	MU10915	342
Flow measuring line for Oxylog® 2000/3000 family, 1.5 m	8410929	38
Flow measuring line for Oxylog® 2000/3000 family, 3 m	8413293	38
Flow sensor cable for V-series with Neo option and VN-series	8416600	106
Flow sensor cable, for neonatal flow sensor, e.g., Babylog	8409626	106, 391
Flow sensor for Crossvent 2i+, disposable, infant, 10 pcs.	MU24401	344
Flow sensor Infinity® ID, PC/ABS, 5 pcs.	6871980	105
Flow sensor SpiroLife®, PPSU, sterilizable	MK01900	105
Flow sensor Spirolog®, PC/ABS, 5 pcs.	8403735	105
Foot sensor, reusable	MS32290	199
Foot sensor, reusable, as of Software 1.8	MS40322	199
G		
Gastroschisis arm, complete	2M60180	330
Gel mattress for Babytherm® 8000 / 8010, reusable	2M20827	337
General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m	4329889	140, 188, 221
General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m	5204644	140, 188, 221
General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m	4329848	140, 188, 221
General-purpose temperature probe, reusable, child, 7-pin connector, 3 m	5204651	140, 188, 221
General-purpose temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00991	139, 187, 220
General-purpose temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00992	139, 187, 220
General-purpose temperature probe, single-patient use, child, 7-pin connector, 1.6 m	MP00993	139, 187, 220
General-purpose temperature probe, single-patient use, child, 7-pin connector, 3 m	MP00994	139, 187, 220
H		
H300 Heater wire adapter, dual	MP07107	23
H300 Heater wire adapter, insp	MP07106	23
H300 Temp. sensor cable 160 cm	MP07108	23
Hand port cuff, disposable, oval, 100 pcs.	MU06570	336, 343, 347, 349
Hand sensor, reusable, adult	MS32154	199
Hand sensor, reusable, adult, as of Software 1.8	MS40317	199
Hand sensor, reusable, pediatric	MS32289	199
Hand sensor, reusable, pediatric, as of Software 1.8	MS40318	199
Hand sensor, reusable, small pediatric, as of Software 1.8	MS40319	199
Handle, complete for Babytherm® 8000	2M21161	338
Headband LNCS TF-I, 5 pcs.	MP03197	133, 184
Headgear, disposable, size L, 31 – 37 cm (12.2 – 14.6 in) head circumference, 5 pcs.	MP03884	359, 365
Headgear, disposable, size M, 27 – 31 cm (10.6 – 12.2 in) head circumference, 5 pcs.	MP03883	359, 365
Headgear, disposable, size S, 23 – 27 cm (9.1 – 10.6 in) head circumference, 5 pcs.	MP03882	359, 365
Headgear, disposable, size XL, 37 – 42 cm (14.6 – 16.5 in) head circumference, 5 pcs.	MP03885	359, 365
Headgear, disposable, size XS, 20 – 23 cm (7.9 – 9.1 in) head circumference, 5 pcs.	MP03881	359, 365
Headgear, disposable, size XXS, 17 – 20 cm (6.7 – 7.9 in) head circumference, 5 pcs.	MP03880	359, 365
Headgear, disposable, soft fabric, large	MP01560	70
Headgear, disposable, soft fabric, small	MP01559	70, 384
Headgear, disposable, soft rubber, large	MP01562	70
Headgear, disposable, soft rubber, small	MP01561	70, 384
HI-Flow Star Nasal Cannula, disposable, adult L, Flow Range < 60 l/min, 25 pcs.	MP05513	76
HI-Flow Star Nasal Cannula, disposable, adult M, Flow Range < 60 l/min, 25 pcs.	MP05512	76
HI-Flow Star Nasal Cannula, disposable, adult S, Flow Range < 60 l/min, 25 pcs.	MP05511	76
HI-Flow Star System, disposable, 25 pcs.	MP05601	76
HI-Flow Star Valve Kit w/ Pop-Up Valve and Connector 22 mm, disposable, 15 pcs.	MP05507	76
Hinged arm 240°, 3 hinges, fixable, ball holder system	8409609	324
Hinged arm Infinity® ACS, for positioning and fixation of breathing hoses	MP00690	324
Hinged arm Quickstop 1	2M85705	324
Hinged arm Quickstop 2, with universal ball holder system for optional accessories	2M85706	324, 406
Hinged arm Quickstop short, with universal tube holder plate	2M86463	324, 420
HME HumidStar® 10A, disposable, 10 mL deadspace, angled, 50 pcs.	MP01740	378
HME HumidStar® 2 Plus, disposable, 2 mL deadspace, 100 pcs.	MP05845	50, 378
HME HumidStar® 25, disposable, 25 ml deadspace, 50 pcs.	MP01735	50
HME HumidStar® 55, disposable, 55 ml deadspace, 50 pcs.	MP01730	50
HME HumidStar® Trach Plus, disposable, 6 mL deadspace, 100 pcs.	MP05750	50
Holder for cylinder packet for GCX profile	4118453	330
Holder for F&P humidifier U-shaped, for trolley, with rail clamp	MP01002	87, 386
Holder for hinged hood for Babytherm® 8000 WB, 8004 and 8010, reusable, neonatal, mounts to hand rail	2M21342	338
Holder for Infinity® M300 bedside charger, swiveling 360°	MP00990	209
Holder for MultiMed® 12 Pod	5202747	112
Holder for MultiMed® 5/6, MultiMed® Plus/OR, and NeoMed Pods	5598128	112

INDEX BY PRODUCT NAME

INDEX BY PRODUCT NAME

Holder for MultiMed® 5/6, MultiMed® Plus/OR, NeoMed Pods and Tcore®, swiveling 360°	MP00721	112, 141, 189
Holder for MX 300 and MX 300-i	MP01443	355
Hook ring for LiteStar® anesthesia masks, disposable, 15 mm OD, for sizes 1 – 2, 30 pcs.	MP01551	66, 384
Hook ring for LiteStar® anesthesia masks, disposable, 22 mm ID, for sizes 3 – 6, 30 pcs.	MP01552	66
Hook ring for SediStar® masks, with 22 mm ID connector (size 3-7), 30 pcs.	MP01708	65
Hook ring for silicone masks, reusable, 15 mm OD, for sizes 00 – 1, 10 pcs.	MP01916	69, 384
Hook ring for silicone masks, reusable, 22 mm ID, for sizes 2 – 5, 10 pcs.	MP01917	69
Hose ASM-WAGD DISS N/ DISS N 10L	MP20022	311
Hose ASM-WAGD DISS N/ DISS N 15L	MP20023	311
Hose ASM-WAGD DISS N/ DISS N 20L	MP20024	311
Hose ASM-WAGD HAND DISS N 10L	MP20029	311, 312
Hose ASM-WAGD HAND DISS N 15L	MP20030	311, 312
Hose clamp, 10 pcs.	8403566	32
Hose heater adapter for F&P MR 700/730, for disposable breathing circuit	8418462	88
Hose heater adapter for F&P MR 850, for disposable breathing circuit	8414992	88
Hose heater adapter for F&P MR 850, for double-heated disposable breathing circuit	MP01006	89
Hose heater adapter for F&P MR 850, for reusable breathing circuit	8414968	88, 387
Hose heater adapter for F&P MR 850, for third-party breathing circuit	MP01001	89, 387
Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m	8414993	87, 386
Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.5 m	8414969	87
Hose heater for F&P MR 700/730, 70 cm	8411154	87, 386
Hose heater, A, 1.1 m	8411045	87
Hose nozzle 8 mm small, connection nozzle double sided 8 mm	5000833	298
Hose Oxylog® VE300, 150, reusable	MP01390	38
Hose Oxylog® VE300, 300, reusable	MP01391	38
Humidifier chamber for F&P MR 290, disposable, 10 pcs.	8418282	86, 386
Humidifier chamber for F&P MR 340, reusable, N/P	8411047	86, 386
Humidifier chamber for F&P MR 370, reusable, A	8412217	86
Humidifier chamber for Isolette® C2000, reusable	MU17191	336
Humidifier chamber VentStar®, disposable, 10 pcs.	MP00234	19, 371
Humidifier chamber VentStar®, disposable, N, 10 pcs.	MP02590	20, 371
Humidifier chamber, 10 pcs.	MP02605	21
Humidifier-bubbler, for oxygen humidification up to appr. 60% relative humidity and flows up to 5 l/min	2M85834	263, 406
Humidifier-nebulizer, for oxygen humidification up to 100% relative humidity and flows up to 5 l/min	2M85835	263
Humidity pad, disposable, antibacterial, 25 pcs.	MU06008	344, 348, 350
I		
IBP adapter, 10-pin to 7-pin	3368383	152
IBP cable 10pin	2607559	227
IBP cable 7pin	2607558	222
IBP cable Abbott, Medex	2606490	222
IBP cable Becton Dickinson/Argon	2606488	222
IBP cable Edwards	2606489	222
IBP cable Utah	2606491	222
IBP connection cable Argon/ Merit Medical, 3.7 m (12.1 ft)	3375933	154
IBP holder for pressure transducer Memscap (Capto/SensoNor) 844, 4 pcs.	7864155	153
IBP pressure transducer cable for Memscap (Capto/SensoNor), 3.7 m	4321563	153
IBP pressure transducer for Memscap (Capto/SensoNor) 844, disposable, sterile, 50 pcs.	7864908	153
IBP pressure transducer for Memscap (Capto/SensoNor) 844, reusable	7489417	153
IBP pressure transducer kit, BD/Argon, disposable, 5 kits	2606225	222
IBP pressure transducer plate, for Hemo2 Pod, for Memscap (Capto/SensoNor), 5 pcs.	4721614	151
IBP pressure transducer plate, for Hemo2/4 Pods, for Abbott Transpac IV, 5 pcs.	7270460	151
IBP pressure transducer plate, for Hemo2/4 Pods, for Abbott TranspacII/III/Braun, 5 pcs.	5192112	151
IBP pressure transducer plate, for Hemo4 Pod, for Memscap (Capto/SensoNor), 5 pcs.	4721416	151
IBP pressure transducer plate, for Hemo4 Pod, universal, 5 pcs.	4721424	151
IBP pressure transducer set Argon/Merit Medical disposable, sterile, 5 pcs.	4528741	154
IBP pressure transducer set for Memscap (Capto/SensoNor) 844	7498947	153
IBP pressure transducer set for Memscap (Capto/SensoNor) 844, disposable, 10 pcs.	7489433	153
IBP transducer adapter Abbott/Medex/ICU Medical	MS22535	149, 194
IBP transducer adapter Argon/Merit Medical	MS22148	149, 194
IBP transducer adapter Baxter/Edwards	MS22147	149, 194
IBP transducer adapter cable, Dräger 10-pin	MS22532	149, 157, 194
IBP transducer adapter cable, Dräger 7-pin	MS22533	149, 194
IBP transducer adapter Utah Medical	MS22534	149, 194
IBP Y-adapter, 10-pin	5731281	152
IBP Y-adapter, 10-pin to 7-pin	5588095	152
IBP Y-adapter, 7-pin	5592147	152
IBP Y-cable Argon/ Merit Medical 3.7 m (12.1 ft)	5206581	154
IBP Y-cable, Baxter/Edwards, 3.7 m	5206607	152
IBP Y-cable, for Memscap (Capto/SensoNor), 3.7 m	5195180	153
Immersion tube, for continuous drainages, not scaled	M16395	297
Immersion tube, for water vacuum gauge of for VarioVac® T + VarioAir® T, scaled	MP00569	298
Incubator cover, for Babyleo TN500, reusable	MP03730	329, 353
Incubator cover, for Caleo®, reusable	MP01423	331, 353
Incubator cover, for Isolette® C2000, 8000 and 8000 plus, reusable	MP01424	333, 335, 353
Infinity® ID CLIC Absorber 800+, disposable absorber, 1.2 l, 6 pcs.	MX50004	99
Infinity® ID CLIC Absorber Free, disposable absorber, 1.2 l, 6 pcs.	MX50120	99
Infinity® ID Expiratory filter, disposable, 20 pcs.	MP01780	81
Infinity® ID, expiratory valve, disposable, 10 pcs.	MP01060	80
Infinity® MPod-QuadHemo, cardiac output, 2 temperatures, up to 4 invasive pressures	MS20725	148, 194
Infinity® PiCCO Gen II SmartPod®	MS23133	157
Infinity® PiCCO Gen II SmartPod® kit	MS32282	157
Infusion bottle holder for Babytherm®, reusable, neonatal	2M16520	339
Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm	2M21514	332, 339
Inhalation mask for Inhalette	M11015	91
Insert for neonatal flow sensor, PSU, sterilizable, 5 pcs.	8410179	105, 391
Iris port sleeve, disposable, 100 pcs.	MU03876	334, 336, 343, 347, 349
K		
Kit T-Adapter, Pediatric with Neo connectors, 10 pcs.	MP01087	92, 388
L		
Laryngoscope set, adult, reusable	MX03313	93
Laryngoscope set, pediatric, reusable	MX03312	93, 389
Leakage valve for Carina® SyncVent, disposable, 5 pcs.	MP00224	80
Light for Photo Therapy 4000, fluorescent bulb, blue	2M21010	351
Light for Photo Therapy 4000, fluorescent bulb, white	2M21009	351
Light shield curtain for BiliLux, reusable	MP03760	351
Litter bag holder, stainless steel, with base plate and litter bags (100 pcs.)	M24695	319, 417
Litter bags, disposable, for litter bag holder, 100 pcs.	M26240	319, 417
Locking screw, for immersion tube	MP00596	298
M		
M540 Hemo connection cable, 1.5 m	MS23897	194
M540 Hemo connection cable, 3 m	MS23898	194
Masimo® LNCS Trauma sensor, adult, 20 pcs.	MP03191	127, 178
Masimo® LNCS Trauma sensor, infant/pedi, 20 pcs.	MP03193	127, 178
Masimo® LNCS Trauma sensor, neonate, 20 pcs.	MP03192	127, 178, 397
Masimo® rainbow sensor cover, 10 pcs.	MP03203	184
Masimo® RD rainbow SET sensor, disposable, adult	MS40076	182
Masimo® RD rainbow SET sensor, disposable, infant	MS40082	182
Masimo® RD rainbow SET sensor, disposable, neonate	MS40085	182
Masimo® RD rainbow SET sensor, disposable, pediatric	MS40079	182
Masimo® RD-SET DC-IP sensor, pediatric, reusable	MS33741	129, 180, 206
Masimo® RD-SET DCI sensor, adult, reusable	MS33740	129, 180, 206
Masimo® RD-SET sensor TC-I Ear, pediatric/adult, reusable	MS40067	129, 180

INDEX BY PRODUCT NAME

Masimo® RD-SET sensor TF-I, pediatric/adult, reusable	MS40073	129, 180
Masimo® RD-SET sensor YI Multisite, neonate/pediatric/ adult, reusable	MS40070	129, 180
Masimo® RD-SET sensor, adult, disposable	MS33726	130, 179, 206
Masimo® RD-SET sensor, infant, disposable	MS33728	130, 179, 206
Masimo® RD-SET sensor, neonatal preterm, disposable	MS33730	130, 179, 397
Masimo® RD-SET sensor, neonatal, disposable	MS33729	130, 179, 397
Masimo® RD-SET sensor, pediatric, disposable	MS33727	130, 179, 206
Masimo® Trauma sensor RD-SET, adult, disposable	MS40088	131, 180
Masimo® Trauma sensor RD-SET, infant/pedi, disposable	MS40091	131, 180
Masimo® Trauma sensor RD-SET, neonate, disposable	MS40094	131, 180
Mattress SoftBed, for Babyleo TN500, reusable	2M60390	329
Mattress SoftBed, for Babytherm®, reusable	2M21012	337
Mattress SoftBed, for Caleo®, reusable	MX17012	331
Mattress SoftBed, for Isolette® C2000, 8000 and 8000 plus, reusable	MP01401	333, 335
Mattress SoftBed, for Resuscitaire®, reusable, with scale	MP01404	340
Mattress SoftBed, for Resuscitaire®, reusable, without scale	MP01402	340
Mattress SoftBed, for TI 500 and TI 500 Globe-Trotter, reusable	MP01419	343, 346, 349
MCable Mainstream CO_2, for Evita, Infinity® V500, Infinity® M540, Vista120, Vista120 S, and Delta VF9.1 and higher	6871950	54, 164, 196, 225, 379
Mechanical filter and HME TwinStar® HEPA, disposable, 55 ml deadspace, 50 pcs.	MP01801	47
Mechanical filter SafeStar® 55, disposable, 55 ml deadspace, 50 pcs.	MP01790	49
Mechanical filter SafeStar® 60A, disposable, 60 ml deadspace, angled, 50 pcs.	MP01795	49
Mechanical filter SafeStar® 80, disposable, 80 ml deadspace, 50 pcs.	MP01785	49
Medical examination light VarioLux® with LED technology, AUS	MP00606	322, 418
Medical examination light VarioLux® with LED technology, EU	MP00601	322, 418
Medical examination light VarioLux® with LED technology, GB	MP00603	322, 418
Medical examination light VarioLux® with LED technology, JPN	MP00608	322, 418
Medical examination light VarioLux® with LED technology, US	MP00602	322, 418
Medical examination light VarioLux® with LED technology, ZA	MP00607	322, 418
Medication nebulizer Aerogen Pro	MP01010	91, 388
Medication nebulizer for Babylog® 8000 with quick connector	8411030	90
Medication nebulizer for Evita® 2 dura, Evita® 4, Evita® XL, Savina®	8412935	90
Membrane for Evita® 2 dura, Evita® 4, Evita® XL, for expiratory valve	8412015	79
Mount clamp 10 – 40 mm (0.4 – 1.57 in)	MS32150	199
Mount clamp 20 – 60 mm (0.79 – 2.36 in)	MS32151	199
Mouthpiece for Inhalette	M12394	91
MPod-Dual Hemo, 2 invasive blood pressures for M540	MS20783	194
MRI flow sensor extension cable, for MRI patient monitor	8306370	106
Multi-P trolley basic	MP13020	77, 253, 356
Multi-P trolley basic	MP13021	77, 253, 356
Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO_2, and temp., 1.5 m	5950196	111
Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO_2, and temp., 2.5 m	3368391	111
Multiparameter cable MultiMed® 6 Pod, for ECG, resp., SpO_2, and temp., 2.5 m	5191221	111
Multiparameter cable MultiMed® plus OR, for ECG, SpO_2, and temp., 2.5 m	MS20094	111
Multiparameter cable MultiMed® plus, for ECG, resp., SpO_2, and temp., 2.5 m	MS20093	111
Multiparameter cable NeoMed Pod, for ECG, resp., SpO_2, temp., and FiO_2, 2.5 m	5590539	111, 393
Multiple socket for Babytherm® 8000, 220/240 V	2M20914	339

N

N_2O CS hose 0.9 m (2.95 ft) NF EN NF	M36725	302
N_2O CS hose 0.9 m (2.95 ft) NIST EN BS	M36728	303
N_2O CS hose 0.9 m (2.95 ft) NIST EN DIN	M36731	299
N_2O CS hose 0.9 m (2.95 ft) NIST GB DIN	M36788	313
N_2O CS hose 1.5 m (4.9 ft) DISS US KAWA	M35809	309
N_2O CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36293	312
N_2O CS hose 1.5 m (4.9 ft) NF EN NF	M35427	302
N_2O CS hose 1.5 m (4.9 ft) NIST EN AS	M36156	308
N_2O CS hose 1.5 m (4.9 ft) NIST EN BS	M35391	303
N_2O CS hose 1.5 m (4.9 ft) NIST EN BS straight	M35400	304
N_2O CS hose 1.5 m (4.9 ft) NIST EN Carba	M35473	306
N_2O CS hose 1.5 m (4.9 ft) NIST EN DIN	M35492	299
N_2O CS hose 1.5 m (4.9 ft) NIST EN NF	M35418	301
N_2O CS hose 1.5 m (4.9 ft) NIST EN SS	M35378	305
N_2O CS hose 1.5 m (4.9 ft) NIST EN UNI	M35409	307
N_2O CS hose 1.5 m (4.9 ft) NIST GB DIN	M36789	313
N_2O CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36007	300
N_2O CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35437	302
N_2O CS hose 3 m (9.8 ft) DISS US KAWA	M35808	309
N_2O CS hose 3 m (9.8 ft) DISSB EN HAND	M36294	312
N_2O CS hose 3 m (9.8 ft) NF EN NF	M35428	302
N_2O CS hose 3 m (9.8 ft) NIST EN AS	M36155	308
N_2O CS hose 3 m (9.8 ft) NIST EN BS	M35392	303
N_2O CS hose 3 m (9.8 ft) NIST EN BS straight	M35401	304
N_2O CS hose 3 m (9.8 ft) NIST EN Carba	M35474	306
N_2O CS hose 3 m (9.8 ft) NIST EN DIN	M35493	299
N_2O CS hose 3 m (9.8 ft) NIST EN NF	M35419	301
N_2O CS hose 3 m (9.8 ft) NIST EN SS	M35379	305
N_2O CS hose 3 m (9.8 ft) NIST EN UNI	M35410	307
N_2O CS hose 3 m (9.8 ft) NIST GB BS	M36734	313
N_2O CS hose 3 m (9.8 ft) NIST GB DIN	M36740	313
N_2O CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36008	300
N_2O CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35438	302
N_2O CS hose 5 m (16.4 ft) DISS US KAWA	M35807	309
N_2O CS hose 5 m (16.4 ft) DISSB EN HAND	M36295	312
N_2O CS hose 5 m (16.4 ft) NF EN NF	M35344	302
N_2O CS hose 5 m (16.4 ft) NIST EN AS	M36154	308
N_2O CS hose 5 m (16.4 ft) NIST EN BS	M35334	303
N_2O CS hose 5 m (16.4 ft) NIST EN BS straight	M35341	304
N_2O CS hose 5 m (16.4 ft) NIST EN Carba	M35347	306
N_2O CS hose 5 m (16.4 ft) NIST EN DIN	M35494	299
N_2O CS hose 5 m (16.4 ft) NIST EN NF	M35331	301
N_2O CS hose 5 m (16.4 ft) NIST EN SS	M35382	305
N_2O CS hose 5 m (16.4 ft) NIST EN UNI	M35359	307
N_2O CS hose 5 m (16.4 ft) NIST GB BS	M36735	313
N_2O CS hose 5 m (16.4 ft) NIST GB DIN	M36741	313
N_2O CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36009	300
N_2O CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35439	302
N_2O CS hose 8 m (26,25 ft) DISS US KAWA	M35867	309
N_2O CS hose DISS Hand 10L	4199596	311
N_2O CS hose DISS Hand 15L	4199595	311
N_2O CS hose DISS N/DISS N 10L	4185142	311
N_2O CS hose DISS N/DISS N 15L	4185143	311
N_2O CS hose DISS N/DISS N 20L	4199713	311
Nebulizer head, 10 pcs.	MP01079	92, 388
Nebulizer head, 5 pcs.	MP01078	92, 388
Nebulizer hose	8412985	90
Nebulizer unit with filler cap for Aerogen Pro	MP01030	91, 388
Nellcor® intermediate cable, 1.2 m	MP00748	186, 216, 229
Nellcor® intermediate cable, 3 m	MS20979	186, 216, 229
Neo Testlung, disposable, N, 10 pcs., not made with natural rubber latex	MP02425	46, 377
Neo-mask, silicone, disposable, size L, 10 pcs.	8418619	358, 364
Neo-mask, silicone, disposable, size M, 10 pcs.	8418490	358, 364
Neo-mask, silicone, disposable, size S, 10 pcs.	8418491	358, 364
Neo-mask, TPE, disposable, size 4, 10 pcs.	MP01494	358, 364
Neo-mask, TPE, disposable, size 5, 10 pcs.	MP01495	358, 364

INDEX BY PRODUCT NAME

INDEX BY PRODUCT NAME

Neo-mask, TPE, disposable, size 6, 10 pcs.	MP01496	358, 364
Neonatal flow sensor ISO 15, PSU, sterilizable	8411130	105, 391
Neonatal flow sensor with Y-piece, PSU, sterilizable	8410185	105, 391
Neonatal Test Lung, reusable, 50 mL, not made with natural rubber latex	MP20050	46, 377
NIBP connection tube, adult, 3.7 m, for Infinity® monitors	MP00953	142, 190
NIBP cuff L, reusable, large adult, 31 – 40 cm/40 cm	MP00918	143, 191
NIBP cuff L, single-patient use, large adult, 31 – 40 cm/40 cm, 10 pcs.	MP00931	144, 192
NIBP cuff L+, reusable, large adult, long, 31 – 40 cm/55 cm	MP00919	143, 191
NIBP cuff L+, single-patient use, large adult long, 31 – 40 cm/55 cm, 10 pcs.	MP00932	144, 192
NIBP cuff M, reusable, adult, 23 – 33 cm/33 cm	MP00915	143, 191
NIBP cuff M, single-patient use, adult, 23 – 33 cm/33 cm, 10 pcs.	MP00928	144, 192
NIBP cuff M+, reusable, adult, long, 23 – 33 cm/43 cm	MP00916	143, 191
NIBP cuff M+, single-patient use, adult long, 23 – 33 cm/43 cm, 10 pcs.	MP00929	144, 192
NIBP cuff M++, reusable, adult, extra long, 23 – 33 cm/53 cm	MP00917	143, 191
NIBP cuff M++, single-patient use, adult extra long, 23 – 33 cm/53 cm, 10 pcs.	MP00930	144, 192
NIBP cuff S, reusable, small adult, 17 – 25 cm/29 cm	MP00913	143, 191
NIBP cuff S,single-patient use, small adult, 17 – 25 cm/29 cm, 10 pcs.	MP00926	144, 192
NIBP cuff XL, reusable, thigh, 38 – 50 cm/50 cm	MP00921	143, 191
NIBP cuff XL, single-patient use, thigh, 38 – 50 cm/50 cm, 10 pcs.	MP00934	144, 192
NIBP cuff XS, reusable, child, 12 – 19 cm/19 cm	MP00912	143, 191
NIBP cuff XS, single-patient use, child, 12 – 19 cm/19 cm, 10 pcs.	MP00925	144, 192
NIBP cuff XXS, reusable, infant, 8 – 13 cm/13 cm	MP00911	143, 191
NIBP cuff XXS, single-patient use, infant, 8 – 13 cm/13 cm, 10 pcs.	MP00924	144, 192
NIBP cuff, adult, 27 cm – 35 cm, reusable, Vista120	2606155	217, 230
NIBP cuff, child, 16 cm - 21 cm, reusable, Vista120	2606153	217, 230
NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	2870181	145, 193, 400
NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	2870199	145, 193, 400
NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	2870207	145, 193, 400
NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	2870215	145, 193, 400
NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	2870173	145, 193, 400
NIBP cuff, infant, 10 cm – 15 cm, reusable, Vista120	2606151	217, 230
NIBP cuff, larger adult, 34 cm – 43 cm, reusable, Vista120	2606156	217, 230
NIBP cuff, neonatal #1, 3 – 6 cm, disposable, 20 pcs., Vista120	2607034	218
NIBP cuff, neonatal #2, 4 – 8 cm, disposable, 20 pcs., Vista120	2607035	218
NIBP cuff, neonatal #3, 6 – 11 cm, disposable, 20 pcs., Vista120	2607036	218
NIBP cuff, neonatal #4, 7 – 13 cm, disposable, 20 pcs., Vista120	2607037	218
NIBP cuff, neonatal #5, 8 – 15 cm, disposable, 20 pcs., Vista120	2607038	218
NIBP cuff, small adult, 20.5 cm – 28 cm, reusable, Vista120	2606154	217, 230
NIBP cuff, small child, 13 cm – 17 cm, reusable, Vista120	2606152	217, 230
NIBP hose, neonate, 2.4 m	2870298	142, 190, 400
NIBP tube, 3 m	2601195	217, 230
NIST-NIST Connecting hose 1.2 m	M36053	260
NIV nasal mask ClassicStar® non-vented, disposable, size L	MP01625	58
NIV nasal mask ClassicStar® non-vented, disposable, size M	MP01624	58
NIV nasal mask ClassicStar® non-vented, disposable, size S	MP01623	58
NIV nasal mask ClassicStar® plus non vented, disposable, size L, 5 pcs.	MP04743	61
NIV nasal mask ClassicStar® plus non vented, disposable, size M, 5 pcs.	MP04742	61
NIV nasal mask ClassicStar® plus non vented, disposable, size S, 5 pcs.	MP04741	61
NIV nasal mask ClassicStar® plus non vented, disposable, size XL, 5 pcs.	MP04744	61
NIV nasal mask ClassicStar® plus vented, disposable, size L, 5 pcs.	MP04753	61
NIV nasal mask ClassicStar® plus vented, disposable, size M, 5 pcs.	MP04752	61
NIV nasal mask ClassicStar® plus vented, disposable, size S, 5 pcs.	MP04751	61
NIV nasal mask ClassicStar® plus vented, disposable, size XL, 5 pcs.	MP04754	61

INDEX BY PRODUCT NAME

NIV nasal mask ClassicStar® vented, disposable, size L	MP01622	58
NIV nasal mask ClassicStar® vented, disposable, size M	MP01621	58
NIV nasal mask ClassicStar® vented, disposable, size S	MP01620	58
NIV oronasal mask ClassicStar® AAV, disposable, size L	MP01572	57
NIV oronasal mask ClassicStar® AAV, disposable, size M	MP01571	57
NIV oronasal mask ClassicStar® AAV, disposable, size S	MP01570	57
NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size L, 5 pcs.	MP04733	60
NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size M, 5 pcs.	MP04732	60
NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size S, 5 pcs.	MP04731	60
NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size XL, 5 pcs.	MP04734	60
NIV oronasal mask ClassicStar® plus AAV, disposable, size L, 5 pcs.	MP04723	60
NIV oronasal mask ClassicStar® plus AAV, disposable, size M, 5 pcs.	MP04722	60
NIV oronasal mask ClassicStar® plus AAV, disposable, size S, 5 pcs.	MP04721	60
NIV oronasal mask ClassicStar® plus AAV, disposable, size XL, 5 pcs.	MP04724	60
NIV oronasal mask ClassicStar® plus SE, disposable, size L, 5 pcs.	MP04713	60
NIV oronasal mask ClassicStar® plus SE, disposable, size M, 5 pcs.	MP04712	60
NIV oronasal mask ClassicStar® plus SE, disposable, size S, 5 pcs.	MP04711	60
NIV oronasal mask ClassicStar® plus SE, disposable, size XL, 5 pcs.	MP04714	60
NIV oronasal mask ClassicStar® SE, disposable, size L	MP01575	57
NIV oronasal mask ClassicStar® SE, disposable, size M	MP01574	57
NIV oronasal mask ClassicStar® SE, disposable, size S	MP01573	57
NIV oronasal mask NovaStar® plus, AAV, reusable, size L, 3 pcs.	MP05063	62
NIV oronasal mask NovaStar® plus, AAV, reusable, size M, 3 pcs.	MP05062	62
NIV oronasal mask NovaStar® plus, AAV, reusable, size S, 3 pcs.	MP05061	62
NIV oronasal mask NovaStar® plus, AAV, reusable, size XL, 3 pcs.	MP05064	62
NIV oronasal mask NovaStar® plus, AAV, without exhalation ports, reusable, size L, 3 pcs.	MP05073	62
NIV oronasal mask NovaStar® plus, AAV, without exhalation ports, reusable, size M, 3 pcs.	MP05072	62
NIV oronasal mask NovaStar® plus, AAV, without exhalation ports, reusable, size S, 3 pcs.	MP05071	62
NIV oronasal mask NovaStar® plus, AAV, without exhalation ports, reusable, size XL, 3 pcs.	MP05074	62
NIV oronasal mask NovaStar® plus, SE, reusable, size L, 3 pcs.	MP05053	62
NIV oronasal mask NovaStar® plus, SE, reusable, size M, 3 pcs.	MP05052	62
NIV oronasal mask NovaStar® plus, SE, reusable, size S, 3 pcs.	MP05051	62
NIV oronasal mask NovaStar® plus, SE, reusable, size XL, 3 pcs.	MP05054	62
NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size L	MP02918	59
NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size M	MP02917	59
NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size S	MP02916	59
NIV total-face mask ClassicStar® AAV, disposable, size L	MP02915	59
NIV total-face mask ClassicStar® AAV, disposable, size M	MP02914	59
NIV total-face mask ClassicStar® AAV, disposable, size S	MP02913	59
NIV total-face mask ClassicStar® SE, disposable, size L	MP02912	59

INDEX BY PRODUCT NAME

NIV total-face mask ClassicStar® SE, disposable, size M	MP02911	59
NIV total-face mask ClassicStar® SE, disposable, size S	MP02910	59
NMT accelerometer Trident®	MS15085	162
NMT electrode cable Trident®, 2-lead, 0.3 m	MS13218	162
NMT hand adapter Trident®	MS15086	162
NMT intermediate cable for Infinity® Trident (NMT) SmartPod®, 1.9 m	7872174	162
NMT thermistor Trident®	MS15053	162
NMT thumb adapter for Infinity® Trident (NMT) SmartPod®, disposable, 50 pcs.	MS15084	162
NovaStar® plus Headgear inclusive magnetic clips, 3 pcs.	MP05080	64
O		
O_2 analyzer MX 300	MP01441	361
O_2 analyzer MX 300-i	MP01440	355
O_2 compact flowmeter Clickflow, DIN CS, 1 – 16 l/min, 6 mm nozzle	MP13012	251, 405
O_2 compact flowmeter Clickflow, DIN CS, 1 – 16 l/min, 9/16"	MP13011	251, 405
O_2 compact flowmeter Clickflow, rail, NIST, 1 – 16 l/min, 9/16"	MP13013	252
O_2 CS hose 0.9 m (2.95 ft) NF EN NF	M36723	302
O_2 CS hose 0.9 m (2.95 ft) NIST EN BS	M36726	303
O_2 CS hose 0.9 m (2.95 ft) NIST EN DIN	M36729	299
O_2 CS hose 0.9 m (2.95 ft) NIST GB DIN	M36784	313
O_2 CS hose 1.5 m (4.9 ft) DISS US KAWA	M35806	309
O_2 CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36290	312
O_2 CS hose 1.5 m (4.9 ft) NF EN NF	M35425	302
O_2 CS hose 1.5 m (4.9 ft) NIST EN AS	M36153	308
O_2 CS hose 1.5 m (4.9 ft) NIST EN BS	M35389	303
O_2 CS hose 1.5 m (4.9 ft) NIST EN BS straight	M35398	304
O_2 CS hose 1.5 m (4.9 ft) NIST EN Carba	M35469	306
O_2 CS hose 1.5 m (4.9 ft) NIST EN DIN	M35489	299
O_2 CS hose 1.5 m (4.9 ft) NIST EN NF	M35416	301
O_2 CS hose 1.5 m (4.9 ft) NIST EN SS	M35375	305
O_2 CS hose 1.5 m (4.9 ft) NIST EN UNI	M35407	307
O_2 CS hose 1.5 m (4.9 ft) NIST GB DIN	M36785	313
O_2 CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36004	300
O_2 CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35434	301
O_2 CS hose 3 m (9.8 ft) DISS US KAWA	M35805	309
O_2 CS hose 3 m (9.8 ft) DISSB EN HAND	M36291	312
O_2 CS hose 3 m (9.8 ft) NF EN NF	M35426	302
O_2 CS hose 3 m (9.8 ft) NIST EN AS	M36152	308
O_2 CS hose 3 m (9.8 ft) NIST EN BS	M35390	303
O_2 CS hose 3 m (9.8 ft) NIST EN BS straight	M35399	304
O_2 CS hose 3 m (9.8 ft) NIST EN Carba	M35472	306
O_2 CS hose 3 m (9.8 ft) NIST EN DIN	M35490	299
O_2 CS hose 3 m (9.8 ft) NIST EN NF	M35417	301
O_2 CS hose 3 m (9.8 ft) NIST EN SS	M35376	305
O_2 CS hose 3 m (9.8 ft) NIST EN UNI	M35408	307
O_2 CS hose 3 m (9.8 ft) NIST GB BS	M36732	313
O_2 CS hose 3 m (9.8 ft) NIST GB DIN	M36738	313
O_2 CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36005	300
O_2 CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35435	301
O_2 CS hose 5 m (16.4 ft) DISS US KAWA	M35804	309
O_2 CS hose 5 m (16.4 ft) DISSB EN HAND	M36292	312
O_2 CS hose 5 m (16.4 ft) NF EN NF	M35342	302
O_2 CS hose 5 m (16.4 ft) NIST EN AS	M36151	308
O_2 CS hose 5 m (16.4 ft) NIST EN BS	M35333	303
O_2 CS hose 5 m (16.4 ft) NIST EN BS straight	M35339	304
O_2 CS hose 5 m (16.4 ft) NIST EN Carba	M35345	306
O_2 CS hose 5 m (16.4 ft) NIST EN DIN	M35491	299
O_2 CS hose 5 m (16.4 ft) NIST EN NF	M35330	301
O_2 CS hose 5 m (16.4 ft) NIST EN SS	M35377	305

INDEX BY PRODUCT NAME

O_2 CS hose 5 m (16.4 ft) NIST EN UNI	M35357	307
O_2 CS hose 5 m (16.4 ft) NIST GB BS	M36733	313
O_2 CS hose 5 m (16.4 ft) NIST GB DIN	M36739	313
O_2 CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36006	300
O_2 CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35436	301
O_2 CS hose 8 m (26,25 ft) DISS US KAWA	M35866	309
O_2 CS hose DISS Hand 10L	4199592	310
O_2 CS hose DISS Hand 15L	4199591	310
O_2 CS hose DISS N/DISS N 10L	4185140	310
O_2 CS hose DISS N/DISS N 15L	4185141	310
O_2 CS hose DISS N/DISS N 20L	4199714	310
O_2 flowmeter for anesthesia, 16 l/min, 90°, rail, with NIST black hose 1 m, connector 9/16-18 UNF to 6 mm	MP04579	246
O_2 flowmeter for anesthesia, 16 l/min, 90°, rail, with NIST ISO hose 1.2 m, connector 9/16-18 UNF to 6 mm	MP04578	246
O_2 flowmeter for anesthesia, 16 l/min, rail, with NIST black hose 1 m, connector 9/16-18 UNF to 6 mm	MP04577	246
O_2 flowmeter for anesthesia, 16 l/min, rail, with NIST I SO hose 1.2 m, connector 9/16" UNF to 6 mm	MP04576	246
O_2 flowmeter, 10 l/min, CS, CARBA, including adapter to 9/16" for sterile water	MP04554	242
O_2 flowmeter, 10 l/min, rail fitting with NIST gas inlet, M34×1.5, adapter 9/16"	MP04556	247
O_2 flowmeter, 16 l/min, CS, British Standard, ISO, M34×1.5, adapter 9/16"	MP04565	242
O_2 flowmeter, 16 l/min, CS, CARBA, including adapter to 9/16" for sterile water	MP04563	242
O_2 flowmeter, 16 l/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04558	241
O_2 flowmeter, 16 l/min, CS, French Standard, ISO, M34×1.5, adapter 9/16"	MP04566	242
O_2 flowmeter, 16 l/min, CS, long CS plug (6 cm; 2.4 in), DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04561	241
O_2 flowmeter, 16 l/min, rail NIST, packed with hose 1.5 m, DIN, ISO, M34×1.5 and 9/16" for accessories and sterile water systems	MP04573	244
O_2 flowmeter, 16 l/min, rail NIST, packed with hose 1.5 m, DIN, neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04575	244
O_2 flowmeter, 16 l/min, rail, 90°, NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems	MP04570	245
O_2 flowmeter, 16 l/min, rail, NIST gas inlet, M34×1.5, adapter 9/16"	MP04567	247, 404
O_2 flowmeter, 32 l/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04571	242
O_2 flowmeter, 32 l/min, rail, NIST, M34×1.5 and adapter 9/16"	MP04580	245
O_2 flowmeter, 4 l/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04551	241, 402
O_2 flowmeter, 4 l/min, rail with NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems	MP04552	244, 404
O_2 flowmeter, 4 l/min, rail, 90°, NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems	MP04553	245, 404
O_2 sensor capsule, for mainstream measurement	6850645	107, 392
O_2 sensor for Crossvent 2i+	MU24402	344
O_2 sensor for Isolette® C2000, 8000 and 8000 plus, reusable, 2 pcs.	MU24903	334, 336
O_2 sensor for MX 300 and MX 300-i, reusable	MP01442	355
O_2 sensor for TI 500 Globe-Trotter, reusable	MU04804	346
O_2 sensor housing Oxydig, for O_2 sensor capsule, with spiral cable	6850250	107, 392
O_2 sensor Oxycell, for Babyleo® TN500	6873065	107, 329, 392
O_2 sensor OxyTrace INCU, for Caleo®	MX01050	107, 332
O_2 sensor OxyTrace VE, for Savina® ventilator	MX01049	107
O_2 twin compact flowmeter Clickflow, DIN, 2 × 1 – 16 l/min, 9/16"	MP13014	252

INDEX BY PRODUCT NAME

O_2 twin flowmeter, 2 × 10 l/min, CS, CARBA, 2 × M34×1.5, including adapter to 9/16“ for sterile water	MP04555	243
O_2 twin flowmeter, 2 × 10 l/min, rail fitting with NIST gas inlet, 2 × M34×1.5, adapter 9/16“	MP04557	243
O_2 twin flowmeter, 2 × 16 l/min, CS, DIN, ISO, neutral color, M34×1.5 and 9/16“ for accessories and sterile water systems	MP04560	243, 403
O_2 twin flowmeter, 2 × 16 l/min, rail fitting with NIST gas inlet, 2 × M34×1.5, adapter 9/16“	MP04569	243, 403
O2Star™ Connector 22 mm ID / 22 mm ID, disposable, 5 pcs.	MP01942	75
O2Star™ Connector kit for breathing circuit for Aquapor, disposable, 5 pcs.	MP01941	75
O2Star™ Connector kit, 6 mm OD/ 22 mm OD + 6 mm OD/22 mm ID w. connection tube, disposable, 5 pcs.	MP01940	75
O2Star™ Face tent, disposable, M/L, 50 pcs.	MP01925	72
O2Star™ Face tent, disposable, S, 50 pcs.	MP01933	72
O2Star™ Medium concentration oxygen mask with connection tube 2.1 m, disposable, M/L, 50 pcs.	MP01921	71
O2Star™ Medium concentration oxygen mask with connection tube 2.1 m, disposable, S, 50 pcs.	MP01931	71
O2Star™ Non-rebreather oxygen mask with connection tube 2.1 m, disposable, M/L, 50 pcs.	MP01920	71
O2Star™ Non-rebreather oxygen mask with connection tube 2.1 m, disposable, S, 50 pcs.	MP01930	71
O2Star™ Oxygen and aerosol mask with 22 mm OD, disposable, M/L, 50 pcs.	MP01926	71
O2Star™ Oxygen and aerosol mask with 22 mm OD, disposable, S, 50 pcs.	MP01934	71
O2Star™ Oxygen connection tube, 2.1 m, disposable, 25 pcs.	MP01927	75
O2Star™ Oxygen connection tube, 2.1 m, with 9/16“ connector, disposable, 25 pcs.	MP01944	75
O2Star™ Oxygen connection tube, 4 m, disposable, 25 pcs.	MP01943	75
O2Star™ Oxygen connection tube, 4 m, with 9/16“ connector, disposable, 25 pcs.	MP01945	75
O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, L, 50 pcs.	MP02926	74
O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, M, 50 pcs.	MP02925	74, 383
O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, S, 50 pcs.	MP02924	74, 383
O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02927	74
O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, L, 50 pcs.	MP02934	74
O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, M, 50 pcs.	MP02933	74, 383
O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, S, 50 pcs.	MP02932	74, 383
O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02935	74
O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, L, 50 pcs.	MP02930	74
O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, M, 50 pcs.	MP02929	74, 383
O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, S, 50 pcs.	MP02928	74, 383
O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02931	74
O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, L, 50 pcs.	MP02922	74
O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, M, 50 pcs.	MP02921	74, 383
O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, S, 50 pcs.	MP02920	74, 383

INDEX BY PRODUCT NAME

O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02923	74
O2Star™ Tracheostomy mask, disposable, M/L, 50 pcs.	MP01924	72
O2Star™ Tracheostomy mask, disposable, S, 50 pcs.	MP01932	72
O2Star™ Venturi mask kit, adjustable venturi valve, disposable, M/L, 25 pcs.	MP01922	73
O2Star™ Venturi mask kit, adjustable venturi valve, disposable, S, 25 pcs.	MP01935	73
O2Star™ Venturi mask kit, fixed venturi valve, disposable, M/L, 25 pcs.	MP01923	73
O2Star™ Venturi mask kit, fixed venturi valve, disposable, S, 25 pcs.	MP01936	73
OPC NIBP Cuff, child, 12 cm – 19 cm, reusable, 5 pcs., Vista120 SC	2600935	231
OPC NIBP Cuff, child, 17 cm – 25 cm, reusable, 5 pcs., Vista120 SC	2600936	231
OPC NIBP Cuff, child, 23 cm – 33 cm, reusable, 5 pcs., Vista120 SC	2600937	231
OPC NIBP Cuff, child, 31 cm – 40 cm, reusable, 5 pcs., Vista120 SC	2600938	231
Optic serial RS 232 cable (1 meter) to connect the device to a Dräger monitorAC	MS32156	199
Oxator head OxyLine, pressure reducer G¾“, 200 bar, NIST, 2 × DIN-CS, ejector VarioO2	MP01103	258, 260
Oxator head, configurable via OxyLine®	MP00100	260
Oxett adapter plate, to mount Oxett on bed in higher position	2M86205	259
Oxett carrying frame, for Oxett head+O_2 cylinder up to 2.5 l, with secretion jar and rail for suction ejector	MP04110	259
Oxett head OxyLine, pressure reducer G¾“, 200 bar, NIST, flow regulator, DIN-CS, ejector VarioO2	MP01102	258, 259
Oxett head OxyLine, pressure reducer G¾“, 200 bar, NIST, flowmeter, DIN-CS, ejector VarioO2	MP01101	258, 259
Oxett head, configurable via OxyLine®	MP00100	259
Oxidem 3000 demand valve incl. adapter (2120496, 2120488)	2111764	95
Oxymixer configuration	MP04200	77, 253, 360
Oxymixer High Flow	MP04201	77, 253
Oxymixer High Flow with monitor	MP04202	77, 253
Oxymixer Low Flow	MP04203	360
Oxymixer Low Flow with 1 – 15 l flowmeter right	MP04229	77, 253, 360
Oxymixer Low Flow with monitor	MP04204	77, 253, 360
Oxymixer oxygen sensor (spare part)	MP04221	78, 254, 361
Oxymixer sound damper 22 and 15 mm	MP04219	78, 254, 361
Oxymixer sound damper 9/16”	MP04218	78, 254, 361
P Pack2Go® anesthesia pack, A, with anesthesia set + watertrap, 10 pcs.	MP01682	84
Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size L, 10 pcs.	MP01665	84
Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size M, 10 pcs.	MP01664	84
Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size S, 10 pcs.	MP01663	84
Pack2Go® Evita invasive ventilation pack w/ breathing circuit VentStar®, basic, + cuvette, 10 pcs.	MP01656	83
Pack2Go® Evita invasive ventilation pack w/ breathing circuit VentStar®, basic, 1.8 m, 10 pcs.	MP01657	83
Pack2Go® Evita invasive ventilation pack w/ breathing circuit VentStar®, coaxial, + cuvette, 10 pcs.	MP01676	83
Pack2Go® Evita invasive ventilation pack w/ breathing circuit VentStar®, coaxial, 1.8 m, 10 pcs.	MP01677	83
Pack2Go® Savina invasive ventilation pack with breathing circuit VentStar®, basic, 1.8 m, 10 pcs.	MP01674	84
Pack2Go® Savina invasive ventilation pack with breathing circuit VentStar®, coaxial, 1.8 m, 10 pcs.	MP01673	84
Parking holder for CO_2 sensor	8416352	165, 196
Patient parameter unit Infinity® BISx SmartPod®	MS14796	160
Patient parameter unit Infinity® EEG Pod	5736744	161
Patient parameter unit Infinity® HemoMed Pod	5588822	148
Patient parameter unit MultiMed® 12 Pod	5589663	111
Patient parameter unit set Infinity® Trident® NMT SmartPod®	MS15007	162
Pediatric nasal mask MiniMe2 non vented, disposable, size L	MP01556	63, 367

INDEX BY PRODUCT NAME

Pediatric nasal mask MiniMe2 non vented, disposable, size S	MP01555	63, 367
Pediatric nasal mask MiniMe2 vented, disposable, size L	MP01554	63, 367
Pediatric nasal mask MiniMe2 vented, disposable, size S	MP01553	63, 367
PEEP valve for Oxylog® 1000, disposable, adjustable from 5 – 20 mbar	2M86832	37
PEEP valve for Oxylog® 1000, reusable, adjustable from 0 – 10 mbar	8407475	37
Phototherapy mask Eyemax 2, disposable, micro, head circumference 20-25 cm, 20 pcs.	MP03770	351
Phototherapy mask Eyemax 2, disposable, preemie, head circumference 26-32 cm, 20 pcs.	MP03771	351
Phototherapy mask Eyemax 2, disposable, regular, head circumference 33-38 cm, 20 pcs.	MP03772	351
Plug nozzle water vacuum gauge, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518)	MP00566	298
Pneumatic medication nebulizer, for Evita® and Evita® 2	8405000	90
Pod adapter SensoNor, for connecting pressure transducer cables, 7-pin	MS23598	150
Pod adapter, 10-pin, for pressure transducer	3375958	150, 157
Pod adapter, for Abbott/Medex/ ICU Medical pressure transducer	5196998	150
Pod adapter, for Argon/ Merit Medical pressure transducer (former Becton Dickinson/Ohmeda)	3375941	150
Pod adapter, for Edwards pressure transducer	5196980	150
Pod connection cable, 3 m	3368425	112, 147, 194
Pod connection cable, 30 cm	7257988	112, 194
Pod connection cable, 5 m	5195198	112, 194
Polaris 100 with sterilizable handle (G92099), 1 pc.	G35332	82, 325
Polaris 100/200 with sterilizable handle E (G36993), 1 pc.	G35325	82, 325
Polaris 200 with sterilizable handle (G92099), 1 pc.	G35614	82, 325
Polaris 600 with sterilizable handles (G92099 or G36993), 1 pc.	G35324	82, 325
Polaris Multimedia (display adapter) with sterilizable handles (G92099 or G36993), 1 pc.	G35333	82, 325
Power cable AUS, 1.8 m, 2 pin	MP00626	322, 418
Power cable EU, 1.8 m, 2 pin	MP00591	322, 418
Power cable GB, 1.8 m, 2 pin	MP00593	322, 418
Power cable US/JPN, 1.8 m, 2 pin	MP00592	322, 418
Power cable ZA, 1.8 m, 2 pin	MP00597	322, 418
Pressure difference flow sensor, PPSU, sterilizable	8412034	38, 105
Pressure gauge -100 kPa MRI, double scale kPa/mmHg, -100 kPA (-1000 mbar)	MP03589	283
Pressure gauge -60 kPa MRI, double scale kPa/mmHg, -60 kPA (-600 mbar)	MP03587	283
Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -60 kPa (-600 mbar)	MP00580	283
Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -8 kPa (-80 mbar)	MP03597	297
Pressure gauge for VarioVac® + VarioAir®,double scale kPa/mmHg, -100 kPa (-1000 mbar)	MP00578	283
Pressure gauge for VarioVac® + VarioAir®,double scale kPa/mmHg, -16 kPa (-160 mbar)	MP00579	297
Pressure reducer OxyLine, customized configuration of pressure reducers	MP00100	255
Pressure reducer w/ flowmeter OxyLine, G¾“, 200 bar, 16 l/min, M34×1.5, 9/16“, nozzle	MP01104	258
Pressure reducer with NIST OxyLine, G¾“, for 200 bar, NIST	MP01105	258
Prong BabyFlow, standard, disposable, size L, 10 pcs.	8418531	358, 363
Prong BabyFlow, standard, disposable, size M, 10 pcs.	8418416	358, 363
Prong BabyFlow, standard, disposable, size S, 10 pcs.	8418605	358, 363
Prong BabyFlow, standard, disposable, size XL, 10 pcs.	8418417	358, 363
Prong BabyFlow, standard, disposable, size XS, 10 pcs.	8418415	358, 363
Prong BabyFlow, standard, disposable, size XXL, 10 pcs.	8418617	358, 363
Prong BabyFlow, wide, disposable, size 3, 10 pcs.	8418603	358, 363
Prong BabyFlow, wide, disposable, size 4, 10 pcs.	8418607	358, 363
Prong BabyFlow, wide, disposable, size 5, 10 pcs.	8418609	358, 363
Prong BabyFlow, wide, disposable, size 6, 10 pcs.	8418611	358, 363

INDEX BY PRODUCT NAME

Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616	140, 188, 219, 221
Protective cover for general-purpose temperature probe, latexfree, 100 pcs.	MS40243	140, 188, 219, 221
R Rail clamp for F&P humidifier and Seattle PAP bubble box	8411074	87, 357, 386
Rail clamp lever type,	M26842	261, 278, 319, 416
Rail clamp, for attachment to poles of different diameters	2M85274	319, 323, 357, 419
Rail claw for lamp	MP00615	323, 419
Rail holder, for 38 mm tube, standard rail profile 25 × 10 mm	2M86185	262
Rail, 100 mm for GCX profile	4118555	330
Rainbow sensor DCI, Adt	MP02971	181
Rainbow sensor DCIP, pedi	MP02972	181
Rainbow sensor R20-L, infant, 10 pcs.	MP02962	181
Rainbow sensor R20, adult, 10 pcs.	MP02959	181
Rainbow sensor R25-L, neonate, 10 pcs.	MP02961	181
Rainbow sensor R25, pedi, 10 pcs.	MP02960	181
RD-SET intermediate cable for Masimo® rainbow SET Mcable, 1.5 m	MS33738	179, 182
RD-SET intermediate cable for Masimo® rainbow SET Mcable, 3.6 m	MS33739	179, 182
RD-SET intermediate cable for Masimo® SET Mcable, 1.5 m	MS33736	179
RD-SET intermediate cable for Masimo® SET Mcable, 3.6 m	MS33737	179
Recording paper for Infinity® R 50, 50 mm, approx. 30 m, 10 rolls	4711201	169, 401
Red cap, 7 mm	8401645	31, 43, 372
Restraining strap, disposable, 10 pcs.	MU06011	343, 348, 350
Rubber plug, for immersion tube of water vacuum gauge	2M85139	297
S Sample gas return line for Fabius®, with filter	M32692	168
Sample line, disposable, 10 pcs.	8290286	168
Sealing plug for Y-piece, 5 pcs.	8411024	91, 388
Sealing rings for spiral hoses, 20 pcs.	M07152	95
Seattle PAP plus	MP02260	356
Secretion control glass	M07582	282
Secretion jar 3 L Medela	MP03230	287
Secretion jar set with clamp	MP00646	277
Secretion jar set, with 700 ml secretion jars (2 pcs.) and 1.5 m suction hose	2M85056	261, 276, 413
Secretion jar set, with protection jar and 700 ml secretion jars (2 pcs.)	2M85607	276, 413
Secretion jar set, with rail holder and secretion jar 700 ml, for continuous drainage units	2M85163	295
Secretion jar VacuSmart® Gel, PE (Polyethylene), disposable, 700 ml, 25 pcs.	MX23025	279, 414
Secretion jar VacuSmart®, PE (Polyethylene), disposable, 700 ml, 25 pcs.	MX23023	279, 414
Secretion jar, PSU (Polysulfone), reusable, 300 ml, autoclavable up to 134°C	2M86207	282, 415
Secretion jar, PSU (Polysulfone), reusable, 700 ml, autoclavable up to 134°C	2M85594	282, 415
SediStar® anesthesia face mask, disposable, without hook ring, size 1, small infant, 30 pcs.	MP01701	65
SediStar® anesthesia face mask, disposable, without hook ring, size 2, large infant, 30 pcs.	MP01702	65
SediStar® anesthesia face mask, disposable, without hook ring, size 3, pediatric, 30 pcs.	MP01703	65
SediStar® anesthesia face mask, disposable, without hook ring, size 4, small adult, 30 pcs.	MP01704	65
SediStar® anesthesia face mask, disposable, without hook ring, size 5, medium adult, 30 pcs.	MP01705	65
SediStar® anesthesia face mask, disposable, without hook ring, size 6, large adult, 30 pcs.	MP01706	65
SediStar® anesthesia face mask, disposable, without hook ring, size 7, extra large adult, 30 pcs.	MP01707	65
Set of 5 red caps, 11 mm	8402918	32
Set of 5 red caps, 7 mm	8402953	36, 373
Set VacuSmart® Gel and Tube, 25 pcs.	MP03211	279, 414
Shut-off valve for VarioVac®, for temporary opening and closing of suction flow	MP00570	282
Silicone hose 6 × 2.5, 2 m	5001330	281
Silicone mask, reusable, size 0, small neonate	MP01910	69, 341, 382
Silicone mask, reusable, size 00, premature baby	MP02900	69, 341, 382
Silicone mask, reusable, size 1, large neonate	MP01911	69, 341, 382
Silicone mask, reusable, size 2, small child	MP01912	69
Silicone mask, reusable, size 3, large child	MP01913	69

INDEX BY PRODUCT NAME

Silicone mask, reusable, size 4, small adult	MP01914	69
Silicone mask, reusable, size 5, large adult	MP01915	69
Simple cylinder trolley, for one gas cylinders up to a volume of 11 L	MP00038	260, 262
Skin temperature probe Premi-Probe 1, disposable, 10 pcs.	MU06933	343, 346, 349
Skin temperature probe Premi-Probe 1, reusable	MU06951	343, 346, 349
Skin temperature probe Premi-Probe 3, disposable, 10 pcs.	MU11228	340
Skin temperature probe Premi-Probe 3, reusable	MU11225	340
Skin temperature probe Premi-Probe 5, disposable, 10 pcs.	MU12551	335
Skin temperature probe Premi-Probe 5, reusable	MU12533	335
Skin temperature probe Premi-Probe for Isolette® 8000 plus, disposable, white, peripheral, 10 pcs.	MU26042	333
Skin temperature probe Premi-Probe for Isolette® 8000 plus, disposable, yellow, central, 10 pcs.	MU26041	333
Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.	MX11001	329, 331, 337
Skin temperature probe ThermoTrace, disposable, yellow, central, 5 pcs.	MX11000	329, 331, 337
Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822	140, 188, 221, 399
Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669	140, 188, 221, 399
Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00995	139, 187, 220
Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00996	139, 187, 220
Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	MP00997	139, 187, 220, 399
Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998	139, 187, 220, 399
Smart Capnoline® Plus O_2, adult/intermediate, 25 pcs.	MS26188	167, 198
Smart Capnoline® Plus, adult/intermediate, 25 pcs.	MS26187	167, 198
Soda lime Drägersorb® 800+, for CO_2 absorption, canister, 5 l, 2 pcs.	MX00001	99
Soda lime Drägersorb® Free, for CO_2 absorption, canister, 5 l, 2 pcs.	MX50050	99
Soft connector N, disposable, 20 pcs.	MP03826	358, 362
Spare parts set SelfTestLung, with locking brace and attachment bolt	MP02401	46
SpO_2 adhesive sensor Dräger, cloth, disposable, baby, 24 pcs.	MS16447	123, 395
SpO_2 adhesive sensor Dräger, cloth, disposable, neonate, 24 pcs.	MS16446	123, 395
SpO_2 adhesive sensor Dräger, foam, disposable, adult, 24 pcs.	MS16445	122, 204
SpO_2 adhesive sensor Dräger, foam, disposable, child, 24 pcs.	MS16444	122, 204
SpO_2 adhesive sensor Dräger, vinyl, disposable, adult, 24 pcs.	MS16449	122, 204
SpO_2 adhesive sensor Dräger, vinyl, disposable, child, 24 pcs.	MS16448	122, 204
SpO_2 adhesive sensor Masimo® LNCS Adtx, disposable, adult, 20 pcs.	MP00790	126, 177, 205
SpO_2 adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.	MP00791	126, 177, 205
SpO_2 adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.	MP00792	126, 177, 345, 397
SpO_2 adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794	126, 177, 345, 397
SpO_2 adhesive sensor Masimo® LNCS Pdtx, disposable, child, 20 pcs.	MP00793	126, 177, 205
SpO_2 adhesive sensor Nellcor® Oximax® Max-A, disposable, adult, cable 46 cm, 24 pcs.	MX50065	136, 186, 208
SpO_2 adhesive sensor Nellcor® Oximax® Max-AL, disposable, adult, cable 91 cm, 24 pcs.	MX50071	136, 186, 208
SpO_2 adhesive sensor Nellcor® Oximax® Max-Fast, disposable, application on forehead, 24 pcs.	MX50070	137, 216, 229
SpO_2 adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	MX50067	136, 186, 395
SpO_2 adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	MX50068	136, 186, 208, 395
SpO_2 adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.	MX50066	136, 186, 208
SpO_2 adhesive sensor Nellcor® Oximax® Max-R, disposable, application on nose, 24 pcs.	MX50069	137
SpO_2 adhesive square Masimo®, 12 pcs.	7496875	132, 183, 207

INDEX BY PRODUCT NAME

SpO_2 adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO_2 sensor, 100 pcs.	7496917	132, 183, 207, 398
SpO_2 adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO_2 sensor, 100 pcs.	7496909	132, 183, 207, 398
SpO_2 adhesive wrap Masimo® Posey-Wrap, for NeoPt SpO_2 sensor, 12 pcs.	7496933	398
SpO_2 adhesive wrap Masimo®, for NeoPt SpO_2 sensor, 100 pcs.	7496925	398
SpO_2 extension cable, 2 m, reusable	2606487	215, 228
SpO_2 finger sensor Dräger, reusable	MS13235	122, 204
SpO_2 finger sensor Masimo® LNCS DCI, reusable, adult	MP00796	125, 176, 205
SpO_2 finger sensor Masimo® LNCS DCIP, reusable, child	MP00795	125, 176, 205
SpO_2 finger sensor Nellcor® DURA DS 100A	7262764	135, 186, 208, 216, 229
SpO_2 finger sensor, adult, 1 m, reusable	2606484	215, 228
SpO_2 finger sensor, adult, 2.5 m, reusable	2606483	215, 228
SpO_2 foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO_2 sensor, 12 pcs.	7496891	132, 183, 207, 398
SpO_2 intermediate cable Dräger/ Nellcor®, for MultiMed® 5/6 and NeoMed pods, 1 m	3368433	121, 124, 134, 394
SpO_2 intermediate cable Dräger/ Nellcor®, for MultiMed® 5/6 and NeoMed pods, 2 m	3375834	121, 124, 134, 394
SpO_2 intermediate cable Dräger/ Nellcor®, for MultiMed® Plus/ Plus OR, 1.2 m	MS18683	121, 124, 134, 203, 208, 394
SpO_2 intermediate cable Dräger/ Nellcor®, for MultiMed® Plus/ Plus OR, 3 m	MS17330	121, 124, 134, 203, 208, 394
SpO_2 intermediate cable Masimo® LNCS, 1.2 m	MP00800	175
SpO_2 intermediate cable Masimo® LNCS, 1.2 m	MS24303	124, 205, 396
SpO_2 intermediate cable Masimo® LNCS, 3 m	MP00797	175
SpO_2 intermediate cable Masimo® LNCS, 3 m	MS17522	124, 205, 396
SpO_2 intermediate cable Masimo® LNCS, 4.3 m	MP03194	175
SpO_2 intermediate cable Masimo® rainbow, 1.2 m	MP02974	181
SpO_2 intermediate cable Masimo® rainbow, 3.6 m	MP02975	181
SpO_2 intermediate cable Masimo® RD-SET, 1.2 m (3.9 ft)	MS34436	124, 206
SpO_2 intermediate cable Masimo® RD-SET, 3 m (9.8 ft)	MS34437	124, 206
SpO_2 intermediate cable Masimo® Red LNCS, 1.2 m	MP02991	175
SpO_2 intermediate cable Masimo® Red LNCS, 3 m	MP02992	175
SpO_2 intermediate cable Masimo® Red LNCS, 4.3 m	MP03196	175
SpO_2 Masimo® sensor LNCS-DBI, reusable, adult	MP02993	125, 176, 205
SpO_2 Masimo® sensor LNCS-TC-I Ear,reusable, pediatric/adult	MP00788	125, 176, 205
SpO_2 Masimo® sensor LNCS-TF-I, reusable, pediatric/adult	MP00799	125, 176, 205
SpO_2 Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	MP00789	125, 176, 205, 397
SpO_2 multisite sensor Nellcor® DURA-Y™, reusable	MX01004	135, 216, 229
SpO_2 Nellcor® FLEXMAX Adt	MS34677	137, 186
SpO_2 Nellcor® FLEXMAX Pdt	MS34678	137, 186
SpO_2 sensor, adult, 0.5 m, disposable, 25 pcs.	2606208	215, 228
SpO_2 sensor, infant, 0.5 m, disposable, 25 pcs.	2606210	215, 228
SpO_2 sensor, neonate, 0.5 m, disposable, 25 pcs.	2606211	215, 228
SpO_2 sensor, pediatric, 0.5 m, disposable, 25 pcs.	2606209	215, 228
SpO_2 silicone Soft-tip sensor, adult, 1 m, reusable	2606485	215, 228
SpO_2 silicone Soft-tip sensor, pediatric, 1 m, reusable	2606486	215, 228
Starter kit for patient parameter unit Infinity® CNAP™ SmartPod®	MS17075	146
Suction bottle with filter and tube for Isolette® 8000, disposable, 800 mL, 20 pcs.	MU10918	334, 336, 342
Suction bottle with holder for Resuscitaire, disposable, 40 mL	MU10916	342
Suction bottle, disposable, 40 mL, 10 pcs.	MU10917	342
Suction hose holder, suitable for various diameters	2M85239	278, 288, 319, 416
Suction hose, silicone, reusable, 1.5 m, for medical suction	M25780	281, 415
Suction set, disposable, VacuSmart®, 700 ml and VacuSmart® Tube, 25 pcs. each	MP00061	279, 414
Suction tube VacuSmart® Tube, PE (Polyethylene), disposable, 2 m, w/ finger tip, 25 pcs.	MX23026	279, 414
Switchover valve Medela	MP03232	287
Swivel table, reusable, for poles with Ø 38 mm	2M21186	332, 339

INDEX BY PRODUCT NAME

T

T-adapter neonatal for NO therapy, 10 pcs.	8422215	20
T-Adapter, adult, 10 pcs.	MP01085	92
T-Adapter, neonates, 10 pcs.	MP02689	92, 388
T-Adapter, pediatric, 10 pcs.	MP01086	92, 388
T-connector for Aerogen Pro, 1 2 mm, with plug, 5 pcs.	MP01037	91, 388
T-connector, disposable, Ø 15 mm, 25 pcs.	MU10902	342
T-piece adapter for MX 300 and MX 300-i, reusable	MP01445	355
T-piece adapter for MX 300/MX 300i and Resuscitaire® breathing circuit, disposable, 20 pcs.	MP01880	341, 355
T-piece adapter for MX300/MX300i and HI-Flow Star System, disposable, 20 pcs.	MP05508	76
T-piece AIR NIST	M36056	315
T-piece connector, reusable	8411044	44
T-piece O_2 NIST	M36250	315
T-piece set with plug for Aerogen Pro, N, 15 mm (0.6 in), w/ adapter 10 mm (0.4 in), 5 pcs.	MP01032	91, 388
T-piece with plug for Aerogen Pro, A, ISO 22 mm, 5 pcs.	MP01031	91
TAT-5000S Probe Caps, single-use, 1,000 pcs., Vista 120 SC	2600948	232
TAT-5000S Sheats, single-use, latexfree, 250 pcs., Vista 120 SC	2600949	232
TAT-5000S Temporal Scanner, Vista 120 SC	2600946	232
Tcore® adapter, reusable	MP00999	141, 189
Tcore® extension cable	MP02201	141, 189
Tcore® mount for M540	MS33239	189
Tcore® sensor, single patient use	MP00989	141, 189
Telemetry cable adapter, connects single-pin cable to telemetry transmitter	MS14681	120
Telemetry transmitter pouch, disposable, 100 pcs.	MS22905	209
TEMP Adapter 2-pin	MP00944	236
TEMP Adapter Jack	MP00943	236
Temperature probe adapter 900 MR 532, for F&P humidifiers	MP01007	43, 89
Temperature probe skin, adult, 3 m, reusable	2601197	219
Temperature probe skin, neonate/infant, 3 m, reusable	2601200	219
Temperature probe, rectal/oral, adult, 3 m, reusable	2601198	219
Temperature probe, rectal/oral, neonatal/Infant, 3 m, reusable	2601199	219
Temperature probe/flow sensor for F&P MR 850 for all breathing circuits, 1.1 m	8414989	88, 387
Temperature probe/flow sensor for F&P MR 850, for all breathing circuits, 1.5 m	8414966	88, 387
Temperature sensor mount, reusable, N	8403056	31, 44, 372
Test filter	6870281	165, 196
Test gas cylinder 5 Vol.% CO_2, 95 Vol. % N_2	6850435	165, 196
Test lung SelfTestLung, reusable, max. 1 L, not made with natural rubber latex	MP02400	46
Test Lung, reusable, max. 1.5 L, not made with natural rubber latex	8403201	46
ToFscan® Kit configurator	MS32318	199
ToFscan® monitor	MS32146	199
ToFscan® monitor, Software 1.8	MS40015	199
ToFscan® to IACS connectivity kit	MS25836	199
Towel doll Babyleo TN500, lion, orange	MP03737	329, 352
Towel doll Cally, reusable, light blue or pink	2M30462	352
Towel doll Isi, deer, green	MP03738	352
Trolley	5790148	356
Trolley, for OR suction unit, with protection jar, w/o 4 L secretion jars	2M85441	287
Tubing grommet for Caleo®, reusable, angle	2M50385	331
Tubing grommet for Caleo®, reusable, flap	2M50412	331
Tubing grommet for Isolette® C2000, 8000 and 8000 plus, reusable	MU12609	334, 336
Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable	MU04366	343, 346, 349
Tubing grommet, reusable	2M20434	338
Turn knob, compl.	MP00587	323, 419
Two-sided pump ball for air management	MP01590	64, 70, 384

U

Universal charging station MedCharge 4000 „ALL in ONE“	MX50028	94
Universal holder flex 15 for wall rails 25 × 8 to 35 × 10 mm with bottle screw	MP00637	284
Universal holder for wall rails 25 × 8 to 35 × 10 mm with M5 drill hole 15 mm distance	MP00635	284
Universal holder for wall rails 25 × 8 to 35 × 10 mm with M5 drill hole 22 mm distance	MP00636	284
Universal holder profile 30 × 5 for wall rails 25 × 8 to 35 × 10 mm, for secretion jars Medela	MP00634	284, 288, 357
Universal holder with groove 25 × 5 for wall rails 25 × 8 to 35 × 10 mm, for compact suction system and secretion jar set	2M86757	284, 288
Universal laryngoscope set, reusable	MX03300	93
Universal pole mount	7485621	112, 147, 148

V

VAC CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36299	312
VAC CS hose 1.5 m (4.9 ft) NF EN NF	M35431	302
VAC CS hose 1.5 m (4.9 ft) NIST BS straight	M35404	304
VAC CS hose 1.5 m (4.9 ft) NIST EN AS	M36826	308
VAC CS hose 1.5 m (4.9 ft) NIST EN BS	M35395	303
VAC CS hose 1.5 m (4.9 ft) NIST EN Carba	M35477	306
VAC CS hose 1.5 m (4.9 ft) NIST EN DIN	M35498	299
VAC CS hose 1.5 m (4.9 ft) NIST EN NF	M35422	301
VAC CS hose 1.5 m (4.9 ft) NIST EN SS	M35386	305
VAC CS hose 1.5 m (4.9 ft) NIST EN UNI	M35413	307
VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36013	300
VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35455	301
VAC CS hose 3 m (9.8 ft) DISSB EN HAND	M36300	312
VAC CS hose 3 m (9.8 ft) NF EN NF	M35432	302
VAC CS hose 3 m (9.8 ft) NIST BS straight	M35405	304
VAC CS hose 3 m (9.8 ft) NIST EN AS	M36827	308
VAC CS hose 3 m (9.8 ft) NIST EN BS	M35396	303
VAC CS hose 3 m (9.8 ft) NIST EN Carba	M35478	306
VAC CS hose 3 m (9.8 ft) NIST EN DIN	M35499	299
VAC CS hose 3 m (9.8 ft) NIST EN NF	M35423	301
VAC CS hose 3 m (9.8 ft) NIST EN SS	M35387	305
VAC CS hose 3 m (9.8 ft) NIST EN UNI	M35414	307
VAC CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36014	300
VAC CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35456	301
VAC CS hose 5 m (16.4 ft) DISS JIS KAWA	M35820	309
VAC CS hose 5 m (16.4 ft) DISSB EN HAND	M36301	312
VAC CS hose 5 m (16.4 ft) NF EN NF	M35433	302
VAC CS hose 5 m (16.4 ft) NIST BS straight	M35406	304
VAC CS hose 5 m (16.4 ft) NIST EN AS	M36828	308
VAC CS hose 5 m (16.4 ft) NIST EN BS	M35397	303
VAC CS hose 5 m (16.4 ft) NIST EN Carba	M35479	306
VAC CS hose 5 m (16.4 ft) NIST EN DIN	M36000	299
VAC CS hose 5 m (16.4 ft) NIST EN NF	M35424	301
VAC CS hose 5 m (16.4 ft) NIST EN SS	M35388	305
VAC CS hose 5 m (16.4 ft) NIST EN UNI	M35415	307
VAC CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36015	300
VAC CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35457	301
VAC CS hose DISS Hand 10L	4199590	310
VAC CS hose DISS Hand 15L	4199589	310
VAC CS hose DISS N/DISS N 10L	4199602	310
VAC CS hose DISS N/DISS N 15L	4199601	310
VAC CS hose DISS N/DISS N 20L	4199600	310
Vacuum aspirator DISS Canada, version for Atlan A300/ A350 and Perseus A500	MP00687	269
Vacuum aspirator DISS, version for Atlan A300/ A350 and Perseus A500	MP00686	269
Vacuum aspirator NIST, version for Atlan A300/ A350 and Perseus A500	MP00689	269
Vacuum lamp for blade (size 00 – 1)	MX03316	93, 389
Vacuum lamp for blade (size 2 – 5)	MX03311	93
Vacuum regulator dual VarioVac® B/OR Rail, for bronchial and OR suction, gas connection NIST VAC	MP00516	267, 286
Vacuum regulator VarioVac® B AGA, for bronchial suction, gas connection VAC, Swedish standard	MP00504	266
Vacuum regulator VarioVac® B BS, for bronchial suction, gas connection VAC	MP00502	266
Vacuum regulator VarioVac® B CARBA, for bronchial suction, gas connection VAC	MP00514	266
Vacuum regulator VarioVac® B compact, for bronchial suction, gas connection NIST VAC, including secretion jar set and integrated vacuum regulator	MP00506	274

INDEX BY PRODUCT NAME

Vacuum regulator VarioVac® B DIN, for bronchial suction, gas connection VAC	MP00501	266
Vacuum regulator VarioVac® B NF, for bronchial suction, gas connection VAC	MP00503	266
Vacuum regulator VarioVac® B/OR Rail DISS, for bronchial and OR suction, gas connection DISS VAC	MP00631	267
Vacuum regulator VarioVac® B/OR Rail, for bronchial and OR suction, gas connection NIST VAC	MP00505	267, 286
Vacuum regulator VarioVac® D AGA, for continuous and wound drainage, gas connection VAC	MP00510	290
Vacuum regulator VarioVac® D BS, for continuous and wound drainage, gas connection VAC	MP00508	290
Vacuum regulator VarioVac® D CARBA, for continuous and wound drainage, gas connection VAC	MP00515	290
Vacuum regulator VarioVac® D DIN, for continuous and wound drainage, gas connection VAC	MP00507	290
Vacuum regulator VarioVac® D NF, for continuous and wound drainage, gas connection VAC	MP00509	290
Vacuum regulator VarioVac® D Rail, for continuous and wound drainage, gas connection VAC	MP00511	290, 407
Vacuum regulator VarioVac® MRI B/OR Rail, for bronchial and OR suction, gas connection NIST VAC, for connection to all standard wall rails	MP03222	268
Vacuum regulator VarioVac® MRI P Rail, for bronchial suction, gas connection NIST VAC, for connection to all standard wall rails	MP03223	268, 408
Vacuum regulator VarioVac® P compact, for bronchial suction, gas connection NIST VAC, including secretion jar set and integrated vacuum regulator	MP00661	274, 409
Vacuum regulator VarioVac® P Rail DISS, for bronchial suction, gas connection DISS VAC, for connection to all standard wall rails	MP00632	268
Vacuum regulator VarioVac® P Rail, for bronchial suction, gas connection NIST VAC, for connection to all standard wall rails	MP00660	268, 408
Vacuum regulator VarioVac® T DIN, for thoracic drainage, gas connection VAC, for connecting to the central vacuum supply	MP00664	291
Vacuum regulator VarioVac® T Rail WV, for thoracic drainage, gas connection VAC, water vacuum gauge included, for connection to all standard wall rails, double-scaled immersion pipe (kPa and cmH2O)	MP00512	291, 295
Vacuum regulator VarioVac® T Rail, for thoracic drainage, gas connection VAC, for connection to all standard wall rails	MP00663	291
Vacuum suction DISS Canada, for bronchial suction, gas connection VAC	MK03320	269
Vacuum suction DISS, for bronchial suction, gas connection VAC	MK03140	269
Vacuum suction NIST, for bronchial suction, gas connection VAC	MK01422	269
Ventilation hose holder, reusable, 40 cm	8411075	330, 332
Ventilation valve for Oxylog® 1000, reusable	2M86800	37
Ventilation valve for Oxylog® 2000/3000, reusable	8412001	38
VentStar® Aquapor dual heated Neo plus, 10 pcs.	MP07150	23, 370
VentStar® Aquapor heated Adult and Paediatric, 10 pcs.	MP07131	23
VentStar® Aquapor heated Neo plus, 10 pcs.	MP07151	23, 370
VentStar® Breathing Bag 0.5 L, 25 pcs.	MP02710	15, 368
VentStar® Breathing Bag 1 L, 25 pcs.	MP02711	15
VentStar® Breathing Bag 2 L, 25 pcs.	MP02712	15
VentStar® Breathing Bag 3 L, 25 pcs.	MP02713	15
VentStar® Helix, dual heated, 10 pcs.	MP02606	21
VentStar® Helix, heated, 10 pcs.	MP02607	21
VentStar® Resuscitation Neo, disposable, N, 1 m, 25 pcs., not made with natural rubber latex	MP00310	341, 368
Vista 120 printing paper, 4 rolls	2606231	227
Vista 120 rechargeable Lithium-Ion battery	2606229	227
W Wall holder, with fixing screws, for compact suction unit and secretion jar set	M26859	278, 416
Warming mattress TransWarmer®, disposable, self warming for approx. 2 h, 6 pcs.	MP01414	354
Water bag holder 900 MR 290	MP01008	87
Water container with screw thread + gaskets, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518)	MP00565	298

INDEX BY PRODUCT NAME

Water container, for continuous drainage system 2 – 4, w/o screw thread	M20668	297
Water nozzle for humidity pad, disposable, 25 pcs.	MU25426	344
Water tank and water transfer hose, for Caleo®, reusable	2M50040	332
Water transfer hose for Caleo® and Babyleo TN500, disposable, 20 pcs.	MX17018	330, 332
Water trap for Evita® 2 dura, Evita® 4, Evita® XL, reusable	8413125	79
Water trap Infinity® ID WaterLock® 2, 12 pcs.	6872020	168
Water trap with outlet, reusable N/P	8404760	31, 372
Water trap, reusable, A	8404985	32, 35, 44
Water trap, reusable, N/P	8409627	31, 44, 372
Water vacuum gauge, for thoracic drainage, combination w/ VarioVac® D and VarioAir® D, for connection to all standard wall rails, double-scaled immersion pipe (kPa and cmH2O)	MP00518	295
Watertrap WaterLock® 2, 12 pcs.	6872130	168
X Xenon lamps for battery grip, 2.5 V	MX03328	94, 390
Y Y-cable CO_2 and analog/sync	MS22259	164, 196
Y-cable, reusable, 7-pin connector, for 2 temperature probes	5592154	139, 187
Y-piece 90° with Luer Lock, reusable, A	M33278	34, 35, 42
Y-piece for F&P, reusable A	8412888	43
Y-piece straight, reusable, N/P	M27077	43, 376
Y-piece with sensor mount, reusable, A	8405435	32, 43
Y-piece, reusable, A	M25650	33, 42
Y-piece, reusable, N, 90°, with suction opening	8403075	31, 36, 43, 372, 373, 376

Not all products, features, or services are for sale in all countries.
Mentioned Trademarks are only registered in certain countries and not necessarily in the country in which this material is released. Go to www.draeger.com/trademarks to find the current status.

CORPORATE HEADQUARTERS
Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany

www.draeger.com

Manufacturer:
Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany

REGION EUROPE
Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION MIDDLE EAST, AFRICA
Drägerwerk AG & Co. KGaA
Branch Office
P.O. Box 505108
Dubai, United Arab Emirates
Tel +971 4 4294 600
Fax +971 4 4294 699
contactuae@draeger.com

REGION ASIA / PACIFIC
Draeger Singapore Pte. Ltd.
61 Science Park Road
The Galen #04-01
Singapore 117525
Tel +65 6872 9288
Fax +65 6259 0398
asia.pacific@draeger.com

REGION NORTH AMERICA
Draeger, Inc.
3135 Quarry Road
Telford, PA 18969-1042, USA
Tel +1 800 4DRAGER
(+1 800 437 2437)
Fax +1 215 723 5935
info.usa@draeger.com

REGION CENTRAL AND SOUTH AMERICA
Dräger Indústria e Comércio Ltda.
Al. Pucurui - 51 - Tamboré
06406-100 - Barueri - SP
Tel. +55 (11) 4689-4900
relacionamento@draeger.com

Locate your Regional Sales Representative at:
www.draeger.com/contact

90 66 485 | 21.01-13 | AW | LE | Subject to modifications | © 2021 Drägerwerk AG & Co. KGaA