

UGREEN



ACCESSORIES FOR MOBILE PHONE



+86-755-28066530 www.ugreen.com
Ugreen Building, Longcheng Industrial Park,
Longguanxi Road, Longhua, Shenzhen, China

www.ugreen.com

ENTERPRISE PROFILE

Established in Shenzhen in 2012, UGREEN was specialized in providing digital solutions for customers. During the 8 years, UGREEN has turned into an innovator and developed the capability of R&D, design, manufacturing and brand marketing. UGREEN's products range from Chargers, Phone & Computer Accessories, to Automobile Accessories, and are available in over 100 countries around the world. Up to now, UGREEN has built an extensive distribution network consolidating online and offline channels and is always committed to providing customers with innovative and valuable products that satisfy customers.




FACTORY & LABORATORY



32000M²
Factory Area

微电脑寿命试验机
MICROCOMPUTER LIFE TESTING MACHINE

Certifications & Awards



DEVELOPMENT HISTORY

2020

UGREEN still on the road...

2018

UGREEN established its own intellectual property rights (IPR) system.

2016

UGREEN had its own comprehensive office building. Here, we launched R&D activities, we sold products and we also offered after-sales services. A new chapter had begun from here.

2014

UGREEN began to integrated into the global market, developing Amazon markets in the US, UK, Germany and Japan, meanwhile, UGREEN was always looking forward to your participation.

2012

UGREEN was founded, championing the vision of “More For You”: more real demands for you; more user experience for you; more surprise & convenience for you.

2019

UGREEN still struggles for a steady and sustained development, achieving good results in category segmentation, channel sinking, market expansion and organization optimizing.

2017

UGREEN continuously upgraded the existing products and also released a series of big things like power bank. Following more and more supports, UGREEN created sales of 10 million on Double 11 Shopping Carnival. Besides, UGREEN also speeded up its pace to be an international brand.

2015

UGREEN opened its flagship store on AliExpress. Still looking forward to your participation.


2013

UGREEN was determined to explore O2O business mode, and it successfully attracted a bunch of offline distributors and offline agents, accelerating the development pace and occupying a large part of market.

EXHIBITION



CHANNEL PARTNERS



GLOBAL MARKETS

MARKET COVERAGE

100+
Countries

North America	America, Canada, Mexico
South America	Brazil, Argentina, Chile
Southeast Asia	Vietnam, Thailand, Malaysia, Indonesia
East Asia	China, Japan, South Korea
South Asia And Middle East	India, Saudi Arabia, Uae, Kuwait
Europe	UK, France, Germany, Spain
Africa	South Africa




TABLE OF CONTENTS

	TWS Earbuds	01-02
	Apple Cable & Accessories	03-08
	USB Cable & Adapter	09-10
	USB-C Cable&Adapter	11-19
	USB Charger	20-23

	Power Bank & Wireless Charger	24-26
	Car Charger & Accessories	27-32
	Bluetooth	33-35
	Audio Cable	36-38
	Gift & Accessories	39-41



HiTune True Wireless Earbuds

PID: WS100



Bluetooth 5.0



Smart Touch Control



Mono & Stereo Modes



Qualcomm Chipset

27H Extended Playtime

9h Earphone + 18h Charging Case

9_h + 18_h

With Single Charge

With Charge Case



Ergonomisches Design




S



M



L




Engineered Dynamic Audio

Aptx technology for lossless, synchronized sound



Qualcomm aptX



USB-C to Lightning Fast-Charging Cable

PID: 60759



3A Current



Fast Charge



Aluminum Case



Durable & Flexible Enough

Withstand up to 15000+ bending tests



Reinforced
stress points



Nylon
Braided





Apple MFi Certified

Made for
iPhone | iPad | iPod



More options




Lightning To 3.5mm Female Aapter

- PID: US211
- MFi Certified
 - High fidelity design
 - Multiple internal shielding
 - Aluminum case + Nylon braided



Lightning To USB 2.0 A Male Cable

- PID: US155
- MFi Certified
 - Charging & Data Sync
 - 5V/2.4A
 - Speed up to 480Mbps
 - Multiple internal shielding




Lightning To 3.5mm Male Adaptor Cable

- PID: US315
- MFi Certified
 - High fidelity design
 - Multiple internal shielding
 - Aluminum case + Nylon braided



USB-A To Micro USB+Lightning+Type C Cable

- PID: US186
- Input: USB 2.0 A Male
 - Output: Lightning+Type C+Micro USB Male
 - MFi Certified
 - Lighting charge: 2.4A Max
 - USB-C charge: 3A(Max)
 - Micro USB charge: 2A(Max)
 - Data transfer speed up to 480Mbps



Wireless Charger for Apple Watch

PID: CD144



MFi Certified



Safe Charging



Anti-Slip Component



Apple MFi certified

Apple Watch Wireless Charger



Portable Wireless Charger for Apple Watch

Apple Watch Edition
Apple Watch Hermes
Apple Watch Series
Apple Watch Nike+



Multiple Protections



Over-current protection



Over-voltage protection



Over-voltage protection



Over-Temperature protection



Wireless Charging Module For Apple Watch

PID: CM177

- MFi Certificated
- Input:USB-A or USB-C
- Output: Magnetic Wireless Charging Module
- 5V/1A
- Anti-Slip Component
- Compatible with all versions of Apple Watch



USB-C Multifunction Converter For IPAD

PID: CM346

- Input: USB-C Male
- Output1: USB 3.0 A Female * 2
- Output2: 3.5mm Audio Female
- Output3: HDMI Female
- Output4: USB-C Female for PD charge
- USB 3.0 speed up to 5Gpbs
- HDMI support 4K*2K@60Hz
- 3.5mm supports earphone with OMTP/CTIA protocol
- USB-C female only for PD3.0 charge(100W max)



PD fast charging



High Speed



Headphone & MIC



Dual USB-C Multifunction Converter For Macbook

PID: CM251

- Input: USB-C Male*2
- Output: 3*USB 3.0 A Female, 1* HDMI, 1* USB-C Female
- USB 3.0 speed up to 5Gbps
- HDMI support 4K*2K@30Hz
- USB-C female compatible withThunder Bolt 3
- support PD3.0(100W max), data & vedio transfer



4K HD



Portable



High Speed



Dual USB-C Multifunction Converter For Macbook

PID: CM218

- Input: USB-C Male*2
- Output: 2*USB 3.0 A Female, 1*USB-C Female,HDMI, Gigabit Ethernet
- USB 3.0 speed up to 5Gpbs
- HDMI support 4K*2K@30Hz
- 10/100/1000Mbps Ethernet
- USB-C female compatible withThunder Bolt 3
- support PD3.0(100W max), data & vedio transfer



4K HD



High Speed



1000Mbps



USB-A Female To HDMI Male Adapter

PID: CM251



480Mbps



HD 1080P
@60Hz



Support iOS



Support Android

Micro USB Male To USB 2.0 A Male Cable

PID: US289

- Input: Micro USB Male
- Output: USB 2.0 A Male
- Function: Charging & Data Sync
- Speed up to 480Mbps
- 2A Max
- Multiple internal shielding



USB-A



Micro USB



480Mbps

Micro USB Male To USB 2.0 A Female OTG Adapter

PID: US195

- Input: Micro USB Male
- Output: USB 2.0 A Female
- Speed up to 480Mbps
- ABS case



USB-A



Micro USB



480Mbps

Micro USB Male To USB 2.0 A Male Cable

PID: US290

- Input: Micro USB Male
- Output: USB 2.0 A Male
- Function: Charging & Data Sync
- Speed up to 480Mbps
- 2A Max
- Multiple internal shielding



USB-A



Micro USB



Durable Weave

Micro USB Male To USB 2.0 A Female OTG Adapter

PID: US133

- Input: Micro USB Male
- Output: USB 2.0 A Female
- Speed up to 480Mbps
- Multiple internal shielding



USB-A



Micro USB



480Mbps

Right Angle USB C to A Fast Charging Cable

PID: CM284



480Mbps



3A
Current



56kΩ
Current Limit
Protection



Multi- Protection



Multilayer Shielding

Tinned copper wire core

Aluminum foil

TPE shell

Braided shielding



90 Degree Angle Design

Playing game with ease while charging



More options



USB-C Male To USB 3.0 A 3A Data Cable

PID: US184

- Function: Charging & Data Sync
- Speed up to 5Gbps
- 3A max fast charge≤1.5m length
- 2.4A max fast charge≥2m length
- Support QC3.0/AFC/FCP
- Multiple internal shielding



USB 2.0 A To Micro USB + USB-C 3A Data Cable

PID: US177

- Function: Charging & Data Sync
- Speed up to 480Mbps
- USB-C charge: 3A(Max)
- Micro USB charge: 2A(Max)
- Multiple internal shielding



USB-C To Micro USB OTG Adapter

PID: US157

- Input: USB-C Male
- Output: Micro USB 2.0 Female
- Function: Charging & Data Sync
- USB 2.0 speed up to 480Mbps
- 2A Max



USB-C 3.1 Male To USB 3.0 A Female OTG Adapter

PID: US270

- Input: USB-C 3.1 GEN1 Male
- Output: USB 3.0 A Female
- OTG function
- USB 3.0 speed up to 5Gbps
- Aluminum case



Micro USB Male To USB-C Female Adapter

PID: US282

- Input: Micro USB Male
- Output: USB-C Female
- Function: Charging & Data Sync
- USB 2.0 speed up to 480Mbps
- 2A Max



Micro USB + USB-C To USB 3.0 A Female OTG Adapter

PID: 30453

- Input 1: Micro USB Male
- Input 2: USB-C 3.1 GEN1 Male
- Output: USB 3.0 A Female
- OTG function
- Micro USB speed up to 480Mbps
- USB 3.0 speed up to 5Gbps



100W PD USB C Data Cable

PID: US355



10Gbps



PD Fast Charge



4K HD



Anti-Interference



Compatible with All USB-C Devices

Apple

SAMSUNG


HUAWEI

GOOGLE

ASUS

LENOVO

...





Reinforcement


Not easy to crack





Braid Cable

More durable






Aluminum Shell

Fast heat dissipation

USB-C 2.0 To USB-C 2.0 3A Data Cable

PID: US261


- Function: Charging & Data Sync
- USB 2.0 speed up to 480Mbps
- 3A fast charge
- Support PD60W/QC/FCP
- Multiple internal shielding
- Can not transmit audio and video



Angled USB-C 2.0 To Angled USB-C 2.0 3A Data Cable

PID: US323


- Function: Charging & Data Sync
- USB 2.0 speed up to 480Mbps
- 3A fast charge
- Support PD60W/QC/FCP
- Multiple internal shielding
- Can not transmit audio and video



USB-C 2.0 Male To Angled USB-C 2.0 Male 5A Data Cable

PID: US334

- Function: Charging & Data Sync
- USB 2.0 speed up to 480Mbps
- 5A fast charge
- Support PD3.0/QC4.0/FCP(100W max)
- Multiple internal shielding
- Can not transmit audio and video



USB-C 3.1 Male To Male GEN1 3A Data Cable

PID: US161

- Function: Data&Charging&Audio+Video
- USB3.1 GEN1 speed up to 5Gbps
- 3A faster charging
- Support PD3.0/QC4.0/FCP(60W max)
- Transmit audio&video simultaneously
- Built-in chip, support 4K@60Hz
- Multiple internal shielding



USB-C Male To 3.5mm Audio Adapter

PID: AV161



Improved
Compatibility



support Mic



DAC Chip



analog &
digital audio



Fit Most 3.5mm Audio Devices

Take the best of CTIA/OMTP
Android & Apple earphones.

Headphone

Eorphone

Speaker

Car Stereo



Video Meeting



Game Playing




Musle Sharing

USB-C 3.1 Card Reader For TF/SD

PID: CM184

- Input: USB-C 3.1 Gen1 Male
- Output: TF/SD 3.0 Card Slot
- Memory card transfer speed:≈100MB/S
- Support memory cards for simultaneous use
- 512G measured, theoretical support 2TB
- Aluminum case



Type C Male To 3.5mm Audio Adapter

PID: AV142


- Supports earphone with OMTP/CTIA protocol
- Only support for outputting analog audio
- High fidelity design
- Do not support IPAD Pro
- Aluminum case with braid



Type C Male To 3.5mm Audio Cable

PID: AV143

- Supports earphone with OMTP/CTIA protocol
- Only support for outputting analog audio
- High fidelity design
- Built in shield protection
- Do not support IPAD Pro



Type C Male To 3.5mm Audio+ Type C Female Adapter

PID: CM231

- Input: USB-C Male
- Output 1: 3.5mm Audio port
- Output 2: USB-C Female for power supply
- Support PD and QC fast charging protocol
- Support 15V/2A power max
- Build-in chip: support analog & digital audio
- Support Mic
- Support audio+ charging use simultaneously
- Support IPAD Pro; Samsung Note 10/10+...



65W 4 Port 3C1A GaN Fast Charger

PID: US355



GaN Tech



50% smaller



Intelligent charging protection





65W- 3 USB-C & 1 USB-A Port

Supports all fast charge protocols: PD, QC, FCP, PPS, etc

- USB-C1 : 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A 65W Max
- USB-C2: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A 65W Max
- USB-C3: 5V/3A 9V/2A 12V/L.5A 18W Max
- USB-A ; 4.5V/5A 5V/4.5A 5V/3A 9V/2A 12V/1.5A 22.5W Max



Lightest But High Power

GaN Power Tech
Higher Efficiency Less Heat Smaller Size

50% smaller



2-Port USB Wall Charger

PID: CD104

- Input: 100-240V ~50/60Hz 400mA Max
- Output: Dual USB 5V/3.1A (2.1A+1A)
- USB single port output: 5V/2.4A Max



2 ports



Overcurrent
Protection



Temperature
Protection

USB-A QC 3.0 18W Charger

PID: CD122

- Input: AC100-240V ~50/60Hz 500mA
- Output: 18W Max
- QC3.0 Output: 5V-3A, 9V-2A, 12V-1.5A
- Compatible with: QC3.0/FCP



Fast
Charge



Overcurrent
Protection



Temperature
Protection

Dual USB-A QC 3.0 36W Charger

PID: CD161

- Support QC 3.0
- Input: AC 100-240V 50/60Hz 1.0A Max
- Output for Each Port: 5V/3A, 9V/2A, 12V/1.5A
- Total outPut: 36W



Fast
Charge



Overcurrent
Protection



Temperature
Protection

USB-C 18W PD Charger

PID: CD137

- Input: 100-240V~50/60Hz 500mA Max
- Output: 5V/3A, 9V/2A, 12V/1.5A
- Total output power: 18W Max
- PD3.0/QC4.0+ /FCP/SCP/BC1.2



Fast
Charge



Overcurrent
Protection



Temperature
Protection

USB-C 30W PD Charger

PID: CD127

- Input: 100-240V~50/60Hz 800mA Max
- Output: 5V/3A, 9V/2A, 12V/1.5A, 20V/1.5A
- Total Output Power: 30W Max
- PD3.0/QC4.0+ /FCP/SCP/BC1.2



Fast Charge



Overcurrent Protection



Temperature Protection

65W USB C GaN Fast Charger

PID: CD217

- Input: 100-240V~ 50/60Hz 1.8A Max
- Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, 3.3-21V/3A, 3.3-11V/4.05A
- Total Output Power: 65W Max
- PD3.0/QC4.0+ /FCP/SCP/BC1.2



Fast Charge



Overcurrent Protection



Temperature Protection

USB-C+USB-C 36W PD Charger

PID: CD199

- Input: 100-240V~50/60Hz 1A Max
- Output:
 - Single port: 5V/3A, 9V/3A, 15V/2.4A(36W)
- Dual Ports: 5V/3A, 9V/2A, 15V/1.2A(18W*2)
- PD3.0/QC4.0+ /FCP/SCP/BC1.2



Fast Charge



Overcurrent Protection



Temperature Protection

USB-A+USB-C 36W Fast Charger

PID: CD170

- Input: 100-240V~50/60Hz 1.0A Max
- Output:
 - USB-A: 5V/3A, 9V/2A, 12V/1.5A (18W)
 - (Single Port)USB-C: 5V/3A, 9V/3A, 15V/2.4A (36W)
 - (Dual Ports)USB-C: 5V/3A, 9V/2A, 12V/1.5A (18W)
- Dual Ports Total Output: 36W Max
- Compatible with:
 - PD2.0/QC3.0/FCP/AFC/BC1.2



Fast Charge



Overcurrent Protection



Temperature Protection



10000mAh Mini Quick Charging Power Bank

PID: PB178



Mini Portable



Over Charge Protection



Fast Charge



18W PD3.0 & QC3.0 Output

OUT
USB-A 5V/3A 9V/2A 12V/1.5A
QC 18W

IN
USB-C 5V/3A 9v/2A

OUT
USB-C 5V/3A 9V/2A 12V/1.5A
PD18W

10000mAh Quick Charging Power Bank

PID: PB172

- MFi Certificated
- USB-C Input/Output: 5V/3A 9V/2A 12V/1.5A
- Lightning Cable Output : 5V/3A 9V/2A
- USB-A Output : 5V/3A 9V/2A 12V/1.5A
- Total output: 5V/3A Max
- Battery capacity: 10000mAh 3.85V (38.5Wh)
- Rated capacity: 6500mAh (TYP 5V 3A)





Multi-Protection



PD 18W



Built-in Lightning Cable

20000mAh Quick Charging Power Bank

PID: PB175

- USB-C Input/Output: 5V/3A, 9V/2A, 12V/1.5A
- USB-A Output 1: 5V/3A, 9V/2A, 12V/1.5A, 4.5V/5A, 5V/4.5A
- Total Output: 5V/3A Max
- Battery capacity: 20000mAh 3.7V (74Wh)
- Rated capacity: 12600mAh (TYP 5V 3A)





Multi-Protection



Fast Charge



portable



Small ButLarge Capacity



iPhone 8
4.0 chargers



iPhone 8
2.4 chargers



Samsung S9
2.4 chargers

20000mAh wireless charging Power Bank

PID: PB135

- Digital Display
- USB-C Input: 5V/2.4A, 9V/2A
- USB-C output : 5V/3A, 9V/2A, 12V/1.5A
- USB-A output : 5V/3A, 9V/2A, 12V/1.5A
- Wireless Charging output: 10W Max
- Total output: 5V/3A Max
- Cell energy: 20000mAh 3.85V (77Wh)
- Rated capacity: 12500mAh(TYP 5V 3A)





Multi-Protection



Fast Charge



Two-way quick charge

10W Qi Wireless Charging Pad

PID: ED032

- Input: 5V/2A, 9V/1.67A (15W Max)
- Total Output: 10W Max
- Support Qi
- Sensing Distance(case on): ≤ 4mm
- LED Indicator Light
- Micro USB Power Port





Multi-Protection



LED Indicator



Wireless Charging

36W PD QC 3.0 Fast Car Charger

PID: CD213



Power Delivery
3.0/2.0



Quick Charge
3.0/2.0



Multi-
protection



Powerful & Super Safer



Fast
Charge



Over Current
Protection



Over voltage
Protection



Undervoltage
Protection



Over Temperature
Protection



Over power
Protection

Premium & High Quality Material

Accelerate heat
dissipation

Abrasion and
Scratch resistant

Anti-oxidation



Quick Charge 2 Devices Simultaneously



USB-C Port: PD 18W

USB-A Port: QC 18W

Dual USB-A 24W Car Charger

PID: US184

- Input: DC 12-24V
- USB-A Output 1: 5V/2.4A
- USB-A Output 2: 5V/2.4A
- Total Output:24W



PD+QC 3.0 18W Fast Car Charger

PID: CD130

- Input: DC12-24V
- USB-C Output: 5V/3A, 9V/2A, 12V/1.5A
- USB-A Output: 5V/3A, 9V/2A, 12V/1.5A
- Support PD3.0&QC 3.0
- Any Single Port: 18w Max
- Total Output:5V/3.4A



QC 3.0+QC 3.0 Dual USB-A 36W Fast Car Charger

PID: CD213

- Input: DC12-24V
- USB-A Output 1: 5V/3A, 9V/2A, 12V/1.5A
- USB-A Output 2: 5V/3A, 9V/2A, 12V/1.5A
- Support QC 3.0
- Any Single Port: 18W Max
- Total Output: 36W



USB-C PD+USB-C PD 36W Fast Car Charger

PID: CD213

- Input: DC12-24V
- USB-C Output: 5V/3A, 9V/2A, 12V/1.5A
- USB-C Output: 5V/3A, 9V/2A, 12V/1.5A
- Support PD3.0
- Any Single Port: 18W Max
- Total Output: 36W



FM&Bluetooth Transmitter&Car Charger+TF

PID: ED040

- Input: DC12-24V
- Output:
 - USB-C:5V/3A 9V/2A 12V/1.5A
 - USB-A:5V/3A 9V/2A 12V/1.5A
 - USB-A:5V/700mA (For USB Disk)
- TF Card Slot
- Any single port: 18W Max
- Total Output: 5V/4.8A(24W Max)
- Bluetooth 5.0
- MFB Button (Volume+/-/Call)



Dual USB-A Car Charger With Extended Socket

PID: CD166

- Total Output Power: 90W
- Input: DC12-24V
- USB-A Output1: 5V/2.4A
- USB-A Output2: 5V/3A, 9V/2A, 12V/1.5A
- Support QC 3.0
- Total Output: 30W
- Extended Socket Output: DC12-24V 60W Max
- LED indicator



Gravity Car Phone Mount For Air Vent

PID: LP228



Stylish



More Stable



Portable



Grip The AirVent Frimly

Fit tightly to most car air vents like Ford Focus, Mercedes C-Class, VW T- RoC, Skoda Octavia, Audi A4 etc.



All-Around Protection

Fit tightly to most car air vents like Ford Focus, Mercedes C-Class, VW T- RoC, Skoda Octavia, Audi A4 etc.



Gravity Phone Holder with Suction Cup

PID: LP200

- Suitable for: Phone with 4.7-6.5 Inch Screen
- Rotatable pivot structure allows multi-angle adjustable
- Extendable Arm: Telescopic arm extends from 5.43 inch to 7.52 inch
- Material: (PC ABS) + Aluminum alloy



Dashboard Snap Clip Phone Holder

PID: LP136

- Suitable for Dashboard Edge
- Suitable for 4-6.5 inch mobile phone
- Non-slip silicone
- High temperature resistance



Dashboard Snap Clip Phone Holder

PID: LP189

- Suitable for Dashboard Edge
- and 4.6--6.5 inch mobile phone
- Non-slip silicone
- High temperature resistance
- Can be horizontal and vertical



Gravity Drive Air Vent Car Mount Phone Holder

PID: LP130

- Gravity triangle structure
- Suitable for 4.7-6.5 inches screen phones
- Rotatable pivot structure allows multi-angle adjustable
- Suitable for Horizontal Car Air Vents
- Aluminum alloy + ABS + silica gel



Temporary Parking Card

PID: LP151

- Material: Aluminum alloy+PC+ABS+Iron
- Single number plate
- Visible at night



Bike Mount Phone Holder

PID: LP181

- Suitable for 4.7-6.5 inch screen phones
- Installation method: pull&buckle type
- Lock switch for stable
- Fixed part: bicycle handle.etc
- Applicable handle: (diameter 20mm-28mm)
- Silica gel used for anti-slip&anti-scratch
- Can be horizontal and vertical



Switch Bluetooth Transmitter

PID: CM324



Bluetooth 5.0



aptX Low Latency



8h play time



Easy to Use

1



Set your Bluetooth ear phone to Bluetooth pairing status.



5s



Press and hold the bouton multifonction for 3s to turn it on, the white light flashes once every 5s.



Plug this unit, and press the bouton multifonction twice into pairing mode, the red and blue lights flash alternately.



10s



Paring is successful once the white light flashes once every 10s.

Real-Time Audio Sync with aptX LL

Eliminate the lag and ensure smooth gaming.



Qualcomm aptX Low Latency



Bluetooth



Car&Home Bluetooth 5.0 Receiver

PID: CM279

- Function: music play and hands-free call
- Bluetooth Version: 5.0
- AUX interface with MIC+Button(for control volume and play)
- 3.5mm metal plug is detachable
- Support apt-X LL
- Transmission distance: up to 10m
- Operating Time: up to 10hours



Car&Home Bluetooth 5.0 Receiver

PID: CM276

- Function: music play and hands-free call
- Bluetooth Version: 5.0
- AUX interface with MIC+Button(for control volume and play)
- 3.5mm metal plug is detachable
- Transmission distance: up to 10m
- Operating Time: up to 9hours



Bluetooth 5.0 Receiver To 3.5mm Audio Adapter

PID: CM110

- Turn wired earphone into wireless earphone
- Function: music play and hands-free call
- Bluetooth Version: 5.0
- Output: 3.5mm Female
- Support HIFI/SBC/AAC/apt-X/apt-X LL
- Built-in Mic
- Transmission distance: Up to 10m/33ft



Car Bluetooth 5.0 Receiver

PID: CM309

- Function: music play and hands-free call
- Connect 2 Devices at One Time
- Bluetooth Version: 5.0
- Connect the USB and AUX together when use
- With MIC
- Bluetooth Protocol: A2DP/HFP
- Support SBC/AAC
- Transmission distance: up to 10m



3.5mm Stereo Audio Splitter Cable

PID: AV123



1 to 2



Tangle-free



3.5 mm





Universal Compatibility

1

Smartphone Tablet Laptop Desktop Mp3

2

Headphones speaker Earphone


Optimal Sound Quality

Enamelled Copper Thinned Copper TPE Jacket

3.5mm Stereo Audio Splitter Cable

PID: AV123

- Input: 3.5mm Male
- Output: 2X 3.5mm Female
- For couple use simultaneously
- Do not support Mic
- Aluminum case



3.5mm Male To Male Round Cable

PID: AV112


- Enamelled copper wire core
- Hi-Fi stereo sound quality
- Connector gold-plated
- Aluminum shell + Braid



3.5mm Stereo Audio Splitter Cable

PID: AV134


- Input: 3.5mm Male
- Output: 2X 3.5mm Female
- For couple use simultaneously
- Do not support Mic
- ABS case



USB-C To 3.5mm Stereo Audio Splitter Cable

PID: AV144

- Input: USB-C Male
- Output: 2X 3.5mm Female
- For couple use simultaneously
- Only support for outputting analog audio
- Do not support mobile with 3.5mm jack
- Do not support Mic
- Do not support remote control
- Aluminum case with braid



Accessory Multi-functional Travel Storage Bag

PID: LP152



Shock-proof



Protection



Scratch Free



Multi-Angle Phone Stand With Height Adjustable

PID: LP247



Multi-angle Adjustable



Secure & Reliable



Ultralight & Foldable



Height Adjust



Protective Cover for Apple AirPods Pro Case

PID: LP324

- For AirPods Pro
- Material: Liquid Silicone
- Protected against fingerprints and dust
- Thickness: 0.8mm
- Size: 62*23*48mm



Nintendo Switch&Accessory Storage Bag

PID: LP145

- S Size: L265*W135*H100(mm)
- L Size: L415*W190*H80(mm)
- Environmental EVA+Oxford cloth
- Shockproof and durable
- Climbing buckle
- Zipped mesh pocket
- Velvet guard pad, Elastic band
- Shockproof sponge



Sport Running Waist Pack Waterproof Belt

PID: LP112

- Size: 380mm*88mm
- Material: EVA Nylon Lycar
- Waterproof reflective zipper
- Situation: Daily/outdoor exercise/ Gym/ Climbing Hiking/Riding/Camping
- Hold phone within 6 inch (IPHONE X,S9...)



Foldable Multi-Angle Phone Stand

PID: LP263

- Dual-axis design, and multi-angle adjustment.
- Multi-point silicone material to protect your device, and the support is more stable.
- Quality alloy, foldable and portable.
- Material: Aluminium alloy + Silicone
- Suitable for phone with 4.7"-7.2" screen



Multi-Angle Phone Desktop Stand

PID: LP177

- 5-45° angle adjustable
- Silicone protection for anti-scratch
- Base is stable and non-slip
- PC+ABS case
- Alloy support rod
- Suitable for phone or tablet ≤ 7.9 inch



Waterproof Phone Pouch

PID: LP186

- <6.5-inch mobile phone universal
- IPX8 level 20m depth waterproof
- Slip film material
- Does not affect the camera, operation, ID face recognition, answering calls
- Support touch ID in fingerprint area
- Carry ring design

