

## Airflow control

11097290

POC ANGLE GALVA - D400/450

The PEC circular branch connector makes a 45° angle branch on a galvanised circular duct.



## Product description

The PEC circular branch connector makes a 45° angle branch on a galvanised circular duct.

## Fields of application

Multi-occupancy residential housing, New, Refurbishment, Non-residential buildings

## Installation

- when installing, pay special attention to pressures losses, noise and leaks that may be generated,
- easy assembly of interlocking accessories: ducts are female, accessories are male,
- final seal requires sealant and/or perforated strip,
- attached to duct using self-tapping screws (4 to 6 depending on diameter).

## Reference arguments

Application:

- Serves to add a 45° bend diameter 450 mm to circular ducting diameter 400 mm.

Description:

- Angled connector galvanised steel diameter 400/450 mm

## Main characteristics


- available in diameters from 80 to 900,
- galvanised steel as per EN 10346 ensuring uniformity of coating,
- M0 fire certification.

## General data

Variants	Main material
11097290	Galvanised steel

## Dimensional data

Variants	Ø A (mm)	Ø B (mm)
11097290	450	400



### Airflow control

# 11097290

## POC ANGLE GALVA - D400/450

### Regulatory data

Variants	Fire protection rating
11097290	M0