QUICK REFERENCE GUIDE > OB24SCD9PX1 Date: 13.07.2022 > 1

Oven, 24", 9 Function, Selfcleaning

Series 7 | Contemporary

Stainless Steel




With generous capacity and beautiful contemporary styling, this built-in oven will complement your kitchen design perfectly.

- Three cubic feet total capacity, with nine oven functions including Aero™ Pastry and Roast
- Self-cleaning function breaks down food residue for an easy clean
- Moisture control and even heat distribution thanks to ActiveVent™ and AeroTech technology
- Optional non-tip, full-extension sliding shelves for safe removal of hot dishes

DIMENSIONS

Height	23 9/16"
Width	23 1/2"
Depth	22 1/4"



FEATURES & BENEFITS

Generous capacity

With a generous sized internal cavity, you can create several dishes at once using multiple shelves.

Perfect Results

Our built-in ovens feature ActiveVent technology for optimized moisture levels, and AeroTech™ for even heat distribution. Get perfect results even when you're using multiple shelves.

Multi-function flexibility

Nine functions including Aero™ Pastry, Roast and Aero™Bake mean no matter what you're cooking, you've got the right heat to match.

Seamless fit

Designed to fit seamlessly in your kitchen, this built-in oven fits flush with cabinetry to minimize gaps and add to a cohesive aesthetic.

Cleaning is simple

The self-clean function breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

The Beauty of Choice

With the choice of stylish stainless steel or elegant black, you can choose the finish that complements your kitchen design best.

Safe and sound

The CoolTouch door features triple glazing and a cooling system that ensures it's safe to touch from the outside – protecting both your hands and the surrounding cabinetry.

SPECIFICATIONS

Accessories Food probe 1 Full extension telescopic • Grill pan 1 Meat probe 1 Optional Accessory round Part 81671 Optional round handle Part 81645 Step down wire shelf 1

Capacity

Shelf positions 6

QUICK REFERENCE GUIDE > OB24SCD9PX1 Date: 13.07.2022 > 2

Usable capacity 2.5cut the Rapid proof Rapid proof 6 Cleaning Roast 6 Acid resistant graphite enamel • Roast 6 Pyrolytic self-clean • True Aero 1 Removable oven door • Warm • Performance Removable shelf runners • Performance Controls ActiveVern* system • Audio feedback • ActiveVern* system • Autionatic cooking/minute • Active Vern* system • Automatic pre-set • Broil power 3200W Celsius/Ferneheit • Broil power 3200W Electronic capacitive touch • Whisper quiet cooking • Electronic chock • Power requirements 19A Electronic chock control • Amperage 19A Precise electronic temperature • Supply frequency 60Ha Sabbath mode • Supply yoltage 208-240V Soft close doors • Product dimensions 200-240V Turned stainless dials with • Depth 21 V/a* Height <td< th=""><th>Total capacity</th><th>3cu ft</th><th>Maxi Broil</th><th>•</th></td<>	Total capacity	3cu ft	Maxi Broil	•
Cleaning Roast Acid resistant graphite enamel Self-clean Pyrolytic self-clean True Aero Removable oven door Vent bake Removable oven door inner Warm Removable shelf runners Performance Controls ActiveVent** system Audio feedback ActiveVent** system Automatic cooking/minute Automatic rapid pre-heat Automatic pre-set Broil power 3200W Celsius/Fahrenheit Whisper quiet cooking Electronic capacitive touch Power requirements Electronic oven control Amperage 19A Precise electronic temperature Supply voltage 208 - 240V Soft close doors Product dimensions Turned stainless dials with Depth 22 1/4** Height 23 9/6**	Usable capacity	2.5cu ft	Number of functions	9
Acid resistant graphite enamel			Rapid proof	•
Pyrolytic self-clean • True Aero • Removable oven door • Vent bake • Removable oven door inner • Warm	Cleaning		Roast	•
Removable oven door . Vent bake . Removable oven door inner . Warm . Removable shelf runners . Performance Controls ActiveVent™ system . Audio feedback . AeroTech™ technology . Automatic cooking/minute . Automatic rapid pre-heat . Automatic pre-set . Broil power 3200W Celsius/Fahrenheit . Whisper quiet cooking . Electronic capacitive touch . Power requirements Electronic oven control . Amperage 19A Precise electronic temperature . Supply frequency 60Hz Sabath mode . Supply voltage 208 - 240V Soft close doors . Product dimensions Turned stainless dials with . Depth . 22 1/4" Height . 23 9/16" Functions . Width . 23 1/2" Aero Bake . . . Advanced cooling system . Bake . . Advanced cooling system .	Acid resistant graphite enamel	•	Self-clean	•
Removable oven door inner Removable oven door inner Removable shelf runners Performance Controls ActiveVent** system ActiveVent** system ActiveCooking/minute Automatic cooking/minute Automatic rapid pre-heat Automatic pre-set Broil power Automatic pre-set Broil power Automatic pre-heat Automatic pre-set Broil power Belietronic capacitive touch Electronic capacitive touch Electronic cook Electronic oven control Amperage Belietronic temperature Apperage Supply frequency Apply frequency Apply solutage Apply voltage	Pyrolytic self-clean	•	True Aero	•
Removable shelf runners Performance Controls ActiveVent™ system Active Echnology Automatic cooking/minute Automatic cooking/minute Automatic pre-set Automatic pre-set Broil power Broil powe	Removable oven door	•	Vent bake	•
ControlsActiveVent™ system•Audio feedback•AeroTech™ technology•Automatic cooking/minute•Automatic rapid pre-heat•Automatic pre-set•Broil power3200WCelsius/Fahrenheit•Whisper quiet cooking•Electronic capacitive touch•Power requirementsElectronic oven control•Amperage19APrecise electronic temperature•Supply frequency60HzSabbath mode•Supply voltage208 - 240VSoft close doors•Product dimensionsTurned stainless dials with•Depth22 1/4"Height23 9/16"FunctionsWidth23 1/2"Aero Bake•ADA compliant•Aero Pastry•Advanced cooling system•	Removable oven door inner	•	Warm	•
Controls ActiveVent™ system • Audio feedback • AeroTech™ technology • Automatic cooking/minute • Automatic rapid pre-heat • Automatic pre-set • Broil power 3200W Celsius/Fahrenheit • Whisper quiet cooking • Electronic capacitive touch • Power requirements Electronic oven control • Amperage 19A Precise electronic temperature • Supply frequency 60Hz Sabbath mode • Supply voltage 208 - 240V Soft close doors • Product dimensions Soft open and close door • Product dimensions Turned stainless dials with • Depth 22 1/4* Height 23 9/16* Functions Width 23 1/2* Aero Bake • Width 23 1/2* Aero Baroll • Safety Aero Pastry • ADA compliant • Bake • Advanced cooling system •	Removable shelf runners	•		
Audio feedback Automatic cooking/minute Automatic cooking/minute Automatic pre-set Automatic pre-set Broil power Broil power Whisper quiet cooking Power requirements Electronic capacitive touch Electronic coven control Amperage 19A Precise electronic temperature Supply frequency 60Hz Supply voltage 208 - 240V Soft close doors Soft open and close door Turned stainless dials with Poepth 4 Beight 22 1/4" Height Aero Bake Aero Bake Aero Pastry Advanced cooling system Advanced cooling system			Performance	
Automatic cooking/minute Automatic pre-set Broil power Broil power Broil power Broil power Whisper quiet cooking Power requirements Electronic clock Power requirements Electronic oven control Amperage 19A Precise electronic temperature Supply requency 60Hz Supply voltage 208 - 240V Soft close doors Funded stainless dials with Pepth Height 23 9/16" Functions Width 23 1/2" Aero Bake Aero Broil Aero Pastry Advanced cooling system Advanced cooling system	Controls		ActiveVent™ system	•
Automatic pre-set - Broil power Saloow Celsius/Fahrenheit - Whisper quiet cooking - Electronic capacitive touch - Power requirements Electronic oven control - Amperage - Supply frequency - Supply requency - Supply voltage - Supply voltage - Supply voltage - Supply voltage - Product dimensions Turned stainless dials with - Depth - Height - Height - Height - Aero Bake - Aero Broil - Advanced cooling system - Advanced cooling system - Advanced cooling system - Aero Bake - Advanced cooling system - Advanced cooling system - Aero Bake - Advanced cooling system	Audio feedback	•	AeroTech™ technology	•
Celsius/Fahrenheit Electronic capacitive touch Electronic clock Power requirements Electronic oven control Amperage 19A Precise electronic temperature Supply frequency 60Hz Supply voltage 208 - 240V Soft close doors Soft open and close door Turned stainless dials with Height 22 1/4" Height 23 9/16" Functions Aero Bake Aero Pastry Bake Advanced cooling system Advanced cooling system	Automatic cooking/minute	•	Automatic rapid pre-heat	•
Electronic capacitive touch Electronic clock Power requirements Electronic oven control Amperage 19A Precise electronic temperature Supply frequency Supply voltage 208 - 240V Soft close doors Soft open and close door Turned stainless dials with Depth Peight 123 9/16" Height Aero Bake Aero Broil Aero Pastry Bake Advanced cooling system Advanced cooling system	Automatic pre-set	•	Broil power	3200W
Electronic clock Electronic oven control Amperage 19A Precise electronic temperature Supply frequency Supply voltage Supply voltage Supply voltage 208 - 240V Soft close doors Soft open and close door Turned stainless dials with Depth 22 1/4" Height 23 9/16" Functions Width 23 1/2" Aero Bake Aero Broil Aero Pastry Bake Advanced cooling system	Celsius/Fahrenheit	•	Whisper quiet cooking	•
Electronic oven control Amperage 19A Precise electronic temperature Supply frequency 60Hz Sabbath mode Supply voltage 208 - 240V Soft close doors Turned stainless dials with Product dimensions Turned stainless dials with Depth 22 1/4" Height 23 9/16" Functions Width 23 1/2" Aero Bake Aero Broil Safety Advanced cooling system Advanced cooling system	Electronic capacitive touch	•		
Precise electronic temperature • Supply frequency Sabbath mode • Supply voltage 208 - 240V Soft close doors • Product dimensions Turned stainless dials with • Depth 22 1/4" Height 23 9/16" Functions Aero Bake Aero Broil Aero Pastry Bake • Advanced cooling system • Supply frequency 60Hz A0N - 240V Supply requency 60Hz A0N - 240V Supply requency 60Hz A0N - 240V Supply requency 60Hz A0N - 240V A0N - 240V AON - 240	Electronic clock	•	Power requirements	
Sabbath mode Supply voltage 208 - 240V Soft close doors Soft open and close door Turned stainless dials with Depth 22 1/4" Height 23 9/16" Functions Width 23 1/2" Aero Bake Aero Broil Aero Pastry Bake Advanced cooling system Advanced cooling system	Electronic oven control	•	Amperage	19A
Soft close doors Soft open and close door Turned stainless dials with Depth 22 1/4" Height 23 9/16" Functions Width 23 1/2" Aero Bake Aero Broil Aero Pastry Bake Advanced cooling system	Precise electronic temperature	•	Supply frequency	60Hz
Soft open and close door Turned stainless dials with Depth Height 23 9/16" Functions Width 23 1/2" Aero Bake Safety Aero Pastry Aero Pastry Aero Pastry Advanced cooling system Advanced cooling system	Sabbath mode	•	Supply voltage	208 - 240V
Turned stainless dials with Pepth Pepth Peight Punctions Width Punctions Aero Bake Safety Aero Pastry Aero Pastry Advanced cooling system Page 1/4" Height Page 23 9/16" Safety ADA compliant Advanced cooling system	Soft close doors	•		
Height 23 9/16" Functions Width 23 1/2" Aero Bake • Safety Aero Pastry • ADA compliant • Bake • Advanced cooling system •	Soft open and close door	•	Product dimensions	
Functions Aero Bake Aero Broil Aero Pastry Bake Advanced cooling system Width 23 1/2" Advanced cooling system Advanced cooling system	Turned stainless dials with	•	Depth	22 1/4"
Aero Bake Aero Broil Aero Pastry Aero Pastry ADA compliant Advanced cooling system			Height	23 9/16"
Aero Broil • Safety Aero Pastry • ADA compliant • Bake • Advanced cooling system •	Functions		Width	23 1/2"
Aero Pastry • ADA compliant • Bake • Advanced cooling system •	Aero Bake	•		
Bake • Advanced cooling system •	Aero Broil	•	Safety	
Advanced cooling System	Aero Pastry	•	ADA compliant	•
Broil • Balanced oven door •	Bake	•	Advanced cooling system	•
	Broil	•	Balanced oven door	•

Catalytic venting system	•
Control panel key lock	•
Non-tip shelves	•
SKU	82257

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

QUICK REFERENCE GUIDE > OB24SCD9PX1 Date: 13.07.2022 > 3

Other product downloads available at fisherpaykel.com



User Guide



Guide D'Utilisation



User Guide



Service & Warranty



Installation Guide



Guide D'Installation



Data Sheet Oven



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W**www.fisherpaykel.com