

Phonak Reference Guide

April 2016



Product portfolio

Performance level	RIC	BTE	Custom	Power	Pediatrics
Premium	Phonak Audéo V90	Phonak Bolero V90	Phonak Virto V90	Phonak Naída V90	Phonak Sky V90
Advanced	Phonak Audéo V70	Phonak Bolero V70	Phonak Virto V70	Phonak Naída V70	Phonak Sky V70
Standard	Phonak Audéo V50	Phonak Bolero V50	Phonak Virto V50	Phonak Naída V50	Phonak Sky V50
Essential	Phonak Audéo V30	Phonak Bolero V30	Phonak Virto V30	Phonak Naída V30	Phonak Sky V30*
Basic		Phonak Baseo Q15	Phonak Tao Q15		
* only available in specific countries					

Programs & features

Phonak Venture

Phonak Venture		Programs												Features																		
		AutoSense OS																														
		AutoSense Sky OS																														
		Comfort in Echo	Speech in Loud Noise	Speech in Car	Music	Comfort in Noise	Calm Situation	Speech in Noise	Speech in Wind	Speech in Loud Noise	Speech in 360°	Acoustic phone	EchoBlock	WindBlock	SoundRelax	DuoPhone	FlexControl	FlexVolume	Real Ear Sound	RogerReady (Sky V and Naída V)	Roger and directional setting (Sky V and Naída V)	SoundRecover2 (Sky V and Naída V)	SoundRecover	BroadBandBooster (Naída V)	UltraZoom	auto Acclimatization	WhistleBlock	NoiseBlock	Tinnitus Balance noise generator	QuickSync	Channels	
Premium	90	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	20	
Advanced	70				•	•	•	•		•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	16
Standard	50					•	•	•				•				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	12
Essential	30						•	•				•									•	•	•	•	•	•	•	•	•	•	•	8

Phonak Quest

Phonak Quest		Programs										Features														
		SoundFlow																								
		Music	Speech in Loud Noise	Comfort in Noise	Calm Situation	Speech in Noise	Everyday Automatic	Speech in Wind	StereoZoom	auto ZoomControl	ZoomControl	Acoustic phone	FlexControl	EchoBlock	FlexVolume	Real Ear Sound	WindBlock	SoundRelax	DuoPhone	QuickSync	SoundRecover	auto Acclimatization	UltraZoom	WhistleBlock	NoiseBlock	Channels
Premium	90	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	20	
Advanced	70			•	•	•			•		•			•	•	•	•	•	•	•	•	•	•	•	16	
Standard	50				•	•					•							•	•	•	•	•	•	•	12	
Essential	30						•				•									•	•	•	•	•	8	
Basic	15										•											•	•	•	4	

Color range

01 Beige

P1 Sand Beige

P2 Amber Beige

P3 Sandalwood

P4 Chestnut

P5 Champagne

P6 Silver Gray

P7 Graphite Gray

P8 Velvet Black

P9 Ruby

Q1 Petrol

06 Black

23 Gray

35 Taupe

Q2 Electric Green

Q3 Caribbean Pirate

M8 Majesty Purple

M7 Blue Ocean

T7 Alpine White

M6 Lava Red

T3 Precious Pink

R1 Green

R2 Yellow

R4 Orange

Q7 Purple

Q6 Blue

13 Transparent

R3 Pink

Faceplate colors

14 Tan

22 Cocoa

26 Pink

28 Brown

06 Black (only for nano)

Shell colors

14 Tan

22 Cocoa

26 Pink

28 Brown

19 White

21 Transparent

36 Red Transparent

37 Blue Transparent

Housing colors	01	06	23	35	P1	P2	P3	P4	P5	P6	P7	P8	P9	Q1	Q2	Q3	M6	M7	M8	T3	T7
Phonak Audéo V	•				•	•	•	•	•	•	•	•	•	•							
Phonak Bolero V	•				•	•	•	•	•	•	•	•	•	•							
Phonak Naída V	•				•	•	•	•	•	•	•	•	•	•							
Phonak Sky V	•				•	•	•	•	•	•		•		•	•	•	•	•	•	•	•
Phonak Baseo Q	•	•	•	•																	
Roger 18, 19	•				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Ear hook colors	R1	R2	R3	R4	Q6	Q7
Phonak Sky V	•	•	•	•	•	•

Hearing aid styles

Phonak Venture

Power

Phonak Naida™ V (90/70/50/30)



RIC SP UP

Pediatric

Phonak Sky™ V (90/70/50/30)



RIC M P SP UP

RIC

Phonak Audéo™ V (90/70/50/30)



10 312 312T 13

BTE

Phonak Bolero™ V (90/70/50/30)



M P SP

Custom

Phonak Virto™ V (90/70/50/30)



nano 10 NW 0 10 0 10 312 13

Phonak Quest

Basic

Phonak Baseo™ Q15



M P SP

Phonak Tao™ Q15



10 312 13

Roger™ compatibility guide

Roger microphones		Design-integrated Roger receiver	Roger X with audio shoe	Roger X with ComPilot	Roger MyLink
	Roger Touchscreen Mic	•	•	•	•
	Roger Pen	•	•	•	•
	Roger Clip-On Mic	•	•	•	•
	Roger Table Mic	•	•	•	•
	Roger EasyPen	•	•	•	•

		Design-integrated receivers for Phonak hearing aids				Universal receivers			Design-integrated receivers for cochlear implants	
		Roger 19	Roger 18	Roger 16	Roger 15	Roger X	Audio shoe	Roger MyLink	Roger 14	Roger 17
Hearing aids	Venture	Phonak Sky V-M				• ¹		•		
		Phonak Sky V-P	•			•	AS18	•		
		Phonak Sky V-SP	•			•	AS18	•		
		Phonak Sky V-UP	•			•	AS19	•		
		Phonak Sky V-RIC	•			•	AS18	•		
		Phonak Naida V-SP	•			•	AS18	•		
		Phonak Naida V-UP	•			•	AS19	•		
		Phonak Naida V-RIC	•			•	AS18	•		
		Phonak Bolero V-M				• ¹		•		
		Phonak Bolero V-P	•			•	AS18	•		
		Phonak Bolero V-SP	•			•	AS18	•		
		Audeo V-13	•			•	AS18	•		
		Audeo V-312T				• ¹		•		
		Audeo V-312				• ¹				
		Audeo V-10				• ¹				
		Virto V-10 O				• ¹		•		
		Virto V-10				• ¹		•		
		Virto V-312				• ¹		•		
		Virto V-13				• ¹		•		
	Quest	Phonak Baseo Q-M13			•	•	AS15	•		
		Phonak Baseo Q-P		•		•	AS16	•		
		Phonak Baseo Q-SP		•		•	AS16	•		
Implants	AB	Naida CI Q				• ¹		•		•
		Harmony / Auria				•	iConnect	•		
		Neptune						• ²		
	Cochlear	Nucleus 5				•	Euro Accessory Adapter	•	•	
		Nucleus 6				•	Euro Accessory Adapter	•	•	
		Baha 5						• ³		
		Baha 4				•		•		
		Baha BP100 / BP110				•		•		
		Freedom						•		
	Med El	Sonnet				•	FM battery pack cover	•		
		Rondo				•	Mini battery pack	•		
		Opus2				•	FM battery pack cover	•		
	Oticon Medical	Ponto Plus / Plus Power				•	Streamer	•		
		Ponto / Ponto Pro / Ponto Pro Power						• ⁴		

¹ Roger X must be used with a ComPilot or ComPilot II streamer for this device

² Via audio cable connected to 3.5 mm Auxiliary Connector

³ Via audio cable connected to Mini Microphone

⁴ Requires external Oticon medical Telecoil

Wireless communication portfolio compatibility

		Phonak Venture	Phonak Quest	Phonak TVLink II basestation	Phonak RemoteMic	Phonak RemoteControl App	Roger X
							
	Phonak ComPilot Air II	•		•	•	•	
	Phonak ComPilot II	•		•	•	•	•
	Phonak ComPilot		•	•	•		•
	Phonak DECT II	•					
	Phonak DECT		•				
	Phonak EasyCall II	•					
	Phonak EasyCall		•				
	Phonak PilotOne II	•					
	Phonak PilotOne		•				
	iCube II	•	•				

Specifications

	Phonak Audéo V				Phonak Bolero V			Phonak Baseo Q15		
Model	10	312	312T	13	M	P	SP	M	P	SP
Battery	10	312	312	13	312	13	13	13	13	13
Push button (Program/Volume)	•	•	•	•	•	•	•	•	•	•
Volume control				•		•	•	•	•	•
Wireless/BVST ⁴	•	•	•	•	•	•	•			
Telecoil			•	•	•	•	•	•	•	•
IP rating	IP57	IP57	IP57	IP67	IP67	IP67	IP67	IP57	IP57	IP57
Roger	• ¹	• ¹	• ¹	Roger 18 / AS18 ²	• ¹	Roger 18 / AS18 ²		AS9 ²	AS9 ²	AS9 ²
Max. Gain (dB) / MPO (dB SPL) 2 cc coupler	xS (46/114)				SlimTube HE			SlimTube HE		
	•	•	•	•	56/125	58/129	68/131	49/124	51/130	
	xP (57/127)				HE 10 680			HE 10 680		
	•	•	•	•	63/132	66/134	70/134	53/128	63/133	68/134
	xSP plus (63/131)									
		•	•	•						

	Phonak Virto V / Phonak Tao Q15											
Model	Phonak Virto V-nano	Phonak Virto V-10 Phonak Virto V-10 O Phonak Virto V-10 NW O Phonak Tao Q-10			Phonak Virto V-312 Phonak Tao Q-312				Phonak Virto V-13 Phonak Tao Q-13			
Battery	10	10			312				13			
Power level	M	M	P	SP	M	P	SP	UP ⁵	M	P	SP	UP ⁵
Max. Gain (dB) - 2 cc coupler	40	40	50	60	40	50	60	70	40	50	60	70
MPO (dB SPL) - 2 cc coupler	112	112	118	122	112	118	122	130	112	118	122	130
Shell style	IIC	CIC/MC/ITC/HS/FS			ITC/HS/FS				ITC/HS/FS			
AOV ³	•	•			•				•			
Wireless (connectivity & QuickSync)		Virto V-10 O / Virto V-10			Virto V-312				Virto V-13			
BVST ⁴		Virto V-10			Virto V-312				Virto V-13			
Telecoil		•			•				•			

	Phonak Naída V			Phonak Sky V				
Model	RIC	SP	UP	RIC	M	P	SP	UP
Battery	13	13	675	13	312	13	13	675
Push button (Program/Volume)	•	•	•	•	•	•	•	•
Volume control	•	•	•	•		•	•	•
Telecoil	•	•	•	•	•	•	•	•
IP rating	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68
Roger	Roger 18 / AS18 ²	Roger 18 / AS18 ²	Roger 19 / AS19 ²	Roger 18 / AS18 ²		Roger 18 / AS18	Roger 18 / AS18	Roger 19 / AS19 ²
Wireless/BVST ⁴	•	•	•	•	•	•	•	•
Max. Gain (dB) / MPO (dB SPL) 2 cc coupler	xS (46/111)	HE11 (81/139)	HE11 (82/141)	xS (46/111)	SlimTube HE (56/122)	SlimTube HE (58/126)	HE11 (81/139)	HE11 (82/141)
	xP (57/124)	HE11 680 (74/133)	HE11 680 (77/135)	xP (57/124)	HE10 680 (63/129)	HE10 680 (66/131)	HE11 680 (74/133)	HE11 680 (77/135)
	xUP plus (66/130)			xUP plus (66/130)				

1 Requires Phonak ComPilot II streamer with Roger X and/or Roger MyLink
2 Requires Roger X
3 Acoustically Optimized Venting
4 Binaural VoiceStream Technology™
5 Only available in specific countries

Life is on

We are sensitive to the needs of everyone who depends on our knowledge, ideas and care. And by creatively challenging the limits of technology, we develop innovations that help people hear, understand and experience more of life's rich soundscapes.

Interact freely. Communicate with confidence.
Live without limit. Life is on.

www.phonakpro.com