



JVC



CONSUMER AV COMPONENTS

WHAT'S INSIDE

AV COMPONENTS

DVD Recorder/VCR Page 1

DVD Player/VCR Pages 1-2

VHS Video Cassette Recorders Pages 2-4

DVD Player Page 5

Audio Cassette Page 5

CD Players 6

Receivers Pages 7-8

Headphones Page 9



stay up-to-date with pricing at:

<http://JVC.Starin.biz>

JVC	DVD PLAYERS
Picture	Model/Description
DR-MV7S 	DVD Recorder & VHS Recorder with HDMI output (1080i/ 720P Up-conversion)  Playable Formats: VHS Hi-Fi, DVD-Video, DVD-RW, DVD-R, +RW, +R, CD, SVCD/ VCD, CD-R/RW, WMA/MP3/JPEG Digital Still/DivX (CD-R/RW, DVD-R/RW, +R/+RW) Recordable Formats: VHS Hi-Fi, DVD-RW, DVD-R, +RW, +R Progressive Scan Output HDMI Digital Output with 1080i/720p Up-Conversion (DVD/VHS) i.LINK Connection (DV Input) SQPB (S-VHS Quasi Playback) Dolby Digital/DTS Digital Output (DVD) Component Video Output DVD<—>VHS Dubbing 12-Hour DVD Recording (Double-Sided Disc) Playlist-based Editing (DVD) 1.5x Quick Playback with Sound (DVD) High-Resolution GUI (English/French/ Spanish/Portuguese) I/O- Front: S-Video In (DVD), Composite In , Audio LR In, Rear: RF In/Out , Component Out, S-Video In/ Out, Composite In/Out ,Audio L/R In/ Out, Optical Digital Out, Coaxial Digital Out, Digital Output Yes (1080i/720p Up -Conversion),DV In/Out WHD": 16-15/16 x 3-1/8 x 12-1/4 Weight: 16.5 lbs
HR-XVC16B 	DVD Player & VHS HiFi Recorder -Component and Composite Outs, Composite  HR-XVC17S Silver Model  Playable Formats: VHS Hi-Fi, DVD-Video, DVD-RW/-R (Video Format), +RW/+R (Video Format), CD, SVCD, VCD, CD-R/RW, JPEG Digital Still (CD-R/RW) SQPB (S-VHS Quasi Playback) VHS Hi-Fi Stereo with MTS Decoder Progressive Scan Output for high-resolution images DVD to VHS Direct Rec.allows dubbing 30-Sec. Commercial Skip makes it easier to zip past commercials 10-bit/54MHz Video D/A Converter (Progressive) 96kHz/24-bit Audio D/A Converter I/O- front: AV In Rear: RF In/Out , Component Out, Composite In/Out, Audio L/R In/Out, Coaxial Digital Out JVC Video Electronics carry 1 Year Parts, 90 Days Labor Warranty

JVC DVD PLAYERS

Picture

Model/Description

HR-XVC38B DVD & VHS HiFi Recorder w/HDMI, Component, Composite, S-Video Out, Composite In



HR-XVC39S SilverModel

Playable Formats: VHS Hi-Fi, DVD-Video,
 DVD-RW/-R (Video Format), +RW/+R (Video
 Format), CD, SVCD, VCD, CD-R/RW, JPEG
 Digital Still (CD-R/RW)
 SQPB (S-VHS Quasi Playback)
 VHS Hi-Fi Stereo with MTS Decoder
 Progressive Scan Output for high-resolution
 images
 DVD to VHS Direct Recording allows dubbing
 from DVD to VHS



30-Sec. Commercial Skip makes it easier to
 zip past commercials
 10-bit/54MHz Video D/A Converter (Progressive)
 96kHz/24-bit Audio D/A Converter
 I/O- front: AV In
 Rear RF In/Out, Component Out, Composite
 In/Out, S-Video, Out (DVD) Audio L/R In/Out,
 Coaxial Digital Out, HDMI Digital Out

JVC VCR

HR-J692U VHS HiFi 4 Head Recorder



Hi-Fi Stereo with MTS Decoder
 Super VHS Quasi playback
 Pro-Cision 19 micron width EP Heads
 Full-Function Remote Control
 Multi-Lingual Color On Screen Menu.
 PLL Frequency-Synthesised 181-Channel
 NTSC Tuner
 Dual Azimuth - 4 Video Heads
 Standard VHS
 1 Year / 8 Event Timer

AV Outputs on Rear Panel
 Auto SP—>EP Timer Recording
 Shuttle Plus
 Auto Clock Set and Active Channel Memory
 Front AV Inputs
 Picture Control
 Power: AC 120V - 60Hz
 Express Programming
 Head Cleaning Warning
 WHD": 17-3/16" x 3-3/4" x 9-3/4"

JVC VCR	
Picture	Model/Description
HR-S2902U  High resolution Super VHS and VHS Super VHS ET Recording Pro-Cision 19 micron width EP Heads Plug & Play Full-Function Remote Control Hi-Fi Stereo with MTS Decoder Dual Azimuth - 4 Video Heads + 2 Hi-Fi Audio Heads Instant Review Auto Index Auto SP-EP Timer Recording	Super VHS HiFi Recorder with Composite, S-Video Active Video Calibration Picture Control Express Programming I/O Front: S-Video input , AV Inputs I/O Rear: S-Video Output, AV Out 181 Channel Tuner 1 Year / 8 Event Timer Multi Lingual Color On Screen Menu. WHD":17-3/16" x 3-3/4" x 9-3/4"
HR-S3902U  High resolution Super VHS and VHS Super VHS ET Recording Pro-Cision 19 micron width EP heads Hi-Fi Stereo with MTS decoder Advanced Jog/Shuttle on front of VCR VCR Plus + C3 Dual Azimuth - 4 Video Heads 2 Hi-Fi Audio Heads Multi-Brand TV/Cable/DBS Compatible Remote w/Glow Keys Picture Control: Auto, Edit, Soft and Sharp	Super VHS HiFi Recorder with Jog/Shuttle, Composite, S-Video Out Express Programming Auto SP/EP Timer recording I/O Front: S-Video & Composite inputs I/O Rear: S-Video & Composite Video outputs Instant ReView Digital Auto tracking A/V COMPU LINK Record Link Plug & Play set up convenience Child Lock WHD": 17-3/16" x 3-3/4" x 9-3/4" JVC Video Electronics carry 1 Year Parts, 90 Days Labor Warranty
Starin is your JVC Consumer Supply Partner • Phone: 800-846-5606 • Fax: 219-929-4377	

JVC DVD PLAYERS

Picture

Model/Description

HR-S3912U Super VHS HiFi Recorder with Jog/Shuttle, Composite, S-Video Out



High resolution Super VHS and VHS
 Super VHS ET Recording
 Pro-Cision 19 micron width EP heads
 Hi-Fi Stereo with MTS decoder
 Advanced Jog/Shuttle on front of VCR
 VCR Plus + C3
 Dual Azimuth - 4 Video Heads
 2 Hi-Fi Audio Heads
 Multi-Brand TV/Cable/DBS Compatible
 Remote w/Glow Keys
 Picture Control: Auto, Edit, Soft and Sharp

Express Programming
 Auto SP/EP Timer recording
 I/O Front: S-Video & Compositinputs
 I/O Rear:S-Video & Composite Video outputs
 Instant ReView
 Digital Auto tracking
 A/V COMPU LINK
 Record Link
 Plug & Play set up convenience
 Child Lock
 WHD":17-3/16" x 3-3/4" x 9-3/4"

HR-S5902U Super VHS HiFi Recorder with Pro Edit, Jog/Shuttle, Composite, S-Video Out



High resolution Super VHS and VHS
 Super VHS ET Recording
 Pro-Cision 19 micron width EP heads
 Hi-Fi Stereo with MTS decoder
 Insert edit with flying erase head
 Advanced Jog/Shuttle on front of VCR
 VCR Plus + C3
 Dual Azimuth - 4 Video Heads
 2 Hi-Fi Audio Heads
 Multi-Brand TV/Cable/DBS Compatible
 Remote w/Glow Keys
 Picture Control: Auto, Edit, Soft and Sharp

Express Programming
 Auto SP/EP Timer recording
 I/O Front: S-Video & Compositinputs
 I/O Rear:S-Video & Composite Video outputs
 Instant ReView
 Digital Auto tracking
 A/V COMPU LINK
 Record Link
 Plug & Play set up convenience
 Child Lock
 WHD": 17-3/16" x 3-3/4" x 9-3/4"

JVC Video Electronics carry 1 Year Parts, 90 Days Labor Warranty

JVC DVD PLAYERS

Picture

Model/Description

XLV-N330BK Progressive Scan DVD Player



XLV-N332S Silver Model



Playable Formats: DVD-Video, DVD-RW,
 DVD-R, +RW, +R, CD, CD-R/RW, SVCD/
 VCD, MP3/JPEG Digital Still (CD-R/RW)
 Progressive Scan Output
 PAL Playback on NTSC TV
 Dolby Digital/DTS Digital Output
 Component Video Output
 Digital Direct Progressive Scan Output
 192kHz/24-bit Audio D/A Converter
 10-bit/54MHz Video D/A Converter
 Track Adjust — for Playback of Created
 Discs

Vari-Play w/ Sound & Subtitles
 (1.5x/1.2x/1.0x/0.8x/0.6x)
 Express Play Start
 Rolling Pickup
 Video Fine Processor 7 Parameters
 High-Resolution GUI
 One-Touch Replay (10 Sec.)
 I/O-Component, S-Video Composite Out,
 Audio L/R Out, Coaxial Digital Out,
 WHD: 7-3/16" x 1-3/4" x 7-15/16"
 Weight: 3.3 lbs.

JVC CASSETTE RECORDER

TD-W354BK



Twin Auto-Reverse
 One transport-record/play; One playback
 Pitch Control on Deck A
 Cassette-Shell Stabilizers
 Large Insulators reduces acoustic modulation noise
 Microphone Input
 Silent Mechanisms
 Dolby B/C Noise Reduction
 Dolby HX PRO (Deck B)
 Full-Logic Control
 Fluorescent Level Meters/Counters
 High-Speed Editing with Synchro Dubbing

Auto Tape Selector (Normal/CrO2/Metal)
 Auto/Synchro Record Mute
 Multi Music Scan
 Enhanced COMPU LINK Control System
 Headphone Output
 DDRP (Dynamics Detection Recording
 Processor)
 Microphone Input with Level Control
 Continuous play of two tapes
 Audio Record Input
 Audio Playback Output
 WHD":17-3/16" x 5-1/2" x13-1/16"
 Weight: 10.9 lbs

JVC CD PLAYERS	
Picture	Model/Description
	XL-FZ258BK 5 Disc Carousel Compact Disc Player
	 Change any 4 CDs while one is playing 1-bit P.E.M. D.D. Converter Optical Digital Output 8-times oversampling digital filter Program play of up to 32 'steps' (tracks and discs) from 5 discs 20 - track program chart 5 DISC keys on the front panel 10 - key pad for direct track access Play Modes: Continuous, Smart Random 4-way repeat- all tracks, single track, programmed tracks, and random play Auto and Manual Search Remote with DISC keys and numeric keys Resume function Headphone Output with volume control 2 COMPU LINK Control System jacks WHD": 17 3/16" x 5 1/16" x 15 1/4" Weight: 11 lbs
XL-MC2000	200 Disc Carousel Compact Disc Player
	 Single chassis 200 disc changer Electric CD door with disc eject JVC high precision 3-beam laser pickup 1-bit D/A Converter Optical Digital Output 8-times oversampling digital filter Play Exchange: change up to 25 discs without stopping playback Program up to 32 steps (tracks and discs) 20 Track Program Chart Multi Jog dial for disc/track selection Play Modes: All Disc Random, Program and Continuous play Disc/Track Intro Direct Access remote control Resume Function Enhanced COMPU LINK Control System . WHD": 17 3/16" x: 7 7/8" x 19"
JVC Audio Electronics carry 90 Days Parts & Labor Warranty	
Starin is your JVC Consumer Supply Partner • Phone: 800-846-5606 • Fax: 219-929-4377	

JVC RECEIVERS

Picture

Model/Description


RX-D302B 110 Watt Receiver



Stereo: 110 watts per channel, 6 ohms,
 20Hz to 20kHz 0.8% THD
 Surround: (LRCSS) 110 watts, 6 ohms at
 1kHz, with 0.8% THD each channel
 Dolby Digital EX/Dolby Digital/Dolby Pro
 Logic IIx/Dolby Pro Logic II
 DTS/DTS-ES/DTS NEO:6/DTS 96/24
 DVD Multi-Channel Audio Compatible
 Hybrid Feedback Digital Amplifier Ver. III
 Wireless Connection with PC
 CC Converter (2 Modes, Front Channels) —
 improving the sound quality of compressed
 audio
 USB Input for receiving audio signals from PC
 Center-Channel Alignment
 Virtual Surround Back creates wider sound
 field without a surround back speaker
 3D-PHONIC
 DAP for Multi-Channel & stereo sources

3D Headphone
 192kHz/24-bit P.E.M. D.D. Converter (Front
 Channels)
 Video Up-Conversion (Composite to S-Video/
 Composite to Component)
 Quick Speaker Setup
 One-Touch Operation
 DSP Digital Equalizer
 AV COMPU LINK
 4 Analog Audio Inputs / 2 Outputs
 3 Digital Audio Inputs (2 Optical , 1
 Coaxial(assignable) / 1 Optical Output
 2 Component Video Inputs / 1 Output
 3 S-Video Inputs / 3 Outputs
 3 Composite Video Inputs / 3 Outputs
 Subwoofer Pre-Out
 WHD": 17-3/16 x 3-5/8 x 14-5/8
 Weight: 15 Lbs.

RX-D302 RX-D301



JVC RECEIVERS

Picture

Model/Description


RX-D412B 110 Watt Receiver with HDMI



Stereo: 110 watts per channel, 6 ohms,
20Hz to 20kHz 0.8% THD
Surround: (LRCSS) 110 watts, 6 ohms at
1kHz, with 0.8% THD each channel
Dolby Digital EX/Dolby Digital/Dolby Pro
Logic IIx/Dolby Pro Logic II
DTS/DTS-ES/DTS NEO:6/DTS 96/24
DVD Multi-Channel Audio Compatible
Hybrid Feedback Digital Amplifier Ver. III
Wireless Connection with PC
CC Converter (2 Modes, Front Channels) —
improving the sound quality of compressed
audio
USB Input for receiving audio signals from PC
Center-Channel Alignment
Virtual Surround Back creates wider sound
field without a surround back speaker
3D-PHONIC
DAP for Multi-Channel & stereo sources
3D Headphone

HDMI — for single-cable, all-digital transmis-
sion of audio and video signals
Video Signal Up-Conversion (to HDMI) for
single-cable output of high-quality video from
any input terminals
XM Ready
192kHz/24-bit P.E.M. D.D. Converter
Quick Speaker Setup
One-Touch Operation
DSP Digital Equalizer
AV COMPU LINK
4 Analog Audio Inputs / 2 Outputs
3 Digital Audio Inputs (2 Optical ,1
Coaxial(assignable) / 1 Optical Output
2 Component Video Inputs / 1 Output
3 S-Video Inputs / 3 Outputs
3 Composite Video Inputs / 3 Outputs
Subwoofer Pre-Out
WHD": 17-3/16 x 3-5/8 x 14-5/8
Weight: 15.7 Lbs.

RX-D412 RX-D411



JVC HEADPHONES

Picture

Model/Description

**All headphones are non-stocking special order items.
Time must be allowed for delivery, only estimated upon order.
Special orders are not returnable for any reason.**

HA-W600RF Wireless Headphone



Paging/Call Function - for paging/calling headphone user from base station (transmitter) - PLL-stabilized transmission technology- Extended reception range of 164 feet, Auto tuning, On stand charging, Auto power on/off transmitter, Frequency response: 25 - 13,000Hz, 40mm drivers for high quality sound, Weight: 8.82oz, Battery life: 10 hours, Power requirement: Rechargeable Ni-MH battery x 2 (included), Accessories: AC adaptor, Connection cable x 2, Plug adaptor

HA-G770 Closed-ear Headphone



Single cord won't interfere with listening, Soft comfort-fit Headband for perfect fit without any adjustment, Nominal Impedance: 32 ohms, Sensitivity: 110dB/ mW, Frequency response: 12-25,000 Hz, 50 mm diameter driver unit with powerful neodymium magnet for dynamic digital sound, Cord length: 11.5ft, Gold plated plug & plug adapter, Maximum input capability: 100mW, Weight: 9.52 oz (w/o cord)

HA-B27SL Back-band Headphone



Travel Pouch Nominal impedance: 32 ohms Sensitivity: 108 dB/mW Frequency response: 8-20,000 Hz 30 mm diameter diaphragm Cord Length: 4.9 ft. (1.5 m) 24 Karat Gold Plated L shaped mini plug, Maximum input capability: 30 mW Tri Fold Back Band Changable Color Disc

VIDEO DISPLAY PRODUCTS



**All TVs and video display products are non-stocking special order items.
They are only available by way of special quote.
Time must be allowed for delivery, only estimated upon order.
There are quantity drop-ship opportunities with free freight to a single location.
All display orders are not returnable for any reason.**



800.846.5606
www.Starin.biz
info@starin.biz