

MHC60SS

60cm Canopy Rangehood

Stainless Steel, Ducted and Recirculation, 2 x Aluminium Grease Filter



Benefits

Max air flow 800m³/h

Ducted and recirculated-air operation

Aluminium grease filter

Front vented

3 Speed levels



60cm size



Max.
Noise Level



Recirculation
Option



Lights

Main Features

Type:	Canopy
Colour:	Stainless Steel
Control Type:	Push button
Operation Levels:	3 level
Lighting:	2 x LED bulbs
Filtration:	2 x Aluminium filter
Air Extraction:	800m ³ /h
Noise Level High:	74dBA
Voltage:	220-240V
Frequency:	50Hz
Supply Cord & Plug:	1.85m with 10Amp plug
Ducting:	Yes
Recirculation:	Yes

Included

2 Aluminium grease filter

MHC60SS

60cm Canopy Rangehood

Stainless Steel, Ducted and Recirculation, 2 x Aluminium Grease Filter

Dimensions & Weights

Unpackaged Height:	690mm
Unpackaged Width:	600mm
Unpackaged Depth:	500mm
Unpackaged Weight:	10.2kg
Packaged Height:	570mm
Packaged Width:	660mm
Packaged Depth:	380mm
Packaged Weight:	12.6kg

Country of Origin:	China
EAN Code:	6959449103473
Manufacturer's Warranty:	3 years

MHC60SS

60cm Canopy Rangehood

Stainless Steel, Ducted and Recirculation, 2 x Aluminium Grease Filter

Dimensions

