



## Immerse yourself in the game with the curved G2766HSU with FreeSync Premium

The 1500R curved VA panel with 165Hz refresh rate, 1ms MPRT and 1920x1080 resolution allows an immersive viewing experience with excellent image quality.

You can also customize the screen settings using the predefined and custom gaming modes. The Black Tuner function gives you total control over the dark scenes ensuring that the details are always clearly visible.

Available also with height adjustable stand : [G-Master GB2766HSU-B1](#)



### CURVED DESIGN 1500R

The 1500R curvature of the screen guarantees a realistic and comfortable viewing experience allowing you to really immerse yourself in the game.



### 1ms

Fast response time is key to ultra-smooth gaming. It reduces ghosting and blurring providing the user with an improved graphic performance.

## 01 DISPLAY CHARACTERISTICS

|                      |                                                                       |
|----------------------|-----------------------------------------------------------------------|
| Diagonal             | 27", 68.5cm                                                           |
| Panel                | VA LED, matte finish                                                  |
| Curved               | 1500R                                                                 |
| Native resolution    | 1920 x 1080 @165Hz (2.1 megapixel Full HD)                            |
| Aspect ratio         | 16:9                                                                  |
| Panel brightness     | 250 cd/m <sup>2</sup>                                                 |
| Static contrast      | 3000:1                                                                |
| Advanced contrast    | 80M:1                                                                 |
| Response time (MPRT) | 1ms                                                                   |
| Viewing zone         | horizontal/vertical: 178°/178°, right/left: 89°/89°, up/down: 89°/89° |
| Colour support       | 16.7mln                                                               |
| Horizontal Sync      | 30 - 184kHz                                                           |
| Viewable area W x H  | 597.8 x 336.3mm, 20.5 x 11.5"                                         |
| Pixel pitch          | 0.311mm                                                               |
| Colour               | matte, black                                                          |

## 02 INTERFACES / CONNECTORS / CONTROLS

|                     |                                           |
|---------------------|-------------------------------------------|
| Signal input        | HDMI x2 (v.2.0)<br>DisplayPort x1 (v.1.4) |
| USB HUB             | x2 (v.2.0 DC5V, 500mA)                    |
| HDCP                | yes                                       |
| Headphone connector | yes                                       |

## 03 FEATURES

|                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Blue light reducer    | yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Flicker free          | yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Adaptive Sync support | FreeSync Premium - 1920 x 1080 @48-165Hz                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| HDR                   | yes (HDR ready)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| OSD languages         | EN, DE, FR, ES, IT, RU, JP, CZ, NL, PL                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Control buttons       | Power, joystick controller: Menu, Up/ i-Style colour, Down/ Input Select, Left/ Eco Mode, Right/ Volume                                                                                                                                                                                                                                                                                                                                                                                                |
| User controls         | picture adjust (contrast, brightness, OD, ACR, ECO, blue light reducer, black tuner, colour saturation, MBR, gamma), input select (auto, manual), audio (volume, mute), store user settings, colour settings (colour temp., 6-Axis, user preset), image adjust (i-Style colour, X-Res Technology, sharp and soft, RGB range, video mode adjust), language, setup menu (OSD H. position, OSD V. position, OSD rotation, OSD time, opening logo, AMD FreeSync Premium, LED), display information, recall |
| Speakers              | 2 x 2W                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Convenience           | Kensington-lock™ prepared, DDC2B, Mac OSX                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

## 04 MECHANICAL

|                              |                 |
|------------------------------|-----------------|
| Display position adjustments | tilt            |
| Tilt angle                   | 22° up; 5° down |
| VESA mounting                | 100 x 100mm     |
| Cable management system      | yes             |

MTBF

50000 hours

## 05 ACCESSORIES INCLUDED

Cables

power, USB, HDMI

Other

quick start guide, safety guide

## 06 POWER MANAGEMENT

Power supply unit

internal

Power supply

AC 100 - 240V, 50/60Hz

Power usage

28W typical, 0.5W stand by, 0.3W off mode

## 07 SUSTAINABILITY

Regulations

CE, TÜV-Bauart, EAC, RoHS support, ErP, WEEE, REACH, UKCA

Energy efficiency class (Regulation (EU) 2017/1369)

F

REACH SVHC

above 0.1%: Lead

## 08 DIMENSIONS / WEIGHT

Product dimensions W x H x D

610.5 x 438 x 240mm

Box dimensions W x H x D

692 x 454 x 162mm

Weight (without box)


5kg

Weight (with box)

6.4kg

EAN code

4948570118861





**A**

ЕНЕРГОСПОЖИВАННЯ

**26**  
Вт

**38**  
кВт·г/рік

**69**  
см



**27**  
дюймів

**359 від 2017р.**

All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects.

© IIYAMA CORPORATION. ALL RIGHTS RESERVED