# SAMSUNG

# Simple User Guide

Please read this manual carefully before operating your unit and retain for future reference.

# Before Reading This Simple User Guide

Hb 17 van is of, 10 b Shipp User Substant arrented dat Description ≥ Get directore in mort. ⊗ Fettings Support - Open User good.

On the web site (years sometric com), you consider the elittle manuals and sec its contents or you 19, or mobile cases.

# Warning! Important Safety Instructions

Processed the Safety instructions before using your TV taken of retacle action for amorphic action obey it taken it is may be prepair formula port for

#### carmou

#### PERCOLD CORROSIDOS, DO NOTOPOL

CALITON, TORTOLISTIC I PERCOLITIOTRICS (CC), I DINOTREVIONE (CHE) (CERCIE) THERE ARE INCLESS SISSILEMENTS (FEINS DELIBER OLL SEPARATORIS (CO) (TREE, PERSONNE)



Tale sport of the believe that digrees base is used in such the durgers as to make any distribution be. with any interest part of this product



This general his tales that this product the prince dissipative in break or concern my operation and mentioner co.



Case pocke this proof ideas halose system at an ballet recently just not see the und little years and describe pocket the power and, the pock that have rather momentum to what we settly just not,

40 whole Personal telegrapher with



116 symbolik Astrocktige.

Of woldens Peter voltage marked with
116 symbolik (K. Wilson)



Parties President and articles for an integrable street, the street, the street is considered by the street in the

#### Power

- De not weeke twall on their, edepoint conte, prefugiere
  Leyent Uld in voltage, and repair (with my case factor
  and footback, Referred to a severage of bother contributes on the meaning apply and on the modern of the contributes of the contributes
- Power supply control to its placer so that they are not book not have the for a pendor in your place in once wash at their line, but both a standard but so they are for a rest pendor and at wall or they are fail the point where they exhibite the supply in the supply.
- Never inserting thing metal fichild the opening is at this appropriate. To show consent or this shock.
- case debear, shock respictor the makes this
  approach of the probability of the dependency
  approach of
- Be strate pagin the province distribution (yearse, where any eight the province of from a solit cutter, always publish the province. Night, Never and by the published the province of the restord it represents of a firm with the res.
- If the appendix deciment of the mody in particular.
   If the appendix appendix of a mode contagning from 1 application for the contagning of the appendix of the application of the appendix of the

 To protect this approximation allight angreens, or is betted to all the odd and a specific or inglangue send to undiregistrate these fourtiets and decreased in a protection.

814100238

- Address de la conservación de la conse
- Use or his property grounded in a military of the property grounding years because of behaviors of property demands of each Equipment on years.
- To turn off this appears is completely, also constrictions
  the wall out... Its areas, you can respect this accentum
  a title yith expressing makes are traditional to this are
  powerful systemed (you see ) a.

#### Installation

- Constigute this appeales near a communication near maintenance this consecuted instruminant.
- Pointing any objects to accordant in posts on this appear, of a life or medit had revealed for both
- Conotroped the apparatishors is sometime.
- Besse two-factuses as a net let from dard periode allo federations for have allo with troop of the profession reconstruction of the device and associated and a new force and the federation device bester allowed and a federation of the federation and periode and the model of the federation.
- Borné repositif baggant o archiging a médit su

#### Mounting the 17 on a wall



hydrogenitr's Terminaal. Michael the instruction processes and before manufactured. The recommendation of the Tympa Medical Land on president in payment shiften debt and some denegation for the Tympa.

- Simple Estatores a stressore DES, la vidino y ete
  Relativa de la ligación de la companión de la ligación de la companión de la co
- Sensory band database production reger parts of repryotion and resolvent a socialist value on the one production as a relative following a condilation for the production.
- You can exployed equation usuled values of the fulfill that for the character should expect the state of the control of the cont
- Mierin St. Jingawaltin out bit twense, in ier dyear faster at four vESA screws
- by a variable and seed on middle transportations.
   by a variable seed on middle over all and one of a seed on a variable will be proved and all and the seed of a seed of a seed on a
- De de train l'était de le casa attempe d'illi
   Standard d'increte et Brazal mount des archéeaniente
  ablaiser de déparé agant institut à récise.

To mitiestally uses in such their eye of V you recon this nayrealth passes may more electricates?

- De notace de existiate elonge, d'un de stand, d' d'une d'années notacephy à la tie el TSA standard entre sociétaments sons automoré no long récession des agaits that is partit et le les.
- Threat Incurre that Suice comply with the VSA supported the specifications, the length of the conseingly five departing or a weath mount specifical cross.
- To addition the convex to offer. This pay famous association of the convertible of the famous famous

Alexantere los pedalen partine lifento exell

 ParS2 act prior mode situación recent montre

 For S2 inch or late or mode is, have four two promotes the tile IV alrow well.

Providing proper ventilation for your 19

Whenyou's skalyour 'V fand Or side med Bournaister's a distance of at least 4 inches (III mg) tomers after IV fand Credument Event Bournaister IV fand Credument Bournaister IV fand Bournaister Bournaister IV fand Bournaister Bournaister State fan de werd Salver Spanister State fan de wedt Gebruik Grant Grant Bournaister Bournaister Grant Comment Bournaister Bournaister Bournaister Grant Comment Bournaister Bour

 After your exaltive into with a specified by Cartising of origin estern and your accompanied by Cartising The tools and all or a participated by weeker remote the energy as ad Moute sevent the product of court in your world your account that a.

#### Safety Precaution



Couton. Put images thing or nitrollege of the livering teacher with fall in particular, so not be agone individual to the TV Title action may be easily a TV to the processor group conduction to the TV to the processor group and the transfer the processor to the add to tableton in the Stoky Evential late with your TV to add to tableton in the TV to the action to the transfer transfer to the transfer transfer to the transfer transfer to the transfer trans



VASH Höcklera place automorphis. If an instable location Theteles donest may full country concept, so set (1752) clottly. Naty hiju has centered deal by technologie protections can as

- A Alejacia ozdnetko destao nouh trgina tota proporno odla Sancino.
- Assays as furniture that consult y supper, the edection set.
   A ways are interprised parents in proverting the first of the edection.
- eage of the supporting function.

   A consent materials of the pancing for first book.
- A variet mate about the cancers on impleyon.
   Further to reach the television setting controls.
- A way considerable allocative considerables to owner they cannot be a specific force grade;
- hezerptawa włodon ad manun dagiałowika.
- Ideas place there are presented in the interestion occupies caple are sense occleanced by a roote is coming believed under many the interestion exhibit wanted a support.
- Nere placed stockes a restor dadic offernate abthem systematic setwer their softment and cappoints for Ore.
- Supporting for the.
   Interplace from the inight behalf of interesting to years recoverations on the top of the inight stones for its out which the lides some should.
- I the eduling state on all bigging observable or autoriseated, the same considerables as shows that is brupplied.
- When you have note come of little. Farther, somethor second, "expression responsible of the send."

### Preventing the IV from falling



her wisibite EV.

ē:] \_-

- thy Well, are no best as passed.

   Using the cause of a recent, it may be be must be been odd in the case.
   Confine that is not a recent and the recent are three a studied both are.
- Insurance text of the investment of the scale and the depth depth depth of the text of th
  - ro the secretary features, effected estandard screening in a lightest free tracking and exhibiting 6 are
- to nee, the actions bother, or ware trebucket.
   the fatherwal is inaccrated awy catystring and throtte transplicities.
  - r Maltidio (Virgan) rewalts off autodocor eufadi pickwarze

ton but he start so that the backets feet to the call area; the same neighbor of these than the so there the discuss TV.

Precautions when installing the TVW that is stood.

If all not a Series city!
Whenever the talk it is TV' a travered, which also nightle should not be excepted by the context may be sent the notion of the talk and the city of the talk as well as not one as a first order of the talk as a first order ord



#### Operation

- His appeads use cattained in your common typt a windefithmen discreteling the post-set requirely and dependent tracebase, to proper giff as a contact your contact the fittering page in recording internal to.
- store the notestal is bronch contral, butter as the city in absolute adoption of the reach.
- To professor dribatte should interpretantly larged described the save cordinal consists saythesette.
- To enadernose al remolt control or validates in a firm
- Denotation turout diseases day a overlact the otheries
- Catifficial the electroger of an explorant featurplace, net adal as as add in the learners will the leaving opportuations. September only with the exprendiquity actings.
- WARNEY CHEVEN THE SHEAD OF THE BLOCK AND CHEE
   THE PLOCK AND CHEE
   THE PLOCK AND CHEE

## Caring for the TV

- To then this appear it is under the elever continue, we salve that a recent approaches resort, by delt the obligation entires the energy lement, alread thinners, investiging all forecasts, it is true as debuggles. These the interlocationings are expensed as with TV acceptable of interpret in the TV acceptable of thinners.
- The reterior and screen of the TV are personated during theiring Sesaw Lawtow Leaves to and scuentiars oily is no acceptability to revent screeness.
- De notages, yearte orang ague caracterer to de 19. Any leukitter cora minite product messes seem lang the chickness accommodition.

### Internet security

Exhibition for all the equipment of the second of the second of the equipment of the second of the s

- When Parks in protection of his in upon the important of the security of your Myou aloue plan advised. If they update in the important of the extension of the important of the impo
- Sciency on a ridea accessor it or an agent of the although of a single consent traperer. In past, with the consent of a
- rightered i de alexiferación (estable, le 197)
  entrymient proxima referenciona polimo serum
  pour elitación a sevela y rai.
   Generación y estableción delen referención difí a portico.
- guerope voer d Confirmyon accessponts i leve disatting benealed Grecolisches

Nakesa etilatadysa interiotes nested devices et lietinėss missevišsilisevait.

- Hydractospe of a modern have stansity mode better users to decomposity and one notice of fair the internetwise of local muse.
- Beestrong passwork for all your interact accounts.
   No. Technology along
- Les asseptind not organ again en vos 1 Verses resessaggemester to brika devict orgables, en oce sis-dir, co NOT elect.
- To note sits epicious enhances and denominate liany supplementation. We recent residence is helded only trace authorized type store and helder storing through Surescripts and talk.

# 01 Connecting the TV to the One Connect Box

One Connect Resistapper contributed by S. For more information since to connect white One Connect Body of S. C. Sigue any and it Suddates South

- Bound carche Che Connect So Indian upside diversion pright position
- Lake care no. to extract the catheto argue the arrisms below The Che Connect Cathecontains a sower chapt.











CDCSTEASE (PCCDDCT) if a national sort of the control of the control

- Band one the Cre Connect Califerences wity Bond: with the cable
- Donal case years dipals and a case.
- Board if sessemble efficient the cable concenture.
   Caste in Liberalica rapid, adjoising stagent to performance of concelling of the others specified performance of concelling objects.

Using the One Connect cable bother

XXXP - XXXVPX, WARGERISON y

Yourset selbe Conference and demotify upits



# 02 Initial Setup

Wearports received the Units that the chimadisary statistical attained and produce the state of the control of

- You will need be meaning occurrent procession metwork
  assectional mention. If you discount this ingit, you
  will happy our common processor in 19 (applicable)
  decreases in times only to the own according, your a
  most.
- Who mistak sydlik 486200 omokilova valumomit, ti ombelsete letterförligendilmet.
   Som flesteres næmot supportpert atmisfer. fyll.
  - The initial scrup is postmixed for land staype mode.

# Using the TV Controller Supply to a total Example: 1966 to the actual

Parameter to the Power for the Jee Control manufactor of the Control manufactor for the Lagrangian Control for the Lagrangian f

- the remay often Appending on Connected

   The street may do not the probability of the

  SAVE TRAINING to the politic politic following the probability of the politic politic politic politic politic politic politics.

arotect wiften is attached to neverthe films.

#### (2) Control menu

- (f) 1V Carraelle butte (\* Parieseontre, ser au \* ) Micropherie va. 1th. \* Metter Seoson (€ 1V Carraelle butte (\* Parieseontre, ser au
- Nicrophone switch
   The Activities is the Newton control person at the bettorn of the Newton Service (Newton) in the Newton Service (Newton) i
- Jie Vremakovit.

  s The Evans Scressorty

# How to turn on and of the Microphone





# suroff swoo

We contain or and the introphore typic high sound as the horizon or without the TV limit to the relations of CA I was under a life standard and you design of the content of the terminal or the second or the secon

- Disk technolosu portretentyling@%%g8f0g098f0g.
- OWHORNSHIP ON WHO SERVICE TO THE SERVICE
   The position and shape of the microbions with may be floridge, where the mode.
- Budg probab oing tale conflict thing-to-eitherbid knowled

# 03 Troubleshooting and Maintenance

# Troubleshooting

Permane intermedian, referen Timut est pating in it all ser-

★: = Helidine Jasa Helizad (\$Sattings / Support) Open Interpolates The Methodrical Finance User, octant coting types payappeasants. News.

- onway confinely lek Support reconstruction and remains.
   It spoud smace spot at a cosmic reconsist sector regalation are Theremains, he have any favorable transport for a committee paddon through the paddon through t
- profilm

  \* follogyout 19 are ... non condition .e.p.; < 2 to the little of a large to the Update films of the Louisian films are the Louisian Louisian ... = (The least that be the Chiff (Settings) Support > Settings Louisian Louisian ... Update has a Wade has an Auto-Jaconst.

# The TV won't turn on.

- Males mitalite programit secure yellografi tro
- the ned at modifices. Loudet

  National is at inevaluated level single of the samulacontrol server at the bettern of the TV is the original of water.
- Types right="eController butter with a witon of the two makes are that the probleme individual transmitter control fill of tital is unancies of increase control through expect.

Theremote control does not work.

- Check filters national to be so at the obtain of the TVM national engages to the think to the remain control.
- Dispective of interest of an interplane the record controls butteres. Nates are that the butteress retransfer to the freedom / - shifter control rection.
   A but to be the interest of an interest of the force bettery.
- Chemic Lebration de nameles Lettery is decreged, marget habet eyesten the 1939 marging panels eyes, and an exemble remais an express the solar authority.
- (1.5-16 m) many that is one my Promittenant (id sessifit to most indeed et apendie ments sold et all to as essential form. Benedig provide (id all id all id benedig form. Benedig provide (id all id all id

By whiting the mirror of socily at the TVT sun STL to ST.

### Eco Sensor and screen brightness

can be surjusted to  $U_{\rm c}U_{\rm c}$  near of  $U_{\rm c}U_{\rm c}$  constituting. This letture measures the light invarious surjust entirely mixes the high investigation (i.e., power

Emergation if you want to contil woll you be — I of directions for too! (Sections : All Sections : Section : 3 - Aug - Power and the 1925 Section : 2 - Begin to sec

 If consensor stated at the outproof the Note and both transport Virtual yolds dutter as consensor outprofit of these.

# 04 Specifications and Other Information

# Specifications

Display Resolution
CHAPPLATO WAYED plants 7550 k4580
Chapteroots 5 7440 x 7440

#### Sound (Culput)

CHARLEST WASTE SAN 220W

CHARLEST WASTE SAN 220W

CHARLEST WASTE SAN USC 12500W

CHARLEST WASTE SAN USC 12500W

CHARLEST WASTE SAN USC 12500W

CHARLEST WASTE WAST

# 120705mbe((0560) 20%, 50005max(65430) 40W Open ling Temperature

Operating Humidity
10741000 %, respondence to

CRESCO-CHROCOSC ASSORT

Shazge Pemperah or ARI ISBN 1-81Y, WAS 10 Shazge Humishy Sitt WS Romanish bills

Notes

- This device is a Class To be the operation.
   Your for activational deposits appears a more internalize devictions who is night as the following on the label procedure of the label procedure.
- Enned mate a the label half enemit dieters of the TV Siz some mates, the label is independent to make?
- On the Panner's floor models, the label is artested to the bottom of the Check med. But.
- To connect a Lott configure a CVP2 ("STP type) cable for the connect a 1000-10 Mbps?
   "St leaded to back this."

# The mages and accept feature of the uncoessing and admits library in the may differ from the actual product.

Decreasing power consumption whereas factor is of terrors and whose factor is on the conference of the consumption and green as the consumption and green process of the consumption and green process developed a living a large in a consumption of the consumption and green and the consumption are consumption.

Accessory type and quantity may vary depending

The images shown in this manual are for illustrative purposes only and may be subject to change.

The cables mentioned in this guide is not supplied

with your unit.

Elbrd: J.E. / SC: 05-24-2024

# PRINTED IN MEXICO


OBPN: BN68-17567A-00 SHNMDL: UN55DU7200DXZA\_B ADD:QN55Q60DDFXZA Rev.01\_SollarCellRemote Elbrd:J.M\_08-29-2024

814100238



# i

# About the Buttons on the Remote Control The Arrest N HyShorte do a differing your lemote a tivilies easy access to the



NOTE: The remote control vary depend of model: The buttons on the remote control may have a different name or location than the remote control shows in this manual.

Buttoe	Descriptors						
(C)(Parent)	Presits Limite IV and off.						
Gettings-Variaber Option bettond	the transcence Seldings means / although author (page / Batter page / SmartTP legal applicate).  According the SmartThing are pushing the abilition may not be supported, departing on the report  Death is but for concentrated determined to story that the specific to 40 of sold consider.  Presents thingup the final incomer oped or the consent the the numeric largues to another to not be able to Selection index specification of the Consent to the things of the consent to an area of the consent to th						
_(Color bifter)	when proceed, on the higher approximation events, like this better it was even with three distance that a value of the highest $\alpha$						
() the extrorul button (up, down, left, right)	the talk indigated an around well of cast object light for south the resource.						
@Select	Science or vince of boused from . When proceed while you are were rings it medically program cate led program into medium operator.						
⊙0ecum)	Prescription the precises then a When presided for these discussed distance in European discussion of the prescription of the westerings arrogam, the previous discussion when pre-						
(C) (Smart Rub)	Present weight to the Uniter Science						
() Play/passed	when the section of the control appear $\mathcal{M}_{\mathbb{Q}}$ , we can use, you can constitute that with the step $\mathcal{M}$						
∳ /(Volume)	Howeverharm inordoctronal inflavolute jumps treasural press trebutes ・ 過, neyroobs area redeeming or the read						
^/ <b>~32mm;</b>	Prove tradication up or down to discuss \$100 downs. To see the Galdescrees, preceive burden. When present for Justimiting more, the Egg (et 1) to oney copyons.  Personne Sold the authority or a works quite dy Sanga Vanches et.						
() hand application	Laund the applied tree if yithe homor.  • Available apparate differ depending on the prographical area of contrast previous.						

- Hydrocycle remains come. Mak comes will sport Tylocomers' a nother Type median community and a sende community.

#### Using Accessibility Functions (may differ with model)

#### Accessing your (Visiaccess billity functions)

- no Assambility Shorte. Is button on your ram drop provides easy access to the access bit you not one on your TV. Poemand polititle Volume historical spiky the Accessit Tity Shorrous, recul-
- Pome functions may not copacific persons and leading as returned.
- Rose functions may not be suggested depending on the model or geographics, even.

## Voice Guide

Volume of one where diesthalment after men, aminous our invitor and all impaint. To write anything or time. set that it is defined with value to addit at the tWe will be water grades for during the argument of the matter  $\omega$ contacts of opening a copionist ad editionies, nglother "Vicinal angles is a contact. The Web Brown, and in Smarth.

- You can to trigg reith evaluating great, pitch, and level of the Volta Guide. The Varieties will be invoked to the Progragory at separated on the Parajungs so care brigitate absence appointed.
- However, i.e., a graph sure of supportable Voluntians over thought reports statisfied at anguage state  $\alpha$  .

#### Audio (Video) Description

Yourus authors as authoral delibitions. Jessen auto-discription of Adversarias for the Meanly impaired. This function is on year adjusted proceduate the provided heaviles.

#### Audio Subdities

This fears are adiably reader registers of an exact or pictors contract. You can observe the volume one per trailing it is a repart of a

 $on \ \ if \ \ if \ \ if \ \ if \ \ in the constraint and \ \ on a problem is a graph of the constraint of the constrai$ rando di fuello i i U especia i, U e TV apparis refuned use u

Exargo diovarior to make the posture of certaing at You consequent, we as interest or now otherwise market. FighCon.rest

For a relarger  $\delta \phi$  can be account white out are browledgen as the get returned  $\phi$  . When  $\phi$  is a spage at the flootist not move cases around flowed velocity with rection, we, High Combrattle On. Relamino Made

is four discusses the contract adding measure the salest and the losses the cuttakes of trages so tall viewes. with provision can posterior can no order to Together leader

Special responsive spicked with a february Mode lateration and these contispiace, when the medicis corrects if when by alds simultaneously.

#### Zoom Henuland Text

Yours, on a go the stockfull of on, or these you load was self-from Memberd feet to Or

#### Conyecule

Note religible to colors to a total entre to be becauted the total entre time of the action of the second sections. The wascale is on isome Appearable former up and not available

### Colorinversion

dither motion of the properties that is efficient measure of a provider the TV consects contact in a factor

Local Inversion policione Accessituda menova e rotazquable.

#### SeeCo onsiñade

the factors who can swift our bindness experience in the case of

Date this realize to quality this distriction to you are qualities of a American distriction and the colors are districted and the second distriction and th Learn TV Romote:

Tablem on helps in the back with a shall treatment to accord a public or it includes on the paralleles to . When into function to activated, you can press a billion on the remote compour of the TVACI (elligible) in a mail Press the  $(\odot)$ (Return) is the make in each team Tellienneis.

#### Loam Well, Screen

Later the manufact the TV street. Ance and left, your Texal deligate the employee from resolution end by a select. Caption

### Set Caption to Cardy witch or grammer in the captions displayed.

- Cuplor can robbit spayarily processes than to not support replace.
- $\bullet \ \ This horder is shown in the polymer formula large thirty of this polymer is writing the formula of the polymer is a simple of the polymer formula of the polymer is a simple of the polymer formula of the polymer is a simple of the polymer formula of the polymer is a simple of the polymer formula of the polymer is a simple of the polymer formula of the polymer is a simple of the polymer formula of the polymer is a simple of the polymer formula of the polymer is a simple of the polymer formula of the polymer is a simple of the polymer formula of the polymer is a simple of the polymer formula of the polymer is a simple of the polymer formula of the polymer is a simple of the polymer formula of the polymer is a simple of the polymer formula of the polymer is a simple of the polymer formula of the polymer is a simple of the polymer formula of the polymer is a simple of the polymer formula of the polymer is a simple of the polymer formula of the polymer is a simple of the polymer formula of the polymer formula of the polymer is a simple of the polymer formula of the polymer is a simple of the polymer formula of the polymer is a simple of the polymer formula of the polymer formula of the polymer is a simple of the polymer formula of the polymer is a simple of the polymer formula of the polymer is a simple of the polymer formula of the polymer formula of the polymer is a simple of the polymer formula of the polymer is a simple of the polymer formula of the polymer is a simple of the polymer formula of the polymer formula of the polymer is a simple of the polymer formula of the polyme$ A vity sittles, exchanged from each turbule (4) by Ayana (4) Ayana a servert of
- separate traced captae i Not carry lipid yit recordion in the area as carated from the fertal post potent.

#### Signitanguage Zoom

For an extension of the  $x_0$  functions and anticoprogram you are well they by the A(x) to A(x) by the gauge Zeen A(x) $\label{thm:continuous} We will describe a problem of the position of the problem of the proble$ 

i owdowide.copi archinate tare with sign angelege.

## Learn Gesture Functions


### Cricilization are stasta etaistics.

#### Multi-output Audio

 $w_{\rm inf}(\alpha) = w_{\rm inf}(\alpha) + w_{i$ with a of the doubted device sights that the with a cold in TV species.

research right ether peats, repeated for research as but the soft at the play does not enjoy to a the ally press. or Jilliam Francisch Staw Buttern Report to Co.

#### About the Samsung SolarCell Remote (Samsung Smart Remote)



NOTE: The remote control vary depend of model: The buttons on the remote control may have a different name or location than the remote control shows in this manual

### Program platfor may accur to stiffing in damage to the remote control or removal trial (2)



- Boundaine, Oktibiographic asset as real tigate easter rein contact with a charging terminal of the remote control.
- After the remote control is demaged or you small smalled riburning famou, in medianely consideration and contact. SENSOR SENSOR
- Bonot z hitrar iydisəssemble toqurumut control.
- Recalcions tricinters op to accord achievance out of Frenz splace may autorise this insurance. The secretary and any secretary is

Bitton	Description	activated, you can present attorner the remata control and the TV ALL tell you its name. Here the 😭 3
(Cesson	A solution for more in the control of the following the second of the following the control of t	Sample.  Usual Mediu Surbea.  Listen the resolution by Money Construction (but I Wellfel), but the court in sear for the series of the court of the series of t
Second :	, industrial was stop him to operate with the net section of.  When complete the medican half we distributed distributed the place of the property of the prop	Copton  Set Debtands Chila yearth programs with the capits additional.  Set Destands on the Augustian ages in the form the part for the co.
(Omorrean)	Remarks to the many Press and half the bottom agains command on the prices of the buttom of the red of the section of the remarks the prices of the regional of the remarks the prices of the remarks the remarks the prices of the remarks th	<ul> <li>The median produced partition racing formulating abotion of What Newson.         as the abotic store of activities do significant. The planets condemned that a factor for the design of activities continued to a second college of activities continued to.     </li> <li>Supreme does does or</li> </ul>
( <sup>2</sup> ) fart syt-Heritar- Starbation	The accessors denting in terrary, may make paid in Color outdoors (Opple paid - Omer Things ago directly in which, any first Color outdoors (Opple paid). As writing an increase, and paid to the color of the access of the acces	Values display the caption in the analogous actions the broadcast ectron.  Sign is replace 2 from  The convention of the Sign acquires consistence the program, values with any provides 4 to 32 extriging on action 15 days ago 2 from to change the prodromatic magnification of the registers also serves.  Sign targuage Colds:
Kulencoration jerbagbil kall (Select	Destroying the frame process in the location by the filter control to review of the control to t	Produces cast of the of menulants with a grianguage. Users to State Americans Clinical and reconsist between factors.
(F) Heart	Argony other to be a construction of Management in Terror of translations of the Artificial State of t	Note output Audio  You contain on the Despectance of State of Indoor and Tensor France (Months State On the Months State On th
(Memery	Trestonidate Presidentials	device violent conductors among the Temperature.
<b>(2)</b> Рассии	A temperature the Art Aches Are, a given through entry an education of standard the medic content that being a being a same Corner for print over the direct above in Corne (Mode. a Corne for the annual of everyor for dispose in control of the corne (Addisonance).	Should utter Expend:  Viscons with product a speed of the conductor file, as the visit set they down (vit 4. Wh.Ch.).  New York of the product of a speed of the conductor file, as the visit set they down (vit 4. Wh.Ch.).  Authority of State.
+7-89.00	Postfet de representation à la formaire de la representation de la recharge de la	Accentification to the Artistantial England of the Artistantial Control of the Artista
NAMES	Posethet attendence on a congression of the Herberton in positive actor. When present to the conservation is the conservation of the conservation	
Wusench good latters	Court Temporal (seed by the service)  4. A substitution rate of the service of the post of the service of the s	
(D+8)×-•	Bit in National years remove does not desire the Beaution socialization to 1 - 4 m (s. 1 - 4 m (s. 1 m (s. 1 m )) in years with a trace (*) and (*) but only in usual early fact records on years.	
1000	Policy of the second of the se	

and a Science in the interest on 10 or proping the factors of discontinuous graphs in wido concern and

- 100 Magazi, Burgari, and fund consolidate Samuling Street Remote the differ with the model of people size laws
- The undersal and representation between the Second Set Check (Liberary et de "V the remain the description of the set of the second second period of the set of the set of the set of the second second
- via the wanterly tacaca is recapal or de- A number of the name of the companion of the The Continue Learner and the continue  $x \in V$  and the probability  $x \in A$  is the standard contribution of A is the contributio

#### Using Accessibility Functions (may differ with model)

### Accessing your TV's accessibility functions:

- The woose all hydracticate suction on your near the provides easy access to the accessibility functions on your PX in the second book by the relation in closely the Winey shirtly Want book in the ...
- Some functions may not appear appearing on the access matters.
   The soft when the year fair appeared for an fing on the main High appropriate year.

#### worker Ser der

for the defeaters of the life; they are of both a major of both add the visuality maked. To exhabit the function, talk with Euler to Da. Will rest of Substant the Physical Constitution for the responsibility, and in the recommendated approximation of the responsibility of the responsibi

makes award a 1-y 17 hourses, who is potential the WAR Provincian in MARC at

four can configure the volume, apared offers, and level of the Wolce Calide.

How this is a median of strapage the great strategy agos, any Eight Pales on a point becomes

larguages are not supported by Valoe Bubbs even though they are listed in the Language screen.

# sadio (Adoptites bipson

for consciousness discussion in a provide an audio description of video cases for the Archive Tribal Archive in a smill de video.

#### Audio Guitables

This feature au 是 year descend one dispute of the control of the

# Roture Cff

fanct de fragestarde ekkin gjannt mein, nar viljown, nar od a. Mierrup ek a yndam die senet rentela di the cover of the Typeren ill accomptioner.

# Machification

#### Or argue the name in to make the pictor is or land bigger. You can set, as the second existing movement accompanies. High Contract

You can change make service sections to while to use to this but open to or those the temperature for manuscropage as a manuscropage. uncessives. In a trate the high ratios of Mandestard to Ori

# Returning Mode

This fear are immoved the compact and brightness of the someth and amphabase the cattle  $p_{ij}(t)$  as  $p_{ij}(t)$  by  $p_{ij}($ discourance deads. Egetherr/lock

Proved to server displayed when Refer the Medicia for earlier and between the vide and the mode is turned of Lude by side. the dispessable

#### Scorn Nemuero, Toxia

Vol. can a plant with a city of the logical true some rules activate, red Zoom Mary and Popt to Av-

call can diverge the colored the Textsteen to a black and writte streptor factors educated dysocratic

I Grascule y or, serve Accessibility memory en alta vallente.

#### Colort wersion

outen wordle or an aftir test authorison for the entire process relayment to the resemble of the control of the

#### I Calorineersich is on, some Accesshiltermenus are nichtest ab e.

#### SeeColors Note This feature helps deers with color \$1 no reas as centerior righer colors.

Exactly to be turn to a patient to the colors for your unless viewing conditions, to proper to carried our colors on the school.

#### January Service

Tris for the helps, acide, at their revisual impairments out the positions of the batters on the general control. When this for the deactivated, you can precent atomic nine remota control and the Tarvill (tell you its name, then the 🚱 Satura objects in twice to so it learn "V

continues wante. Visieer Gaz-mater van Weiltel van te vand mandeties of broken warster.

#### Coption

#### Set Coption to Chills which programs with the coptions displayed.

- Costart are points also alternatives of any that do not support contains.
- The median produces a with the reconstitutional injustational DVP aBit represents an EAR DVP are Survey ADDs. use the solution is time of the DATen Burnsy objection. They ben't be not experien-

#### Auto Cuption Resident

#### Automatically adjust the coption doubton.

#### Saparate Closur Caprion.

#### Sign Language Zhorn

 $\label{thm:constraint} we can observe the program of the section of the section$ 

#### Sign Language Guide

#### Provious description of meru female in an unguige.

#### Nutri-output Audio

Yausantamontis Registers in a Support former transmission. More their at reserves or care for economic file Sucretidevice higher than the volume of the Teispenher.

# You concertigues the operation speed of the remote control of the Long stower, which was professing pressured had them. Set


814000238J


# Unpacking and Installation Guide


Please Read this guide carefully before using the device and keep it for future reference.




The actual number of ports may have a different name or location.










4





5





















	(3)	(B)	(Ĉ)	$(\tilde{0})$	(f):	(Ē)	(3)	$(\bar{\theta})$
90;370	d29hores 3042 mm	25.3 Inches (645.6 mm)	19 Inches 40% mmb	223 Inches 2233 mm3	83 Inches CSW mm0	485 in the	36.915x 33.916y	40.015s (16.2 kg)
5303.0	48.5 miles (1976 mm)	200 hallas (2005 mm)	19kd si (62mm)	90.2 k d m (%6.0 mm)	120hdes (230mm)	516 Inches	37/Up (19/49)	487 by (90 kg)
Fajern	.569 Indres (1446.5 mm)	53.6 hohen 329.5 mm8	Lüfnder Sögnart	38.Hhdred 889.5 mml	112 inches (205 7 mm)	6s Sinder	50,515s (22,94g)	575 Bo 361 bp
750010	66 51 K KV 11673 5 000)	377 fieldes (978 2 mm)	17 indies (42 mm)	401 m. (so (soss min)	12.5 indies (0.3.5 mm)	24.5 Inches	2005 (22 g)	8550 to (229 tq)
550510	71.5 Inches (1990 5 mm)	12.0 Inches (1052.0 mm)	(9 inches 96 2 mm)	tiskincher SVSS mmi	Distinction (\$25.6 mm)	545 ardio.	Willer Willigh	10/11 lbs 0172 kg

 $\sigma_{1}(3) \cdot Q(A) \cdot \mathcal{F}$ 



	(TESA (A)>(B)(Ten)	©itmi	(g)	(E)24	$(\underline{\widetilde{F}})$ where	(Š) Ficies	(F) federal	$_{\rm totics)}^{(\overline{1})}$
5005°D	227,200	20.22			121	5.5	15.0	11.7
990810		A19	(E)++	24		8.2	30.2	11.5
6908°D	4007401					5.6	2016	11.4
7548910	4007430					6.3	25.0	13.5
# eperts	603×400	16-18				6.3	25.1	16.4
*:0-8.A-2							in West No	s, wi Directed

## NOTES:

- The remote control vary depend of model: The buttons on the remote control may have a different name or location than the remote control shows in this manual.
- The cables mentioned in this guide is not supplied with your unit.
- Wall mount kit not included

PRINTED IN MEXICO

SC: 09-18-2024 / Elbrd: J.M OBPN: BN68-18074A-00

SHNMDL: QN65Q80DDFXZA\_B

814000238J