



# 全漢企業股份有限公司

## 安規證書

料號 :  
Model Name : FSP300-70PFL(SK),FSP350-70PFL(SK),FSP300-75PFL(SK),FSP350-  
版次 : 03  
文件編號 : SFD-00001720  
作者 : chow/周懿慧(FSP)  
Model No/Type : FSP300-70PFL(SK),FSP350-70PFL(SK),FSP300-75PFL(SK),FSP350-75PFL(SK)  
SFA NO. : SFA22101063,SFA22121006  
Trade mark : FSP  
安規種類 : CCC(5K+熱帶)/62368  
發行日期 : 2023/03/07 11:05:05  
備註 : CCC 62368 for FSP350,300-70PFL(SK)



# 中国国家强制性产品认证证书

## 变更结论 Modification Approval

证书编号 Certificate No.: 2018010907055005

申请编号 Application No.: A2023CCC0907-4109265

申请人 (委托人) Applicant: 全汉企业股份有限公司/FSP Group Inc.

证书编号 Certificate No. (变更前 Original): 2018010907055005

变更产品名称: 开关电源供应器

Name of Product Modified: Switching Power Supply

变更情况 Situation of Modification (见下表 See table below):

| 序号 | 项目 Item   | 变更前 Original                                                                                     | 变更后 Present                      |
|----|-----------|--------------------------------------------------------------------------------------------------|----------------------------------|
| 1  | 变更试验依据标准  | GB 4943.1-2011, GB/T 9254-2008                                                                   | GB 4943.1-2022, GB/T 9254.1-2021 |
| 2  | 延长证书有效期   | 有效期至: 2023-03-16                                                                                 | 有效期延长                            |
| 3  | 更新安全关键件清单 | 见原报告: 原申请编号:<br>A2018CCC0907- 2808547、<br>A2019CCC0907-3330935 原报告编号:<br>00501-CG2018-2336、无 报告号 | 变更后: 详见关键件清单加粗部分                 |

现批准以上变更。

Above Modification is approved. The present will replace the original.

批准日期 (Date): 2023 年 03 月 02 日

第 1 页 / 共 1 页

签发:

谢肇煦



中国质量认证中心





# 中国国家强制性产品认证证书

证书编号：2018010907055005

发证日期：2023 年 03 月 02 日  
有效期至：2028 年 03 月 01 日

|                   |                                                                       |
|-------------------|-----------------------------------------------------------------------|
| 认证委托人名称<br>及注册地址  | 全汉企业股份有限公司<br>台湾省桃园市桃园区建国东路 22 号                                      |
| 产品生产者名称<br>及注册地址  | 全汉企业股份有限公司<br>台湾省桃园市桃园区建国东路 22 号                                      |
| 生产企业名称<br>及生产地址   | 深圳辉力电子有限公司<br>深圳市宝安区新安街道布心社区 73 区流塘路 352 号辉力厂 C4 栋 101 至 301、C5-C11 栋 |
| 产品名称和系列、<br>规格、型号 | 开关电源供应器<br>见附件（不带电线组件销售，仅适用于海拔 5000 米及以下）                             |
| 产品标准和<br>技术要求     | GB 17625.1-2012;GB 4943.1-2022;GB/T 9254.1-2021                       |

上述产品符合 CNCA-C09-01:2014 认证规则的要求，特发此证。

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书，证书首次颁发日期：2018 年 03 月 16 日

经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站（[www.cnca.gov.cn](http://www.cnca.gov.cn)）查验证书信息



签发：

谢肇煦



中国质量认证中心





# 中国国家强制性产品认证证书

证书编号：2018010907055005

第 1 页 共 1 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

| 型号                                   | 输入                               | 直流输出                                                                                                                              |
|--------------------------------------|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| FSP350-70PFL(SK)<br>FSP350-75PFL(SK) | 100-240V~,<br>7-3.5A,<br>60-50Hz | +3.3V/21A, +5V/16A,<br>+12V1/17A, +12V2/17A,<br>+5Vsb/3A, -12V/0.5A,<br>-5V: 0.1A (可选)<br>(+3.3V & +5V = 105W max.)<br>总输出功率 350W |
| FSP300-70PFL(SK)<br>FSP300-75PFL(SK) | 100-240V~,<br>6-3A, 60-50Hz      | +3.3V/19A, +5V/16A,<br>+12V1/17A, +12V2/17A,<br>+5Vsb/3A, -12V/0.5A,<br>-5V: 0.1A (可选)<br>(+3.3V & +5V = 105W max.)<br>总输出功率 300W |



## 中国质量认证中心



## CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.:2018010907055005

Valid from:Mar.02,2023

Valid until:Mar.01,2028

NAME AND REGISTERED  
ADDRESS OF THE APPLICANTFSP Group Inc.  
No.22,JianGuo E.Rd.,TaoYuan City,TaiWanNAME AND REGISTERED  
ADDRESS OF THE  
MANUFACTURERFSP Group Inc.  
No.22,JianGuo E.Rd.,TaoYuan City,TaiWanNAME AND LOCATION  
OF THE FACTORYShenZhen HuiLi Electronics CO.,LTD  
Building C4-C11, No. 352, LiuTang Rd., County 73, Bu'Xin Village, Xin'an, Bao'an, Shenzhen,  
Guangdong, China

## PRODUCT MODEL(S)

Switching Power Supply  
See appendix(Sale without cord set, Altitude up to 5000m)STANDARDS AND  
TECHNICAL REQUIREMENTS

GB 17625.1-2012;GB 4943.1-2022;GB/T 9254.1-2021

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO.CNCA-C09-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Mar.16,2018

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: [www.cnca.gov.cn](http://www.cnca.gov.cn)



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE





# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2018010907055005

page 1 of 1

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

| Model                                | Input                         | DC output                                                                                                                                            |
|--------------------------------------|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| FSP350-70PFL(SK)<br>FSP350-75PFL(SK) | 100-240V~, 7-3.5A,<br>60-50Hz | +3.3V/21A, +5V/16A,<br>+12V1/17A, +12V2/17A,<br>+5Vsb/3A, -12V/0.5A,<br>-5V: 0.1A (Optional)<br>(+3.3V & +5V = 105W max.)<br>Total output power 350W |
| FSP300-70PFL(SK)<br>FSP300-75PFL(SK) | 100-240V~, 6-3A,<br>60-50Hz   | +3.3V/19A, +5V/16A,<br>+12V1/17A, +12V2/17A,<br>+5Vsb/3A, -12V/0.5A,<br>-5V: 0.1A (Optional)<br>(+3.3V & +5V = 105W max.)<br>Total output power 300W |



CHINA QUALITY CERTIFICATION CENTRE