사용설명서 Operating Instructions CRP-HS06 Fuzzy Series

1.08L(1~6Persons) / 1.08L(1~6인분)



happiness

NO.1 CUCKOO

Electric Pressure Rice cooker/warmer



love

CUCKOO ELECTRONICS CO., LTD.

CONTENTS

Thank you very much for purchasing "CUCKOO" Electric Rice cooker/warmer

Read the following instruction manual before use. Save this instruction manual for future reference. This manual will be useful if you have any questions or have problems operating the rice cooker.

저희 쿠쿠 압력보온밥솥을 애용해 주셔서 대단히 감사 드립니다.

이 사용설명서는 잘 보관하여 주십시오. 사용 중에 모르는 사항이 있을 때나 기능이 제대로 발휘되지 않을 때 많은 도움이 될 것입니다.

차

CONTENTS

시용하기전에 BEFORE USING Important safeguards Important safeguards 3 제품규격 4 Specifications ------4 안전상의 경고35~38 Safety precautions ----- 5~8 Name of each part9 제품 손질 방법40~41 How to clean ----- 10~11 기능 조작부의 이름과 역할42 Function operating part12 기능 표시부의 이상점검 기능42 WHEN USING 시용할 때 현재시각의 설정 43 음성안내 기능의 설정과 해제43 야간 음성볼륨 줄임 기능 / 남녀음성 설정 기능 44 Night voice volume reduction / Woman and man voice setting function --- 14 취사전 준비사항 45 맛있는 밥을 드시려면...... 46 17~18 취사는 이렇게 하십시오 47~48 How to cook 자동살균세척 기능, 묵은쌀, 검은콩 취사 기능......48 MY MODE (Cuckoo Customized Taste Function) ... 19~21 쿠쿠 맞춤밥맛 기능은 이렇게 하십시오 49~51 How to use "GABA (Brown rice)" 22~23 현미/발아는 이렇게 하십시오52~53 How to cook the MULTI-COOK and NU RUNG JI 만능찜 누룽지는 이렇게 하십시오.....54 How to preset timer for cooking25~26 예약 취사는 이렇게 하십시오 55~56 To keep cooked rice warm and tasty 27~29 밥을 맛있게 보온하려면 57~59 How to use power saving function 30 절전기능은 이렇게 하십시오60 How to lock buttons 31 버튼잠금 기능은 이렇게 하십시오......61 BEFORE ASKING FOR SERVICE 고장 신고 전에 고장신고 전에 확인 하십시오62~64 COOKING GUIDE 요리안내 65~73 요리안내 Cooking Guide

IMPORTANT SAFEGUARDS

- 1. Read all instructions before using this appliance.
- 2. Do not touch hot surfaces. Use handles or knobs.
- 3. To protect against fire, electric shock and / or injury to persons do not immerse cord, plugs, or Pressure Cooker Body in water or any other liquid.
- 4. Close supervision is necessary when this appliance is used by or near children. This appliance is not intended for use by young children without supervision.
- 5. Unplug from outlet when not in use and before cleaning.

 Allow appliance to cool before putting on or taking off parts, and before cleaning the appliance.
- 6. Do not operate any appliance with a damaged cord or plug, after the appliance malfunctions, or has been damaged in any manner. Return the appliance to the nearest authorized service facility for examination, repair or adjustment.
- 7. The use of accessory attachments not recommended by the appliance manufacturer may result in fire, electric shock, and / or injury to persons.
- 8. If the supply cord is damaged, it must be replaced by a special cord or assembly available from the manufacturer or your service agent.
- 9. Do not use outdoors.
- 10. Do not let the cord hang over the edge of a table or counter, or touch hot surfaces.
- 11. Do not place on or near a hot gas, electric burner, or in a heated oven.
- 12. Always attach the plug to the appliance first, then plug the cord into the wall outlet. To disconnect, or set all control to "off", then remove the plug from the wall outlet.
- 13. Do not use this appliance for other than its intended use.
- 14. Extreme caution must be used when moving an appliance containing hot oil or any hot liquids.
- 15. Oversized foods, metal foil packages, or utensils must not be inserted into the appliance as they are a risk of fire or electric shock.
- 16. A fire may occur if the appliance is covered or touching flammable material, including curtains, draperies, walls, etc while in operation.
- 17. To reduce the risk of electric shock, cook only in the provided removable container.
- 18. This appliance cooks under pressure. Improper use may result in scalding injury.

 Before operating the unit, properly secure and close the unit. See "Operating Instructions."
- 19. Do not cook foods such as applesauce, cranberries, cereals, macaroni, spaghetti, or other foods. These foods tend to foam, froth, and sputter, and may block the pressure releasing device.
- 20. Before use always check the pressure releasing device for clogging.
- 21. Do not open the pressure cooker until the unit has cooled and internal pressure has been reduced. See "Operating Instructions."
- 22. Do not use this pressure cooker to fry in oil.

SAVE THESE INSTRUCTIONS THIS APPLIANCE IS FOR HOUSEHOLD USE ONLY

ADDITIONAL IMPORTANT SAFEGUARDS

WARNING: This appliance generates heat and releases steam during use. Use proper precaution to prevent risk of burns, fires, other injuries, or damage to property.

- 1. Keep hands and face away from the Pressure Release Valve when releasing pressure.
- 2. Take extreme caution when opening the Lid after cooking. Severe burns can result from steam inside.
- 3. Never open the Lid while the unit is in operation.
- 4. Do not use without the inner Pot in place.
- 5. Do not cover the Pressure Valve with anything as an explosion may occur.
- 6. Do not touch the inner pot nor any heating parts, immediately after use. Allow the unit to cool down completely first.

HOW TO USE EXTENSION CORD

Note:

- A. A short power-supply cord (or cord set) is provided to reduce the hazards from entanglement by a longer cord.
- **B.** Extension cord should be used properly.
- **C.** Extension cord usage for the rice cooker:
 - (1) The correct rated voltage should be used for the rice cooker.
 - (2) If the appliance is set on the ground, the extension cord should also be set on the ground.
 - (3) The cord wires and extension cord should always be arranged to prevent hazards to children.

This appliance has a polarized plug: (one blade is wider than the other).

As a safety feature, this plug will fit in a polarized outlet only one way.

If the plug does not properly fit in the outlet, turn the plug over.

If it still does not fit, contact a qualified electrician.

Please, keep this safety feature.

SPECIFICATIONS / 제품규격

Model Na	me(모델명)	CRP-HS06 Fuzzy Series
Power Si	upply(전원)	AC120V, 60Hz
Power Consur	nption(소비전력)	1027W
	Glutinous Rice(백미)	0.18~1.08L (1~6cups)
	Turbo Glutinous Rice(백미쾌속)	
	Sushi(김초밥)	
	Mixed Ricce(잡곡)	
Cooking Capacity	GABA(현미/발아)	0.36~0.72L (2~4cups)
(취사용량)	Rice&Beans(검은콩)	0.30~0.72L (2~4cups)
	Dried Rice(묵은쌀)	
	Nu Rung Ji(누룽지)	
	Nutritious Rice(영양밥)	
	Panidge(죽)	0.18~0.27L (1~1.5cups)
Power Cord Leng	ath(전원 코드 길이)	1.0m
Pressure	(사용압력)	78.4KPa(0.8kgf/cm ²)
Weigh	nt(중량)	5.8kg
	Width(폭)	27cm
Dimension(치수)	Length(길이)	37.4cm
	Height(높이)	25.3cm

HOW SERVICE IS HANDLED

 USA
 The East and the Central Districts
 Canada
 TORONTO

 Tel. No. (718) 888-9144
 Tel. No. 905 707 8224 / 416 878 4561

 The West and the Central Districts
 VANCOUVER

 Tel. No. (213) 687-9828
 Tel. No. 604 540 1004/604 523 1004



- Read the following product safety guide carefully to prevent any accidents and/or serious danger.
- 'Warning' and 'Caution' are different as follows.



∖ Warning

This means that the action it describes may result in death or severe injury.




Caution

This means that the action it describes may result in injury or property damage.



- •This sign is intended to remind and alert that something may cause problems under the certain situation.
- Please read and follow the instruction to avoid any harmful situation.





Indicates an instruction





Do not

Do not cover the automatic steam outlet or pressure weight with your hand or face.



- · It can cause burns.
- · Especially be careful to keep it out of children's reach.







Do not use the cooker near hot things such as stove, gas stove or direct ray





 It can cause an electric shock. fire, deformation, malfunction or discoloration. Please check the power cord and plug frequectly.

Use a single socket with the rated current above 15A.



- Using several lines in one socket can cause overheating or fire. Please check the power cord and plug frequently.
- Use an extension cord with the rated current above 15A.

Do not alter, reassemble, disassemble or repair.

- . It can cause fire, electric shock or injury.
- · For repair, contact dealer or the service center.



Do not let the cooker contact any water by sprinkling water on the cooker.

- It can cause an electric shock or fire.
- If it contacts water, please separate power cord and contact dealer and service center.

Do not use damaged power cord, plug or loose socket.



- Please check the power cord frequently for damage.
- · Serious damage can cause electric shock or fire.
- If the plug is damaged, contact the dealer or a service center.





Do not

Do not cover the automatic steam outlet or pressure weight with a duster, a towel, or apron, etc.



- It can cause deformation or a breakdown.
- It can cause an explosion by pressure.

Do not use pots that are not designed for the cooker.

Do not use abnormal pot and do not use without inner pot.



• It can cause an electric shock or fire.

Do not use it without the inner pot.

- It can cause electric shock or malfunction.
- Do not pour rice or water without the inner pot.
- If rice or water gets in then do not turn the product over or shake it please contact to dealer or service center.

Do not turn the Lock/Unlock Handle to "Unlock" during cooking.

- The hot steam or any hot content within the cooker can cause burns.
- After you finish the cooking do not try to open the cooker by force until the steam is completely exhausted.

Do not place heavy things on the power cord.

• It can cause an electric shock or fire.

Remove external substances on plug with a clean cloth.

• It can cause fire. Please check the power cord and plug frequently.

Do not insert metal objects such as pins and wires or any other external substances in the automatic steam exhaust outlet or any other slot.



- It can cause an electric shock or fire.
- Especially be careful to keep it out of reach of children.

Don't spray or put any insecticide and chemicals.

- It can cause an electric shock or fire.
- If cockroaches or any insects get inside the cooker, please call a dealer or a service center.

Do not put any needle, cleaning pin etc in the ventilator or any gap of the cooker.

- Do not insert cleaning pins to other parts except to the valve hole of the pressure weight.
- It can cause an electric shock or fire.

Do not open the top cover during heating and cooking.

- It can cause burns.
- If you need to open the lid while cooking, keep pressing the cancel button for 2 seconds and confirm internal steam is released, completely turning the pressure weight over.

Do not pull out the clean steam vent by force.

• When separate it, the steam control vent can be blocked.

Please make sure you clean and check the assembly condition of the clean steam vent before and after use.

- If you have any problem with assembly and cleaning of the clean steam vent, please call a dealer or service center.
- Keep clean the product before and after use.

Do not bend, tie or pull the power cord by force.

 It can cause an electric shock or short circuit resulting in fire. Please check the power cord and plug frequently.



Be careful that both the plug and power cord are not to let animal bite or to be shocked by sharp metal materials.

 Damages by impact can cause an electric shock or fire.
 Please check the power cord and plug frequently.

Keep the cooker out of children's reach.

• It can cause burns, electric shock or injury.







Remember

Do not use on a rice chest or a shelf.


• Do not place the power cord between furniture. It can cause an electric shock resulting in fire.



· When using on furniture be cautious of steam release As it can cause damage, fire and and/or electric shock.





It can cause an electric shock.



•It can cause a system malfunction or fire.

If you use cardiac pacemakers or electrical medical supporting equipment, consult a doctor before using this unit.





Caution

Do not

Please contact dealer or service center when strange smell or smoke has occurred.

• First pull out the power cord.

Do not use over the maximum capacity.

- It can cause overflow or breakdown.
- · Do not cook over capacity stated for cooking of chicken soup and congee.

Do not touch the metallic surface of the inner pot and pressure weight after cooking or warming.

- · It can cause burns.
- Remaining hot steam can cause burns when you tilt the pressure weight during and after the cooking.

Don't use the cooker near a magnetic field.

· It can cause burns or breakdown.



Please pull out the plug when not in use.

- It can cause electric shocks or fire.
- · Use AC 120V only.

Use product on a flat surface. Do not use on a cushion. Please avoid using it on an unstable location prone to falling down.



• It can cause malfunction or a fire. Please check the power cord and plug frequently.

Please use the cooker for original purposes.

It can cause the malfunction or smell.

Don't use for various purposes for inner pot.

- It can cause defomation of the inner pot.
- It can cause to spill the inner coating.

Do not drop the cooker or impact.

· It can cause malfunction.





Do not

Do not place on rough top or tilted top.

- . It can cause burns or breakdowns.
- Be careful to install the power cord to pass without disruption.




When the exterior of inner pot is titanium ion plated.


- •The exterior of titanium inner pot can get darker when used for a long time.
- Use dry kitchen cleaner or sponge to clean the inner pot since rough scrub or metallic ones might cause scratch on the exterior of the plating.
- The friction of the inner pot with sink or other appliances can cause its plating's coming off.
 (No problem to use it)

Do not hold the cooker by the inner pot handle.

 It can cause problems and danger. There are portable handles on the bottom right and left side of the cooker.
 Hold the handles with both hands and move it carefully.

Please call customer service if the inner pot coating peels off.





After you finish cooking, do not try to open the cooker by force until the steam is completely exhausted.



- The hot steam or any hot content within the cooker can cause burns.
- Cautiously open the top cover after cooking is done to avoid dangerous steam and burns.



Remember

Be cautious when steam is being released

- When the steam is released don't be surprised.
- Please keep the cooker out of reach of children.

When you pull out the power plug, don't pull the power cord. Please, safely pull out the power plug.



 If you inflict impact on power cord, it can cause an electric shock or fire.

If power fails during rice cooking, automatic vapor emission device may work, leading to dispersion of contents.


- Cook rice with specified amounts of rice and water.
- In particular, water more than specified amount may cause overflowing of contents.
- Cook rice while soft steam cap is mounted.


Do not keep easily spoiled food warm in the product such as red bean rice, mixed food, croquette or gratin.(Except white rice)

Wipe off any excessive water on the cooker after cooking.

- It can cause odor and discoloration.
- Wipe off water that is left behind from dew.

Please clean the body and other parts after cooking.






- It can cause alteration or smell.
- Use dry kitchen cleaner or sponge to clean the inner pot, since rough scrub or metallic ones are abrasive to the coating.
- Depending on the using methods or user's circumstances inner pot coating might rise.

 Please call the customer service for those cases.
- Please, do not pull out the clean steam vent by force.

Even if power plug is unplugged, turn lid combining hand grip always to ≜ (Lock) location.



 Be sure to turn lid combining hand grip to (Lock) direction during cooking and heat preservation before use.

Maintain more than 30cm of distance from the product while using.

• A magnetic field can be released from electronic goods.



Plated inner pot with titanium ion (The outside)

Feature 1.By plating the surface with titanium the inner pot is more durable

- 2 Durable against corrosion
- 3. Exterior is plated with gold titanium

Name of each part



Pressure Weight

Always keep it horizontal. It stabilizes steam inside of the oven. Pressure weight is twisted, it release steam.

Automatic Steam Exhaust Outlet (Solenoid valve)

When finished cooking or during warming, steam is automatically released.

Lock/Unlock Handle (Set the handle to lock when cooking or warming the rice)


The handle has to turn to 'Lock' for operation.

Clamp Knob

Turn handle to 'Unlock', and then press Clamp knob to open.

Control Panel

Name of each part



Top Cover Assy

Detachable Cover Contrl Plate Packing

Contrl Plate Packing Cover

Pressure Control Plate

Holder Guide Clean Steam Vent


Handle

Holder

Dew Dish

Empty the water out of a dew dish after cooking or keepwarming. Leaving the water in the dew dish results in bad smell.

Power Plug



Temperature Sensor



Pot Handle

Inner Pot(Oven)

Place the inner pot Into the body property.



Rice Scoop holder

Accessories

Manual&Cooking Guide



Rice Scoop



Rice Measuring Cup



Steam Plate



Cleaning Pin (Attached on the bottom of the unit) (Refer to page 11)



HOW TO CLEAN


- -To prevent foul odor clean the detachable cover, after the rice cooker has cooled and the rice cooker is unplugged
- -Body and cover should be cleaned with a dry dish towel. Do not use betel while using rice cooker, starch can remain. No effect on health.
- -Do not put materials like screws into holes of detachable cover. Check the back cover and front cover.

Detachable cover & Pressure packing

After cleaning detachable cover, put it back on the lid Unless detachable cover is mounted, preset cooking cannot be done. (Alarm may sound while keeping warm.)



Turn the holder counterclockwise, and the cover will be easily separated from the cooker and can be washed.



②Wash the cover with cooking purpose neutral detergent and sponge frequently, and wipe off moisture with handkerchief. *Please keep clean the edge of rubber packing, then the rice cooker last's



When mounting the cover, grab separate cover handle, attach it to hole, and after adjusting holder on top of packing stop tab, fix it by turning it clockwise.




(4) It is easier to attach the cover holder when the lower part of the detachable cover is pressed.

Please fit a rubber packing into the cover plate completely after washing or replacing the rubber packing.



To separate the rubber packing, please pull it out from the cover plate as shown in the picture.



②To put back the rubber packing, please fit it to each of 6 projections and holes as shown in the picture.



holes, please press the rubber packing around the corner completely as shown in the picture.



After fitting 6 projections to the
A Please check that the rubber packing fits into the cover plate completely. If not, steam may be released from the gradk between the packing and the plate.

CLEAN STEAM VENT AND SAFETY PACKING



Make sure to clean the clean steam vent after/before use.Do not try to pull out the clean steam vent and safety packing, clean it with care. Make sure the clean steam vent and safety packing are installed completely after/before use. If the steam vent is detached. or not attached completely, please contact customer service.

INNER POT Rubber packing contact surface.

Wipe the inner, upper, and outer of the inner pot of any external substances. Do not use tough scrubber, metallic scrubber, brush, abrasive material etc.

*Maintaning a rubber packing cleanly will let the rice cooker last longer.



Wipe the main unit with a wet cloth that has been extracted out of all



Make sure to clean the steam control vent before and after

How to use handle

- 1. Handle must be located at "Lock" during Cooking. The lamp turning on means the top cover is closed perfectly, so you can cook.
- 2. After cooking, the handle must be turned from "Lock" to "Unlock", and then push clamp knob to open. It is hard to open when there is remaining steam in the Inner pot. At the time, twist pressure weight and let the steam out. Do not open by force.
- 3. Handle must be located at "Unlock" when open and close.
- If the lamp does not turn on, it would not operate "Cook" and "Preset" buttons. Make sure the handle is located at "Lock".



HOW TO CLEAN




If the valve hole of the pressure weight part is clogged, punch it with the cleaning pin

- The valve hole of the pressure weight allowing the escape of steam should be checked regularly to ensure that it is not blocked.
- If you use the valve hole of pressure weight as it is blocked, the hot steam or any hot content within the cooker can cause injury.
- Monot use a Cleaning Pin for other use except cleaning the valve hole of the pressure weight.








How to disassemble the pressure weight

- ▶ After the Lock/Unlock handle is locked(located on "Lock") turn the pressure weight counterclockwise while pulling it up, and pull it out.
- ▶ Punch the clogged valve hole with the cleaning pin and reassemble it by turning it clockwise.
- ▶ When the pressure weight is properly assembled, it can freely be turned.

How to clean the soft steam cap

Do not touch the surface of the soft steam cap right after cooking. You can get burned.







Press the hook in the back, and follow the arrow to detach and clean. Make sure you clean frequently with a sponge or a neutral detergent.

When fitting the rubber

When fitting the packing into the plate, please make sure the packing is facing the correct direction.





Assemble the vent so that it fits into the groove perfectly.



After you attach the soft steam cap to fit into the groove, press 'A' part firmly to assemble the soft steam cap into the product.

How to clean dew dish







Separate the drain ditch cap by pushing it down.



3 Clean the drain ditch cap and dew dish with a neutral detergent.



4 Clean the drain ditch cap with brush kit.



Securely put in the dew dish after cleaning.

How to use cleaning pin and brush kit



 Separate cleaning pin Attached on the bottom of the unit from main body as shown in picture



Separate cover as the arrow points.



Output
<p can easily clean a drain use the ditch cap and tough part to clean.



cleaning pin, pull out cleaning pin and make it meet at right angles.



6 Only use for the valve hole of the pressure weight.

Cautions when top cover does not close perfectly

Do not try to close the top cover by force. It can cause problems.



- 1. Check to see if the inner pot is correctly placed inside the main body.
- 2. To close the top cover, place the handle in the "Unlock" position as shown in the picture on the right.



3. If there are hot foods in the inner pot, the top cover might not lock properly. In this case twist the pressure weight and allow the steam to release then try to lock the handle.



FUNCTION OPERATING PART

Function Operating Part



This function is used to select from

among glutinous rice, sushi, mixed rice, GABA, rice&beans, dried rice, nu rung ji, nutritious rice, nutritious porridge, all-purpose steaming and Automatic Sterilization (Steam Cleaning), and to modify preset time. See page 13, 25. For setting selected action with mode button and setting gaba time multi-cook time. See page 23, 24.

- wif no operation is done while power cord is plugged, the system while be on standby mode as shown in the figure.

 (The menu on standby screen, time, voice and customized rice taste stage may differ depending on user configuration.)
- % If cancel button is pressed during cook, the rice cooker will go on standby mode.
- * Press the button until the buzzer sounds. Picture may vary depending on model.



<Standby condition screen>

Error Code and Possible Cause

If the product has any problems or is used inappropriately, you can follow the marks below. If error persistently shows up, in normal using conditions or after taking recommended measures, inquire with customer service.



When the inner pot is not placed into the unit.





Problem on temperature sensor. ("E__"mark, "E_P"mark, "E_E"mark blink.)



Problem on fan motor. (** %* "marks blink.)



When pressing the Pressure Cook and Timer botton, while the Lock/Unlock handle is on "Unlock" Turn the Lock/Unlock handle "Lock"

E [] 3

When boiling only water.

13 40

When setting preset time longer than 13 hours

Set the preset time within 13 hours. (Refer to page 25~26)

Edo

It is appears on the display when you press Start button again, or if the cooking has finished and you've never ever turned the handle to 'Unlock'. It can be solved by turning handle to 'Unlock' and then turn to 'Lock'.

ELU

Problem on micom power.

EUF

Problem on micom memory.



Problem on environment sensor.

Eco

This error message shows up when Pressure Cook or keeping warm/reheating button is pressed while separate cover is not mounted. Mount separate cover. Note: While keeping warm, alarm will sound and keeping warm and reheating do not work.

11.17

||-|:|-


This code indicates the function of checking for abnormality of power or product.

HOW TO SET CURRENT TIME / HOW TO SET OR CANCEL VOICE GUIDE FUNCTION


How to set current time


ex)8:25am now

- Press mode button once.
 - ▶ Press mode button for more than 1 sec
 - ▶ "Current time mode press yes button" after setting current time with
 - ▶ Menu/Selection button blinks and Mode, Set and Cancel buttons turn ON.
 - ► Colon mark (:) on the sec. screen is blinking once per second.



- ▶ 1 min up " ()" button 1 min down "()" button
- ▶ 10 min up or down " ()", " ()" keep pressing.
- ► Careful of setting am.pm.
- ▶ In case of 12:00 it is 12:00 pm.





▶ If it is over 7sec without yes button, setting time will be canceled with voice."it is canceled due to overtime".





<Standby mode>







■About Lithium battery

- •This product contains lithium battery for improving blackout compensation and time. Lithium battery lasts for 3 years.
- When current time is not displayed on the screen, it means the battery is exhausted. It should be replaced.

■What is blackout compensation

- •This product remembers and maintains previous condition and processes. After finishing blackout, it operates immediately.
- •If blackout happens during cooking, the cooking time will be delayed depending on blackout time.
- If the rice became cold because of blackout, warming will be cancelled.

■How to set current time during keep warming mode

- 1. Press Cancel button to cancel keep warm and then press Mode button over 1 time to set current time.
- 2. After setting time, press keep warm button to re-start keep warm.

Voice guide volume control (The function which can control volume and cancel)

To enter this function, press Mode button 2 times. Mode button needs to be pressed for over 1 second at the first time.



'3' sign is displayed when entered volume control mode by pressing Mode button 2 times.

If set value became 'n' by pressing button, voice guide function is off.

Press button to set '5', that is the maximum volume sound. When finish setting desired volume, press Mode button to store.

- Set button blinks and Mode, Menu/Selection and Cancel buttons turn ON.
- Keep the button pressed, and the button will turn to Continuous.
- ▶ Set to desired voice volume, and press Set button.



NIGHT VOICE VOLUME REDUCTION / WOMAN AND MAN VOICE SETTING FUNCTION

Night Voice Volume Reduction

Set the function of night voice volume reduction, the function to reduce the volume of voice during night time(10:00PM-05:59AM) on need-to-do basis. This function works only during night time.

▶ How to set night voice volume reduction



Zero volume 20% of day time voice volume OPER. 40% of day time voice volume 60% of day time voice volume OPER. ■■■■ 80% of day time voice volume

Example) 60% of day time voice volume

Night voice volumes by the setting of process progress

- 1. Press mode button 9 times in standby status, and you will enter Night Voice Volume Reduction mode. When pressing mode button initially, press the button for 1 second or longer to enter Night Voice Volume Reduction mode.
- 2. When you enter Night Voice Volume Reduction mode, a voice comes up saying "You have entered Night Voice Volume Reduction. Select or inactivate Night Voice Volume Reduction mode with 'Select' button and press 'Confirm' button."
- 3. Press 'Menu'/'Select' button, and as process progress bar changes, voice volume will change. Select desired voice volume, and press 'Confirm' button.
- 4. Once process progress bar reach full condition through adjustment of 'Menu'/'Select' button, a voice will come saying "The function of Night Voice Volume Reduction is inactivate." Inactivate the function by pressing 'Confirm' button.
- 5. If 'Inactivate' button is pressed or no button is pressed for 7 seconds after you enter Night Voice Volume Reduction mode, the function will be inactivated along with voice "As set time is elapsed, the function is inactivated", and the system will be back to standby mode.

Woman and Man Voice Setting Function

This function helps you select Auto voice for either a manor woman's voice. With this function, you can set to your desired voice.

How to set night voice volume reduction







Example) When set to man voice



Example) When set to Auto(woman or man) voice

- 1. Press mode button 10 times in standby status, and you will enter Woman and Man Voice mode. When pressing mode button initially, press the button for 1 second or longer to enter Woman and Man Voice mode.
- 2. When you enter Woman and Man Voice mode, a voice comes up saying "You have entered Night Woman and Man Voice. Select or inactivate Woman and Man Voice mode with 'Select' button and press 'Confirm' button."
- 3. After setting Auto (woman and man) voice with 'Menu'/'Select' button, man voice or woman voice, and press 'Confirm' button.
- 4. If 'Inactivate' button is pressed or no button is pressed for 7 seconds after you enter Night Voice Volume Reduction mode, the function will be inactivated along with voice "As set time is elapsed, the function is inactivated", and the system will be back to standby mode.

BEFORE COOKING RICE




- Clean the inner pot and wipe the water on the inner pot with dry cloth.
 - ▶ Use the soft cloth to wash the inner pot.
 - ▶ Tough scrubber can make the coating come off.
- Measure the amount of rice you want to cook using the measuring cup.
 - Make the rice flat to the top of measuring cup and it is serving for 1 person. (ex: for 3 servings → 3 cups, for 6 servings → 6 cups)
- Wash the rice with another container until the water becomes clear.
- Put rinsed rice into the inner pot.
- 6 According to menu, adjust the water amount.
 - ▶ For measuring, place the inner pot on a leveled surface and adjust the amount of water.
 - ▶ The marked line of the inner pot indicates water level when putting the rice and water into inner pot together.
 - ► About water scale
 - Glutinous rice, mixed rice, nutritious rice and nu rung ji: Adjust water level to the water scale for
 'glutinous rice and mixed rice'. Glutinous rice can be cooked to max 10 servings,
 mixed rice to max 8 servings, nutritious rice to max 6 servings and nu rung ji to max 4 servings.
 - Sushi: Adjust water level to the water scale for 'sushi'. Sushi can be cooked to max 4 servings
 - GABA: Adjust water level to the water scale for 'GABA'. GABA can be cooked to max 4 servings
 - Nutritious porridge: Adjust water level to the water scale for 'nutritious porridge'.
 Nutritious porridge can be cooked to max 1.5 servings
 - Old rice: Adjust water level to the water scale for 'Old rice'.
 Old rice can be cooked to max 4 servings.
 - ** Cook in cereals menu, hard cereals like red-bean can be half-cooked depeding on the kind of cereal.
 - * Please refer to the cooking menu time for the each menu. (Refer to page 17)
- 6 Put the inner pot into the main body and close the topcover.

Please, check if detachable cover is attached

- ▶ In case detachable cover is not attached, when pressure cook/ reheat button is pressed, "£_ca" error could occur and cook/ warm function will not work. Put the inner pot correctly.
- ▶ If there is any external substance on the temperature sensor or the bottom of the inner pot, wipe it off before putting the pot into the main unit.
- ➤ Top cover will not close if the inner pot is not placed correctly in the main body (Place the inner pot to the corresponding parts of the main body)
- Connect power plug and turn the handle to "Lock"
 - ▶ The lamp turning on means closed perfectly.
 - ▶ If you press the cook button without setting the Lock/Unlock handle to "Lock", the cooker will not operate. You will hear "beep beep" sound and "F∏ 1" is shown in the LCD.
 - * If you want to select another function while cooking, push cancel button.
 - ▶ If ' F do 'mark shows up in other instance, turn cover handle to "Open" direction, and turn it toward "Lock". Then the cooker will work normally. (The operation of cover lock sensing device can be checked.)
 - » Note: This instruction is not applicable if cover handle is turned toward "Open" direction once or more after cooking was completed in previous cooking.







- When you want to cook the old rice or want the soft rice: pour more water than the measured scale
- ② Glutinous Rice for 4 persons (4 cups): Set the water to scale 4 of "GLUTINOUS"
- Second For overcooked rice: pour less water than the measured scale







FOR THE BEST TASTE OF RICE

Cook tasty rice with Cuckoo pressure rice cooker

For the best taste of rice, check the following points carefully.

For the best taste of rice, check the following points carefully.							
Use the measuring cup! Pour the water until water level marking in the inner pot!	 When measuring the rice, Use the measuring cup. (The amount of the rice may vary depending on the quality of the rice.) Place the inner pot on a flat surface and adjust the water to water level in the inner pot. 	When the propotion between the amount of rice is not proper, rice can be crisp or hard.					
How to keep the rice	 If possible, buy a small amount of rice and keep the rice some place where ventilates well and avoid a direct ray of light. It can prevent evaporation of rice moisture. If the rice has been unsealed for long, rice can be dry and stale. In this case, you should pour the half of water more. It's tastier. 	When rice is too dry, it can be crips even though measuring the amount of rice is accurate.					
It's better to set the preset time shortly.	If possible, do not use the preset time function when rice is too dry and pour the half of water more.	 If you set "Preset" over the 10 hours or "Preset" dried rice, rice can be crisp or half cooked. Even worse condition, rice can be cooked different tastes each level. If the preset time is longer, the melanoizing effect could be increased. 					
It's better to set the Keep warming time shortly.	It's better to set the keep warming in 12 hours.	If rice is kept warm for a long period of time, rice color will change, as well as odor.					
Keep the product clean.	Clean the product often. (Especially clean the top of the cover for external substance.)	Wipe the top cover heating part well for any rice or external substance.					

HOW TO COOK



- Choose menu with menu selection button
 - Select button.
 - Each time "Menu" button is pressed, the selection switches in the sequential order, glutinous rice →sushi → mixed → GABA → rice&beans → dried rice → nu rung ji → nutritious rice → nutritious porridge → multi cook → Automatic Sterilization(Steam Cleaning)
 - If the button is pressed repeatedly, the menu switches continuously in sequential order.
 - In the cases of sushi, mixed rice, GABA and old rice, the menu remains memorized once each cooking is completed, so for continuous use of the same menu, no selection of menu is required.





ex) In case of selecting Sushi.

▶You can hear a voice, Sushi, when you cook Sushi, automatic steam outlet operates while cooking.

Cooking thoroughly

- The cooktime remaining on the display is shown from cooking thoroughly.
- The cook time is different relying on menu.
- Careful not to be burned in automatic steam outlet.
- ex)In case of 14minutes left.





Start cooking by pressing Pressure Cook button.

- You must turn lid handle to lock before cooking. Then press the pressure Cook/Turbo
- ·Unless lid handle is not turned to close, you get alarm with "Fort", and sound "turn lid handle to lock".





ex) In case of cooking Glutinous.

Completion of cooking


- When cooking is finished, warming will start with the voice "cuckoo completed glutinous".
- When cooking ends immediately stir the rice.
 If you don't stir rice at once and leave it the rice will go bad and smell.
- · If the lid handle is not working well, take out the steam completely out of inner pot by turning over pressure weight.
- While cooking, do not press cancel button.





	Cooking time for each menu											
Menu Class	Glutinous	Turbo Glutinous rice	Sushi	Mixed	GABA	Rice& Beans	Dried	Nu Rung Ji	Nutritious rice	Nutritious porridge	Multi cook	Automatic Sterilization
Cooking Capacity	1servings~ 6servings	2servings~ 4servings	2servings~ 4servings	2servings~ 4servings	2servings~ 4servings	2servings~ 4servings	2servings~ 4servings	2servings~ 4servings	2servings~ 4servings	1servings~ 1,5servings	See detailed guide to	Up to water scale2
Cooking Time		About 14 mir~ About 22 min									cooking by the menus	About 20 minutes

- * After cooking chicken soup and multi cook etc, the smell may permeate into the unit, use the Unit after cleaning the rubber packing and lid part according to page 10.
- * Cooking time by menus may vary to some degree depending on the using environment of the product.



How to use the cooking menu

Glutinous	When you want to have sticky and nutritive white rice.	Sushi	When you want to have a little more sticky and nutritive white rice than Glutinous rice.				
Mixed /Brown	This menu is used to cook by mixing glutinous rice in cereals.	GABA	For cooking germinated brown rice.				
Rice& Beans	Use when cooking black soy rice.	Dried	For cooking dried rice				
Nu Rung Ji (Scorched rice)	Have scorched rice when cooking done.	Nutritious Rice	This menu is used to cook nutritious rice.				
Porridge	For cooking germinated brown rice. Multi cook For cooking Nutritious Rice.						
Automatic Sterilization (Steam Cleaning)	This menu is used to eliminate smell soaked after cooking or warming.						
Turbo function for Glutinous rice	Pressing twic "Pressure Cook/Turbo" twice will switch to quick cooking and shorten the cooking time. (It takes about 14 minutes when you cook the Glutinous rice for 2 persons.) Use this turbo cooking function only for cooking rice for less than 4 persons. (The condition of the rice will not be good for more than 4 persons) The turbo cooking function is allowed up to 6 persons. If you soak the rice in water for about 20 minutes before cooking the rice and then cook the rice in turbo cooking course, the rice will taste good.						

^{*} After white rice turbo and cooking small servings, discard the water within water gutter.

How to do Automatic Sterilization (Steam Cleaning)



Put water until water scale 2, make sure to close and lock the cover.

Method 1. After choosing automatic cleaning menu by pressing

"Menu/Select" button, and then press "Pressure Cooking" button.

Method 2. After choosing automatic cleaning function by pressing "Preset"

Method 2. After choosing automatic cleaning function by pressing "Preset" button twice in standby mode, press "Pressure Cooking" button.

Dried rice cook function

- If you cook long stored rice or dried rice, they could be half-cooked. If using the dried rice menu, you can get better taste.
- The taste of rice will be different depending on storage of rice and water state.
- x you can add the heating time or soaktime (Refer to page 19).

Cook Rice&Beans as follows

- 1. Put salt into the black soy, wash dean and take out water.
- 2. Put cleanly washed rice into My Cauldron, and after seasoning with sake and salt, pour water up to white rice water graduation 2, add 1/2 measuring cup of it.
- Place black soy on top of it, and after locking lid and selecting black soy with Menu/Select button, press Pressure Cooking/White Rice Turbo.
- ▶ Cook black soy only up to 4 servings.
- When cooking black soy, adjust 'White Rice', 'Assorted Grains' water level graduation to standard, and add 1/2 measuring cup of it in case of 2 servings and 1 measuring cup of it in case of 4 servings.

Melanoizing effect

The cooked rice can be light yellow at the bottom of the oven, because this product is designed to improve pleasant flavor and taste. Especially, melanoizing is more serious at the "Preset cooking" than just "Cooking".

It does not mean malfunction.

* When mixing other rice with Glutinous, Melanoizing effect could increase more than "Glutinous cook" setting.

^{*} In case of white rice turbo and smaller servings cooking, more water may stay compared with other menu.

^{**} Please refer to the cooking guide (Refer to page 64~73)

MY MODE (Cuckoo Customized Taste Function)



What is "MY MODE"?


▶ Cuckoo's patented technology based on variable circuit design. User can select the degree of "softness" and "glutinosity & tastiness" to meet a user's desire.

MY MODE Function

- ▶ Longer "SOAK" Time: rice becomes soft and glutinous. (selectable in 4 steps)
- ► Longer "HEAT" Time: rice becomes tasty (selectable in 4 steps) [amelanizing will occur]
- Above 2 functions can be selected both or individually.

How to use "MY MODE"

To enter "Customized Rice Taste Setting Mode", select the menu in which Customized Rice Taste is supported such as glutinous rice, mixed rice, GABA, old rice, nu rung ji and washed rice, and gress the mode button for 1 second or longer. Then, you are going to enter "Customized Rice Taste Setting Mode" while hearing the voice saying "You've entered Customized Rice Taste Setting Mode. Select swelling and heating stage with Selection button, and press Set button."





Select menu you want with menu/selection button and piress the set button

"MY MODE" setting screen



To enter Customized Rice Taste Setting Mode select desire menu and press Mode button once for 1 second or longer.

► Menu/Selection button will blink, and Set. Pressure Cook and Cancel buttons will turn ON. Soak time control mode



- Select desired swelling time by pressing the button.
- ▶Set button will blink, and Pressure Cook, Cancel and Menu/Selection buttons will turn ON
- 3-2 Heat time control mode





- Setting completed screen after

Set up desired customized rice taste, and press Pressure Cook.

- ▶If you press cancel or do not press a button within seconds, the function will deactivate and return to the standby mode.
- Delect desired heating extension time by pressing the button, and press Set button.
- Set button will blink, and Pressure Cook, Cancel and Menu/Selection button will turn ON.
- * Note: For 16 customized rice tastes, refer to the graph for 6 rice tastes (See page 20.)

How to Use Cuckoo Customized Cooked Rice Taste

You can set the major cooked rice taste of customized cooked rice taste by entering Customized Cooked Rice Taste mode and pressing Mode button. At each press of Mode button, the major cooked rice taste will show up in the sequential order 'Sticky Cooked Rice Taste -> Soft Cooked Rice Taste -> Soothing Cooked Rice Taste -> Soft and Soothing Cooked Rice Taste'.

"MENU" setting screen





Select a menu for which customized cooked rice taste is supported by pressing Menu/Select button.

"MY MODE" setting screen



Press Mode button once or more for 1 second or longer after selecting desire menu, and you will enter Customized Cooked Rice Taste

Soak time control mode



Press Mode button once, and the display will change as in the figure. At this time, Soft Cooked Rice Taste 4th Step will be selected.

3-2 Heat time control mode



Press Mode button two times, and the display will change as in the figure. At this time, Spothing Cooked Rice Taste 4th Step will be selected.

Soak and Heat time control mode.



Press Mode button three times, and the display will change as in the figure. At this time, Soft, Scothing Cooked Rice Taste will be selected

Setting completed screen after





Set up desired customized rice taste, and press Pressure Cook

▶If you press cancel or do not press a button within 7 seconds, the function will deactivate and return to the standby mode.




MY MODE (Cuckoo Customized Taste Function)

The display of my mode



This is a graph the flavors of 16 types of cuckoo custom-made rice



- *1. The rice becomes solid and glutinous.
- *2. The rice becomes soft and well-raised rice.
- *3. The rice becomes soft and glutinous.
- Note: Rice taste number from 1 to 16 will be displayed on the display window.

The stage mark will show up as in the figure above on the display as much as the time set during setting swelling time and heating maintenance time, and the mark will continue to show up during cooking, reservation, keeping warm and reheating as well.

- ► Cuckoo customized taste function is applied to glutinous, mixed, GABA, old rice, Nu Rung Ji.
- Set-up time is stored untill the next reset. No need to set-up at every cooking.

 During cooking, warming and preset time cooking modes, "soak" and "heat" time cannot be readjusted.

Cautions

- 1. 'MY MODE' function may influence scordning or cooking quality. Ensure that cooking time is not changed, by children.
 - Default settings are "SOAK" Time 0 min, "HEAT" Time 0 min.
- 2. 'MY MODE" function may elongate cooking time according to set-up time.
- 3. Scorching of rice may occur by longet "HEAT" Time.


Cuckoo customized cooking function

While cooking you can control the heating temperature (both high an low) depending on, your prefenence. Initialization is set up "OPER III " get step by step as the case may be.

- High step: for cooking cereals, old rice and soft-boiled rice.
- Low step: for cooking the year's crop of rice.

How to use Cuckoo Customized cooking function

If you press the mode button 5times, customized cooking function is setup. Select heating power by selection button. You can see all means with cuckoo customized cooking function on the display.




- 'Cuckoo customized cooking function' applies to Glutinous, Turbo cooking, Sushi, Mixed rice/Brown rice, GABA, Nutrition rice, OLD RICE collectively.
- 2. Set up the step of customized cooking function to taste. The scorch can occur when cooking in high step.
- 3. Cook is subject to be set differently depending on the percentage of water content and the condition of rice.

MY MODE (Cuckoo Customized Taste Function)



How to set up the function of burning nu rung ji

- ▶ When cooking nu rung ji, please set it up for your taste with function which controls the level of burning nu rung ji.
- How to set up the enhanced burning nu rung ji (for enhanced burning nu rung ji).



- 1. If you push mode button 7 times at the waiting state, enhanced burning nu rung ji mode will be set up when pushing mode button more than it will be possible to set up.
- 2. When enhanced burning nu rung ji mode is set up, it says "after removed or selection of enhanced burning nu rung ji, push the yes button". At this time, Menu/Selection button will blink, and Mode, Set and Cancel buttons will turn ON.
- 3. If you push the menu/selection button it says "enhanced burning nu rung ji chosen press the yes button after choosing a mode you want. press the yes button".
- 4. Without any button within 7 seconds or cancel button, enhanced burning nu rung ji mode will be canceled and on standby.
- ▶ How to cancel the enhanced burning nu rung ji



- 1. If you push mode button 7 times at the waiting state, enhanced burning nu rung ji mode will be set up when pushing mode button more than it will be possible to set up.
- 2. When enhanced burning nu rung ji mode is set up, it says "after removed or selection of enhanced burning nu rung ji, push the set button". At this time, Menu/Selection button will blink, and Mode, Set and Cancel buttons will turn ON.
- 3. If you push the menu/selection button it says "enhanced burning nu rung ji chosen press the yes button after choosing a mode you want. press the set button".
- 4. Without any button within 7 seconds or cancel button, enhanced burning nu rung ji mode will be canceled and on standby.
 - ▶ Set up this function as the situation demands because this function is on the condition of cancel for enriched scorch at the first use.



HOW TO USE "GABA (Brown rice)"

What is Germinated Brown rice?

▶ Brown rice has richer nutrients than polished rice. However, brown rice is rather tough and harder to be digested. By germination, the enzymes in the brown rice are activated, generating nutrients and become more digestible.

Tips to Buy Quality Brown Rice

원산지 : 경기 용인 품 목 : 추청 단 위 : 15kg 생산년도 : XXXX 년산 도정일자 : XXXX 년 XX월 XX일






- Check the dates of harvest and pounding.
- ▶ The dates should be within 1year from harvest, 3 months from pounding.
- Inspect rice with your eyes.
 - · Check that embryo is alive
 - Rice surface should be light yellow and glazing. Whitely stirred up surface, or darkish colored Brown rice is not suitable for germination
 - Avoid fractured, not fully corned, or empty ear's. Empty ear's may generate odors during germination and bluish- nor
 corned Brown rice cannot be germinated.

Features of Germinated Brown rice

Germinated Brown rice increases nutrients and enhances taste which is a weak point of brown rice. Germinated Brown rice also improves digestion.

- ▶ Taste will be greatly enhanced.
- ▶ Digestive and rich in nutrients.
- Diabetic hormone is generated improving digestion.
- ▶ Good as a health food for children or students.
 - Rich with dietary fiber.
- ▶ Germinated brown rice has rich GABA (Gamma Amino Butryc Acid)
 - GABA promotes metabolism in liver and kidneys, suppresses neutral fat, lowers blood pressure, promotes metabolism in brain cells - these effects have been proven by medical science.



< Comparison of Germinated brown rice's nutrition and Glutinous rice's (6 hours) nutrition. >

- ▶ Phytic acid 10.3Times
- ▶ Ferulic acid 1.4Times
- ▶ Gamma-orizanol 23.9Times
- ▶ Gammma-aminobutyric 5Times
- ▶ Inositol 10Times
- ▶ Food fiber 4.3Times

HOW TO USE "GABA (Brown rice)"



Using "GABA" Menu

- In order to promote germination, soak brown rice for 16 hours in water. Method of Pre-germination
 - ▶ Put washed brown rice in an appropriate container, pour sufficient water to soak the rice.
 - ▶ Pre-germination shall not exceed 16 hours. Make sure to wash rice clean with flowing water before using "GABA" menu. Be careful that hard washing may take off embryos which generate the germination.
 - ▶ Unique smell may be generated according to the soaking time of pre-germination.
 - ▶ When pro-germination has been completed, wash the rice and put in inner pot (Oven). Pour appropriated volume of water, and use "GABA" menu.
 - ▶ In summer or hot temperature environment odor may be generated. Reduce germination time and wash clean when cooking.
- Set the Lock/Unlock handle at "Lock", press "Menu" button to select "GABA".







First setting time 0H(0 Hours)

- ►When the "GABA" is selected. "0H" is indicated in the display.
- ▶ Set button will blink, and Mode. Menu/Selection. Cancel and Pressure Cook buttons will turn ON.

Press "Set" and "Menu Selection" buttons to set time.

- ▶ Menu/Selection button will blink, and Mode, Cancel and Pressure Cook buttons will turn ON.
- 1. Pressing "Menu Selection" button changes germination time by 3hours.
- 2. Pressing "Menu Selection" button changes germination time by 0hours.
- 3. "GABA" time can be set up by 0.3 hours.
- If GABA time is set "0"hours. pressing "Pressure Cook" button will start cooking immediately. To cook without germination or cooking germinated Brown rice, set the time at "0".

Press "Pressure Cook" button.





- * 3 more hours for germination
- ▶Pressing "Pressure Cook" button will begin the "GABA" process, after which, cooking will begin immediately.
- ▶ During "GABA" mode, "「Ţ" indicator will show the remaining time and will be displayed in minutes with the "3H" mark going around clockwise.

Precautions for "GABA" Cooking

- If smaller germ is preferred, omit pre-germination process. Select "GABA" menu, set-up appropriate germination time, and start cooking (nutrient ingredients do not vary significantly by the size of germ).
- During hot seasons, longer germination time may generate odor. Reduce germination time.
- GABA cooking is allowed up to 6 persons.
- A City water can be used for germination. However, spring water is recommended. Germination may not be properly performed in hot or boiled water even after cooling.
- **6** Germination rate, germ growth may differ by the Brown rice type, condition or period of storing, etc.
 - Germinated brown rice is sprouted brown rice. Germination rate and growth may differ by the Brown rice type. The brown rice should be within 1 year from harvest, and not long since pounded.
- ⑥ In GABA mode, preset on 3H may not be possible. If you want to preset the GABA, set up '□H'. (See the page 25)
- The taste of rice could be different as depending on a kind of brown rice. Use customized taste function or control the amount of water for your taste. (Refer to page 19~21)



HOW TO COOK THE MULTI-COOK AND NU RUNG JI

How to use the Multi-cook and preset time







- ▶ Set button will blink, and Menu/Selection, Cancel and Pressure Cooking buttons will turn ON.
- When selecting Multi-cook, the display indicates cooking time to be 20 minutes.

🔼 Press "Set", "Menu/Selection" button to set up the time.

It says after setting cooking time with selection button press the cook button.

▶ Menu/Selection button will blink, and Cancel and Pressure Cooking buttons will turn ON.



Each time you press "Menu/Selection" button, the time increases 5 minutes. (After 90min, each 10min decrease.)

▶Press Menu/Selection to choose desired Menu



Each time you press "Menu/Selection" button, the time decreases 5 minutes. (After 90min, each 10min decrease.)

▶Press Menu/Selection to choose desired Menu

3. Available setting time is 10 ~ 120 minutes (Please refer to cooking guide for time setting of each menu.)



If you press the yes button after choosing time you want it says "press cook or tineer button"





Press "Pressure Cook" button.

▶ Pressure Cook button will blink, and Menu/Selection and Cancel buttons will turn ON. Press the Pressure Cook/Turbo button and the Multi-cook will start if the Multi-cook starts. the display shows the 'cooking mark' and remaining minutes.

Use the preset time of Multi-cook as following instruction.

- 1. Check the present time.
- 2. Turn the Lock/Unlock handle to "Lock" and press the "Timer" button.



3. Press the Menu/Selection or Min/Heat to preset time.





4. Press menu

selection butt

the Multi-cook.

on to select

5. Set up the cooking time for pressing menu selection button, Min/ Heat button.



6. Press the 'Timer" or "Pressure Cook".



How to make Nu rung ji

- 1. Turn the Lock/Unlock handle to "Lock" and press menu to select the 'Nu Rung Ji.' Refer to page 21
- 2. Press the "Pressure Cook/Turbo" button to start cooking.
- When cooking is completed, scoop out the boiled rice. The "Nu Rung Ji" on the jar bottom can be prepared for your taste (e.g. scorched rice tea)
- ▶ "Nu Rung Ji" can be prepared for up to 4 people.
- ▶ For "Nu Rung Ji" cooking, set the water volume at "Glutinous" level.
- Not too much washing rice.
- ▶ If you want enhanced burning nu rung ji, cook after soaking rice in water for 30minutes.

HOW TO PRESET TIMER FOR COOKING



How to preset timer for cooking

How to use timer function

Check if the current time and the menu are correct.

- ▶ Refer to page 13 for the time setting.
- ▶ If the current time is not set correctly, the presetting time will also be incorrect.
- ▶ Make sure not to confuse AM and PM.



- ▶ The initial time set at 6:30 am is already programed.
- ▶ "Lock/Unlock" handle should be locked.
- ▶ If you push timer button, timer screen will be blinked.
- ▶ In GABA mode, preset on "☐H" is possible.
- If you want to preset "Timer" while keeping warm, cancel keep
 warm and preset the "Timer"

Selection Select



When preset time is set to AM07:40

Preset the time.

- ▶ "Set" button will blink, and "Menu/Selection", "Cancel" and "Pressure Cook" buttons will turn ON.
- In case of setting up timer while warming 10min increase by pressing " ↑ "button
- ▶ Please set up timer after canceling warming 10min decrease when you press " ()" button If you keep pressing, It can be changed continuously.
- * Please be careful not to change from AM to PM.

Select menu with "Menu/Selection" button

- ▶ If you select "Timer" menu with selection button, it says "Please, press the "Cook/Turbo" button.
- "Set button" will blink, and "Menu/Selection", "Pressure Cook" and "Cancel" buttons will turn ON.
- ▶ In case of menu with "Customized Rice Taste" such as glutinous rice, mixed rice, GABA, old rice, nu rung ji and washed rice, "Mode" button will turn ON.

Press "Pressure Cook" button.

- "Pressure Cook" button will blink, and "Menu/Selection" and "Cancel" buttons will be turned ON.
- ▶ It says that preset cook for glutinous is booked
- ▶ Preset cook will be completed at the timer
- Once cook is completed with preset time, preset time is stored in the memory. Don't need to set up time again.

*#If a small amount of rice is cooked, cook could be finished earlier than time you set up.











HOW TO PRESET TIMER FOR COOKING

Precautions for preset cooking

In case of preset cooking

- ▶ If the rice is old and dry, the result may not be good.
- ▶ If the rice is not well cooked, add more water by about half-scale.
- ▶ If the preset time is longer, melanization could be increased.
- Rinsed rice adds precipitated starch, Preset Cook may cause scorching.
 To reduce scorching, cook washed rice by rinsing in running water or reduce cooking amount.

The change of preset time

▶ Press "cancel" button for more than 2 seconds and restart it to change the preset time.

If the preset time is shorter than cooking time, cooking will immediately begin.

▶ If set time is shorter than preset time, cooking will immediately begin.

In case the preset time is over 13 hours.

- " 13 H_O " will be displayed and the preset time will be changed to 13 hours automatically.
 ex) If cooking is preset to AM07:00 of the following day at PM5:00 of the day, where preset time is 14 hours,
 " 13 H_O " will be displayed, and preset time automatically changes to AM06:00. (Preset time is 13 hours)
- If the preset time is over 13 hours, it can cause bad smell. The limited preset time is set up less than 13 hours
 because the rice spoils easily during the summer time.
- When you want to finish presetting P.M 12:00, preset P.M 12:00.
- * Use this function when you want to finish cooking between 1 hour to 13 hours based on the preset time.
- If you press the set button to check the present time during the preset cooking function, the preset time will be displayed for 2 second.

	Possible time setting for each menu										
Menu Class	Glutinous	Sushi	Mixed	GABA	Dried	Rice& Beans	Nu Rung ji	Nutritious Rice	Nutritious Porridge	Multi Cook	Automatic Sterilization (Steam Cleaning)
Possible time Setting	From (35minutes + My mode) to 13 hours	From 44minutes to 13 hours	From (53minutes + My mode) to 13 hours	From (54minutes + My mode) to 13 hours	From (43minutes + My mode) to 13 hours	From (49minutes + My mode) to 13 hours	From (45minutes + My mode) to 13 hours	From 36minutes to 13 hours	From 93minutes to 13 hours	From (1minutes + My mode) to 13 hours	From 20minutes to 13 hours

TO KEEP COOKED RICE WARM AND TASTY



Having a meal

▶ If you want to have warm rice, press the "Reheat/keep" warm. Then "Reheat/Keep" warm function will be started and you can eat fresh rice in 9 minutes.

<Keep warming>



3H indicates the time elapsed as warming time.

<Reheating>



The lamp blinks and "1" indicator will show the reheat remaining time displayed in minutes with the mark going around clockwise.

<Finishing reheat>



When the reheat finishes with the beep sound, keep warming function will be operated and show the time elasped.

- * If you change the present time during warming, see the page 13.
- ▶ The frequent use of the "Reheat" function may cause the cooked rice to be discolored or dried. Use it once or twice per day.
- ▶ If a separate heating appliance or gas burner is used to cook rice, put the cooked rice into the cooker and press the "Keep Warm'Reheat" button to keep the rice warm. At this time, '☐' is shown on the display. (Like this, transferring hot rice to a cold cooker may cause the rice to be discolored or develop an odor)

Cautions for Keeping Warm

It will be hard to open the lid during warming or right after it has finished cooking, So push the pressure weight to the side and allow the steam to release.

Make sure the handle is in the "Lock" position during warming or

Make sure the handle is in the "Lock" position during warming or reheating.

It is recommended to evenly stir the cooked rice after cooking. The rice taste is improved. (For a small quantity of rice, pile up the rice on the center area of the inner pot to keep warm)

Do not keep the scoop inside the pot while warming the rice. When using a wooden scoop it can create serious bacteria and odors.

It would be better to warm the rice for less than 12 hours because of odors and color change.

The cooked rice, which cooked by pressure cooker is more prone to changing color than the rice cooked by general cooker.

During warm mode, the rice can arise and turn white and rise. In this case, mix the rice.

The mixed and brown rice cannot be in such good condition as white rice while in warm function due to their characteristics. Therefore do not keep mixed and brown rice in function for a long period of time.

Do not mix small amount of rice or leftovers with the rice under keeping warm. Doing so may cause an odor. (Use a microwave oven for the cold rice.)




TO KEEP COOKED RICE WARM AND TASTY

Controlling method of warming temperature

If the temperature in the oven is not proper, it will smell bad and the color of the rice will change so make sure to adjust the temperature



- Press "Mode" button over 1 time during warming. It displays as picture with buzzer.At the time, ついて。 でmeans current warming temperature.
 - 'M enu/Selection' button will blink, and 'Mode', 'Set' and 'Cancel' buttons will be turned ON.



 Note: The reference temperature programmed when the product is shipped may differ from the Instruction.

- - ▶ 'Set' button will blink, and 'Mode', 'Menu/Selection' and 'Cancel' buttons will be turned ON.
 - ▶To switch the functions continuously, keep pressing the button.
- After setting temperature, press "Mode" select button. Preset temperature will be stored with buzzer sound. (It will be cancelled once press "Cancel" button or after 7 seconds without pressing any button.)
- 2 Press "Minute/Down" button to change the temperature as
 ¬Y°→¬¬3°→¬¬2°→¬¬1°→¬¬3°→¬¬5°
 - ▶"Set" button will blink, and "Mode", "Menu/Selection" and "Cancel" buttons will be turned ON.
 - ▶To switch the functions continuously, keep pressing the button.

Change of temperature


If you want to change cooking temperature in the standby mode, press "Mode select" button over 2 seconds, and press it 2 more times. You can change cooking temperature.

How to operate My Mode function.

Use it while opening the lid when there is too much water or rice becomes too soft.



In standby mode, push the "mode" button 4times. The voice says that it is programmed warming mode, control the temperature you want.



- Press "Menu/choice" button to change as the picture(up)
 - ▶ 'Set' button will blink, and 'Mode', 'Menu/Selection' and 'Cancel' buttons will be turned ON.
 - $\blacktriangleright \text{To}$ switch the functions continuously, keep pressing the button.
- Select the menu you want, then the press the "My Mode" button and set-up time will be automatically entered with a buzzer. (If you press the "Cancel" button or do not press a button within 7 seconds, the function will be cancelled and returned to standby mode.)
- 2 –2 Press "Menu/choice" button as the picture(down)
 - ▶ 'Set' button will blink, and 'Mode', 'Menu/Selection' and 'Cancel' buttons will be turned ON.
- ▶To switch the functions continuously, keep pressing the button.
- 1. If too much water is spilled out when you open the lid: Press "Menu/Selection" button to raise the setting mode.
- 2. If the edge of rice is too soft: Press "Menu/Selection" button to reduce the setting mode.



TO KEEP COOKED RICE WARM AND TASTY

How to activate "Sleeping" mode.

▶ When keeping rice warm for a long time, set up the temperature low to prevent the following quality of rice: smelly, dry, change of color; from PM10:00 ~ AM 04:00.

▶ How to set up



- 1. In the "Custom-made rice taste" function, press the "Warm/Reheat" button. The "Custom-made warming mode" will be entered. At the same time, press the "Preset" button. The display will indicate as below.
- 2. When entering the "Custom-made warming" mode in bed, press the "Menu/Selection" button. Display will be corrected and press the "My Mode" function to set up.
- 3. After entering the "Custom-made warming" mode, if you do not press any other buttons within 7 seconds, the function will return to the previous cancelled function. At this time, "Menu/Selection" button will blink, and "Mode". "Set" and "Cancel" buttons will be turned ON.
- 4. This function must be activated by the user depending on necessity.

▶ How to release



- 1. In the "My Mode" function, press the "Keep Warm/Reheat" button. The "Custom-made warming mode" will be activated. At the same time, press the "Preset" button. The display will be shown as below.
- 2. When entering the "Custom-made warming" mode in bed, press the "Menu/Selection" button. Display will blink and then press the custom-made rice taste function to release. At this time, Menu/Selection button will blink, and Mode, Set and Cancel buttons will turn ON.
- 3. After entering the "Custom-made warming" mode in bed, press the "Cancel" button or do not press any button for 7 seconds, then function will go back to the previous function. At this time, "Menu/Selection" button will blink, and "Mode", "Set" and "Cancel" buttons will be turned ON.
- ▶ If you need to keep the rice warm during sleeping, do not use this function. This function makes the rice cooler than normal. In summer, the rice can be spoiled and may smell bad because of high temperature. If possible, do not use the "Custom-made warming" mode while sleeping.
- ▶ This function is set up as cancel state.

When odors are rising during the warming mode

- ▶ Clean the lid frequently. It can cause bacteria and odors.
- ▶ Even though exterior looks clean, there might be germs and it can cause odor so please be sure to use automatic sterilization (steam cleaning) menu for cleaning. Clean the inner pot completely after automatic cleaning function is done. (refer to 18)
- After you cook soups and steamed dishes, clean the inner pot properly to prevent rice from smelling.



HOW TO USE POWER SAVING FUNCTION

what is power saving in "Standby" mode?

▶ A little electricity is wasted if power cord is not plugged in. It is called manual way as standby electric power. The power saving of "Standby" mode is technology which minimises electricity consumption.

Manual Method

► How to start power saving
Push Set button for 3seconds at
waiting state Saving power function
is set up.



► How to end power saving method 1) Push any button then it will be returned to waiting mode.

method 2) If lid handle is turned to open or close, power saving mode will be canceled and back to waiting state.



Automatic Method

If the standby time is chosen as a number without "0" at the automatic power saving mode, the automatic saving power function will be operated.

If you move lid handle or push any button before passing waiting time, the waiting time which is reduced will go back to the setting.

▶ How to set up



- If you "Push" mode button 8 times at the standby state, automatic power saving mode is set up.
- 2. When automatic power saving mode is set up, it says that this is automatic power saving mode. Press the "Set" button after selecting waiting time.
- If you select '0'minute with "Menu/Selection" button, automatic power saving will be canceled. After setting up waiting time you want, press the "Set" button.
- 4. Without pressing any button within 7se conds or pushing "Cancel" button.

 Automatic power saving function will be canceled and back to waiting mode

HOW TO LOCK BUTTONS



How to set "LOCK BUTTONS"

▶ Lock can be set for touch button to prevent malfuncion during cleaning with touch button or by children touch.

▶ Setting Method





- Button will be locked if "Set" button is pressed for 3 seconds or longer during cooking, presetting, warming, reheating or in standby condition.
- 2. When button is locked, a voice will sound saying "Button lock is selected." At this time, button lock is displayed on the screen.

▶ Cancelling Method





- To cancel button lock, press "Set" button for 3 seconds or longer on locked the button.
- 2. "Lock" sign on the display disappears when button lock is cancelled, a voice will be saying "Button lock is cancelled."
- ** Note: Any button other than "Set" button is pressed while button lock is set, buzzer will sound.
- * Note: Desired function can be set after cancelling button lock by pressing "Set" button for 3 seconds or longer.
- * Note: Button lock function is cancelled automatically when the power is off even though the button lock function is already set.

CHECK BEFORE ASKING FOR SERVICE

▼ If there is a problem with your cooker, check the following details before requesting service to your dealer. Sometimes the cooker may not operate as desired if used incorrectly.

Case	Check points	Do the following
When the rice is not cooked.	Pressure "Cook/Turbo" button is pressed?	Press the "Pressure Cook" button once. And check "[]]" sign on the display.
	• Is there power cut while in cooking?	•Re-press the "Pressure Cook/Turbo" button.
When the rice is not well cooked.	 Did you use the measuring cup for the rice? Did you put proper amount of water? Did you rinse the rice before cooking? Did you put rice in water for a long time? Is the rice old or dry? 	•Refer to page 15~16 •Add water about half the notch and then cook.
Bean(other grains) is half cooked.	Is bean (other grains) too dry?	 Soak or steam beans and other grains before cooking in the pressure cooker in order to avoid partially cooked beans or grains. Beans should be soaked for-2-minutes or steamed for-2-minutes prior to cooking, depending on your taste.
Rice is too watery or stiff.	Is the menu selected correctly?Did you properly measure water?Did you open the top cover before cooking was finished?	Select the correct menu. Properly measure water. Open the top cover after cooking finished.
When the water overflows.	Did you use the measuring cup?Did you use proper amount of water?Is the menu selected correctly?	•Refer to page 15~16
When you smell odors while warming.	 Did you close the top cover? Please check it the power cord is plugged. Did it warm over 12 hours? Is there any other substance such as rice scoop or cold rice? 	Close the top cover perfectly. Always keep the power on while warming. As possible, keep warming time within 12 hours. Don't warm rice with other substance.
"E", "E_P" signs show up. " igns show up.	Temperature sensor or fan motor does not work properly.	 Unplug the power cord and call the Service center.
Warming passed time mark blinks during keeping warm	•24 hours has not passed yet after keeping warm	•This function alarms if the rice remained warm for more than 24 hours.
Rice has gotten cold or a lot of water flow during keeping warm	Keeping warm was set in "Sleeping" mode	Keep warm after cancelling or setting "Sleep Keeping Warm" mode depending on the necessity
If " <i>E do</i> " sign is appears.	 It shows on the display when pressing "Start" button again, or when the cooking has finished and you' ve never ever open turned the handle to 'Unlock'. 	It can be solved by turning handle to 'Unlock' and then turn to 'Lock'.
" E c a " sign shows up	Detachable cover is not mounted	Mount detachable cover. (Refer to page 10) If "Fco" sign is displayed continuously even though you already installed detachable cover, please contact customer service.
Alarm sounds or reheating does not work while keeping warm	Detachable cover is not mounted	Mount detachable cover. (Refer to page 10)

CHECK BEFORE ASKING FOR SERVICE

▼ If there is a problem with your cooker, check the following details before requesting service to your dealer. Sometimes the cooker may not operate as desired if used incorrectly.

Case	Check points	Do the following
When the button cannot operate with " ¿ 』"	Is the inner pot inserted? Check the rated voltage?	Please insert inner pot. This product is 120V only.
When the Pressure "Cook/Turbo" Timer button does not operate with " E [] ! "	Did you turn the Lock/Unlock Handle to "Lock" Is "pressure" lamp on?	Please turn the "Lock/Unlock" handle to "Lock".
When the rice is badly sticky.	Is there any rice or any other alien substance on the temperature sensor or the bottom surface of the inner pot?	Clean all the alien substances on the temperature sensor or the bottom surface of the inner pot.
When " <i>E D 3</i> " is showed on the LCD.	Check the rated Voltage?	Cut the power and contact customer service. It is normal to get " E [] " when putting only water. This is only for 120V.
When the time cannot be preset.	Is the current time correct?Is AM or PM set properly?Did you set the reservation time over 13 hours?	 Set the current time. (Refer to page 13) Check the AM and PM. Maximum reservation time is 13 hours. (Refer to page 25~26)
When you smell after and before cooking?	Did you clean it after cooking?	Please clean it after cooking.
When the top cover cannot be closed.	 Is the inner pot correctly inserted in the main body? Is the Lock/Unlock handle on the top cover set to "Lock"? Is there hot food in the inner pot? 	 Please put in the inner pot perfectly. Please turn the "Lock/Unlock" handle to "Lock". Pull the pressure handle to aside once.
When " £ _ u ", " 💯 " are shown on the LCD by turns.	Micom power is out.	Please cut the power and contact customer service.
When " <i>E _ P</i> ", " : <i>[[[]</i> " are shown on the LCD by turns.	The sensor is broken.	Please cut the power and contact customer service.
" #### " sign is displayed during the cooking, warming/reheating, or preset process is activated.	Is there inner pot in the product?	Please insert inner pot If the sign continuously displayed, cut the power and contact customer service.
"###" or "###" mark shows up during the product operation		This function checks to see if power or product has abnormality. If the mark shows up continuously, contact customer service.

CHECK BEFORE ASKING FOR SERVICE

▼ If there is a problem with your cooker, check the following details before requesting service to your dealer. Sometimes the cooker may not operate as desired if used incorrectly.

Case	Check points	Do the following
When cannot turn to "Unlock".	Did you turn the "Lock/Unlock" handle while cooking? Did you turn the "Lock/Unlock" handle before exhausting steam perfectly?	Don't open the top cover while cooking. If you want to open top cover while cooking, press the "Cancel" button more than 2 seconds and release the steam. Pull the pressure handle to the side once and allow the steam to release.
When the top cover cannot open although the Lock/Unlock handle is turned to "Unlock".		Because of the pressure, Pull the pressure handle to aside once and exhaust the steam perfectly.
When the steam exhausted between the top cover.	Is there an external substance on the packing? Is packing too old?	Clean the packing with duster. Keep the packing clean. If the steam is exhausted through the top cover, please power off and contact the service center and dealer. Packing life cycle is 12 month, please replace the packing per 1 year.
When the "Cancel" button does not operate while cooking.	Is the inner pot hot? Is currently the setting to lock mode?	Reep pressing the "Cancel" button for 2 seconds for safety reason if you want to cancel while cooking. Be careful of hot steam emission or hot contents spattered from the automatic steam outlet during cancellation. Please press "Set" button for over 3 seconds to release.
When you hear weird noises during cooking and warming	 Is there a wind blowing sound when cooking the rice? Is there a "Chi" sound when warming the rice? 	This is the sound of the fan motor to cool the internal parts. This is normal. The "Chi" sound during the warming process is the sound of IH cooker operating. This is normal.
Brown rice is not germinated properly	Does the amount of rice exceed the specified maximum capacity? Is the brown rice too old?	Put the specified maximum capacity of brown rice. Old rice or contaminated rice may not be germinated properly. (Refer to page 22)



Tasty Rice

Boiled Rice



Ingredients

Rice 4 cups

*The "cup" in ingredients means a measuring cup in the rice cooker, 1 cup (180 cc) is for one person.

Recipe

- 1 Put clean-washed rice in the inner pot and pour water by water gradation 4.
- 2 Firstly, lock the cover, and select White Rice in the menu, and then push the Pressure Cook/Turbo button.
- Mix rice when cooking is finished.

Reference

According to gradation on the inside of inner pot, when cooking with newly harvested rice the amount of water should be less than the gradation, and when cooking with old rice the amount of water should be more than gradation. (Control the amount of water according to preference of each fa mil v)

Pea Rice



Ingredients

3 cuips of rice, 1/2 cup of pea, 1 tablespoonful of sake, 1,5 teaspoonful of salt *Boil peabefore cooking.

Recipe

- As for peas, add salt into them, wash them clean and extract water from them,
- Put cleanly washed rice into My Caldron, season. them with sake and salt, and pour water up to white rice water graduation 3,
- ❸ Place peas on top of them, press MENU button after locking the lid, select White Rice, and press ssure Cook/Turbo button.
- ♠ When the cooker comes to Heat Preservation mode, mixthe cooked grains properly.

Store peas as follows

If peas and kidney beans etc are stored in the refrigerator, they change in color and decrease in freshiness fast. Therefore, immediately after getting the materials from the market, blanch them slightly, place them in the refrigerator, and when ever they are needed, take them out to use them in natural coloir and freshniess

Boiled Barley



Ingredients

2 cups of rice, a cup of barley

Recipe

- 1 Prepare boiled barley with a cup of barley.
- Wash rice clean, and after putting it in My Caldron along with boiled barrley, pour water up to white rice water graduation 3.
- ❸ Lock the lid, press MENU button, and after selecting Multigrain, press F
- 4 Once the cooker comes to Heat Preservation mode, mix the cooked grains properly.

Multigrain Rice

Five-grain Rice



Ingredients

Rice 1.5cup, millet1/3cup, glutinous rice1/2cup, red beans 1/3cup, sorghu m1/3cup and salt 1 teaspoon

Recipe

- 1 Wash rice glutinous rice millet and sorghum dean and scoop them with a landing net
- Boil red beans on high heat, and then put only water in which led beans were boiled in another bowl,
- 3 Put rice, glutinous rice, millet and soighum on a landing net into the inner pot and pour water in which red beans were boiled and water by white rice water gradation 3.
- Put the boiled red beans, and then look the cover. After select Multigrain in the menu, push the Pressure Turbo button
- Mix ice when cooking is finished,

Reference

Oriental medicine calls red beans as Jeoksodu which holds moisture, removes steam and discharges accumulated pus as well as relieving edema by making thirst and diarrhea stopped and bladder empty.

Bailed Fresh Germinated Brown Rice | : Bailed Brown Rice with Red Beans



Ingredients

Brown rice 4 cups

Recipe

- 1 Put washed brown rice into the inner pot, and then put it into the inner pot and pour water by water gradation.
- 2 After locking the cover and choosing germinated brown rice in the menu, push the button of Pressure Cook/Turbo button after setting up the time of germinated brown rice for 3 hours.
- Mix rice when cooking is finished.

Reference

- Control the time of germinated brown ince according to each preference
- · When cooking with germinated brown rice, set up germinating time for 0 hour if you want to have 100% boiled brown ince without germination.



Ingredients

Brown rice 1 cup, rice 2 cups and red beans 1/3 cup

- 1 Boil red beans until it become soft, but not to break the shape of red beans and separate it from water.
- 2 Wash brown rice clean and put it in the inner pot, Put the boiled red beans after pouring water by germinated brown rice water "scale 3".
- After locking the cover and choosing germinated brown rice in the menu, push Pressure Cook/Turbo button after setting up the time of alerminated brown rice for four hours.
- Mix rice when cooking is finished.



Well-being Boiled RiceWell-being Boiled Rice

Green Tea Rice Blended with Chicken Chest Flesh



Ingredients

2 cups of brown rice, 3g of green tea leaf, 10g of green tea powder, 4 nuggets of chickenchest flesh, allittle bit d'olive oil, allittle bit d'allt, a little bit of pepper, 5g of celery, a little bit of lime, a little bit of rose mary

Recipe

- Wash brown rice dean, put the brown rice into My Caldron along with 10g of green lea powder and 3g of green lea leaf, and pour water up to brown rice water graduation 2
- © Lock the Id, press MENU button, and after selecting Germinated Brown Rice and setting Germinated Brown Rice Time to 3 hours, ibo button
- press Pressure Cook/Tubo button.

 Ricke chicken chest flesh in salt and pepper for 1 hour or so, put
- dive oil in the pan, and after frying the lesh in the pan, sice it thin.

 Prepare lime by slicing it in half moon shape, and prepare shredded celery.

 • When the cooker comes to heat preservation mode, mix the cooked
- grains properly, and after placing germinated brown rice and chicken chest flesh in the vessel, add lime and celery.

10 Long Points of Green Tea

Anticarcinogenic property, anti-aging effect, prevention of lifestyle disease, prevention of obesity and diet, detoxication of heavy metals and nicotine, recovery from fatigue and removal of hangover, treatment of constipation, prevention of caries, prevention of acidification of constitution, inhibition of inflammation and bacterial contagion.

Saessak Bibimbap (rice with sprout and vegetables)



Ingredients

2 cups of brown rice and some sprouts and vegetables Seasoning red pepper paste: Red pepper paste 1/2oup, beef (crushed) 40g, sesame oil 1 tablespoon, ho ney 1 table spoon and sugar 1 tablespoon

Recipe

- Wash brown ice clean, put it into the inner pot and pour water by
- germinated brown rice water "scale 2".

 After locking the cover and choosing (button after setting up the time of germinated brown rice for 3 hours.
- Pour sesame oil in a pot and stir-fry the crushed beef. Stir-fry it a little more after stirring up it with ed pepper paste and water 1.8 cup in order to be thickened and putting sugar, honey and
- After stirring up rice when it is changed to healing mode, put the prepared sprouts and veg etables on germinated brown rice.
- 9 Put led pepper paste on the above so that sprouts may not be in
- Broccoli sprout: Prevention of cancer ■Chinese cabbage sprout: Good at stomach and improve
- constipation

 Turnip sprout: improve hepatitis and jaundice
- ■Cabbage sprout: include selenium preventing aging and cancer
 ■Daikon sprout: Lower heat and make the swelling subside
- ■Wheat sprout: purify blood

Mushroom Tian



Ingredients

2 cups of brown rice, 20g of brown gravy sauce, a little bit of salt, 2 sheets of sesame leaves, 1/3 pieces d pumpkin, a pack of shimeji mushroom * Mushroom may be chosen as preferred in the family.

Recipe

- Wash brown rice clean, put it in My Caldron, and pour water
- up to germinated brown rice water graduation 2.

 Look the lid, press MENU button, select Germinal , and after setting germinated brown rice time to 3 o button. hours.pressP
- Shop pumpkin small, and fry them slightly after adding salt
- Mix mush noom with brown gravy sauce slightly.
 When the cooker comes to Heat Preservation mode, mix the cocked grains properly.
- Put germinated brown rice in the mold, add fried pumpkin. and then after putting germinated brown rice again and evening it, take out from the mdd,
- Theap up mushroom mixed with brown gravy sauce, and place shredded sesame leaf,

Nutrious Rice

Nutrious Rice



Ingredients

Rice 4cups, fiesh ginseng 4 nots, dhestnut 4 units, jujube 4 units, ginkgo nut 12 units and refined rice wine 2 tablespoon Marinade: Soy sauce 4 tablespoon, dhopped scallion 2

tablespoon, crushed garlic 1/2 tablespoon, red pepper powder 1/2 teaspoon, ground sesame mixed with salt 2 teaspoon and sesame oil 1 teaspoon

Recipe

- Out out the rhizome of fresh ginseng dearly and chap them into slices
- Ped the skin of chestnuts and cut them into two pieces. After washing jujubes dean and separating their seeds from them, out them into two pieces.
- Str-Try gingko ruls with some oil and peel their skins, or put gingko ruls in boiled water for 2~3 minutes and peel their skins with a spoon. After putting clean-washed rice in the inner pot and pouring water by white
- rice water "scale 4", stir it up with two tablespoons of refined rice wine. Put fresh ginseng, chestnuts, ging ko nuts and jujubes prepared in step No.4. After locking the cover and choosing Nutrition Rice in the menu, push
- o button. 10 Mix rice when cooking is finished, mix marinade prepared according to your preference with rice.

References

When nutribus rice is cooked, there may be differences in metaroidine according to amount or conditions of materials (jujube, tresh ginseng) after cooking is completed. Therefore, control the amount of food according to your preference,

Rice Cooked with Nut



Ingredients

4 cups of rice, 4 nuggets of walnuts, 2 table spoonful of pine nut, 2 tablespoonful of almond, 2 tables poonful of cashevinut, 15 grains of ginkgoinut SEASONING SAUCES: 4 tables poonful of soy sauce,

1/2 teas poonful of pepper powder, 2 teas poonful of ground sessme mixed with salt, 2 tables poonful of mirced spring onion, 1/2 tables poonful of minced garlic, 1 teaspoonful of sesame oil

Recipe

- As for walnut, macerate it in warm water after removing husks and eliminate in ner husk.
- Regarding ginkgo nut, peel it off by adding a little oil and frying it, or by rubbing it with spoon etc while boiling it for 2 to 3 minutes in water.
- Put clearly washed rice into My Cauldron, and after pouring water up to white rice water graduation 4, add 1
- tablespoonful of refined rice wine.

 Put the walnut, ginkgo nut, almond and cashew nut prepared in the above 6, lock the lid, and after selecting Multi Cook by pressing Menu
- 6 Once cooking is completed, put the prepared seasoning sauce and enjoy the food by mixing

Assorted Bibimbap



Ingredients

4 cups of rice, 60g of beech mushroom, 40g of winter mushroom, 4 nuggets of button mushroom, 60g of king oyster mushroom

SÉASONING SAUCE: 4 tables poonful of soy sauce, 1/2 teaspoonful of pepper powder, 2 teaspoonful of ground sesame mixed with salt, 2 tablespoonful of mirced spring onion, 1/2 tables poonful of minced garlic and 1 teas poonful of sesame oil

- Tear beech mushroom and winter mushroom slice by slice after washing, and peel off and slice button mushroom.
- Slice king oyster mushroom lengthwise and cut them equally to a size good to each.
- Put cleanly washed rice into My Cauldron, and after pouring water up to white rice water graduation 4, put tablespoonful of refined rice wine
- 10 Put the mushroom prepared in the above 3, look the lid. and after selecting Multi ook by pressing Menu button, k/Turbo button press P
- **⑤** Once cooking is completed, put the prepared seasoning sauce and enjoy the food by mixing together.

Nutrious Rice

Mushroom Bamboo Shoot Cooked Rice



Ingredients

4 cups of rice, 200g of cyster mushroom, 100g of bamb oo shoot, 10 grains of ginkgo nut SEASONING SAUCE: 4 tab lespoonful of soy sauce, 1/2 teaspoonful of pepper powder, 2 teaspoonful of ground sesame mixed with salt, 2 tab lespoonful of minced spring onion, 1/2 tablespoonful of minced garlic and 1 teaspoonful of sesame oil

Recipe

- As for oyster mushroom, tear the mushroom to a size good to eat after washing, and regarding bamboo shod, remove the white parts between the combs by parboiling them slightly, and slice them
- by highlighting the comb shape.

 As for ginkgo nut, peel them by frying after adding a little bit of oil, or by rubbing with spoon etc while
- boiling for 2 to 3 minutes in boiling water.

 Put cleanly washed rice into My Cauldron, and after pouring water up to white rice water graduation 4, put 1 tables poonful of refined rice wine.
- 1 Put the oyster mushroom, bamboo shoot and ginkgo nut prepared in the above (3), lock the lid, and after selecting Multi Cook by pressing Menu button, press P odk/Turbo button,
- Once cooking is completed, put the prepared seasoning sauce and enjoy the food by mixing

Healthy Porridge

Pine Nut Porridge



Ingredients

Rice 1 cup, pine nut 1/2cup and some salt

Recipe

- Wash rice and pine nuts clean,
- Put rice on a landing net and crush pine nuts with an electric mixer.
- 3 Pourwater on the rice and the crushed pine nuts by nutrition porridge water "scale 1,5".
- After locking the cover and choosing Nutrition
 Porridge in the menu, push Pressure Turbo button
- 6 Mix rice when cooking is finished, and stirit with salt according to your preference,

References

- ■It is important to cook porridge according to the time. And cooled down porridge or reheated porridge is not tasty.
- ■It is good to eat it with watery plain kimchi, welldigesting fish boiled in soy sauce and Pollack lint, White porridge is cooked in the same way as pine nut porridge in the from of putting only rice.
- ■How to select pine nut made in Korea: There is gloss and luster, and almost no covers of embryo of pine nut, It has pine nut perfume and pine resin perfume,

:: Abalone Porridge



Ingredients

A cup of rice, 1 tablespoonful of sesame oil, 1 piece of abalone, a little bit of salt

Recipe

- Wash rice clean and let them swell.
- Wash the abalone by rubbing it with brush, and after taking out intestines, slice it thin.
- Put rice and abation einto My Caldron, and after adding sesame oil, mix the properly
- Pour water up to Nutritious Porridge water oraduation 1
- 6 Lock the lid, press MENU button, and after selecting Parridge, press Pressure Codk/Turba
- 6 When the cooker comes to Heat Preservation mode, put salt to your preference, and stir the cooked grains slightly

References

- ■To cook shrimp porridge or oyster porridge, cook the same manner to suit your taste.
- ■Difference of Natural Abalone and Cultured One: Mostly natural abalione assumes blackish brown or reddish brown, and cultured one green.

Special Porridge

Special Chicken Porridge



Ingredients

Rice toup, chicken 100g, chicken soup 600cc, green pepper 1 unit, red pepper 1 unit and some salt Seasoning: Choppied scallion 1 tab lespoon, crushed garlic 1 tab lespoon, soy sauce 2 tab lespoons, som e ground sesame mixed with salt, sesame oil 2 teaspoons and some ground pepper

- Wash rice dean and put it in water for more than one hour.
 ❷ Boil well-trimmed chicken for a long time. Tear it into pieces and season them with the above materials,

 Separate seeds from red peppers and green peppers and
- chop them into pieces
- Remove oil from chicken soup and put it on absorbent
- gauze. SPut step No. 1, 2 and 3 into the inner pot and pour the chickensoup,
- Pour water by nutrition porridge water "scale 1,5". After locking the cover and choosing nutrition partiage in irbo buttan, the meny push Res
- Mix rice when cooking is finished and stir it with salt according to your preference,

White Porridge



Ingredients

Rice 1 cup

Recipe

- Wash rice clean and put it into the inner pot. And pour water by nutrition porridge water "scale 1".
- 2 After locking the cover and choosing nutrition porridge in the menu, push Cook/Turbo button,

Porridge is one of the oldest food developed in our tradition and culture.

It is presumed that people in the New Stone Age with agricultural culture boiled grain with water, It is the origin of parridge.

Red Bean Porridge



Ingredients

2/3 cups of rice, 1/3 cups of red bean, 2/3 cups of glutin ous rice

- 10 Wash rice clean, and soak it in water for 30 minutes or more.
- 2 Boil red bean in strong fire, throw away red bean water, and boil it again slowly until red bean blasts in weak fire by pouring water again. Put the boiled red bean with sieve, and filter
- only red bean water by crushing.
- 4 Boil glutinous rice powder taken out from sieve of No. 2 to 3, and after pasting it with cooled water, make small dumpling in red-bean gruet.
- 6 Put previously soaked rice into My Caldron, and pour red bean water up to Nutritious Porridge water graduation 2.
- 6 Put small dumpling in red bean gruel and red bean, press MENU button, and after selecting Porridge, press Pressure Cook/Tur
- * For chewy taste, red bean grains may be used depending on preference.



Baby Food

Sweet Pumpkin Soup



* End of eating baby food (older than 12 months)

Ingredients

Sweet pumpkin 10 0g, bread crumbs 1 tablespoons, water 1/3cup, some salt and some milk

Recipe

- After selecting well-ripened yellow sweet pumpkin, peel its skin and remove its seeds, then out it into thin slices and rinse them with water.
- Place the recipe no. 1 with bread crumbs, 1 tablespoons of bread crumbs and 1/3 cup of water in the inner pot.
- After locking the cover and choosing Multi Cook in the menu button, push Pressure Cook/Turbo button after setting up the time of universal steam for 10 minutes.
- After cooking is completed, mash up it with a rice paddle. When it is hot, mix it with milk.

Sweet Potato & Apple Porridge



※ End of eating loakly food (older than 12 months)

Ingredients

Sweet pictato70g, apple70g, water2 tablespoon and some honey

Recipe

- 1 Peel the skins of apple and sweet potato and cut the minto thin slices,
- 2 Plcae the recipe no.1 and with 1/4cup of water in the inner pot
- Ater locking the cover and choosing Multi Cook in the menu button, push Pressure Cook/Turbo button after setting up the time of universal steam for 20 minutes
- 4 After cooking is completed, mash up it with a rice paddle and mix it with some honey.

References (Notes)

The latter period of eating baby food (9~12 months old): As the period when a baby can eat soft solid food, please feed the baby three times a day in designated time.

End of eating baby food (older than 12 months): As the baby is in the middle of transition period, please feed the baby various kinds of food to eat everything he/she is served.

** Please feed the baby shellfish, shirmp, raw milk, honey, tomato or coin when he/she is older the 12 months because they might cause allergy.

** Please feed the baby with extra attention because allergic ingredients of baby food or period of eating might be different depending on the baby

Baby food

Steamed rice and tofu with vegetable



※ End period of baby food (after 10~12 months)

Ingredients

50g of rice, 30g of tofu, 10g of carrot, 10g of young pumpkin, 1/2 egg, $4\ tablespoons\ of\ milk$

- Recipe

- Mash tofu after removing water from it, chop carrot and young pumpkin into fine pieces.
- Mix egg and milk together.
- Put rice, tofu, carrot, young pumpkin into the inner pot, pour the mixture of milk and egg, then mix it well.
- O Lock the cover, select multipurpose steam menu by pressing the menu button, set multipurpose steam time as 10 minutes, and press the Pressure Cook/Turko hutton
- 6 Mix it well with a spatula after multipurpose steam is completed.

Soft rice with tuna and vegetable



※ End period of baby food (after 10~12 months)

Ingredients

50g of rice, 30g of tunalcan), 10g of bell pepper, 10g of carrot, 1/2 cup of water, butter, little bit of laver powder

- 1 Pour out oil from tuna, tear it up into little pieces with chapsticks.
- Finely chop bell pepper and carrot.
- Mix rice, tuna, bell pepper, and carnot
- Spread butter on the bottom of inner pot, put ingredients of (9), and pour water.
- So Lock the cover, select multipurpose steam menu by pressing the menu button, set multipurpose steam time as 15 minutes, and press the Pressure Cook/Turbo
- 6 Mix it well with a spatula after multipurpose steam is completed

Universal Steam

Steamed Rib



Ingredients

Beef its foot its 700g, sake 2 tablespoors, nicely aged soy sauce 3ablespoors, orushed garlic 1/2 tablespoors, seer juice 1 tablespoors, peer juice 1 tablespoors, peer juice 1 tablespoors, seguant 1 tablespoors, chopped scallion 3tablespoors, ground sesame mixed with salt 1/2 tablespoor, ground peper 1/2 teaspoor, carrol 1/2 unit, cheshul 3 unis, girkgo nut 6 units and ground pine nuts 1/2 tablespoor

Recipe

- Remove fat and tendons from chopped rib and remove blood by putting it in cold water.
- 2 Remove water by scooping it with a basket and keep
- the rib smooth by maninating it in sake and pear juice.

 Sheel the skins of creshouts and divide large cheshouts into two pieces. Stir-fly gingko nuts with oil and peel the skins of gingko nuts. Cut can at into cheshout-size pieces.
- Mix all the prepared ingredients with seasoning and marinate them for one hour. After that, put them in the inner caldon (it is not necessary to pour additional water since it is cooked with moisture from ribs and marinate)
- 6 After locking the cover and choosing Universal Steam in menu button, push Pressure Cook/Turbo button after setting up the time of universal steam to 35 minutes.
- After cooking is completed, scatter ground pine nuts on the steamed rib

Steamed Chicken



Ingredients

1 chicken (700g), potato50g, carrot50g, sugar flab lespoon, chopped scallion 1 teaspoon, drus hed garlic 1 teaspoon, nicely aged soy sauce 3 tablespoons, ging ar juice 1 teaspoon, ground pepper 1/2 teaspoon, ground sesame mixed with salt 1 tablespoon and sesame oil 1 tablespoons

Recipe

- Wash a chicken, clean and remove feathers and internal organs and cut the fat in the tail.
- After cutting the chicken into a suitable eating size, make cuts in the chicken to make it well seasoned and to roast quickly.
- After putting carrots, polatoes and sliced chicken in a large bowl and mixing them with prepared seasing, marinate.
- Put enough marinated chicken, potatoes and carrots in the inner caldron.
- After locking the cover and choosing Universal Steam in menu button, push Pressure Cook/Turbo button after setting up the universal steam times to 45 minutes.

: Boiled Pork



Ingredients

Pork (shank or pork belly) 400g, gingler 1EA, some garlic, onion 1EA, scallion 1EA and some kimchi

Recipe

- 1 Put two cups of water in the inner caldron and put
- the steam plate above it.

 Out park into 2~3 pieces and put them on the steam plate with 2~3 pieces of ginger cut into thin slices
- After locking the cover and choosing Universal Seam in menu button, push Pressure Cody/Turbo button after setting up the time of universal steam to 40 minutes.
- After cooking is completed, put the pork on a plate with onion, garlic, scalli on and kimchi.

Universal Steam

:: Five-flavor Pork



Ingredients

400g of pork, 1/3 cup of soy sauce, 2 tablespoonful of sugar, a little bit of silk yam. Five flavors: 4 grains of black pepper, 5cm of cinnamon, 2 pieces of star anise

Recipe

- Bind pork with silk yarn tightly so that it may be cooked properly.
- Put the bound pork in the container, and soak it by adding soy sauce, salt and the five flavors.
 Put the materials of a into My Caldron, and
- Of Put the materials of into My Caldron, and pour 3 measuring cups of water.
- Lock the lid, press MENU button, and after selecting All-Purpose Steaming and setting allpurpose steaming time to 40 minutes, press Pressure Cock/Turbo button
- Once the cooking is completed, take out the pork and release silk yarn by cutting it with scissors. Coal down five-flavor pork, and put it on the plate by slicing it to 0.2cm thickness.

Hard-boiled Cuttlefish



Ingredients

1 squid fish, 70g of spinach, 80g of carrot, 1 egg, a little bit of salt, a little bit of sesame oil, a little bit of wheat powder Seasoning Sauces: 1 tablespoorful of ed pepper paste, 1 tablespoorful of say saue, 1 tablespoorful of sugar, 1 tablespoorful of refined rice wine, 1 efined rice wine, 1/2 teaspoonful of respect powder

Recipe

- Divide squid-fish half, remove intestines, and after washing dean by peeling it off, make cuts both to length sand breadths inside
 Put a little bit of sat in boiling water, blanch the body of the cut.
- Put a little bit of salt in boiling water, blanch the body of the cu squid-fish, and blanch the legs as well by trimming them.
- Wash spinach dean by timming it blanch it slightly after adding sat, remove water content by rinsing it in cold water, blanch carnot in boiling water by shredding it, and mix both of them with sat and sessime oil.
- Loosen up egg by adding sat in it, and paste it throughout the sould-fish area
- Wipe water content off the blanched sould-fish, put a little bit of wheat powder inside, and after rolling spirach, carrot and sould-fish legs fix them with skewer.
- Put the solled squid-fish, seasoning sauce and half cup water in
 W Caldron
- Lock the lid, press MBNJ button, and after selecting All-Purpose Steaming and setting all-purpose steaming time to 30 minutes, press Pressure Cook Turbobutton.

:: Steak



Ingredients

Beef (for steak) 200g, some steak sauce, some salt and some ground pepper

Recipe

- After scattering ground pepper and salt on beef to suit its taste, put the beef in the inner caldron and pour 1/2 cup of water.
- After locking the cover and choosing Universal Steam in menu button, push Pressure Cook/Turbo button after setting up the time of universal steam to 35m inutes
- After cooking is completed, pour some steak sauce on the steak

How to make wine sauce

After mincing button mushrooms, garlic and onions, stirfry the prepared material with salt and ground pepper. After bidling enough red wine, boil it down in ketchup, barbeaue sauce, pepper con and laurel leaves.



Universal Steam

Steamed Blue Crab



Ingredients

Blue crab 1EA, beef 150g, tofu 1/4 block, red/green pepper each 1/2EA volk 1/2EA and some flour

Recipe

- ① Wash the blue crab clean and separate its body.
- Orush meat of the separated body into thin slices.
- After crushing beef and tofu into thin slices, mix. them with the crushed crab meat,
- After crushing red/green pepper into thin slices, mixthem with yolk
- 6 After scattering flour on the crab skin and filling up step no. 3 in the crab skin, cover it with step no. **4**.
- 6 Pour one measuring cup of water in the inner caldron. After locking the cover and choosing Universal Steam in menu button, push Pressure Cook/Turbo button after setting up the time of universal steam to 30 minutes,

Steamed Fish



Ingredients

Snapper 1EA, beef 50 g, shiita ke 3EA, stone mushroom 2EA, red pepper 1EA, egg1EA, some scalli on, some garlic, some soy sauce, some ground sesame mixed with salt, some cooking oil, some sesame oil, some salt and some ground pepper

Recipe

- Make cuts on the well-trimmed snapper at intervals of 2cm.
- Season crushed beef with soy sauce, scallion, ground sesame mixed with salt, garlic and ground peoper,
- Our the prepared seasoning on the snapper.
- After pouring two cups of water into the inner pot, place the steam plate on it
- 6 Put the prepared snapper on the steam plate,
- 6 After locking the cover and choosing Universal Steam in the menu, push Pressure Cook/Turbo button after setting up the time of universal steam to 30 minutes.
- After cooking is completed, decorate it with the remaining garnish,

Steamed Clam



Ingredients

2 clams, 15g of beef, egg white 1/2EA egg 1/2EA, 1 teaspoonful of minced Welsh onion, 1/2 teaspoonful of minced garlic, 1/4 teaspoonful of salt, a little bit of pepper grounds

Recipe

- Mirce beef neatly.
 Cut cleanly rinsed clam half, and mince it neatly by taking out flesh attached to shell with knite.
- Out minced beef and claim flesh in the container, and mix evenly by seasoning with minced Welsh onion, minced garlic, sa litan dipe pper grounds.
- Since 8 shells can be contained in the container, put seasoned substances tightly to a degree of 1/2EA pershell.
- As the material may grow sticky, apply egg white evenly on top of cam flesh so that the shape may not be deformed even after steaming
- Pour 2 cups of water into My Caldron, and place steaming
- Put the prepared clam on the steaming plate.

 Shock the lid, press MENU button, and after selecting A g and setting all-purpose steaming time to 35 minutes, press o button.
- Divide fully boiled egg into white and yolk, and after minding the white neatly and crushing and putting the yolk on the sieve, put the egg yolk and white on the clam half each.

Universal Steam

Steamed Bean Curd



Ingredients

1 set of bean curd, a little bit of salt Seasoning Sauces 1 table spoonful of red pepper powder, 1 tables poon ful of minced garlic, a root of Welsh onion, a little bit of sesame oil, a little bit of ground sesame mixed with salt, a little bit of shredded red pepper, 3 tablespoonful of thick soy

- 1 Divide bean curd set into two, slice them to 1cm thickness, and by scattering salt, remove water
- 2 Shred Welsh onion thin, and prepare seasoning sauce by mixing miniced garlic, thick soy, red pepper powder, ground sesame mixed with salt, sesame oil and shredded red pepper.

 Pour 1 1/2 cup of water into My Caldron, place
- steaming plate, and put the sliced bean curds on top of it evenly.
- 1 Lock the lid, press MENU button, and after selecting and setting all-purpose steaming time to 25 minutes, press F button,
- 6 Once cooking is completed, take out bean curd, and apply seasoning sauce evenly on top of the

Japchae (stir-fried vegetables, and shredded meat)



Ingredients

Cellopha ne150g, paprika (green, red) each 1EA, carrot 70g, onion 70g, some spinach, enoki mushroom 70g, fishcake 70g and cooking oil 1 tab lespoons

- After cutting paprika, orion, carrot and fish cake into thin slices, wash enoki mushroom dean, and blanch spinach
- in boiling water. Cut it after removing from water. (paprika and carot 2∼3mm, onton and fish cake 5mm)

 ◆ After soaking cellophane in Tukewarm water for 20 minutes, wash it with cold water (When cellophane is soaked for a long time, cellophare may be too soft or agglomerated. According to preference, soak cellophane for 10 minutes ~30 minutes.)
- After pulling two labbespons of cooking oil, 1/2 cup of water and cellophane in the inner caldron, put the prepared fish cake, carrot, onion and paprilia logether.
- After locking the cover and choosing the meny push Pressure Cook/Turbo after setting up the time of universal steam to 25 minutes (When cellophane is too soft or when you want more chewy noodle, set up the time of universal steam for 20 minutes)
- After cooking is completed, put spirach blanched in boiled water and mix with soy sauce, sesame oil and sugar according to your preference. Scatter sesame seeds or ground sesame mixed with salt on the seasoned Jäpdhae.

:: Boiled egg



Ingredients

6 eggs, 2 cups of water, 1~2 drops of vinegar

- Put egg, water, and vin egar into the inner pot.
- 2 Lock the cover, select Multi Cook menu by pressing the menu button, set multipurpose steam time as 20 minutes, and press the Pressure Cook/Turbo button.



Universal Steam

Steamed Dumpling



Ingredients

Dumplings 15EA

Recipe

- Pour two cups of water into the inner pot. 2 Put steam pot on the inner caldron and put dumplings on the steam plate.
- After locking the cover and choosing Universal iteam in the menu, push P button after setting up the time of universal steam to 25 minutes.

Steamed Eggplant



Ingredients

2 pieces of eggiplants

Se asoning Sauces: 2 tablespoonful of thick soy, 1 red pepper, 1 gireen chilli, 1/2 tab lespoonful of red pepper powder, 1 table spoonful of vinegar, a little bit of ground sesame mixed with salt, 1/2 pieces of Welsh onion, 4 pieces of garlic, 2 teaspoonful of sugar

Recipe

- 1 Chop eggplant to 4cm length, and after erecting , make c iosswise cuts.
- Slice red peppers and green peppers small, mince Welsh onions and garlic, and make filling by adding thick soy, ground sesame mixed with
- salt, red pepper powder, sugar and vinegar.

 Pour 2 cups of water into My Caldron, and after adding steaming plate, place sliced egg plant on top of it evenly.
- Lock the lid, press MENU button, and selecting and setting al-purpose steaming to 30 minutes, press Pressure button,
- ⑤ Once cooking is completed, put the filling prepared on the eggplant evenly.

Steamed Pumpkin



Ingredients

Seasoning Sauces 1 tablespoonful of thick soy, 1 tablespoonful of mined Welsh onion, 1/2 tables poonful of sesame oil, 1/2 table tablespoonful of red pepper powder, a little bit of shreddled red pepper, 1 teaspoonful of sugar, 1 tablespoonful of minced garlic, 1/2 tables poonful of ground sesame mixed with salt

Recipe

- Slice pumpkin thin.
- Make seasoning sauce by mixing minced Welsh. onion, minced garlic, thick soy, shredded red pepper, red pepper powder, sesame oil, ground sesamé mixed with salt, and sugar.
- Pour 2 cups of water into My Caldron, put steaming plate in it, and after placing the sliced pumpkin on top of it, scatter seasoning sauce of evenly.
- Lock the lid, press MENU button, and after selecting purpose steaming time to 30 minutes, press rbo button

Universal Steam

Steamed Chestnut



Ingredients

Chestnut 15EA

Recipe

- Pour two cups of water into the inner pot.
- 2 Put steam pot on the inner caldron and put chest nuts on the steam plate (peel partial skin of chest nut to prevent bursting)
- 3 After locking the cover and choosing Universal ceam in the menu, push Pressure button after setting up the time of universal steam to 30 minutes.
- When cooking is completed, be careful with the hat chestnuts.

Sweet Potato



Ingredients

Sweet potato 5 EA

*When sweet potato is large (more than 150g), cut it into two pieces.

Recipe

- Pour two cups of water in the inner pot. Put steam pot in the inner cald ron and put sweet
- potatoes on the steam plate.
- After locking the cover and choosing Universal em in the menu, push button after setting up the time of universal steam to 35 minutes
- When cooking is completed, be careful with the hot sweet potatoes,

Diverse-effect of sweet potato

- ■Steamed sweet potato for constipation: When you take steamed sweet potato with its skin, it is good for constipation.
- Fresh sweet potato for weak person: Sweet potato includes a lot of vitamin B, mineral and carotene. Therefore, it is food with high nutrition. Especially, when taking ground fresh sweet potato, it is good for your health. Many kinds of enzymes are included in the fluid flown out from sweet patatoes.

Potato



Ingredients

Potato (less than 200 g) 6EA

Recipe

- Pour two cups of water into the inner pot.
- 2 Put steam pot on the inner caldiron and put potatoes on the steam plate,
- After locking the cover and choosing Universal. eam in the menu, push button after setting up the time of universal steam to 45 minutes
- When cooking is completed, be careful with the hot potatoes,

How to keep potato

When potatoes are kept at normal temperature in the summer, it sprouts right away. Therefore, it is good to keep them in the refrigerator. If there is a great amount, put potatoes in an bag and keep it in a opened carton box. At this time, putting one or two apples together with potatoes will be helpful to prevent sprouting because of the effect of enzymes in apple,



Universal Steam

Steamed egg



Ingredients

2 eggs, 2 cups of water or kelp water, 1 teaspoon of salted shrimps, pinch of salt, 10 g of carrot, 10 g of green onion

Recipe

- Place egg and water or kelp water together and mixit well
- Finely chop carrot and the green part of green onion and it with
- Min ce salted shrimps with little bit of water to make it soupy, mix it with 2, and season it with salt.
- OLock the cover, select Multi Cook by pressing the menu button, set multipurpose steam time as 20 minutes, and press the Pressure Cook/Turbo button.

Rice cake gratin



Ingredients

50g of rice cake for tteckguk, 1 boiled egg, 1 sweet potato, 40g of mozzarella cheese, 1 slice of cheddar cheese, little bit of olive oil, 1/2 cup of white sauce, little bit of parsley powder

*White sauce: Flour, 10g of butter, 100 g of milk, pinch of satt and white pepper (Melt butter, add flour and stir it, add milk and boil it until it gets thick, and apply satt and white pepper for seasoning)

Recipe

- Wash the sweet potato with peel and cut it in a circular shape.
- Out the boiled egg with a cutter, steep rice cake in warm water.
- 3 Spie ad olive oil on the inner part evenly, pile up sweet potato, egg, and rice cake.
- Splead white sauce on (9), put mozzarella cheese on top, cut cheddlar cheese slice into 8 pieces and place it on top, and sprinkle parsley powder.
- Substitution
 Sub

Shrimp ketchup fried rice



Ingredients

10 medium size shrimps, 1/4 green onion, 20g of onion, 10g of carrot

* Kerichup sauce: 3 tablespoons of ketichup, 1 tablespoon of sugar, 1 tablespoon of starich powder, 1 tablespoon of water, pinch of salt, soy sauce, and pepper powder

Recipe

- Remove head and internal orans of shrimps, leave one joint at tail side and tail, peel off the skin, and wash it out with salt water.
- 2 Slice green onion obliquely, and chop onion in a size that is smaller than shrimps
- Place shrimp, green onion, and onion with ketchup sauce, and mix it well.
- Lock the cover, select Multi Cook menu by pressing the menu button, set multipurpose steam time as 15 minutes, and press the Pressure Cook/Turbo button.
- 6 Mix it well with a spatula after multipurpose steam is completed.

Universal Steam

Tteokbokki (spicy and sweet rice cake)



Ingredients

 $200\,\mathrm{g}$ of rice cake bars (soft), 2 pieces of fish cake, 1/4 onion, 1/4 green onion, $40\,\mathrm{g}$ of carrot

*marinade: 2 tablespoons of red pepper plaste, 1 tablespoon of starch syrup, 1 tablespoon of suglar, 1 teaspoon of sesame salt, 1 teaspoon of soy sauce, 1/3 of anchovy water

Recipe

- Wash out the rice cake bars with running water, and cut it into bite-size dieces
- Out fish cake into 4 sections, julien ne carrot and onion, and slice green onion obliquely.
- 3 Mix the ingredients for marinade and prepare marinade separately.
- 4 Put the ingredients with marinade into the inner p.o., and mix it well.
- Substitution Lock the cover, select Multi Cook menu by pressing the menu button, set multipurpose steam time as 20 minutes, and press the Pressure Cook/Turbo button.

Rice pizza



Ingredients

- *Dough ingredients 100g of rice
- *Topping ingredients 2 slices of ham, 2 button mushrooms, 2 tablespoons of canned corn, 1 stick of cialbmeat, 40 g of mozzare lla cheese, 4 tablespoons of pizza sauce

- Peel off the skin of button mushroom and cut it in its shape, and tear a crab meat stick into pieces,
- Out sliced hams into squares, and remove water from the canned corn.
- 3 Place rice on the bottom of inner pot flatly.
- Spread pizza sauce on the rice flatty using a spoon, and place topping ingredients on the top.
- Place mozzarella cheese on @, lock the cover, select Multi Cook menu by pressing the menu button, set multipurpose steam time as 20 minutes, and press the Pressure Cook/Turipo button.



Universal Steam

:: Corn



Ingredients

Com 4EA

Recipe

- 1 Pour two cups of water into the inner pot.
- 2 Put steam pot in the inner caldron and put corn on the steam plate.
- After locking the cover and choosing Universal Steam in the menu, push Pressure Cook/Turbo button after setting up the time of universal steam to 40 minutes
- 4 When cooking is completed, be careful with the hot corn.

:: Fresh Cream Cake



Ingredients

Flour (weak flour) 1/2cup, egg 2EA, 1/2 tablespoon of butter, 1/2tablespoon of milk, some vanilla perfume, 1/2cup of sugar and some salt

Whipped cream: 100 cc of cream, 1/4 cup of sugar Fruits: Cherry 1EA, strawberry 3EA, 1/4 can of tangerine and kiwi 1EA

Recipe

- Put salt in flour and sieve it,
- Separate the yolk from an egg.
- Put the white of an egg in a vessel and stirit in a fixed direction. When bubbles take place, put sugar by dividing it in several times. Stirup bubbles until they don't flow down when the vessel caves over.
- Continue to stir while putting the yolk in recipe no.3 little by little and put some vanilla perfume.
- 15 When step no.4 becomes cream, mix with flour.
- Mix boiled butter with milk
- After putting butter on the bottom and the side of the inner caldron, pour cake dough into the inner caldron.
- Atter locking the cover and choosing Universal Steam in the menu, push Pressure Cook/Turbo button after setting up the time of universal steam to 40 mouths.
- 9 Cool down the cooked sponge cake.
- Atter pouring whipped cream in a vessel and making bubbles to be regarded to be thick, put powdered sugar (put sugar in a cutter and grind it)
- Apply cream on the cooled sponge cake.
- Apply cream of the cooled sportige cake.
 Decorate it with different kinds of prepared fruit.

Universal Steam



Ingredients

2 cups of glutinous rice, 30g of raisin, 10 chestnuts, 7 dates, 1 tablespoonful of pine nut, 70g black sugar, 1/2 tablespoonful of thick soy, 2 tablespoonful of sesame oil, a little bit of sait, 1/2 tablespoonful of cinnamon powder

Recipe

- Wash glutinous rice clean, and soak it in water sufficiently for 1 hour or longer.
- 2 Prepare chestnuts and dates by cutting them to proper size.
- (However, remove the husks and seeds of chestnuts and dates.)
- Add black sugar, sesame oil, cinnamon powder and a little bit of salt into the previously soaked glutinous rice and mix themproperly.
- Put all the materials of 3 into My inner pot, and after selecting [White Rice], press Pressure Cooking/Reheat button.
- Lock the lid, press MENU, and after selecting Multi Cook, press Pressure Cook/Turbo button.

: Steamed Rice Cake



Ingredients

5 cuips of nonglutinous rice, 2 cuips of adizulki beans, 1 tablespoonful of salt, 5 tablespoonful of sugair and 3 tablespoonful of water

- Put 3 table-spoonful of water into 5 cups of nonglutinous rice, and after mixing properly and sieving them once, mix with 3 tablespoonful of sugar.
- As for adzuki beans, add salt(1 tablespoonful) and sugar(1 tablespoonful) while pounding them roughly by boiling free of water content.
- Put steaming plate after pouring 1.5 cups of water into My Cauldron, splead cloth of proper size by cutting it.
- Spread 1 cup of adzuki bean crumbs, put steaming plate evenly, and create layers by adding 1 cup of adzuki bean crumbs again.
- Select All-purpose Seaming by pressing Menu button after locking the lid, and after setting All-purpose Seaming Time to 45 minutes, press Pressure Cook/Turbo button.

CUCKOO ELECTRIC RICE COOKER/WARMER LIMITED WARRANTY

KEY Company, P&K USA TRADING CORP and Cuckoo Trading Canada. will repair at its option replace, without charge, your product which proves to be defective in material or workmanship under normal use, during the warranty period listed below from the date of original purchase. This warranty is good only to the original purchaser of the product during the warranty period. P&K USA TRADING CORP covers the east and the central districts, KEY Company covers the west and the central districts, Cuckoo Trading Canada covers the whole Canada.

WARRANTY PERIOD

MODEL# #LABOR PARTS HOW SERVICE IS HANDLED

CRP-HS06 1YEAR 1YEAR The East and the Central Districts

Call: 718 888 9144

Address: 129-04 14th Avenue College Point, NY 11356, USA

The West and the Central Districts.

Call: 213 687 9828 Toll Free: 877 481 9828 Address: 700 Jackson Street, L.A, CA 90012, USA

Canada (TORONTO)

Call: 416 878 4561 / 905 707 8224 Address: #D8-7398 Yonge Street Thornhill Ontario Canada L4J 8J2

Canada (VANCOUVER)

Call: 604 540 1004 / 604 523 1004

Address: 945 Lougheed Hwy Coquitlam BC Canada V3K 3T4

No other express warranty is applicable to this product. THE DURATION OF ANY IMPLIED WARRANTIES, INCLUDING THE IMPLIED WARRANTY OF MERCHANTABILITY, IS LIMITED TO THE DURATION OF THE EXPRESS WARRANTY HEREIN. CUCKOO ELECTRONICS CO.,LTD, SHALL NOT BE LIABLE FOR THE LOSS, THE USE OF THE PRODUCT, INCONVENIENCE, LOSS OR ANY OTHER DAMAGES, DIRECT OR CONSEQUENTIAL, ARISING OUT OF THE USE OF, OR INABILITY TO USE, THIS PRODUCT OR FOR ANY BREACH OF ANY EXPRESS OR IMPLIED WARRANTY, INCLUDING THE IMPLIED WARRANTY OF MERCHANTABILITY APPLICABLE TO THIS PRODUCT.

Some states do not allow the exclusion or limitation of incidental or consequential damages or limitations on how long an implied warranty lasts: so these limitations or exclusions may apply to you. This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

THE ABOVE WARRANTY DOES NOT APPLY IN THESE CASES:

- * To damages problems which result from delivery or improper installation.
- * To damages problems which result from misuse, abuse, accident, alteration, or incorrect electrical current or voltage.
- * To serve call which do not involve defective workmanship or material and explaining the operation of the unit.

Therefore, these costs are paid by the consumer. Customer assistance numbers:

To Prove warranty Coverage:
Retain your Sales Receipt to prove date of purchase

► Copy of your Sales Receipt must submitted at the time warranty service is provided.

To Obtain Product, Customer, or Service Assistance and Nearest Authorized service center, Parts Distributor or Sales Dealer:

The East and the Central Districts Call : 718 888 9144 Address :129-04 14th Avenue College Point, NY 11356, USA The West and the Central Districts.
Call: 213 687 9828
Toll Free: 877 481 9828
Address: 700 Jackson Street, L.A,
CA 90012. USA

Canada (Toronto) Call : 416 878 4561 / 905 707 8224 Address : #D8-7398 Yonge Street Thomhill Ontario Canada L4J 8J2 Canada (Vancouver) Call : 604 415 9858/604 524 8282 Address : 103-4501 North Road Burnaby BC Canada V3R 4R7

