


	8	7	6	
	ITEM NO.	PART NO.	DESCRIPTION	QTY.
	1	H341	handle pivot, floor machine	1
	2	H089	axle, 9.63" x .50" dia	1
	3	H267	pivot block, TRex	2
F	4	H065	bushing, sleeve, 5/8 i.d. x 1.25" long	2
	5	H066	bolt, shoulder 5/8" x 1.25", 1/2-13 thrds	2
	6	H427	washer, wave	2
	7	H665	wheel, 6" x 2", indented hub	2
	8	H042	c-clip, 12mm, external	2
	9	H157	spring, handle adjustment	1
	10	H847	bushing, locking piston	1
	11	H152	ring, retaining, internal 1 1/2"	1
	12	H844	locking piston, handle adj.	1
	13	H148	washer, 5/16", narrow	7
E	14	H843	locking arc, handle adjustment	1
	15	H421	washer, 5/16" lock, s/s	10
	16	H151	bolt, 5/16-18 x 3/4" Long SHCS	10
	17	G107	o-ring, 13/16" o.d. x 1/8" width	1
	18	H705	bolt, giude, locking piston	1
	19	A102A	assembly, cleaning head, TRex JR	1
	20	G014	seal, felt, T-REX	1
	21	H126	plate, seal, head/ bell housing	1
	22	P516A	bell housing, TRex JR	1
	23	H768	bolt, 1/4-20 x 3/4" serrated hex flange, zinc	2
D	24	H485	handle, aluminum grip, black	1
	25	G023A	o-ring, 6.5" o.d. x 1/8" width	1
	26	G105	gasket, valve, buna, handtool	1
	27	H384	washer, 3/8 flat, s/s	3
	28	B139	rotary union	1
	29	P517V	vacuum sight tube w/Cuff-Lynx, 90 deg, vinyl cuff	1
	30	H230	screw, 10-32 x 1/2", phil pan, s/s	7
→	31	H882	screw, #8 x 3/4", phil pan, s/s	2
	32	E405A	knob, speed controller	1
	33	P501A	cover, front, switch housing, TRex	1
	34	E363A	potentiometer, rotary	1
	35	E382	pcb speed control	1
C	36	H258	switch box, T-REX	1
	37	B101	quick disconnect, 1/4" mqd x 1/4" fpt	1
	38	B247	filter, in-line, 100 mesh, 1/4" mpt x fpt	1
	39	B107	nipple, hex, 1/4"mpt x 1/4"mpt	1
	40	AH122	sol hose, 1/4" x 7", 1/4 mpt x 1/4 fpt	1
	41	B133-A	valve, brass, K, w/ trigger for wands	1
	42	B103	elbow, 90 deg street, 1/4"mpt x 1/4" fpt	1
	43	AH110	sol hose, 1/4" x 48" 1/4 msw x 1/8 mpt	1
	44	H203	bolt, 1/4-20 x 1-1/4" hex head, s/s	4
	45	H215	nut, hex, 1/4-20 s/s	1
B	46	H047	screw, 1/4-20 x 3/4", button, s/s, blk oxide	10
	47	H164	grommet, 5/8" ID	2
	48	E349	cord, female 38", 14/3 IEC320C13 plug	1
	49	H247A	hook, hose restraint, T-REX	2
	50	H159	cable, handle adj, 36"	1
	51	H216	nut, lock, 1/4-20, nylon insert, s/s	1
	52	H458	nut, lock, 10-32, thin, nylon insert	2
	53	P529	spacer, lever, handle adj.	1
	54	H257	lever, solution, T-REX	1
	55	H167	switch, momentary	1
	56	H127	bracket, mount, switch	1
A	57	H263	lever, switch, T-REX	1
	58	G040	grip, handle, vinyl	2
	59	P522	handle, back half, T-REX	2
	60	H261-B	handle, reinforcement, side, T-Rex	2
	61	H261-A	handle, reinforcement, center, T-Rex	1
	62	H222	screw, 10-32 x 1-1/4" phil pan head, s/s	2


ITEM NO.	PART NO.	DESCRIPTION	QTY.
63	P541	lockout, floor machine	1
64	H168	spring, lockout, floor machine	1
65	H260	cover, back, switch housing, TRex	1
66	G087	bumper w washer	2
67	H017	screw, 10-32 x 1.5", FHSCS, s/s	2
68	H018	screw, 10-32 x 1 1/2", FHSCS, s/s	3
69	H161	roll pin, 1 3/4" x 1/8"	2
70	H160	spring, switch/lever	2
71	H149	bolt, 5/16" shldr x 5/8" w/ 1/4-20 thrd	1
72	H839	lever, handle adj., floor machine	1
73	H144	strain relief, power cord, metal	1
74	E417	power cord, fend, 13", 12/3, LA066A male twist locks, SJTW solid jacket	1
75	H249B-ss	tube, t-rex	1
76	C349B	motor & transmission, 0.5 hp, 3200 rpm, 180V, TRex JR	1

ITEMS NOT SHOWN

PART NO.	DESCRIPTION	QTY.
P576A	star protector, TRex JR	1
E351A	50' extension cord, 12/3, female twist lock	1
H051	wrench, flat, 5/8"	1
H053	tool, star remover, TRex	1
PH648	lubricant, super lube oil, 4 oz tube	1
ADM-TREX JR	manual, TRex JR	1




	NAME	DATE	MYTEE 858-679-1191		
DRAWN	M.LaBarbera	3/2014	TITLE: T-REX JR		
CHECKED	J.Avila	8/2025			
COMMENTS:					
PROPRIETARY AND CONFIDENTIAL					
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MYTEE LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MYTEE LLC IS PROHIBITED.			SIZE	DWG. NO.	REV
			C	TRex JR-2301	10.24
			SCALE: 1:24	DO NOT SCALE DRAWING	SHEET 1 OF 4




		NAME	DATE	MYTEE	
DRAWN	M.LaBarbera	3/2014		858-679-1191	
CHECKED	J.Avila	8/2025		TITLE:	
COMMENTS:				CTrex JR-230i0.24	
PROPRIETARY AND CONFIDENTIAL				SCALE: 1:24	DO NOT SCALE DRAWING
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MYTEE LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MYTEE LLC IS PROHIBITED.				REV	SHEET 2 OF 4

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1	G014	seal, felt, T-REX	1
2	P518A	manifold, upper, vac, T-REX JR	1
3	G037A	o-ring, 11.75 0d x 1/8" width	1
4	B161	manifold, upper, solution, T-REX	1
5	G027	o-ring, 1.75" o.d. x 1/8" width	2
6	H090A	manifold, lower vac, TRex JR	1
7	G099A	brush, tile, TRex JR	4
8	H186	screw, 10-32 x 3/4, phil, flat, countersunk, s/s, black	16
9	B157A	manifold, lower solution, TRex JR	1
10	B176	plug, 1/8" npt, countersunk hex	1
11	B639	jet, 1/8", 11002, 90 deg, lo pro, s/s	4
12	B217	check valve, 1/8" mpt x 1/8" fpt, 5 PSI	4
13	H036A	spray bar, 2.375", T-Rex	4
14	H248C	glide, TRex JR, s/s	4
15	H230	screw, 10-32 x 1/2", phil pan, s/s	12
16	H018	screw, 10-32 x 1/2", FHSCS, s/s	20
17	H877	washer, #10 lock, s/s	4
18	H222	screw, 10-32 x 1-1/4" phil pan head, s/s	4



	NAME	DATE	MYTEE	
DRAWN	M.LaBarbera	12/2014	858-679-1191	
CHECKED	J.Avila	8/2025	TITLE:	
COMMENTS:			assembly, cleaning head, TRex JR	
PROPRIETARY AND CONFIDENTIAL			SIZE	DWG. NO.
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MYTEE LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MYTEE LLC IS PROHIBITED.			SCALE: 1:4	REV
			DO NOT SCALE DRAWING	10.24
			SHEET 3 OF 4	

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
OD	ORIGINAL DRAFT	3/2014	JFL



	NAME	DATE	MYTEE	
DRAWN	M.LaBarbera	3/2014	858-679-1191	
CHECKED	J.Avila	8/2025	TITLE:	
COMMENTS: PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MYTEE LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MYTEE LLC IS PROHIBITED.			T-REX JR	
			SIZE	DWG. NO.
			CTrex JR-230	
			SCALE: 1:24	DO NOT SCALE DRAWING
			SHEET 4 OF 4	