



MATERIAL FACT SHEET

261437 HG-SR7024

General Data

Product Hierarchy	IAK30222
	SERVO and Motion
	HG-SR
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000269076

FA-Servo-Motion: Servo Motor

Series	MELSERVO-J4
Type	HG-SR
Power Supply (V)	400
Rated Capacity (kW)	7
Inertia	MEDIUM INERTIA
Rated Torque (Nm)	33,4
Maximum Torque (Nm)	100
Rated Speed (rpm)	2000
Maximum Speed (rpm)	3000
Inertia (kg*cm2)	151
Brake	NO
Shaft Type	STRAIGHT SHAFT
Protection Class	IP67
Current Type	AC
Encoder Type	22-BIT
Encoder Resolution (p/rev)	4194304

Product Dimensions & Weight

Width (mm)	176
Height (mm)	237,1
Depth (mm)	297,5
Weight (kg)	27

Logistic Dimensions & Gross Weight

Length (cm)	48,5
Width (cm)	28,0
Height (cm)	22,5
Gross Weight (kg)	27,000
Volume (cdm)	30,555

Stock Data

Planned Delivery Time (Days)	72
------------------------------	----

Life Cycle

Sales Start	02.06.2013
Predecessor	192058 / HF-SP7024 7KW 2000RPM

Additional Product Information

Binding Tariff Information	DEBTI-10611/21-1
BTI validity date	26.09.2024
Battery included	NO

Export Data

Commodity Code	85015220
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)

Preference Status (Supplier Declaration)	Non EU
--	--------

Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=HG-SR7024&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=HG-SR7024&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=HG-SR7024&doc-lang=en

Product Packaging

Cardboard (g)	1480
Other paper (g)	35
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	46
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
191214	HF-SP702(B) CONNECTOR PIN	3	PC
278629	HG-SR-121 - 502 P-BRACKET	1	PC
278631	HG-SR-121 - 502 O-BRACKET	1	PC
191224	HF-SP202/352/502/702(B) O-RING FOR FRAME	2	PC
191226	HF-SP202/352/502/702(B) O-RING FOR MOUNT	1	PC
191229	HF-SP702(B) CONNECTOR POWER	1	PC
191232	HF-SP702(B) O-RING FOR CONNECTOR	1	PC
191239	HF-SP202/352/502/702(B) PRE LOAD SPRING	1	PC
191242	HF-SP202/352/502/702(B) BEARING EP6208ZZ	1	PC
332677	HG-SR121-702(4)/(B)(W0C) BEARING	1	PC
191246	HF-SP202/352/502/702(B) O-RING P-BR/WEIG	1	PC
278646	HG-SR-51A/B - 702A/B ENCODER SET	1	PC
191248	HF-SP52 up to 702(B) JOINT OLDHAM	1	PC
191249	HF-SP52 up to 702(B) JOINT TORQUE DISC	1	PC
191250	HF-SP52 up to 702(B) O-RING FOR ENCODER	1	PC

Compatible products

Material	Description / Price List Text / Classification
136358	MR-PWCNS3 Power Connector Set for HF-SP,HG-SR702/7024, HG-JR703/7034/903/9034 motor Class 100100509: FA-Servo-Motion: Connector
150771	PCS100N-02.0-0C3 Power cable; for HG-SR702,HC-SFS702(4),HF-SP702(4), high flexible, 2m Class 100100508: FA-Servo-Motion: Cable
150772	PCS100N-05.0-0C3 Power cable; for HG-SR702,HC-SFS702(4),HF-SP702(4), high flexible, 5m Class 100100508: FA-Servo-Motion: Cable
150819	PCS100N-10.0-0C3 Power cable; for HG-SR702,HC-SFS702(4),HF-SP702(4), high flexible, 10m Class 100100508: FA-Servo-Motion: Cable
150821	PCS100N-20.0-0C3 Power cable; for HG-SR702,HC-SFS702(4),HF-SP702(4), high flexible, 20m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
150822	PCS100N-30.0-0C3 Power cable; for HG-SR702,HC-SFS702(4),HF-SP702(4), high flexible, 30m Class 100100508: FA-Servo-Motion: Cable
160226	MR-J3ENSCBL2M-H Encoder cable; for HC-RP, HF-SN/SP/JP, HG-SN/SR, HK-KT/RT/ST; high flex.,2m, IP67 Class 100100508: FA-Servo-Motion: Cable
161563	MR-J3ENSCBL5M-H Encoder cable; for HC-RP, HF-SN/SP/JP, HG-SN/SR, HK-KT/RT/ST; high flex.,5m, IP67 Class 100100508: FA-Servo-Motion: Cable
161564	MR-J3ENSCBL10M-H Encoder cable; for HC-RP, HF-SN/SP/JP, HG-SN/SR, HK-KT/RT/ST; high flex.,10m,IP67 Class 100100508: FA-Servo-Motion: Cable
161565	MR-J3ENSCBL20M-H Encoder cable; for HC-RP, HF-SN,-SP,-JP, HG-SN,-SR, highflexible, 20m, IP67 Class 100100508: FA-Servo-Motion: Cable
161566	MR-J3ENSCBL30M-H Encoder cable; for HC-RP, HF-SN,-SP,-JP, HG-SN,-SR, highflexible, 30m, IP67 Class 100100508: FA-Servo-Motion: Cable
161567	MR-J3ENSCBL2M-L Encoder cable; for HC-RP, HF-SN/SP/JP, HG-SN/SR, HK-KT/RT/ST; 2m, IP67 Class 100100508: FA-Servo-Motion: Cable
161568	MR-J3ENSCBL5M-L Encoder cable; for HC-RP, HF-SN/SP/JP, HG-SN/SR, HK-KT/RT/ST; 5m, IP67 Class 100100508: FA-Servo-Motion: Cable
161569	MR-J3ENSCBL10M-L Encoder cable; for HC-RP, HF-SN/SP/JP, HG-SN/SR, HK-KT/RT/ST; 10m, IP67 Class 100100508: FA-Servo-Motion: Cable
161570	MR-J3ENSCBL20M-L Encoder cable; for HC-RP, HF-SN,-SP,-JP, HG-SN,-SR, 20m, IP67 Class 100100508: FA-Servo-Motion: Cable
161571	MR-J3ENSCBL30M-L Encoder cable; for HC-RP, HF-SN,-SP,-JP, HG-SN,-SR, 30m, IP67 Class 100100508: FA-Servo-Motion: Cable
161576	MR-J3SCNS Encoder-Connector-Set for HF-SE/SN/SP/JP, HG-JR/SN/SR, HK-ST/RT motor,(Straight) Class 100100509: FA-Servo-Motion: Connector
202110	PCS100N-45.0-0C3 Power cable; for HG-SR702,HC-SFS702(4),HF-SP702(4), high flexible, 45m Class 100100508: FA-Servo-Motion: Cable
227425	MR-J3SCNSA Encoder-Connector-Set for HF-SE/SN/SP/JP, HG-JR/SN/SR, HK-ST/RT motor, (Angle) Class 100100509: FA-Servo-Motion: Connector
244812	MR-J3ENSCBL50M-H Encoder cable; for HC-RP, HF-SN,-SP,-JP, HG-SN,-SR, highflexible, 50m, IP67 Class 100100508: FA-Servo-Motion: Cable
248686	MR-ENCNS2 Encoder Connector Set for HG-SN/SR, HK-ST/RT motor, IP67 (Straight Type) Class 100100509: FA-Servo-Motion: Connector
248687	MR-ENCNS2A Encoder Connector Set for HG-SN/SR, HK-ST/RT motor, IP67 (Angle Type) Class 100100509: FA-Servo-Motion: Connector
269076	MR-J3ENSCBL40M-H Encoder cable; for HC-RP, HF-SN,-SP,-JP, HG-SN,-SR, highflexible, 40m, IP67 Class 100100508: FA-Servo-Motion: Cable