



Quickie QX AADL - W113

EIF6, March 2021



Mark For:

Date: _____
 Dealer Acct #: _____
 Dealer: _____
 Dealer Contact: _____
 Dealer Address: _____
 Dealer City: _____ PV: _____ PC: _____
 Dealer Phone: () _____ Fax: () _____
 Confirmation E-mail: _____
 Confirm Via: ☐ Fax ☐ E-mail

Submitting for:

☐ Quote ☐ Order

PO#: _____

ADDITIONAL SHIPPING INFORMATION

Ship To: _____
 Attention: _____
 Address: _____
 Address: _____
 Ship To City: _____ PV: _____ PC: _____
 Ship To Phone: () _____ Fax: () _____

✓	Option #	Definition	Price	✓	Option #	Definition	Price
---	----------	------------	-------	---	----------	------------	-------

1. FRAME

Base Model

☐	196WM94	Quickie QX (Fixed Axle) 300 lbs.	\$1,299.00
--------------------------	---------	----------------------------------	------------

Base Model

☐	196TO38	Transit System WC19	NC
--------------------------	---------	---------------------	----

Frame Style

See Seat Height Matrix on page 2

☐	196FS9	Standard Frame	NC
☐	196FS30	Hemi Frame	NC

2. SIZE / SEATING

Frame Width

☐	196W5	14"	NC
☐	196W6	15"	NC
☐	196W7	16"	NC
☐	196W8	17"	NC
☐	196W9	18"	NC
☐	196W10	19"	NC
☐	196W11	20"	NC

Seat Depth

Frame Depths equals Seat Depths.

☐	196SD7	14"	NC
☐	196SD8	15"	NC
☐	196SD9	16"	NC
☐	196SD10	17"	NC
☐	196SD11	18"	NC
☐	196SD71	19"	NC
☐	196SD13	20"	NC

Frame Width - Built 4 Me Options

NEW!
 Not available with EXO standard or Tension adjustable upholstery. Not available with Ballistic Nylon or 3DX Tension adjustable upholstery.

☐	196W59	B4ME - 21" Width	\$284.00
☐	196W60	B4ME - 22" Width	\$284.00

Seat Sling

☐	196SL1	Standard Seat Sling	NC
☐	196SL6	Omit Seat Sling	NC



Quickie QX, Ultra Lightweight Folding Wheelchair



Quickie QX featuring the Jay X2™ cushion

A1 is client responsibility. A2 is clinical justification.

Customer Service: (800) 263-3390 Fax: (800) 561-5834 E-mail: cscanada@sunmed.com www.sunrisemedical.ca
 Specifications are subject to change without notice. © 2019 Sunrise Medical Canada Inc. MK-100379-CAN REV (2).

3. CASTERS / SEAT HEIGHT

Front Seat Height

See Front Seat Height Matrix. 12.5 & 13.0 only available w/ 60° hanger

12.5" & 13" only available w/ Alum Angle Adj Footplate

☐	196SH34	12.5"	NC	☐	196SH14	16.0"	NC
☐	196SH35	13.0"	NC	☐	196SH15	16.5"	NC
☐	196SH40	13.5"	NC	☐	196SH16	17.0"	NC
☐	196SH41	14.0"	NC	☐	196SH17	17.5"	NC
☐	196SH42	14.5"	NC	☐	196SH18	18.0"	NC
☐	196SH12	15.0"	NC	☐	196SH20	18.5"	NC
☐	196SH13	15.5"	NC	☐	196SH21	19.0"	NC
				☐	196SH23	19.5"	NC

Caster Wheels

☐	196CW3	4" Low Profile Polyurethane	NC
☐	196CW44	4" x 1.25" Semi Pneumatic	NC
☐	196CW5	5" Low Profile Polyurethane	NC
☐	196CW7	5" x 1.5" Semi Pneumatic	\$95.00
☐	196CW34	6" Polyurethane	NC
☐	196CW35	6" x 1.5" Semi Pneumatic	\$95.00
☐	196CW32	8" Polyurethane	NC
☐	196CW39	8" x 1.5" Semi Pneumatic	\$134.00

Caster Fork

☐	196CF71	3.5" (standard stem bolt only)	NC
☐	196CF12	5.25"	NC
☐	196CF17	6"	NC
☐	196CF23	7"	NC

Caster Stem Bolt

☐	196CS1	Standard	NC
☐	196CS5	3/4"	NC
☐	196CS9	1 1/2"	NC

Front Seat Height Matrix

Front Seat Height Matrix - Standard Stem Bolt								
Caster	3.5" FORK				5 1/4" FORK			
	STD		HEMI		STD		HEMI	
	Min	Max	Min	Max	Min	Max	Min	Max
4 Low Poly	14.5	15.0	12.5	13.0	16.0	17.0	14.0	15.0
4 x 1.25 Semi Pneu	15.0	15.5	13.0	13.5	16.5	17.5	14.5	15.5
5 Low Poly	15.0	15.5	13.0	13.5	16.5	17.5	14.5	15.5
5 x 1.5 Semi Pneu	15.0	15.5	13.0	13.5	16.5	17.5	14.5	15.5
6 Poly	N/A	N/A	N/A	N/A	17.0	18.0	15.0	16.0
6 x 1.5 Semi Pneu	N/A	N/A	N/A	N/A	17.0	18.0	15.0	16.0
8 Poly	N/A	N/A	N/A	N/A	19.0	19.0	17.0	17.0
8 x 1.5 Semi Pneu	N/A	N/A	N/A	N/A	18.5	19.0	16.5	17.0
Caster	6" FORK				7" FORK			
	STD		HEMI		STD		HEMI	
	Min	Max	Min	Max	Min	Max	Min	Max
4 Low Poly	17.0	18.0	15.0	16.0	18.0	19.0	16.0	17.0
4 x 1.25 Semi Pneu	17.0	18.0	15.0	16.0	18.0	19.0	16.0	17.0
5 Low Poly	17.5	18.5	15.5	16.5	18.5	19.5	16.5	17.5
5 x 1.5 Semi Pneu	17.5	18.5	15.5	16.5	18.5	19.5	16.5	17.5
6 Poly	17.5	19.0	15.5	17.0	18.5	19.5	16.5	18.0
6 x 1.5 Semi Pneu	17.5	19.0	15.5	17.0	18.5	19.5	16.5	18.0
8 Poly	19.5	19.5	17.5	18.0	19.5	19.5	17.5	19.0
8 x 1.5 Semi Pneu	18.5	19.5	16.5	17.5	19.0	19.5	17.0	18.5
Seat squeeze and seat depth can affect FSH availability								
For 3/4" and 1 1/2" Stem bolt matrix see page 5								

4. REAR WHEELS / REAR SEAT HEIGHTS

Rear Seat Height

See Rear Seat Height Matrix. 12.5" & 18.5" RSH not available with fixed axle.

☐	196RH9	12"	NC
☐	196RH11	13"	NC
☐	196RH12	13.5"	NC
☐	196RH13	14"	NC
☐	196RH14	14.5"	NC
☐	196RH15	15"	NC
☐	196RH16	15.5"	NC
☐	196RH17	16"	NC
☐	196RH18	16.5"	NC
☐	196RH19	17"	NC
☐	196RH20	17.5"	NC
☐	196RH20	18"	NC
☐	196RH21	19"	NC

Rear Wheel Size

See Rear Tire & Wheel Matrix for availability

☐	196RW3	20" Mag Wheel	NC
☐	196RW8	22" Mag Wheel	NC
☐	196RW1	24" Mag Wheel	NC
☐	196RW103	20" Mag Wheel 5 Spoke (Xcore)	NC
☐	196RW104	22" Mag Wheel 5 Spoke (Xcore)	NC
☐	196RW102	24" Mag Wheel 5 Spoke (Xcore)	NC
☐	196RW25	Omit	(\$44.00)

Rear Wheel Tire

See Rear Tire & Wheel Matrix for availability

☐	196RT1	Pneumatic	NC
☐	196RT2	A1 Pneumatic w/ Airless Insert	\$228.00
☐	196RT3	Full Poly	NC
☐	196RT39	A1 High-Pressure Clincher Black	\$96.00

Handrim

Natural Fit only available w/ 22, 24, 25 Lite Spoke. Plastic N/A w/ 25, 26"

☐	196HR1	Aluminum Anodized	NC
☐	196HR4	Plastic	\$134.00

Seat Squeeze Matrix

Frame Depth	Max Seat Squeeze
14"	2.0"
15" - 16"	2.5"
17" - 18"	2.5"
19" - 20"	3.0"

Rear Seat Height Matrix

Rear Wheel Size	Available Rear Seat Heights					
	Pneumatic Tire		Full Poly Tire		HP Clincher Tire	
	Min Squeeze	Max Squeeze	Min Squeeze	Max Squeeze	Min Squeeze	Max Squeeze
20"	12" - 16"	12" - 16"	12" - 16"	12" - 16"	N/A	N/A
22"	13.5" - 17.5"	13" - 17"	13" - 17"	13" - 17"	13" - 17"	13" - 17"
24"	14" - 18"	13.5" - 16.5"	13.5" - 17.5"	13.5" - 16.5"	13.5" - 17.5"	13.5" - 16.5"
26"	15" - 19"	15" - 17"	N/A	N/A	15" - 19"	14.5" - 16.5"
12.5" and 18.5" RSH not available with QX						

A1 is client responsibility. A2 is clinical justification.

4. REAR WHEELS / REAR SEAT HEIGHTS (CONT)

Rear Tire & Wheel Matrix

Tire	Rear Wheel		
	5 Spoke Mag	11 Spoke	Mag Wheel
Pneumatic	20, 22, 24	20, 22, 24, 26	20, 22, 24
Pneumatic w/ Airless Insert	20, 22, 24	20, 22, 24, 26	20, 22, 24
Full Poly	20, 22, 24	20, 22, 24	20, 22, 24
High Pressure Clincher Rbk	N/A	22, 24, 26	N/A
20" - 451mm 22" - 501mm 24" - 540mm 26" - 559mm 26" - 580mm			

One Arm Drive

Available only with 24" MBL Lite spoke wheels. Std Aluminum black handrim. 1AD option is only available on 14" - 19" frame widths.

☐	196AL16	A2	One Arm Drive Adj. Axle Plate	\$1,276.00
	196HM1	A2	☐ Right Hand Mount	NC
	196HM2	A2	☐ Left Hand Mount	NC

Axle

☐	196AX1		Quick Release Steel	NC
☐	196AX11	A2	Quad Quick Release Steel N/A on Spoke	\$168.00
☐	196AX45	A2	Threaded Axle	\$138.00

5. WHEEL LOCKS

Wheel Lock

☐	196WL1		High Mount Push	NC
☐	196WL2		High Mount Pull	NC
☐	196WL30	A1	Compact	\$150.00
☐	196WL24	A1	Unilateral Wheel Lock Right	\$295.00
☐	196WL23	A1	Unilateral Wheel Lock Left	\$295.00
☐	196WL10		Omit Wheel Lock	NC
☐	196WL12		Do Not Mount	NC

Extension Handle

Ext. handles only available with high mount push or pull wheel locks

☐	196EH7	E0961	Extension Handle (Pair)	\$63.00
--------------------------	--------	-------	-------------------------	---------

6. HANGERS AND FOOTRESTS

Front Hangers

Footplate mounts with Extension Tube using clamping hardware

☐	196H145		60° Swing In/Out Hanger	NC
☐	196H139		70° Swing In/Out Hanger	NC
☐	196H141		80° Swing In/Out Hanger	NC
☐	196H159	A2	Articulating Hanger N/A w/ Alum Angle Adj Front Mount footplates.	\$485.00
☐	196H160	A2	Elevating Hanger - Ext Mount N/A w/ Alum Angle Adj Front Mount footplates.	\$313.00
☐	196H161	A2	Elevating Hanger - Front Mount Only available w/ front mount alum angle adj footplates and 14"-22" width	\$313.00
☐	196H144		Omit Hanger & Footplate	NC

Extension Tubes

See Lower Leg Length Matrix for range

☐	196E1		Short	NC
☐	196E2		Medium	NC
☐	196E5		Long	NC

Footplate

Heel loop not included, see Footplate Option section below

☐	196F1		Composite Footplate	NC
☐	196F271		Composite Angle Adj. (16"-22"w)	\$162.00
☐	196F3	A2	Aluminum Angle Adj. Footplate	\$152.00
☐	196F5		Aluminum Only available w/Elevating Legrest	NC

Hanger & Footplate Options

☐	196HL12		Adjustable Heel Loop	NC
☐	1968A02	A1	Gel Cover For Hangers (Pair)	\$150.00

7. BACKREST / SEATING

Back Type

☐	196BT10		Standard	NC
☐	196BT100		Angle Adjustable Back (-15° to +3°)	\$319.00

Backrest Height

☐	196B5		Med (13"-17")	NC
☐	196B9		Tall (16"-20")	NC

Push Handles

Integral Push Handles, Folding Height Adjustable & Omit 8° for Std Backrest, Straight for Angle Adj. Backrest

☐	196PH6		Integral Push Handles	NC
☐	196PH5	A1	Fold-Down Push Handles Only available with Adjustable Upholstery. Used in combination w/Angle Adjust only avail in 16"-20" back height	\$156.00
☐	196PH17	A1	Folding Push Handle with Ht. Adj. Back	\$286.00
☐	196PH2		Omit Push Handles	NC

A1 is client responsibility. A2 is clinical justification.

Customer Service: (800) 263-3390 Fax: (800) 561-5834 E-mail: cscanada@sunmed.com www.sunrisemedical.ca
Specifications are subject to change without notice. © 2019 Sunrise Medical Canada Inc. MK-100379-CAN REV (2).

7. BACKREST / SEATING (CONT)

Back Upholstery			
☐	196BU1	Standard Upholstery	NC
☐	196BU70	Backrest Tension Adj Ballistic Nylon	\$175.00
☐	196BU14	Omit Back Upholstery	(\$21.00)

8. ARMREST / SIDEGUARDS

Armrest - Padded Swing Away			
<i>Some limitations when used with the Angle Adjustable Back in the rear most setting</i>			
<i>Please circle a setting, will default to 11" if no selection is made</i>			
☐	196AA18	Padded Swing-Away STD (9" to 13")	\$256.00
	Setting	☐ 9" ☐ 10" ☐ 11" ☐ 12" ☐ 13"	

Armrest - Height Adjustable			
<i>Flip Back HA Classic N/A w / 14"-15" depth</i>			
☐	196AA104	Single Post Ht. Adj - Std (9.75"-14.75")	\$313.00
☐	196AA105	Single Post Ht Adj - Low (8.25"-12.25")	\$313.00
☐	196AA65	Flip Back Ht Adj LITE (10"-15")	\$331.00
☐	196AA103	Dual Post Flip Back Ht Adj	\$313.00
☐	196AA159	Flip Back Ht Adj Classic (11"-15")	\$351.00
☐	196AA14	Omit Armrest	NC

Armpad - For Height Adjustable			
☐	196AM23	Desk Length (10")	NC
☐	196AM24	Full Length - Full (14")	NC

Armrest Options			
☐	1968A01	Gel Cover For Swing Away Arms (pair)	\$150.00

Side Guards			
☐	196SG33	Plastic - Standard (8.5" High)	\$173.00
☐	196SG29	Plastic - Low (6.5" High)	\$173.00

9. KEY OPTIONS

Anti Tips			
☐	196AT1	Anti Tips (Pair)	\$105.00
☐	196A86	Anti Tips (Pair) Low Profile	\$111.00

Pack Accessories			
☐	196A1	A1 Backpack - Black/Charcoal Adult	\$103.00
☐	1961A01	A1 Seat Pouch Black	\$77.00

Positioning Belt			
☐	196A141	1.5" Auto Buckle w/ Clamps	\$90.00
☐	196A804	Positioning Belt Slide Clamps	\$71.00


Spoke Guards			
☐	1964A01	Quickie Black Spoke Guard	\$145.00
☐	1964A02	Quickie Clear Spoke Guard	\$145.00

Miscellaneous			
☐	1968A03	A1 Caddy	\$83.00
☐	196A2100	A1 Crutch Holder	\$106.00

10. COLOR

Matte Frame Colors			
☐	196C116	Matte Black	NC
☐	196C150	Matte Electric Blue	NC

Additional Options Through Built for Me			
<i>To inquire about any unique customization for Quickie products, contact: Phone: (800) 263-3390, Fax: (800) 561 5834</i>			



A1 is client responsibility. A2 is clinical justification.

Reference page 12 of the AADL Wheelchair APL for options and catalogue numbers for A wheelchairs.

Customer Service: (800) 263-3390 Fax: (800) 561-5834 E-mail: cscanada@sunmed.com www.sunrisemedical.ca
Specifications are subject to change without notice. © 2019 Sunrise Medical Canada Inc. MK-100379-CAN REV (2).
Page 4 of 5

Front Seat Height Matrix Cont.

Front Seat Height Matrix - 3/4" Stem									
Caster	3.5" FORK				5 1/4" FORK				
	STD		HFMI		STD		HFMI		
	Min	Max	Min	Max	Min	Max	Min	Max	
4 Low Poly	N/A	N/A	N/A	N/A	17.0	18.0	14.0	15.0	
4 x 1.25 Semi Pneu	N/A	N/A	N/A	N/A	17.0	18.0	14.5	15.5	
5 Low Poly	N/A	N/A	N/A	N/A	17.0	18.5	14.5	15.5	
5 x 1.5 Semi Pneu	N/A	N/A	N/A	N/A	17.0	18.5	14.5	15.5	
6 Poly	N/A	N/A	N/A	N/A	17.0	18.5	15.0	16.0	
6 x 1.5 Semi Pneu	N/A	N/A	N/A	N/A	17.0	18.5	15.0	16.0	
8 Poly	N/A	N/A	N/A	N/A	N/A	N/A	17.0	17.0	
8 x 1.5 Semi Pneu	N/A	N/A	N/A	N/A	19.0	19.5	16.5	17.0	
Caster	6" FORK				7" FORK				
	STD		HFMI		STD		HFMI		
	Min	Max	Min	Max	Min	Max	Min	Max	
4 Low Poly	17.0	18.5	15.5	16.5	10.0	18.5	16.5	17.5	
4 x 1.25 Semi Pneu	17.0	18.5	15.5	16.5	10.0	18.5	16.5	17.5	
5 Low Poly	10.0	18.0	16.0	17.0	19.0	18.5	17.0	18.0	
5 x 1.5 Semi Pneu	10.0	18.0	16.0	17.0	19.0	18.5	17.0	18.0	
6 Poly	10.0	18.5	16.0	17.0	19.0	18.5	17.0	18.0	
6 x 1.5 Semi Pneu	10.0	18.5	16.5	17.5	19.0	18.5	17.0	18.0	
8 Poly	N/A	N/A	18.0	18.0	N/A	N/A	18.0	19.0	
8 x 1.5 Semi Pneu	19.0	19.5	17.5	18.0	N/A	N/A	18.0	19.0	
Seat's maximum height should not exceed 17.5" maximum height									

Seat capacity and seat depth can affect FSH availability.

Front Seat Height Matrix - 1 1/2" Stem									
Caster	3.5" FORK				5 1/4" FORK				
	STD		HFMI		STD		HFMI		
	Min	Max	Min	Max	Min	Max	Min	Max	
4 Low Poly	N/A	N/A	N/A	N/A	17.5	18.5	17.5	18.5	
4 x 1.25 Semi Pneu	N/A	N/A	N/A	N/A	17.5	18.5	17.5	18.5	
5 Low Poly	N/A	N/A	N/A	N/A	18.0	19.0	18.0	19.0	
5 x 1.5 Semi Pneu	N/A	N/A	N/A	N/A	18.0	19.0	18.0	19.0	
6 Poly	N/A	N/A	N/A	N/A	18.5	19.5	18.5	19.5	
6 x 1.5 Semi Pneu	N/A	N/A	N/A	N/A	18.5	19.5	18.5	19.5	
8 Poly	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
8 x 1.5 Semi Pneu	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Caster	6" FORK				7" FORK				
	STD		HFMI		STD		HFMI		
	Min	Max	Min	Max	Min	Max	Min	Max	
4 Low Poly	18.5	19.5	16.5	17.5	19.5	19.5	17.5	18.5	
4 x 1.25 Semi Pneu	18.5	19.5	16.5	17.5	19.5	19.5	17.5	18.5	
5 Low Poly	19.0	19.5	17.0	18.0	N/A	N/A	18.0	19.0	
5 x 1.5 Semi Pneu	19.0	19.5	17.0	18.0	N/A	N/A	18.0	19.0	
6 Poly	18.5	19.5	16.5	18.0	19.5	19.5	17.5	18.0	
6 x 1.5 Semi Pneu	18.5	19.5	16.5	18.0	19.5	19.5	17.5	18.0	
8 Poly	N/A	N/A	19.0	19.5	N/A	N/A	19.0	19.5	
8 x 1.5 Semi Pneu	N/A	N/A	18.0	19.0	N/A	N/A	18.5	19.5	

Seat dimensions and seat depth can differ ESH availability

Seat capacity and seat depth can affect FSH availability.

Lower Leg Length Range Matrix

Extension Mount Hanger Leg Lengths						
Hanger	Ext Tube	Seat-to-Footrest Range				
		Composite	Comp Angle Adj	Alum Angle Adj	Alum	
60° Swing In/Out	Short	10.25" 14.75"	10.25" 14.75"	9.25" 13.25"	N/A	
	Medium	11.00" 15.00"	11.00" 16.00"	9.25" 14.75"	N/A	
	Long	12.00" 16.00"	12.50" 16.00"	10.75" 16.25"	N/A	
70° Swing In/Out	Short	11.00" 15.75"	11.00" 15.75"	10.00" 14.50"	N/A	
	Medium	12.00" 16.50"	12.00" 16.50"	10.75" 16.50"	N/A	
	Long	13.75" 16.50"	13.75" 16.50"	12.25" 16.50"	N/A	
80° Swing In/Out	Short	10.00" 15.25"	10.50" 15.25"	10.00" 15.25"	N/A	
	Medium	11.75" 16.50"	11.75" 16.50"	11.75" 16.50"	N/A	
	Long	13.00" 16.50"	13.50" 16.50"	11.75" 16.50"	N/A	

All values are 10.25" and based on 60" seat height and do not account for the minimum 2" ground clearance or footplate thickness. Full range not available with all seat heights (see "Min Allowable Front Seat Heights" matrix for minimum FSH information).



Min Allowable Front Seat Heights (Not a maximum Mount/Extension)					
Hanger	Ext Tube	Min Allowable FSH			
		Composite	Comp Angle Adj	Alum Angle Adj	Alum
60° Swing In/Out	Short	14.0	13.5	12.5	N/A
	Medium	14.5	14.5	12.5	N/A
	Long	16.0	16.0	13.5	N/A
70° Swing In/Out	Short	14.0	14.0	13.0	N/A
	Medium	15.0	15.0	13.5	N/A
	Long	16.5	16.5	15.0	N/A
80° Swing In/Out	Short	14.0	14.0	13.5	N/A
	Medium	14.5	14.5	14.5	N/A
	Long	16.5	16.5	15.5	N/A

AIR & FIR Hanger Leg Lengths				
Hanger	Extension	Seat Sling to Footrest		Min Allowable FSH
		Min	Max	
AIR	Short	9.1/9	15.1/9	11.1/9
	Med	11	17.1/9	13
	Long	13	19.1/9	15
LLR Ext. Mount	Short	9	15	11
	Med	9	17	11
	Long	10	19	12
LLR Int. Mount	Short (approx)	8.1/9	8.1/9	8.1/9
	Short	8	11	10
	Med	10	13	12
	Long	12	15	14

Rear Wheel & Handrim Matrix

Handrim	Rear Wheel		
	5 Spoke Mag	1 no Spoke	Mag Wheel
Aluminum Anodized	20,22,24	20,22,24,26	20,22,24
Plastic Coat	20,22,24	22,24	20,22,24
Natural Fit - Standard Grip	24	22,24,26	22,24
Natural Fit - Super Grip	24	22,24,26	22,24



A1 is client responsibility. A2 is clinical justification.