

Universal Laptop USB 2.0 Docking Station with Audio and Ethernet

Product ID: USBDOCK2



The USBDOCK2 USB 2.0 Laptop Docking Station / Port Replicator with Audio and Ethernet can be used to expand the I/O capabilities of a laptop or netbook through a single USB connection.

The USBDOCK2 offers several commonly used interface ports, such as 10/100Mbps RJ45 Ethernet, 3.5mm mini-jack audio connectors for headphones and microphones, and 4 additional USB 2.0 ports.

The USBDOCK2 makes it easy to plug and unplug your devices when moving your laptop around. Simply plug in 1 cable to connect to multiple peripherals at your desk or work station. The docking station is also small enough to carry around in your bag, to give you expanded capabilities while on the road.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- Expand or upgrade your desktop, laptop or netbook I/O capabilities
- Create a simple, single connection interface for network, audio and up to 4 USB peripherals at your desk or work



station

• A portable solution for providing extra connectors to small, ultra light laptops or netbooks

Features

- 10/100Mbps Ethernet port, headphone and microphone audio support and 4-port USB hub
- Compliant with the USB 2.0 standard, for data transfer rates up to 480Mbps
- Powered directly from the USB port, but includes optional power adapter
- Backward compatible with USB 1.0/1.1
- Compact, light-weight design

Hardware		
	Warranty	2 Years
	Chipset ID	ASIX - MCS7830
		C-Media - CM108
Connector(s)		
	External Ports	2 - 3.5 mm Mini-Jack (3 Position)
		1 - RJ-45
		4 - USB 2.0 Type-A (4 pin, 480Mbps)
		1 - USB B (4 pin)
Software		
	OS Compatibility	Windows 8 (32/64bit), 7 (32/64), Vista (32/64), XP (32/64)
		Windows Server 2008 R2
		Mac OS X (tested up to 10.9)
		Linux
Special Notes / Requirements		
	System and Cable Requirements	1 x Free USB port
Indicators		
	LED Indicators	1 - RJ45 Link





1 - RJ45 Activity

Power

Power Source AC Adapter Included

Input Voltage 110V-240V AC

Output Voltage 5 DC

Output Current 3A

Center Tip Polarity Positive

Environmental

Operating Temperature 0C to 40C (32F to 104F)

Storage Temperature -10C to 80C (14F to 176F)

Humidity 0~90% RH

Physical Characteristics

Color Black

Material Plastic

Product Length 7.2 in [18.3 cm]

Product Width 2.8 in [7 cm]

Product Height 1.0 in [2.5 cm]

Weight of Product 6.5 oz [185 g]

Packaging Information

Package Length 9.1 in [23 cm]

Package Width 3.0 in [75 mm]

Package Height 5.7 in [14.5 cm]

Shipping (Package) 24.4 oz [690 g]

Weight

What's in the Box

Included in Package 1 - USB Docking Station



1 - USB cable

3 - Power Adapter Plug (NA/UK/EU)

1 - Universal Power Adapter

1 - Driver CD

1 - Instruction Manual

Warranty Information

Warranty

2 Years

^{*}Product appearance and specifications are subject to change without notice.