

Series 7, Contemporary Double DishDrawer Dishwasher

Series 7 | Contemporary

Stainless Steel




With a contemporary stainless steel finish, each drawer washes independently and fits a half load, so you can run one while you load the other.

- Six wash programs to suit any load, from Delicate to Heavy
- American Disabilities Act (ADA) compliant, this Double DishDrawer™ sits at an accessible height

DIMENSIONS

Height	32 5/16- 34 5/8 "
Width	23 9/16 "
Depth	22 9/16 "



FEATURES & BENEFITS

- Ease of use**
DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.
- Independent Wash**
With the ability to use both drawers independently and select different wash programs the DishDrawer™ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

TRUE HALF LOAD

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.

Easy to load
Running at a very low decibel rating, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)	
Cutlery basket	•
Kickstrip	true

Capacity and loading	
Accommodates round plates up to	11" (top drawer) 11" (bottom drawer)
Fixed height, foldable cupracks	•
Fold down tines	•
Place settings	14
Place settings	14
Place settings per drawer	7
Place settings per drawer	7

Consumption	
Energy usage	265kWh/year
In-use energy carbon emissions estimate	93.5kgCO2e/year

Water usage (per wash cycle)	3.44 gal running both tubs	Product Dimensions	Depth	22 9/16 "	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020
			Height	32 5/16- 34 5/8 "	
			Width	23 9/16 "	
Controls					
Electronic fault/Diagnostic indicator					
End of cycle beeps					
Energy saving delay start option of up to 12 hours					
Rinse aid indicator light					
Smart appliance					
Features		Safety and compliance			Other product downloads available at fisherpaykel.com
Fan assisted drying		ADA compliant			↓ 2D-DWG Double DishDrawer™ Dishwasher
Flood protection					↓ 2D-DXF Double DishDrawer™ Dishwasher
Flow through detergent dispenser					↓ Data Sheet Double DishDrawer™ Dishwasher
Motor type	BLDC				↓ Energy Label Double DishDrawer™ Dishwasher
Quiet operation					↓ Installation Guide (English)
SmartDrive™ technology					↓ Installation Guide (French)
					↓ Quick Start Guide EN
					↓ Quick Start Guide (French)
					↓ Revit Double DishDrawer™ Dishwasher
					↓ Revit Double DishDrawer™ Dishwasher
					↓ Rhino Double DishDrawer™ Dishwasher
					↓ Rhino Double DishDrawer™ Dishwasher
					↓ Sketchup Double DishDrawer™ Dishwasher
					↓ Sketchup Double DishDrawer™ Dishwasher
					↓ User Guide EN & FR
					↓
Performance					Where applicable:
Noise on standard cycle top drawer	43 dBA				All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.
Power Requirements		Water connection			
Amperage	10A	Supplied hose to suit 3/8" (9mm) male compression fitting			
Electric circuit	3	Water pressure	30kPa - 1000 kPa		
Rated current	15 A	Water supply	3/8" to suit Male Compression Fitting		
Supply frequency	60Hz				
Supply voltage	100 - 120V	SKU	82328		

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com