


## Niloé™

## Lighting controls with mosaic adapter

# Cat. No(s): NP2010BK/MG/WH, NP2113BK/MG/WH, NP2130BK/MG/WH



#### 1. USE


Lighting controls mechanisms. Flush or surface mounting. Screw and claw fixing.

To be fitted with one-gang or multi-gang plates.

#### 2. RANGE

Description	White	Medium Grey	Black
Intermediate switch	NP2010WH	NP2010MG	NP2010BK
One-way two-gang switch	NP2113WH	NP2113MG	NP2113BK
One-way three-gang switch	NP2130WH	NP2130MG	NP2130BK

## 3. DIMENSIONS (mm)



Α	В	С	D
75.8	75.8	30	15.2

#### 4. CONNECTION

Type of terminals: screws

Terminal capacity: NP2010.., NP2113..: 2 x 2.5 mm<sup>2</sup>

NP2130..: 4 mm<sup>2</sup> Stripping length: 10 mm

Compatible with flexible or rigid cables.

## **5. TECHNICAL CHARACTERISTICS**

### ■ 5.1 Mechanical characteristics

Protection against solid bodies and liquids: IP 20 Protection against mechanical impact: IK 04

## ■ 5.2 Material characteristics

Polyglass appearance Mechanism casing: PC Halogen-free Claws: steel

Support frame: PC + GF Halogen-free

Self-extinguishing:

 $850^{\circ}\text{C/30}$  s for insulating components holding live parts in place.  $650^{\circ}\text{C/30}$  s for other insulating components.

#### ■ 5.3 Electrical characteristics

### NP2010.., NP2113..

Voltage: 250 V~ Current: 10 AX

Maximum power on integrated ballast lamps: 200 W

Frequency: 50/60 Hz

#### NP2130..

Voltage: 250 V~ Current: 20 AX

Maximum power on integrated ballast lamps: 200  $\mbox{W}$ 

Frequency: 50/60 Hz

## ■ 5.4 Climate characteristics

Storage temperature:  $-10^{\circ}$ C to  $+70^{\circ}$ C Usage temperature:  $-5^{\circ}$ C to  $+40^{\circ}$ C

Technical data sheet: F04336EN/01 Updated: 16/06/2025 Created: 27/09/2024

# Lighting controls with mosaic adapter

## 6. CLEANING

Surface cleaning with a cloth.

Do not use: acetone, tar remover, trichloroethylene.

Maintenance with the following products:

Hexane, Methylated spirit, Soapy water, Diluted ammonia, Bleach diluted to 10%, Window-cleaning products.

Caution: Always test before using special cleaning products.

## 7. STANDARDS AND APPROVALS

Compliance with standards of installation and manufacturing. Refer to e. catalogue.

The undersigned, LEGRAND, declares that the radio-electric equipment type (Cat. Nos NP2010BK/MG/WH - NP2113BK/MG/WH - NP2130BK/MG/WH) complies with directive 2014/53/EU.

The full text of the EU declaration of conformity is available on the following website: www.legrand.com/ecatalogue

Created: 27/09/2024 **L1 legrand**