

USB700

USB700 Boundary Microphone

QUICK CONNECTION MANUAL

PLEASE READ THIS MANUAL BEFORE USE



GENERAL INTRODUCTION

USB700 is an USB desktop boundary microphone with Omni directional pick up, it is with a cute shape and is designed especially for home and office use. It is excellent for laptops for dictating meeting notes or adding audio to slide presentations. The shell made by zinc alloy material, stable and durable. It is play and plug without any drivers. USB700 microphone is cardioid polar pattern which can pick up the sound from all directions. The sound is bright and transparent, full in detail, strong in sense, all these make USB700 a professional microphone.

FEATURES

- * Space saving and fashion appearance;
- * Plug and play without any drivers;
- * Zinc alloy material, stable and durable;
- * The universal USB connector.



HOW TO USE MICROPHONE



PRELIMINARY SET UP WITH XP



1. Plug the free end of the USB cable into the USB port on your computer. Your computer will automatically recognize the USB device and install a driver.

2. The first time you plug the Alctron USB700 into a USB port (please choose 3.0 USB connector, not 2.0), a balloon will pop up---“found new hardware”. After installing, another balloon will pop up---“your new hardware is installed and ready to use”.




3. Clicking the start button, clicking control panel

4. Clicking sounds, speech, and audio devices



5. Clicking sounds and audio devices, clicking audio then choosing Alctron USB700



6. Clicking voice, clicking volume in the Voice recording section




7. Sliding the icon in the microphone section to adjust the volume


PRELIMINARY SET UP WITH WIN7

1. Plug the free end of the USB cable into the USB port on your computer. Your computer will automatically recognize the USB device and install a driver.


2. The first time you plug the Alctron USB700 into a USB port (please choose 3.0 USB connector, not 2.0), a balloon will pop up--- "Device driver software installed successfully".



3. Clicking the start button, clicking control panel



4. Clicking sound




5. Clicking recording, then double clicking Alctron USB700




6. Clicking levels, clicking icon to adjust the volume

RECODING SETTING


1. After download, click audacity, Choice "edit"-specification setting.



2. Pop up below screen, click the option as shows, you can choice stereo or mono.



3. Click red icon, begin to recording.



4. When starting recording, your mouth should aim to the side which printed "Alctron"



SPECIFICATION

- * Type: USB condenser microphone
- * Frequency response: 18hz-20khz
- * Polar pattern: omini-directional
- * Sensitivity: -35dB±2dB
- * Equivalent noise level: 22dB
- * Max SPL: 13dB
- * S/N ratio: 76dB