

TRX-4® Sport High Trail Edition™ (Model 82044-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axle Components	9131	Body, Chevrolet Blazer (1969) (clear, requires painting)/ decals/ window masks (includes grille, side mirrors, door handles,
8241	Axle housing, front		windshield wipers, clipless mounting, hardware) (requires
8242	Axle housing, intermediate (TRX-6™) or rear (TRX-4®)		#8072X inner fenders)
8227 8228	Axle mount set (complete) (front & rear) (for suspension links) Axle shaft, front (left)/ drive pin/ cross pin	9131	Body, Chevrolet Blazer (1969) (clear, requires painting)/ decals/
8229	Axle shaft, front (right)/ drive pin/ cross pin Axle shaft, front (right)/ drive pin/ cross pin		window masks (includes grille, side mirrors, door handles, windshield wipers, clipless mounting, hardware) (requires
8060	Axle shaft, front, heavy duty (left & right) (requires #8064 front		#8072X inner fenders)
0000	portal drive input gear)	9133	Body, Chevrolet Blazer (1969) (clear, requires painting)/ decals/
8062	Axle shaft, front, heavy duty (left & right)/ portal drive input gear,		window masks (requires #8072X inner fenders)
	front (machined) (2) (assembled)	9131-BLK	Body, Chevrolet Blazer (1969), complete, black (painted)
8230	Axle shaft, rear (left)		(includes grille, side mirrors, door handles, windshield wipers,
8231	Axle shaft, rear (right)		front & rear bumpers, clipless mounting) (requires #8072X inner fenders)
8063	Axle shaft, rear, heavy duty (left & right) (requires #8065 rear	9125	Bumper pads/ bumper guards (chrome)/ 2.5x12 BCS (4)/ 2.7mm
8061	portal drive input gear) Axle shaft, rear, heavy duty (left & right)/ portal drive input gear,	0.20	drill bit (fits #9126 or #9127 front bumpers)
	rear (machined) (2) (assembled)	9127	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
8147	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
9283	Cable, T-lock, rear (185mm)	9113	Decal sheets, Chevrolet Blazer (1969 - 1972)
8233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)	6593	Distribution block, Pro Scale® Advanced Lighting Control
8256	Portal drive axle mount, rear (left & right)	0115	System Poor bandles left right and rear/ retainers (2)/ windshield
8256X	Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized)	9115	Door handles, left, right, and rear/ retainers (3)/ windshield wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap
8256A	(left and right)/ 2.5x16 CS (4)		mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
0230A	Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray- anodized) (left and right)/ 2.5x16 CS (4)	9123	Grille, Chevrolet Blazer (1969 - 1970)/ grille retainers (5)/
8256R	Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized)		headlight housing (2)/ headlight lens (2)/ turn signal lens (2)/
	(left and right)/ 2.5x16 CS (4)		hood emblem/ hood emblem mount/ 2.6x8 BCS (5)/ 2.5x6 BCS
8252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)	8091	(4)/ 1.6x5 BCS (self-tapping) (2) (fits #9112 body) Installation kit, Pro Scale® Advanced Lighting Control System,
8253	Portal drive housing, inner, rear (left or right) (2)	0091	TRX-4® Chevrolet Blazer (1969 & 1972) (includes mount, reverse
8251	Portal drive housing, outer (front or rear) (2)		lights and turn signal harnesses, hardware)
8064	Portal drive input gear, front (machined) (left or right) (requires	9114-BLK	Interior, Chevrolet Blazer (1969 -1972) (black) (includes rollbar,
8257	#8060 front axle shaft) Portal drive input gear, front/ drive pin/ cross pin		gauge bezel, steering wheel and column, shifter, armrest,
8259	Portal drive input gear, none drive pine closs pine.		decals) (fits #9111, 9112, 9130, or 9131 series bodies) (#9111 or
8065	Portal drive input gear, rear (machined) (left or right) (requires	0444 BLUE	9112 series bodies require #9128 body cage for installation)
	#8063 rear axle)	9114-BLUE	Interior, Chevrolet Blazer (1969 -1972) (blue) (includes rollbar, gauge bezel, steering wheel and column, shifter, armrest,
8258	Portal drive output gear, front or rear		decals) (fits #9111, 9112, 9130, or 9131 series bodies) (#9111 or
8252X	Portal housings, inner (front), 6061-T6 aluminum (blue-anodized)		9112 series bodies require #9128 body cage for installation)
00504	(2)/ 3x12 BCS (2)	9114	Interior, Chevrolet Blazer (1969 -1972) (clear, requires painting)
8252A	Portal housings, inner (front), 6061-T6 aluminum (charcoal gray- anodized) (2)/ 3x12 BCS (2)		(includes rollbar, gauge bezel, steering wheel and column,
8252G	Portal housings, inner (front), 6061-T6 aluminum (green-		shifter, armrest, decals) (fits #9111, 9112, 9130, or 9131 series bodies) (#9111 or 9112 series bodies require #9128 body cage
02020	anodized) (2)/ 3x12 BCS (2)		for installation)
8252R	Portal housings, inner (front), 6061-T6 aluminum (red-anodized)	9116	Marker light housing (4)/ marker light mount (4)/ marker light
	(2)/ 3x12 BCS (2)		lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS
8251X	Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/	0404	(self-tapping) (8)
8251A	2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (charcoal gray-	9121	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #9112 body)
023 IA	anodized) (2)/ 2.5x10 CS (12)	6592	Power module, Pro Scale® Advanced Lighting Control System
8251G	Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/	-	(includes mount, communication cables, hardware)
	2.5x10 CS (12)	6591	Pro Scale® Advanced Lighting Control System (includes power
8251R	Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/		module & distribution block)
	2.5x10 CS (12)	6594	Receiver communication cable, Pro Scale® Advanced Lighting
8255	Stub axle (portal drive) (2)	9122	Control System Tail light housing, black (2)/ lens (2)/ retainers (left & right)/ 2.6x8
8255A 8267	Stub axle, extended thread (portal drive) (2) Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6)	9122	BCS (self-tapping) (4)
0201	(requires #8251X, 8251R, 8251A, or 8251G outer portal housing)		Body (1972 Chevrolet® Blazer®)
	Bearings & Bushings	2111	
0044		9111	Body, Chevrolet Blazer (1972) (clear, requires painting) (includes grille, side mirrors, side trim, door handles, windshield wipers,
8214	Ball bearing kit, stainless steel, TRX-4® (complete)		decals, window masks)
8265 5119A	Ball bearing kit, TRX-4® (complete) Ball bearings, black rubber sealed (10x15x4mm) (2)	9130	Body, Chevrolet Blazer (1972) (clear, requires painting)/ decals/
5120A	Ball bearings, black rubber sealed (10x10x4mm) (2)		window masks (includes grille, side mirrors, door handles,
5104A	Ball bearings, black rubber sealed (4x10x4mm) (2)		windshield wipers, clipless mounting, hardware) (requires
5115A	Ball bearings, black rubber sealed (5x10x4mm) (2)	0420 BLV	#8072X inner fenders)
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)	3190-BLWI	Body, Chevrolet Blazer (1972), complete, blue & white (painted) (includes grille, side mirrors, door handles, windshield wipers,
5114A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)		front & rear bumpers, clipless mounting) (requires #8072X inner
5117A	Ball bearings, black rubber sealed (6x12x4mm) (2)		fenders)
5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)	9130-BLUE	Body, Chevrolet Blazer (1972), complete, blue (painted) (includes
5103A	Ball bearings, black rubber sealed (7x14x5mm) (2)		grille, side mirrors, door handles, windshield wipers, front & rear
	Body (1969 Chevrolet® Blazer®)	9111X	bumpers, clipless mounting) (requires #8072X inner fenders)
9112	Body, Chevrolet Blazer (1969 - 1970) (clear, requires painting)	31117	Body, Chevrolet Blazer (1972), complete, blue (painted) (includes grille, side mirrors, door handles, windshield wipers, front & rear



(includes grille, side mirrors, door handles, windshield wipers,

decals, window masks)

grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)

Page 2	TRX-4® Sport High Trail Edition	™: TQ 2.4 GHz Radio (Model 82044-4) Parts List

Page 2	1KX-4® Sport High Trail Edition:": 1Q 2.4 GHZ Rad	io (ivioae	8 82044-4) Parts List
9130-RED	Body, Chevrolet Blazer (1972), complete, red (painted) (includes grille, side mirrors, door handles, windshield wipers, front & rear	6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
9125	bumpers, clipless mounting) (requires #8072X inner fenders) Bumper pads/ bumper guards (chrome)/ 2.5x12 BCS (4)/ 2.7mm drill bit (fits #9126 or #9127 front bumpers)	8038X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer or K10 Truck (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 or
9126	Bumper, front (chrome)/ bumper mount/ lens (left and right) (2)/ lens mount (left and right) (2)/ 3x10 BCS (2)/ 2.6x6 BCS (4)	6594	9212 series bodies) Receiver communication cable, Pro Scale® Advanced Lighting
9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)		Control System
9113	Decal sheets, Chevrolet Blazer (1969 - 1972)	8135	Tail lights, left & right (assembled)/ tail light retainers, left &
6593	Distribution block, Pro Scale® Advanced Lighting Control System		right/ side marker lights (assembled) (2)/ side marker retainers (2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2)
9115	Door handles, left, right, and rear/ retainers (3)/ windshield		(fits #8130 or 9212 series bodies)
	wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap		Body (1979 Ford® Bronco®)
9120	mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1) Grille, Chevrolet Blazer (1972)/ grille retainers (5)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (5)/ 2.5x6 BCS (4) (fits #9111	8010X	Body, Ford Bronco, complete (black) (includes front and rear bumpers, push bar, rear body mount, grille, side mirrors, door handles, windshield wipers, spare tire mount, red and sunset
8091	body) Installation kit, Pro Scale® Advanced Lighting Control System,		decals) (requires #8072 inner fenders)
	TRX-4® Chevrolet Blazer (1969 & 1972) (includes mount, reverse lights and turn signal harnesses, hardware)	8078R 6593	Decal sheet, Bronco, red (fits #8010 body) Distribution block, Pro Scale® Advanced Lighting Control
9114-BLK	Interior, Chevrolet Blazer (1969 -1972) (black) (includes rollbar,	8075	System Door handles left & right/ windshield winers left & right/
	gauge bezel, steering wheel and column, shifter, armrest,	0075	Door handles, left & right/ windshield wipers, left & right/ retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 or 9230
	decals) (fits #9111, 9112, 9130, or 9131 series bodies) (#9111 or		series bodies)
0444 BLUE	9112 series bodies require #9128 body cage for installation)	8070	Grille, Ford Bronco or F-150/ grille retainers (6)/ headlight
9114-BLUE	Interior, Chevrolet Blazer (1969 -1972) (blue) (includes rollbar, gauge bezel, steering wheel and column, shifter, armrest,		housing (2)/ lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 or
	decals) (fits #9111, 9112, 9130, or 9131 series bodies) (#9111 or		9230 series bodies)
	9112 series bodies require #9128 body cage for installation)	8037	LED lights, high/low switch (for #8035 or #8036 LED light kits)
9114	Interior, Chevrolet Blazer (1969 -1972) (clear, requires painting)	8073	Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits
	(includes rollbar, gauge bezel, steering wheel and column,	8073X	#8010 or 9230 series bodies) Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4)
	shifter, armrest, decals) (fits #9111, 9112, 9130, or 9131 series	00/3A	(fits #8010 or 9230 series bodies)
	bodies) (#9111 or 9112 series bodies require #9128 body cage for installation)	6592	Power module, Pro Scale® Advanced Lighting Control System
9116	Marker light housing (4)/ marker light mount (4)/ marker light	****	(includes mount, communication cables, hardware)
	lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS (self-tapping) (8)	6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
9118	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits	8035R	Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-
	#9111 body)		150 (1979), complete with power module (contains headlights,
6592	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)		tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies)
6591	Pro Scale® Advanced Lighting Control System (includes power	6594	Receiver communication cable, Pro Scale® Advanced Lighting
	module & distribution block)		Control System
6594	Receiver communication cable, Pro Scale® Advanced Lighting Control System	8076	Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS (24) (fits #8010 series bodies)
9117	Side trim, Chevrolet Blazer (1972), left & right/ rear trim, upper & lower/ retainers, left, right & rear/ 2.6x8 BCS (23)/ 1.6x5 BCS	8074	Spare tire mount/ mounting bracket/ spare tire cover/ mounting hardware
0440	(self-tapping) (5) (fits #9111 body)	8077	Tailgate panel insert (clear, requires painting)/ adhesive foam tape (2) (fits #8010 series bodies)
9119	Tail light housing, chrome (2)/ lens (2)/ retainers (left & right)/ 2.6x8 BCS (self-tapping) (4)	8071	Tailgate panel/ tail light lens (2) (left & right) (fits #8010 series
			bodies)
	Body (1979 Chevrolet® Blazer®)		Body (Mercedes-Benz® G 500®)
8130T	Body, Chevrolet Blazer (1979), complete (black) (includes grille,	8811	Body, Mercedes-Benz® G 500® (clear, requires painting)/ decals/
	side mirrors, door handles, windshield wipers, front & rear bumpers, decals)	0011	window masks (includes rear body post, grille, side mirrors, door handles, windshield wipers)
8130X	Body, Chevrolet Blazer (1979), complete (orange) (includes	8812	Decals, Mercedes-Benz® G 500®
	grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)	6593	Distribution block, Pro Scale® Advanced Lighting Control
8130R	Body, Chevrolet Blazer (1979), complete (red) (includes grille,		System
	side mirrors, door handles, windshield wipers, front & rear	8813X	Grille, Mercedes-Benz® G 500® 4x4²/grille mount & insert/lens,
	bumpers, decals)		headlight (2 ea)/reflector (2)/bumperette & mounts, front (2
8131	Decal sheet, Chevrolet Blazer (1979)		ea)/turn signal housing & lens (2 ea)/ hardware (fits #8811/8825 body)
6593	Distribution block, Pro Scale® Advanced Lighting Control System	8893	Installation kit, Pro Scale® Advanced Lighting Control System,
8132	Door handles, left, right & rear tailgate/ windshield wipers, left &	0000	TRX-4® Mercedes® G 500® & G 63® (includes mount, rear
0.02	right/ retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits #8130 series		bumper lens, turn signal, reverse light, & fog light harnesses, hardware)
8134	bodies) Grille, Chevrolet Blazer or K10 Truck (1979)/ grille retainers (4)/	8899	LED light set (contains headlights, tail lights, roof lights, and
0134	headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits		distribution block) (fits #8811 body, requires #8028 power
0000	#8130 or 9212 series bodies)	8898	supply) LED light set, complete with power supply (contains headlights,
8082	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer (1979) (includes mount, reverse lights	0030	tail lights, roof lights, & distribution block) (fits #8811 body)
	harness, hardware)	8817	Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers,
8039	LED light set (contains headlights, tail lights, side marker lights,		left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS
	& distribution block) (fits #8130 series bodies, requires #8028		(self-tapping) (3)
	power supply)	6592	Power module, Pro Scale® Advanced Lighting Control System
8038	LED light set, complete with power supply (contains headlights,	CEO4	(includes mount, communication cables, hardware)
	tail lights, side marker lights, & distribution block) (fits #8130	6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
8133X	series bodies) Mirrore, side (folding) (fits #8130 series hodies)	8898X	Pro Scale® LED light set, TRX-4® Mercedes® G 500® & G 63®,
8133	Mirrors, side (folding) (fits #8130 series bodies) Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits		complete with power module (contains headlights, tail lights,
5.50	#8130 series bodies)		roof lights, & distribution block) (fits #8811 or 8825 body)
6592	Power module, Pro Scale® Advanced Lighting Control System	6594	Receiver communication cable, Pro Scale® Advanced Lighting
	(includes mount, communication cables, hardware)	2222	Control System Poof visor/ visor retainer/ visor lone (2)/ 2 6x6 BCS (3)/ 3x4 GS
		8822	Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS (4)
			(**)

Page 3 TRX-4® Sport High Trail Edition™: TQ 2.4 GHz Radio (Model 82044-4) I	2.4 GHz F	: TQ 2	Edition™:	ıh Trail	port High	TRX-4® S	Page 3
---	-----------	--------	-----------	----------	-----------	----------	--------

Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS (self-tapping) (2)		Body Accessories
Tail light lens (2)/ tail light housing (2)/ tail light housing mount	1926	Antenna caps, vinyl (2)/ antenna spool
(2)/ reverse lens (2)/ 1.6x5 BCS (4) (left & right)		Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
Rody (Tactical Unit)		Body Clips (12) (standard size)
-		Body clips, black (12) (standard size)
		Body clips, heavy duty (12) Body clips, heavy duty (black) (12)
		Body mounts & posts, front & rear (complete set)
bodies)		Body posts, front & rear
Fenders, inner, front & rear (2 each)/ rock light covers (8)	4915	Body washers, foam adhesive (10)
, , , , , , , , , , , , , , , , , , , ,	2514	Decal sheet, racing sponsors
	8081	Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080
	0000	narrow inner fenders)
-	0000	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS
• • • • • • • • •		(10)
• •	8080X	Fenders, inner (narrow), front & rear (2 each)/ rock light covers
• • • • • • •		(8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS
		(10) (for clipless body mounting)
requires painting)/ window masks/ decal sheet	9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
Body, TRX-4® Sport (clear, trimmed, requires painting)/ window		Bumpers & Skidplates
	8234-GRN	Bumper D-rings, green (front or rear)/ 2.0x12 CS (4)
	8234	Bumper D-Rings, grey (front or rear)/ 2.0x12 CS (4)
		Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)
Body, TRX-4® Sport, complete, red (painted, decals applied)		Bumper mounts, front & rear/ bumper mount, rear (offset) Bumper mounts, front & rear/ screw pins (4)
(includes grille, side mirrors, door handles, windshield wipers,		Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1)
expedition rack, & clipless mounting) (requires #8080X inner fenders)	8866	Bumper, front, winch, TRX-4® Sport (includes bumper mount, D-
·		Rings, fairlead, hardware) (fits TRX-4® Sport with 8855 winch)
		(191mm wide)
Expedition rack, complete (includes traction boards, shovel, axe, jack,		Bumper, front/ winch/ 2.6x8 BCS (1)
fire extinguisher, fuel cans, & mounting hardware) (fits #8111, 8111R,		Bumper, rear (476mm wide)
or 8213 series bodies)		Bumper, rear (176mm wide) Skidplate/ lower gear cover
	0200	·
•		Chassis & Attachments
=		Access plug, rubber (receiver box)
Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits		Battery hold-down, 6061-T6 aluminum (blue-anodized) Battery hold-down, 6061-T6 aluminum (gray-anodized)
#8111 or #8112 body)		• • • • • • • • • • • • • • • • • • • •
Hood vents (left & right)/ retainers (left & right) (for clipless body		Battery hold-down, 6061-T6 aluminum (orange-anodized)
,	8327-RED	Battery hold-down, 6061-T6 aluminum (red-anodized)
	8327	Battery hold-down/ battery clip/ hold-down post/screw pin (for 256mn
signal harnesses, hardware)	994E	wheelbase)
Jack (1)/ 2x8 BCS (1)		Body mounts & posts, front & rear (complete set) Body posts, front & rear
		Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8
		BCS (5)/ 2.5x8 CS (2)
	8058	Chassis conversion kit, TRX-4® (long to short wheelbase)
		(includes rear upper & lower suspension links, front & rear inner
#8028 power supply)	8057	fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase)
LED light bar, front bumper (fits #8866 front bumper, requires	0037	(includes rear upper & lower suspension links, front & rear
		shock towers, long female half shaft)
	8220	Chassis rails, 448mm (steel) (left & right)
LED light set, complete with power supply (contains headlights,	8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers
tail lights, & distribution block) (fits #8111 or #8112 body)		(8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10)
Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or	8080X	Fenders, inner (narrow), front & rear (2 each)/ rock light covers
#8112 body)	-	(8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS
		(10) (for clipless body mounting)
		Floor pans, left & right
module & distribution block)	8224X	Receiver box cover (for use only with #8224 receiver box & #2260 BEC)/ foam pads/ seals/ silicone grease
Pro Scale® LED light set, TRX-4® Sport, complete with power	8219	Rock sliders, left & right
module (contains headlights, tail lights, & distribution block) (fits	8225	Seal kit, receiver box (includes o-ring, seals, and silicone
		grease)
	8240X	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips
Shovel/ axe (black)/ accessory mount/ mounting hardware	8239	Servo mount, steering/ chassis crossmember
Shovel/ axe/ accessory mount/ mounting hardware	8216	Shock towers, front & rear (left & right)
Out of the second secon	8226	Tray, battery
Spare tire mount/ mounting hardware		
Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2)		Differential Components
Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body)	8281	Carrier, differential/ differential slider/ T-Lock fork
Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body) Traction boards, blue/ mounting hardware	8280A	Carrier, differential/ differential slider/ T-Lock fork Differential cover, front or rear (black)
Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body)		Carrier, differential/ differential slider/ T-Lock fork
	(2)/ reverse lens (2)/1.6x5 BCS (4) (left & right) BODY, Tactical Unit, night camo (painted)/ decals Fender brace, inner, front & rear Fender flares, front & rear (2 each) (fits #8011 or #8211 series bodies) Fenders, inner, front & rear (2 each) / rock light covers (8) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8011 series bodies) Spare tire mount/ mounting bracket/ screw pins (2) BODY ITIS. (4@ STIOT) Body with camper, TRX-4® Sport (clear, trimmed, requires painting)/window masks/ decal sheet Body, TRX-4® Sport (clear, trimmed, die-cut for clipless mounting, requires painting)/ window masks/ decal sheet Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit, requires painting)/ window masks/ decal sheet Body, TRX-4® Sport (clear, trimmed, requires painting)/ window masks/ decal sheet Body, TRX-4® Sport, complete, gray (painted, decals applied) (includes grille, side mirrors, door handles, windshield wipers, expedition rack, & clipless mounting) (requires #8080X inner fenders) Body, TRX-4® Sport, complete, red (painted, decals applied) (includes grille, side mirrors, door handles, windshield wipers, expedition rack, & clipless mounting) (requires #8080X inner fenders) Body, TRX-4® Sport, complete, red (painted, decals applied) (includes grille, side mirrors, door handles, windshield wipers, expedition rack, & clipless mounting) (requires #8080X inner fenders) Decal Sheet, TRX-4® Sport Distribution block, Pro Scale® Advanced Lighting Control System Expedition rack, complete (includes traction boards, shovel, axe, jack, fire extinguisher, fuel cans, & mounting hardware) (fits #8111, 8111R, or 8213 series bodies) Expedition rack/ mounting hardware (fits #8111, 8111R, or 8213 series bodies) Expedition rack/ mounting hardware (fits #8110 or fits) Fire extinguisher, black (2) Fire extinguisher, black (2) Fire extinguisher, black (2) Fire extinguisher, black (3) Fire extinguisher, for Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights	20/ reverse lens (2)/1.6x5 BCS (4) (left & right) 1726 1834

Page 4 TRX-4® Sport High Trail Edition™: TQ 2.4 GHz Radio (Model 82044-4) Parts List
--

Page 4	1KX-4® Sport High Trail Edition :: 1Q 2.4 GHZ Rad	io (ivioaei	62044-4) Parts List
8280R	Differential cover, front or rear (red)	2576	Screws, 3x8mm button-head machine (hex drive) (6)
8195	Differential, locking, front and rear (assembled) (includes T-Lock cables and servos)	3931 3933	Screws, 3x8mm flat-head machine (hex drive) (6) Screws, 4x16mm button-head machine (hex drive) (6)
8282	Gear set, differential (output gears (2), spider gears (4), spider gear shaft (2))		LED Light Accessories
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup	8031	3-in-1 wire harness, LED light kit
	(1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))	8089 6593	4-in-2 wire harness, LED light kit Distribution block, Pro Scale® Advanced Lighting Control
8279	Ring gear, differential/ pinion gear, differential	0000	System
8279R 8287	Ring gear, differential/ pinion gear, differential (machined) Ring gear, differential/ pinion gear, differential (overdrive,	8083	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware)
8288	machined) Ring gear, differential/ pinion gear, differential (underdrive,	8086	LED expedition rack scene light kit (fits #8111 or 8213 series bodies, requires #8028 power supply)
8297	machined) Spool/ differential housing plug/ e-clip/ 2.5x8mm BCS (with threadlock) (4)	8084	LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply)
	Driveline Components	8088	LED light bar, front bumper (fits #8866 front bumper, requires
8150	Driveshaft extension kit, center (includes internal splined, x-long (2),	8087	#8028 power supply) LED light bar, roof lights (fits #8111 or 8213 series bodies,
0100	internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit)	8085	requires #8028 power supply) LED light set, complete with power supply (contains headlights,
8150X	Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1), internal splined, medium (2) & internal	8028	LED lights, & distribution block) (fits #8111 or #8112 body) LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire
0400	splined, short (1)) (for use with TRX-4® Long Arm Lift Kit)		harness
8139	Half shafts, center (external splined) (2)/ pin retainer (4) (plastic parts only)	8026X	LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply and #8018, #8072, or #8080 inner fenders)
8250	Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only)	6597	Motor sense wire harness, Pro Scale® Advanced Lighting Control System
8255 8255A	Stub axle (portal drive) (2)	6592	Power module, Pro Scale® Advanced Lighting Control System
8255A 8269	Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)	6591	(includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power
8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/	0001	module & distribution block)
8269A	3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-	8085X	Pro Scale® LED light set, TRX-4® Sport, complete with power module (contains headlights, tail lights, & distribution block) (fits
8269G	anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/	6594	#8111 or #8112 body) Receiver communication cable, Pro Scale® Advanced Lighting
8269R	3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/		Control System
	3x10 screw pin (4)	04007	Long Arm Lift Kit
	Hardware	8162X	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use with #8140X TRX-4® Long Arm Lift Kit)
1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)	8162R	Body, GTS shock, long (aluminum, red-anodized) (1) (for use
1834 1834A	Body Clips (12) (standard size) Body clips, black (12) (standard size)	8162	with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140
3934	Body clips, heavy duty (12)	0102	TRX-4® Long Arm Lift Kit)
3934A	Body clips, heavy duty (black) (12)	8147	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)
4859	CS 3x10 flathead (hex drive)	8148	Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit)
8167X	Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels)	9283	Cable, T-lock, rear (185mm)
8298	Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®)	8150	Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1))
8151	Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® High Lift Kit)	8140	(for use with TRX-4® Long Arm Lift Kit) Long arm lift kit, TRX-4®, complete
8217	Hardware kit, TRX-4® (contains all hardware used on TRX-4®)	8140X	Long arm lift kit, TRX-4®, complete (includes blue powder
5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball	04.400	coated links, blue-anodized shocks)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)	8140R	Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks)
3647 8347	Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10)	8149	Rod ends, extended (standard (4), angled (4))/ hollow balls (8)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	0444	(for use with TRX-4® Long Arm Lift Kit)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	8141 8161	Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with
1747T 1985	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	0.01	TRX-4® Long Arm Lift Kit)
8221	Screw pin, 3x10mm (6)	8160X	Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)
2523 3229	Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x10mm cap-head machine (hex drive) (6)	8160-GRN	Shocks, GTS, aluminum (green-anodized) (assembled without
3236	Screws, 2.5x12mm cap-head machine (flex drive) (6)	8160R	springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without
2618	Screws, 2.5x16mm cap-head machine (6)	013010	springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit)
3215 2524	Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 2.5x8 countersunk machine (hex drive) (6)	8160	Shocks, GTS, silver aluminum (assembled without springs) (4) (for
2617	Screws, 2.5x8 countersunk machine (nex drive) (6) Screws, 2.5x8mm button-head machine (hex drive) (6)	8153	use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white
3965	Screws, 2.5x8mm cap-head machine (6)	0100	stripe) (for use with TRX-4® Long Arm Lift Kit)
8299	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)	8154	Springs, shock, long (natural finish) (GTS) (0.39 rate, orange
8167 2564	Screws, 2x10mm cap-head, self-tapping (hex drive) (10) Screws, 2x8mm cap-head machine (hex drive) (6)	8155	stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with
2577	Screws, 3x10mm button-head machine (hex drive) (6)	0100	TRX-4® Long Arm Lift Kit)
2578	Screws, 3x12mm button-head machine (hex drive) (6)	8156	Springs, shock, long (natural finish) (GTS) (0.54 rate, green
2579	Screws, 3x15mm button-head machine (hex drive) (6)	0457	stripe) (for use with TRX-4® Long Arm Lift Kit)
2591 2581	Screws, 3x23mm button-head machine (hex drive) (6) Screws, 3x25mm button-head machine (hex drive) (6)	8157	Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)
2616	Screws, 3x23mm button-head machine (hex drive) (6)	8146X	Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link,
2582	Screws, 3x30mm button-head machine (hex drive) (6)		5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8440X TRY 4® Long Arm Liff Kit)
2575	Screws, 3x6mm button-head machine (hex drive) (6)		balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)		

Page 5	TRX-4® Sport High Trail Edition™: TQ 2.4 GHz Radi	io (Model	82044-4) Parts List
8146R	Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls)	2065A 2065R	Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear
8144X	(for use with #8140R TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4®	3025 2261	XL-5HV 3s Electronic Speed Control, waterproof (low-voltage detection, fwd/rev/brake) Y-harness, BEC
8144R	Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated		Pro Scale® Winch & Accessories
	steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)	8867	Bumper, front, winch, medium (includes bumper mount, D- Rings, fairlead, hardware) (fits TRX-4® 1979 Bronco and 1979
8144	Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)	8859	Blazer with 8855 winch) (217mm wide) Fairlead, winch
8143	Suspension links, front lower (2) (5x104mm, steel) (assembled with	8870X	Fairlead, winch, aluminum (blue-anodized) (use with front
	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)	00704	bumpers #8865, 8866, 8867, 8869, or 9224)
8143R	Suspension links, front lower, red (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4®	8870A	Fairlead, winch, aluminum (gray-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
0115	Long Arm Lift Kit)	8870G	Fairlead, winch, aluminum (green-anodized) (use with front
8145	Suspension links, rear lower (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)	8870T	bumpers #8865, 8866, 8867, 8869, or 9224) Fairlead, winch, aluminum (orange-anodized) (use with front
8145X	Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)	8870R	bumpers #8865, 8866, 8867, 8869, or 9224) Fairlead, winch, aluminum (red-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
8145R	Suspension links, rear lower, red (2) (5x115mm, powder coated	8862	Gearmotor, winch
	steel) (assembled with hollow balls) (for use with #8140R TRX-4®	8863	Hook, winch (steel)/ line retainer/ washer
8142	Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled with	8858 8864X	Housings (front & rear), winch/ decal
0	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)	8864	Line, winch (blue) Line, winch (gray)
8142R	Suspension links, rear upper, red (2) (5x115mm, powder coated	8860	Spool shaft assembly, winch
	steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)	8861	Spool, winch
8172	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock	8855 8856	Winch kit with wireless controller, TRX-4® and TRX-6® Winch, TRX-4® and TRX-6® (requires #8857 wireless remote)
	2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires,	8857	Wireless remote, winch, TRX-4® and TRX-6®
8184	foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (2.2" classic chrome wheels,		Radio System, Batteries & Chargers
0104	Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front	2823X	1400mah 11.1v 3-Cell 25C LiPo Battery
0.40.4	(2), rear (2)) (requires #8255A extended thread stub axle)	2820X	2200mah 7.4v 2-Cell 25C LiPo Battery
8181	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels, Canyon Trail 5.3x2.2" tires) (2)	2827X	3000mah 7.4v 2-Cell LiPo Battery
8170	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2)	2923X 2940X	3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell 3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell
8171	Wheels, 2.2", Method Race Wheels® 105 Beadlock (black	2849X	4000mah 11.1v 3-Cell 25C LiPo Battery
8171A	chrome, beadlock) (beadlock rings sold separately) Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal	2950X	4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell
VIIIA	gray, beadlock) (beadlock rings sold separately)	2872X	5000mah 11.1v 3-Cell 25C LiPo Battery
8180	Wheels, TRX-4® Sport 2.2 (2)	2842X 2960X	5000mah 7.4v 2-Cell 25C LiPo Battery 5000mAh 8.4V 7-cell flat NiMH Battery, Series 5 Power Cell
	Motors & Electronics	2844R	5200mAh 7.4v 2-cell 35C LiPo Battery
1926	Antenna caps, vinyl (2)/ antenna spool	2843X	5800mah 7.4v 2-Cell 25C LiPo Battery
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
2262	BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals)	2976 2938X	AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®
2064A	Gear set (for 2065A waterproof sub-micro servo)		batteries to separate balance ports)
2064R	Gear set, metal (for 2065R waterproof sub-micro servo)	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2072X 2252	Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos)	2943 6548	Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517
2287	Gear set, metal (for 2280 servo)	0010	transmitter)
2072R	Gear set, metal, high-speed (for 2070, 2075 servos)	8222	Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell
8290X 8290A	Motor mount plate, 6061-T6 aluminum (blue-anodized)	2914	LiPo batteries) Battery, Power Cell AA Alkaline (4)
8290G	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized)	2983	Battery/charger completer pack (includes #2969 2-amp NiMH
8290R	Motor mount plate, 6061-T6 aluminum (red-anodized)		peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH
3975R	Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1)	2992	iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1),
8290 2254	Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)		#2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)	2970-2SR	Battery/Charger completer pack (includes #2970 iD® charger (1),
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)	2994	#2844R 5200mAh 7.4V 2-cell 35C LiPo ID® Battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))
2271 2063A	Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo)	2970-3S	Battery/charger completer pack (includes #2970 iD® charger (1),
2063R	Servo case/gaskets (for 2005R metal gear, waterproof, sub-micro	2004	#2872X 5000mAh 11.1V 3-cell 25C LiPo iD® battery (1))
2063X	servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro	2991 2985-2S	Battery/charger completer pack (includes #2972 Dual iD charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2)) Battery/charger completer pack (includes #2985 charger (1),
	servo)	2903-23	#2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))
5669 2075R	Servo horn (with built-in spring and hardware) (for Summit locking differential) Servo, digital high-speed, metal gear (ball bearing), waterproof	2262	BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals)
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),	2975 2972	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery
	waterproof (#2262 external BEC and #8247X metal servo horn	2312	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2255	recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball	2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto
	bearing), waterproof (#2262 external BEC and #8247 steel servo	2070	Battery Identification Charger F7 Book Blue 4 cmp NiMH/LiPe with iD Auto Bettery
0000	horn recommended for optimal performance)	2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2280	Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof	2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof		Battery Identification
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof		

2985	Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto	8022A	Fuel canisters (yellow) (2)/ screw pin
	Battery Identification	8023	Jack (1)/ 2x8 BCS (1)
525 542	Communication link, telemetry expander	8023T	Jack (black) (1)/ 2x8 BCS (1)
512 565	Cover plate, Traxxas® Link Bluetooth® module Data link, telemetry expander (connects #6550X telemetry	8122-BLK 8122	Shovel/ axe (black)/ accessory mount/ mounting hardware
303	expander 2.0 to the #6590 high-voltage power amplifier)	8121X	Shovel/ axe/ accessory mount/ mounting hardware Traction boards, blue/ mounting hardware
971	EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto	8121G	Traction boards, green/ mounting hardware
	Battery Identification and Bluetooth®	8121A	Traction boards, yellow/ mounting hardware
978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)	8121	Traction boards/ mounting hardware
064A	Gear set (for 2065A waterproof sub-micro servo)		Shock Oil
064R 072X	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos)	5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
252	Gear set, metal (for 2250, 2255 servos)	5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
272	Gear set, metal (for 2270 waterproof servo)	5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
072R	Gear set, metal, high-speed (for 2070, 2075 servos)	5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
968X	LiPo cell voltage checker/balancer (includes #2938X adapter for	5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
	Traxxas® iD® batteries)	5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)	5037 5029	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil)
561	Mount, telemetry expander	5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt,
535	Mount, temperature sensor (electric motors)/ wire tie/ thermal	00000	80 wt premium shock oils with spinning carousel rack)
	pad	5038	Spinning carousel rack
519	Receiver, micro, TQ 2.4GHz (3-channel)		Shocks (GTS)
533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)	8266	Body, GTS shock (aluminum, silver-anodized) (1)
552	Seal kit, expander box (includes o-ring, seals, and silicone grease)	8266X	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)
526	Sensor, auto-detectable, temperature	8162X	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use
527	Sensor, auto-detectable, voltage		with #8140X TRX-4® Long Arm Lift Kit)
521	Sensor, temperature and voltage (long)	8162R	Body, GTS shock, long (aluminum, red-anodized) (1) (for use
254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)	0460	with #8140R TRX-4® Long Arm Lift Kit)
253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)	8162	Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit)
251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	8264	Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (
271	2250, 2255 servos)		bottom cap (2)/ upper retainer (2)/ lower retainer (2))
27 I 063A	Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo)	8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro	5475	Multi-tool (plastic)
	servo)	8261	Piston, damper (red) (4)/ e-clips (8)
063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro	8262	Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings e clips, rod ends, and travel limiters)
	servo)	8263	Shock shaft, 3x47mm (GTS) (2)
075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	8263T	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)	8260X	Shocks, GTS hard-anodized, PTFE-coated aluminum bodies w TiN shafts (assembled with spring retainers) (2)
2255	Servo, digital high-torque 400 brushless, metal gear (ball	8160X	Shocks, GTS, aluminum (blue-anodized) (assembled without
	bearing), waterproof (#2262 external BEC and #8247 steel servo horn recommended for optimal performance)	8160-GRN	springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit)
:075X : 270	Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof	8160R	Shocks, GTS, aluminum (red-anodized) (assembled without
065A	Servo, sub-micro, waterproof		springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit)
065R	Servo, sub-micro, waterproof, metal gear	8260A	Shocks, GTS, blue-anodized (assembled with spring retainers)
553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system	92606	(2)
550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)	8260G 8260R	Shocks, GTS, green-anodized (assembled with spring retainer (2) Shocks, GTS, red-anodized (assembled with spring retainers)
551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)	8260	Shocks, GTS, silver aluminum (assembled with spring retainer (2)
509R 507R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas®	8160	Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit)
	Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro		Slipper Clutch Components
	receiver)	8292	Input shaft/ output shaft (transmission)
516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)	8286	Output shafts (transfer case), front & rear
530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4- channel (transmitter only)	8254	Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm N (1)/ spring washers (2))
511 261	Traxxas® Link Bluetooth® module Y-harness, BEC	8249	Slipper eliminator plate
201	·		Springs
00.4.1.1	Ready-To-Race Model	8041	Springs, shock (GTS) (front) (0.45 rate) (2)
2044-4	TRX-4 Sport High Trail Edition: 4WD Electric Truck with TQ™	8040	Springs, shock (GTS) (rear) (0.54 rate) (2)
	2.4GHz Radio System	8042	Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe)
	Scale Details	8043	Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2.30 rate, white stripe)
120R	Expedition rack, complete (includes traction boards, shovel, axe, jack,	8044	Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe)
	fire extinguisher, fuel cans, & mounting hardware) (fits #8111, 8111R,	8045 8153	Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2 Springs, shock, long (natural finish) (GTS) (0.29 rate, white
120A	or 8213 series bodies) Expedition rack/ mounting hardware (fits #8111, 8111R, or 8213	0133	stripe) (for use with TRX-4® Long Arm Lift Kit)
1204	series bodies)	8154	Springs, shock, long (natural finish) (GTS) (0.39 rate, orange
422-BLK	Fire extinguisher, black (2)		stripe) (for use with TRX-4® Long Arm Lift Kit)
422	Fire extinguisher, red (2)	8155	Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with
			TRX-4® Long Arm Lift Kit)
3022T	Fuel canisters (black) (2)/ screw pin	8156	Springs, shock, long (natural finish) (GTS) (0.54 rate, green

8157

8022R 8022-GRN

8022 8022X Fuel canisters (blue) (2)/ screw pin Fuel canisters (green) (2)/ screw pin

Fuel canisters (white) (2)/ screw pin

Fuel canisters (red) (2)/ screw pin

Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit)
Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)

747 942X (9942X (9919 943X (9944X (9945X (9945X (9947X (9946X (9947X (9946X (9947X (9948X (9949X (9950X (99	Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Gear, 11-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 29-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 29-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 29-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p), (steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw	9916 2514 9917 9950 9909 8169T 8168T 8169X 8168G 8169R 8168R 8169 8168 8176 8164X 8174 8174 8182 8177 8184 8273 8272X	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar Decal sheet, racing sponsors Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4® similar) Official Team Traxxas® racing decal set(flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet) TIGS & WIEGS Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings
942X (Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 12-T pinion (32-pitch)/ set screw Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 15-T pinion (32-pitch) (fits 3mm shaft)/ set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 39-tooth (32-pitch) Spur gear, 39-tooth (32-pitch) Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T	2514 9917 9950 9909 8169T 8169X 8168X 8168G 8169R 8168R 8169 8168 8176 8164X 8174 8182 8177 8184	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar Decal sheet, racing sponsors Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4® similar) Official Team Traxxas® racing decal set(flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet) TITES & WITEES Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10
919 943X () 944X () 944X () 945X () 945X () 946X () 947X () 948X () 949X () 950X () 951X () 951X () 952X () 951X () 952X () 232 () 232A () 232A () 232A () 232A () 232A () 232B () 232C () 232	(fits 3mm shaft)/ set screw Gear, 12-T pinion (32-pitch)/ set screw Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 24-T pinion (32-p), (steel) (fits 3mm shaft)/ set screw Gear, 25-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 25-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 25-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 25-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 25-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 25-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 25-T pinion (35-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 25-T pinion (35-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 25-T pinion (35-p), heavy duty (machined, hardened steel) (fits 3mm sh	2514 9917 9950 9909 8169T 8169X 8168X 8168G 8169R 8168R 8169 8168 8176 8164X 8174 8182 8177 8184	Decal sheet, racing sponsors Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4® similar) Official Team Traxxas® racing decal set(flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet) Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Center caps, wheel (chrome) (4)/ decal sheet (requires #8255/extended thread stub axle) Center caps, wheel (chrome) (front (2), rear (2)) (requires #8256/extended stub axle) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tire foam inserts) (1 left, 1 right) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (2.2" classic chrome wheel Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (fro (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (Tactical 1.9" stin beadlock
943X () 944X () 944X () 945X () 945X () 917 () 946X () 947X () 947X () 950X () 950X () 951X () 952X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 29-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Start blocks (portal drive), left & right Caster blocks (061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminu	9950 9909 8169T 8168T 8169X 8168X 8169R 8169R 8168 8176 8164X 8174 8174 8182 8177	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4® similar) Official Team Traxxas® racing decal set(flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet) Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, sa
944X (945X ((fits 3mm shaft)/ set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 15-T pinion (32-pitch) (fits 3mm shaft)/ set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 29-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Start blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right	8169T 8168T 8168X 8168X 8168G 8169R 8168R 8169 8168 8176 8164X 8174 8182 8177 8184 8273	Official Team Traxxas® racing decal set(flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet) TITES & WIDELS Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4
944X (945X (Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 15-T pinion (32-pitch) (fits 3mm shaft)/ set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-pitch) Spur gear, 39-tooth (32-pitch) Spur gear, 39-tooth (32-pitch) Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right	8169T 8168T 8168X 8168X 8168G 8169R 8168R 8169 8168 8176 8164X 8174 8182 8177 8184 8273	Tires & Wirels Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Center caps, wheel (chrome) (4)/ decal sheet (requires #8255/extended thread stub axle) Center caps, wheel (chrome) (front (2), rear (2)) (requires #8256/extended stub axle) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tirefoam inserts) (1 left, 1 right) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (2.2" classic chrome wheel Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (fro (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2)
945X () 917 () 946X () 947X () 948X () 948X () 950X () 950X () 951X () 952X () 952X () 952X () 232 () 232 () 232 () 232A () 232A () 232A () 232B () 232C ((fits 3mm shaft)/ set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 15-T pinion (32-pitch) (fits 3mm shaft)/ set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p), (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 39-tooth (32-pitch) Stort Gear G	8169T 8168T 8169X 8168X 8168G 8169R 8169R 8168 8176 8164X 8174 8182 8177 8184 8273	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Center caps, wheel (chrome) (4)/ decal sheet (requires #8255/extended thread stub axle) Center caps, wheel (chrome) (front (2), rear (2)) (requires #8255/extended stub axle) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tires foam inserts) (1 left, 1 right) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (2.2" classic chrome wheel Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (fro (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2)
945X (0917 (1918) (1918	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 15-T pinion (32-pitch) (fits 3mm shaft)/ set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p), (steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Signification (32-pitch) Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right	8168T 8169X 8168X 8168G 8169R 8168R 8169 8168 8176 8164X 8174 8182 8177 8184 8273	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.9") (front (2), rear (2)) (requires #8255/extended thread stub axle) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (2.2" classic chrome wheel Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (fro (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2)
917	(fits 3mm shaft)/ set screw Gear, 15-T pinion (32-pitch) (fits 3mm shaft)/ set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ Spur gear, 39-tooth (32-pitch) Start blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right	8168T 8169X 8168X 8168G 8169R 8168R 8169 8168 8176 8164X 8174 8182 8177 8184 8273	Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Center caps, wheel (chrome) (4)/ decal sheet (requires #8255/extended thread stub axle) Center caps, wheel (chrome) (front (2), rear (2)) (requires #8256/extended stub axle) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tirefoam inserts) (1 left, 1 right) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (2.2" classic chrome wheel Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (fro (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2)
946X () 947X () 948X () 948X () 949X () 950X () 951X () 951X () 952X () 952X () 232 () 242 () 242	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 29-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right	8169X 8168X 8168G 8169R 8169R 8168 8176 8164X 8174 8182 8177 8184 8273 8272X	Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Center caps, wheel (chrome) (4)/ decal sheet (requires #8255/extended thread stub axle) Center caps, wheel (chrome) (front (2), rear (2)) (requires #8255/extended stub axle) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tire foam inserts) (1 left, 1 right) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (2.2" classic chrome wheel Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (fro (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadloc
947X ((fits 3mm shaft)/ set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p), (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 39-tooth (32-pitch) Stooth (32-pitch) Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right	8168X 8168G 8169R 8168R 8169 8168 8176 8164X 8174 8182 8177 8184 8273	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum)(4)/ 2x10 CS (48) Center caps, wheel (chrome) (4)/ decal sheet (requires #8255/extended thread stub axle) Center caps, wheel (chrome) (front (2), rear (2)) (requires #8256/extended stub axle) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tire foam inserts) (1 left, 1 right) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (2.2" classic chrome wheel Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (fro (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2)
947X (Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Signification (32-pitch) Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8168G 8169R 8168R 8169 8168 8176 8164X 8174 8182 8177 8184 8273 8272X	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Center caps, wheel (chrome) (4)/ decal sheet (requires #8255, extended thread stub axle) Center caps, wheel (chrome) (front (2), rear (2)) (requires #8256, extended stub axle) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tirr foam inserts) (1 left, 1 right) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tirres, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tirres) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (2.2" classic chrome wheel Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (fro (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock
948X ((fits 3mm shaft)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Signification Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8169R 8168R 8169 8168 8176 8164X 8174 8182 8177 8184 8273	Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum)(4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum)(4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum)(4)/ 2x10 CS (48) Beadlock rings, wheel (chrome) (4)/ decal sheet (requires #8255/extended thread stub axle) Center caps, wheel (chrome) (front (2), rear (2)) (requires #825/extended stub axle) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tirefoam inserts) (1 left, 1 right) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (2.2" classic chrome wheel Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (fro (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock
948X (0949X (0950X (0950X (0951X (0952X (0952 (0953 (0952 (0953 (0952 (0953 (0952 (0953 (0952 (0953 (0	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p), (steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Sicaring Formation Sicaring Formation Sicaring Formation Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8168R 8169 8168 8176 8164X 8174 8182 8177 8184 8273	Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum)(4)/ 2x10 CS (48) Center caps, wheel (chrome) (4)/ decal sheet (requires #8255/extended thread stub axle) Center caps, wheel (chrome) (front (2), rear (2)) (requires #825/extended stub axle) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tirres & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (2.2" classic chrome wheel Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (fro (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock
949X (0 950X (0 951X (0 951X (0 951X (0 952X (0 745 (0 052 (0 053 (0 052 (0 053 (0 052 (0 053 (0 052 (0 053 (0 052 (0 053 (0 052 (0 053 (0 052 (0 053 (0 052 (0 053 (0 053 (0 053 (0 053 (0 054	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8168 8176 8164X 8174 8182 8177 8184 8273	Beadlock rings, satin (2.2") (aluminum)(4)/ 2x10 CS (48) Center caps, wheel (chrome) (4)/ decal sheet (requires #8255, extended thread stub axle) Center caps, wheel (chrome) (front (2), rear (2)) (requires #825, extended stub axle) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tirfoam inserts) (1 left, 1 right) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (2.2" classic chrome wheel Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (fro (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock
950X () 951X () 951X () 952X () 952X () 745 () 052 () 053 () 232 () 232A () 232A () 232A () 232A () 232B () 232C ((fits 3mm shaft)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 39-tooth (32-pitch) Signified Formal General Gene	8176 8164X 8174 8182 8177 8184 8273 8272X	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255\(\text{extended thread stub axle})\) Center caps, wheel (chrome) (front (2), rear (2)) (requires #825\(\text{extended stub axle})\) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tire foam inserts) (1 left, 1 right) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (2.2" classic chrome wheel Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (fro (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock
950X (0 951X (0 952X (0 745 (0 552 (5) 053 (5) 232 (232X (0 232A (0 23	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8164X 8174 8182 8177 8184 8273 8272X	extended thread stub axle) Center caps, wheel (chrome) (front (2), rear (2)) (requires #82: extended stub axle) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tire foam inserts) (1 left, 1 right) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (2.2" classic chrome wheel Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (fro (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock
951X () 952X () 952X () 745 () 052 () 053 () 232 () 232X () 232A () 232A () 232A () 232A () 232F () 072X () 075F () 276 () 277 () 742 () 278 () 278 () 278 () 278 () 278 () 278 () 278 () 278 () 278 () 278 () 278 () 278 () 278 () 278 () 278 () 278 () 278 () 278 () 278 () 279 () 270 () 271 () 272 () 273 () 274 () 275 () 275 () 276 () 277 () 277 () 278 () 277 () 278 () 277 () 278 () 277 () 278 () 277 () 278 () 277 () 278 () 277 () 278 () 277 () 278 () 277 () 278 ()	(fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8174 8182 8177 8184 8273 8272X	Center caps, wheel (chrome) (front (2), rear (2)) (requires #82 extended stub axle) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tirfoam inserts) (1 left, 1 right) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (2.2" classic chrome wheel Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (fro (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock
951X (1952X (195	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Signification Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8174 8182 8177 8184 8273 8272X	extended stub axle) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tirfoam inserts) (1 left, 1 right) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (2.2" classic chrome wheel Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (fro (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock
952X () 745 () 052 () 053 () 052 () 053 () 053 () 053 () 072X () 075X () 0	(fits 3mm shaft)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8182 8177 8184 8273 8272X	Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tirfoam inserts) (1 left, 1 right) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (2.2" classic chrome wheel Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (fro (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadloce
745 0052 55 0053 55 55 66 67 67 67 67 67 67 67 67 67 67 67 67	(fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8177 8184 8273 8272X	foam inserts) (1 left, 1 right) Tires & wheels, assembled (Method Race Wheels® 105 Beadl 1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (2.2" classic chrome wheel Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (fro (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadloce
745 (0052 (0	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8177 8184 8273 8272X	Tires & wheels, assembled (Method Race Wheels® 105 Beadd 1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (2.2" classic chrome wheel Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (fro (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock
052	Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Signification (32-pitch) Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8177 8184 8273 8272X	1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (2.2" classic chrome wheel Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (fro (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadloce
232 (232X (232A (232A))))))))))))))))))))))	Spur gear, 45-tooth (32-pitch) Signification of the strict of the stric	8184 8273 8272X	Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (2.2" classic chrome wheel Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (fro (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadloo
232 (232X (2	Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8184 8273 8272X	Tires & wheels, assembled, glued (1.9" chrome wheels, Cany Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (2.2" classic chrome wheel Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (fro (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadloo
232X	Caster blocks (portal drive), left & right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8273 8272X	#8255A extended thread stub axle) Tires & wheels, assembled, glued (2.2" classic chrome wheel Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (fro (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadloo
232X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8273 8272X	Tires & wheels, assembled, glued (2.2" classic chrome whee Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (fro (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadloom
232A (232G (232R (23R (23	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8273 8272X	Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (fro (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadloo
232G	and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8272X	(2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadloo
232G (232R (23R (23	Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8272X	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Cany Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadloo
772X 072R 072R 072R 072R 072R 072R 072R 072R	Gear set, metal (for 2070, 2075 servos) Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)		Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadloo
772R	Gear set, metal, high-speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)		
274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8272	wheels, Canyon Trail 4.6x1.9" tires) (2)
355 H 275 F 276 F 277 F 277 F 742 F 247X S 247X S 250 S		0212	Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Cany
275 F 276 F 277 F 277 F 742 F 278 F 247X S 075R S 250 S	I lollow ball, tall certicied (2)/ tall offset flollow ball (2)/ bullip steel		Trail 4.6x1.9" tires) (2)
275 F (276 F 277 F 742 F 2278 F 247X S 075R S 255 S	adjustment shims; 3.5mm (2), 1.17mm (2)	8179	Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels
(276 F 277 F 742 F 278 F 247X S 247X S 250 S 255 S	Rod end set, complete (standard (10), angled 10-degrees (8), offset		Canyon Trail 4.6x1.9" tires) (2)
277 F 742 F 278 F 247X S 075R S 250 S	(4))	8181-BLUE	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, blue
742 F 278 F 247X S 075R S 250 S	Rod ends (10)	8181-GRN	beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)
278 F 247X S 075R S 250 S	Rod ends, angled 10-degrees (8)	0101-GKN	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, green beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)
247X S 075R S 250 S 255 S	Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4)	8181-RED	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, red
075R \$ 250 \$ v 255 \$	Servo horn, steering, metal/ 3x14 BCS (1)		beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)
255 S	Servo, digital high-speed, metal gear (ball bearing), waterproof	8172	Tires and wheels, assembled (Method 105 2.2™ black chrome
255 S	Servo, digital high-torque 330 coreless, metal gear (ball bearing),		beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (
k	waterproof	8181	left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ whe
	Servo, digital high-torque 400 brushless, metal gear (ball	0101	Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arn
	bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof		Lift Kit)
	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	8270	Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2)
	captured (4)	8170	Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-
	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)	0000	Long-Arm Lift Kit)
243 \$	Suspension link, front, 5x100mm (lower) (steel) (2)	8269 8269X	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4
	Suspension link, front, 5x63mm (upper) (steel) (2)	0203A	3x10 screw pin (4)
245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
	Suspension Linkage		anodized) (4)/ 3x10 screw pin (4)
058 (Chassis conversion kit, TRX-4® (long to short wheelbase)	8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized)
	(includes rear upper & lower suspension links, front & rear inner	9260D	3x10 screw pin (4)
	fenders, short female half shaft, battery tray, 3x8mm FCS (4))	8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4) 3x10 screw pin (4)
	Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear	8175	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (require
,	shock towers, long female half shaft)		#8255A extended thread stub axle)
	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8173	Wheels, 1.9", Method Race Wheels® 105 Beadlock (black
	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer		chrome, beadlock) (beadlock rings sold separately)
	adjustment shims; 3.5mm (2), 1.17mm (2)	8173A	Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal
	Rod end set, complete (standard (10), angled 10-degrees (8), offset	8174	gray, beadlock) (beadlock rings sold separately) Wheels, Method 105.2.2" (black chrome, beadlock) (beadlock
	(4)) Pad anda (40)	8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
	Rod ends (10) Rod ends, angled 10-degrees (8)	8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock
			rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
			• • • • • • • • • • • • • • • • • • • •
	Rod ends, long (6)/ hollow ball connectors (6)	8180	Wheels, TRA-4 Sport 2.2 (2) (for use with TRA-4 Long Arm Lin
			Kit)
243 S 244 S	Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4)	8180 8271 8271X	Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm Lif Kit) Wheels, TRX-4® 1.9 (2) Wheels, TRX-4® 1.9 (satin beadlock) (2)

Page 8 TRX-4® Sport High Trail Edition™: TQ 2.4 GHz Radio (Model 82044-4) Parts List

8881 8882

8883

8884

8880

	Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2)
8180-GRN	Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2)
8180-RED	Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2)
8268	Wheels, TRX-4® Tactical 1.9 (2)
	Transmission Components
8283	Cable, T-lock (front)
8284	Cable, T-lock (rear)
8289	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage
8293X	Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5))
8291	Gearbox housing (includes main housing, front housing, & cover)
8285	Gears, transfer case (3)
5041	Grease, premium high performance (20cc)
8292	Input shaft/ output shaft (transmission)
8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)
8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)
8290R	Motor mount plate, 6061-T6 aluminum (red-anodized)
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup
	(1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black)
	(1) 3x6 BCS with threadlock (1))
8294	Output gear, high range, 24T (metal)
8286	Output shafts (transfer case), front & rear
8290	Plate, motor/ upper spur gear cover
8249	Slipper eliminator plate
8296	Transmission gears, single speed, metal
8196	Two speed conversion kit
	Traxxas Tools

0190	rwo speed conversion kit
	Traxxas Tools
3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3425	Rubber pit mat, 16x24x0.28
3426	Rubber pit mat, 36x20
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips,

THX-4® ITAXX®	
8889	Bearing retainers, inner (2)/ outer (2)
8890	Drive wheel (1)
8885	Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1 each, front (left & right), rear (left & right))
8888	Spring (4)
8887	Stub axle (1)
8886	Stub axle nut (4)
8891	Tension wheels (6)/ road wheels (4)

#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm

wrenches/ driver handle)

Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track)

Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track)

Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track)

Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track)

Traxx®, TRX-4® (4) (complete set, front & rear)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM