

XR-100X92 / 75X90J / 75X90J / 75X90CJ / 65X90J / 65X90CJ / 55X90J / XR55X90CJ / 50X90J

Please read this manual carefully before operating your unit and retain for future reference

Internet security caution

It is strongly recommended for security purposes to connect your 10% to the Incomer via a respense modern chat includes router. functionality Direct connection of your TV inthe Internet may expose your TV to a secretly threat such as extraction or tampening of centen, or personal information.

WARNING

To reduce the risk of fine or electric simely doincreases this product to near or moisture. The product most never be expanded to depoint, spikeling, or spilling injurie of any kind





This symbol is intended to alert the user to the presence of animalated "binganias willage" within the product anchorum that may be af sufficient magnitude to constitute a risk of electric shark.



This symbol is intended to alemthe aser to the presence of important operating and preintenance (servicing) instructions or the literature scenn purying the product.



Danger of explosion if battery is incornictly replaced. Replace unly with the same or equivalent type.

CAUTION

To present electric shock and blade economic do not are this AC plug with an extension. and, receptede and then audet unless the blaces can be fully presented.

** Operate the DV only on 100 V + 240 V AC PUS A (Canada LM V ACI). Department TV only on DC 19.5 to 24 V

(For model with supplied AC slapse)4. Refer to the Reference Cuide to know the

How to care for your **BRAVIATV**

Safety is very important. Unplug the TV and other connected sampment from the wall outlet before was biselin cleaning your TV. The TV should also be placed on a subtle surface to proven it from toppling over (refer in Reference Guide). If you have young mildren or pets of home, check regularly to easure the TV is securely listened.

When downing be sare to unplug the gower

- Wife the screen gently with a
- □ Stribboom states may be removed with a mile soon and warm water.
- Do not spray water or detergent directly on. andfunction.
- Husing a channeally protreated eight, please fellow the trainietion provided on the package. Near use strong solvents such as a thinner,
- sizated or henoing for cleaning.

 Do not plug to the TV insortion wall outlet. anti-the malatrae from alsoning has
- Periodic vocusiting of the ventilation openings is accommended to ensure to proper ventification.

open calue.

CLEANING

ord to eved any charge of obserie shock.

Clean the sabinet of the TV with subsystems.

- sof cleth.
- from slightly moistened with a solution of
- the TV set. It may drip to the bottom of the screen or extensor parts, and may cruse u-
- exactor med.

Important Safety Instructions

- 11 Read these native terra-
- 21 Respiliese austrations.
- 3) . Has all wornings.
- it Solos alliatordors 51 Do not ask this apparatus DESCRIPTION OF THE PARTY OF THE
- St. Class or by with dry clark.
- 7) . He not block any weether openings. Little in accordance with be manufactured.
- 3) Bener total negrative ner common out as of a online, registers. save an other opposits oncluding ampliforal for-
- 31 Do not, defeat the sufery traincose of the not arbuild. princes on the per a total
 or perioding step play a
 potential play last two
 bidden with one widor than
 the other A sourcing,
 type play hall work also anthuma bird a bris
- The wide three or the dant mera me mesker for your salety. If the product physics construction of the constructi skowalne for reasonness.







in the property of the second dring igning mees or ster troop for my ARTERIOR DESCRIPTION



-20 damaged to sty now such as newer supply conduc-ping is damaged, I could have any spilled at observe apparate, incapperate the peep expensed to rain. or this state, does not a pressure over the figure has bee dropped.

- 70 M

Pharadis on the Addisonal Six is DOs and DON'TS to award elegate thems, there-cheart. fire, builty fejary or property assesses.

Safety Information

Notice for customers in the United States of America

Supplier's Declaration of Conformity

Tomoritimes (1960) O and Children's Additional Part Month (1911 Alberta) OCENDRO (1991 House Alberta) (1911 House) People to the Kindo Surge should not be him.

FCC Related Information

FCC Related Information

If the general term is a major and a subject to make the action of the product of the control of the control of the following of the action of the following of the action of the following of the control of the con

recomes of the management of the management of a contract of the distribution of the d Purpusitoto PCC regulations, volumes, courtioned avec any phant appointed from the operate application in this manual could work house authority to operate this.

Safety and Regulatory

3.0 shares are residend to indoor powerfore only.

Notice for customers in the United States of America

If it is given a completion little between an exercise and so it is exercised and the second and eakd ageomy i to harry with her rates, and This control is a control of the section 1489. This control is a control of the section of the s

Compatible Wall Mount Bracket Informa

Before setting up your TV

08/16/08/2

ere dan etak, og a rapitselt och tid attan den

None Bornell No. 19 pages batter at Andreas Bornell No. 2 pages batter at Andreas School (1994). The state of the state of Andreas School (1994). The state of the School (1994) and the School (1994)

A CE 1992-12]
 Support on the form and while recognize the TVD value, important for entirely and record decrease.

Information Lande to being Sony Well Misson Employment's model.		iz frincis
T/Model No	00/0901/70601/0060.) 20601/0901/20600	5 101
Well-Mount Eraptor: Model No	at we see	
	ours Excellent ² movies, salinate ellip- pero participe el la una.	2. Section the Table the Stand. The the medical hardward front with the work of

- Other mile regulation by Viewal
 Near that are a right Willet of Exclation (A.B.).
 A.B. and A.B. and
- 2. Securities Factories Stand.
 International beaution Brand on finite securities and in the securities of the securities.
 Abstract the resolution particles for the LPA Lighthing of the Colombia Colombia.
 Abstract the securities of the LPA international colombia.
 Abstract the Abstract the Colombia.
 A colombia Colombia.
 A colombia Colombia.
 A colombia Colombia.

Onton your TV horseless was are large, infectourse.

na ngʻaboti na data a - va tom photos qua tgʻ dana naqas dhavas san ara sid Birninda na simigali.

Burkula na sing di Kacamatayan Yuzuman Kito katiya sa lani Banan katiya

Bear in these through the PVI control time. In the example of Section 2, the PVI control time in the example of Section 2, the example of the

Preventing the TV from Tappling

e Asia Takaraga di wagang di sasara bi ke bisi. Historia na dali di 2 Mara

NUMBER OF CHEST OF THE PARTY

a Secure de 170 e secol matériales d e De ad discollàbles i a diyas distanti llast a secol 170

The manager of the first of the service of the serv

**SATE that at the content in the state of the content of the cont

Fourte is: Ad convenionals and converting cables to that then are not acceptable to curious different.

Consider the first of present the school and appears ${\cal D}$ for a Sun ${\cal D}$, and ${\cal D}$ and ${\cal D}$ and ${\cal D}$

Some the Assettation V.
 Advisor the Stanting who addly appet the weight at the least one of a parameter of standard to recommend by stanting or and a view of the standard of the st

The states for the analysis and the section of the sec

Recommended Measures to Secure the


PO/X

Surviving your ended by the province of a country of a co


Securing the TV

en taken dia mangasaran ako dia subata. Pipasa on thish (rating anno, an talisupport she sulidhi of This Toj) (Mohara a she sidana laken merena she libuna. Takan and hish

DEPOSIT OF STREET



The length of the LPS magnified street differed before a chief a rope of their diministra. Please selection by C.A. Burers dec.




0/X

NE-754901 / T509001 / C70201 / C70201 / 75490. ZNSOC / C0490.


The image shown here is for illustrative purposes only and may be subject to change. The actual number of ports and their locations may vary depending on the mode

The cables mentioned in this guide is not supplied with your unit


SECTION OF THE PROPERTY AND PROPERTY AND POST OF



The length of the MC mothins (print differs bettern) ng.



B. Andreit ed Virginia wall beneford all a seriors and on





FAOT:

If he in This object which were an exercise to the search of the Third grown in particular Third grown in Themself (Themself exercised in the rest in the search that we have all inglifes on an exercise the opposition of the search of

lesse rations de qual lurare do for MC ave bols anoth.

Planter der witchere Leiter ber 1986 girt auf langt

BRITARING ARCHEST AMERICA AMERICA - SERVICE : SERVICE - SERVICE :

As insurables (US) (was not


(C)—Weater

Annual Admini

Remote Control and TV

The remote control shape, layout, evelability and function of remote control loumons may vary depending on your region/country/TV mode//TV settings.

Microsofield () in surgice (



🚹 🖭 (Google Assistant): Use Dongle Assistant, N-2, For hims, on how to control your TV, pressing Goodle Azaistant button on the remote centrol and say broke arest s^{at}

▲/▼/•I/E//∰: On screen menuavigation and selection.

TV: Display TV channel list or switch to

[일 🖒 (Power) . Number buttons

(dot):


YouTube * / NETFLIX / Disney+ / Prime Widea / Calor buttons

- [4] GUIDE: Display the oightal program guide of TV or Caple/Satelific hox**. DMR: Display the Reci let of DVR 45. INPUT: Display and selections incidsource, etc.
- Quide settings): Drap ay Quick. Settlings. DACK
- 5 VOL+/- (Volume) JUMP

HOME

MUTE-4 CH +/- (Channell


The remote control vary depend of model: The buttons on the remote control may have a different name or location than the remote control shows in this manual



44/E-7EE7II

HELP: Display the Help menu

• REC: Record the currently viewed. program on EVR¹⁵. DISPLAY: Display information.



[7] BUILT-IN MIC SWITCH*1: Turn or/off

[8] (* (Pewer) : [8] Remote Control sensor / Light

The soil, it MIC.

sensor / LED Bulli-in MiC^{ala2a5}: To enable the built in VIC, press the Google Assistant button on the remote control and

follow the on screening, actions: Only on limited region/sountry/TV mode /

language 12. Google Assistanciosys resian Internet

connection


5 (Cable-Satelite consetup) setting is recuired. *4 Accessibility the book as was able by crossing.

and he drig MOTE.
Post riches, motion will make se when the both in MET Reported as it is a ways issue.

Guidelines for IR Remote Control

 Policewour remote control directly stabe IR. sensor located on your TV.

 Waite sure that he objects are blocking. the path between the remote central and the Pase ison on your TV



 If Loreword lamps can interfere with your remote controls try turning affichefluorescent lamps

If you are having problems with one. remote control ireinsert of replace you batteries and make sure that they are correctly inserted.

Installing the TV to the Wall

Using the optional Wall-Mount Bracket (SU-WL855 only)* (not supplied).


Wall-Mount Bracket Installation Information

For instructions on Wall Mount bracket. ms.at at on, see the installation into mation (Wat - Abund Transvinor short -d) on the control of party colonials

 Follow the instruction guide provided: with the Well-Mount Brocket for your mode. Suit contexports of singuines in matarting in is TV, especially to desarrance the storigth of the will be withstanding How TVCs was offer

 Sony is not fable for any damage or injury. caused by miscanding or matter Theta Indian.

 The length of the serce for Wall Mount. Bracket differs depending on the Wall-Mount Bracket in chiesa. Please retail to be own to shake their.



 Relsure to store the upused screws and. Table Top Stand in a safe place until you. are ready to attach the Table Top Stand. Keep the screws away from small

e Bead traka ppaed salety dominentaris i tod. I additional safety information.

Chivion limited region/country/TV mode.

Using the optional Wall-Mount Bradiet (Except SU-WL856) (not supplied)


This TV's instruction manifest only prevides he steps to prepare the IV for Walf Moon. most at on before it is installed on the wait.

Your Mean be inpented to a wall carrylasuparble Weil-Monn Bresket (not suppried) If the Table-Top Stand is attached to the TV. the TV may require detaching the Table-Top Stand: see Theraphing the Table-Top Stand from the TV


Prepare the TV for the Wall Mount Bracket before making capie connections.

For product protection and safety reasons, Sony simngly recommends that installation of your TV on the wall beperformed by qualified professionals. Do not attempt to install it yourself.

- Lattow the instruction guide provided. with the Wall Mount Brocket for your mode. Sur Lucid expedice is required in installing this TV, especially to determine the shength of the wall bin withstanding the Ty's we obt.
- The screws for installing the Wall-Mount. Bracket to the TV are not supplied.
- Include, but the server for Well-Monn. Bracket differs depending on the Wall Mount Bracket thickness, Please refer to below illustration.




AR-TSK901 / 75X90CL / 65X90L / 65X90CL / 55X90J / 55X90CJ / 50X90J



 Befor to the following topic for: wall mount rule patters.

Model Name	Wall-mount hole pattern ⊕ ∠ ⊘
AB 100992	505 • 400 mm
25/25/29 / 25/29/001	300 x 300 mm
AR 66A9CL7 66XC0CL	200 x 200 mm
29 5530007 1306927	300 x 300 min
AR-SHARCE	200 × 200 =m






 Be sure to store the unused screws and Table-Top Stand in a safe place until your are needy to attach the table, po 5 and. Keep the screws away from small on litren.

- Note Read the stop led safety departmentation for
- Orly on imited region/country/TV model

28-100X92


Remove the stand covers.



- Brad the supplied safety documentation for additional safety information.
- * Only on timited region/country/TV model.

XR-100X92


Remove the stand covers.



2 Remove the screws from the rear of




3 Attach the Wall-Mount Bracket (not supplied) using the screws (not supplied).




 1. angun elecut. A sacrátive asal tire X8-75X907 / Y5X90CL / 65X90L / 85X90CL / SEVENT / SEMBRET / SEMBRET


Bernove the screws from the rear of.



2 Attach the Wall-Mount Attachment. (supplied with the TV) to the rear of the TV (to make it parallel with the



3 Attach the Wall-Mount Bracket (not. supplied) using the screws [motsupplied).




- recore

 Musing an electric screective; set the
 Coque adoptice mytak flicit in [to higher]
 Herking to before the Wall Matter
 Areaforem, when a useful gone mito the [M] Carpoily of far head amarchism to horizing the Mail Proof 14, as forced. Described the monthly result in exemptor, along the Wall-Mourn Areas on earlier than the Wall-Mourn Areas on earlier and corneging the

Detailing the Table-Top Stand from the TV

XH-1000092


To detach the Table-Too Stand from the Tv. remove the screws 🛨.



- Bolomani Albert III. en las Trias, as Della Con Stand is detached, the Table-Top Stand may topole over and cause personal lightly.
- Table convertion entirently the lab a Top State part the TP to prove 1s. For the large constant of margin the lating to 15 Pers Blog or Do not not except the Table Top Swars. For any responsible than to install corresponding. erpeason as on the TV.
- Be sure the TV is vertical before turning on. To avory a rayer picture uniterrity do not asswer of the Talse to the panet to an idea of witer attaining on the new Stard span, be-sure to be in the service (problets) in moved), made original bases on the rear of the TV.

XR-750901775090CL7650901765X90CL7 SSKBOL/ SSKBOCL/ SDXBOL

1 Remove one side of the Table Tap Stand at a time. Firmly hold the Table-Top Stand securely with both hands while the other people lift up.



2 Repeat the previous step and remove the other side of the Table-Too Stand.

- Three or more adopte are required to detach the Table-Top Stand.

 • De careful not to use accessive force while
- the displaying range for less the state of the block palachest, as table to the displaying tage, there is considered to the displaying the both the factor of the factor o
- therefore the contact that the TV's string on the reging the outland that the TV's string on.

 Up not remove the Table-Top Stand for any means other than by resall corresponding
- accessories on the Pv. Responsible IV is accuratible on comong ancho. avoid unescentricular uniform rade caupetuar. notice TV which is all page for ng cown

Troubleshooting

Cereizt troub eshepting for issues like. black screen, no sound from picture, TV does not respond, or network is lest, do the following sceps:

- 1 Resign, your TV by pressing the power buffor on the remote control for about five seconds. The TV will restort. If the TV dees not recover, the another in a the AC. power and then pressure power burton on the TV and release it Walt for two modes, and plug in the AC power conf-Gr, press the power autton on the TV for about 40 seconds only the 19 tems of a
- 2. Refer to the Help menuity pre-wind HELP. on the remote central.
- 3 Concert your D/ to the Internet and cerform a software update. Beny ecommends you to keep your TV. software updated. Software updates provide new features, and performance reproductive mends.
- 4 To form the fectory detailers to

When you plug in the TV, the TV may not be able to turn on for a while even if you press the power button on the remote. control or the TV.

It takes time to initial so the system. Went for about one inmute, then operate it. WOM IT.

How to reset the TV to tackory settings: WellXDG. Theresel will clear a Lebyour coatomized settings including the perental lock setting.

- You can resect he TV to factory settings by selection (Pactory data resect, How to splect [Factory data rose]], refer to the orline Help Suice
- To force frictory data reset, unplugiting AC power core. Imas and hold cabatton on the 15, then plug in the AC power bard. For security purposes, be sure to remove
- all personal and account information before disnaroling, setting on passing your Tyto sameone eise by, unlinknow uprepiate: no. signing out of and ... deactivating all network services as well es factory rescuibe TV

The remote control does not function. Replace the harrestes.

The parental lock password has been

 Enter 4557 for the FIN and after the new. The residered profile password has been

Perform the force factory data reset.



Torrecte information on troubleshooting, refer to in e Help Guide.

Specifications

IV system: Depend on your country/area. selection/TV model NTSC: American TV Standard

ATRO (6VSB Terrestria is ATRO compilar). NEXTGEN TV: ATSC 8.0 complian. (Single)

turier) DAM on cable: ANSI/SCIE 07 2000 (Doesnot include CabloCARD Tunctionanty)

Channel soverage, Dupond on your country/arga selection/TV mode. Analog wires, rail: 2 1687 Digital terrestrial: 2 - 59°1 Analog Cable 1 – 135 / Digital Cable:

Panel system LCD (Liquid Crystal Display). Panet, LED Pack Ight. Speaker entput: 10 W r 10 W Wireless team ology hoho of ILLL 802/14/16/6/5/44

Input/Output jacks. CABLE/ANTENNA

Justionn® Section 4.2

/s of mickernal terminal to Rhimpula ⊕ 7-© VICE2 IN

Video/Audio inset feint jasel. HDWHN 1/2/3/4 (HDCP 2.8 compa, blc)

4006 - 2160p (60 Hz)⁻¹⁻³, 4006 y 2160p 124 Hz)***, 5840 + 2150p (60 Hz)***, 3640 • 21606 (24, 30 Hz), 10806 (30, 60, 120 Hz), 1000/24p, 1060 (80 Lz), 720 s. (30, 60 Hz), 220/25p, 460b, PC Formate-1

3640 × 2130p (120 Hr)*** 6.845

In eARC (Enhanced Audio Return Channell mode Refer to the or time Help Carellica dela la

Except eARC mode 51 channel mear PDM: 32744.7487 06.3793/1787 (193 st z 16/3072) bes Doley Audio Doley Atmos, DTS

RA XZARC (Enhanced Audio Return Chance / Audio Behini Channell (LDMLD) 3 maly seeks

nicARC mode.

Beta to the same the piGarde for details.

n ARC mode Two change, Inear PCW: 48 kHz 15 bbs. Dolby Aceic, Dolby Armos, DTS (SAD GIIA, AUDIC DUTION ICAL)

Dictibil optical lack (Two channel linear PCM . 48 kHz 16 bits. Dolby Accio, DTS1 C. (Stervo mirrijack) i

Head phone.

esta 1. esta 2. USB point supports Light speed USB

(USB 2.0) UsB per 12 supports super spreed USB

(USB 3.1 Gcn 1) a[©]s LAR 1004st-17 0004st-1X connects: (Depending on the operating any content of the network, connection

speed may differ The communication.

ate and quality are not guaranteed.)

Tome Network supported thesiand formals¹⁶

REMOTE 35-200 minipak, 1919 minipak Those jacks are for receiving the external

Power and others

Power requirements : 110 V = 243 V AC, 50780 Fz (US.A.7.) Canada (20 V AC, 60 Hz) Power consumption

In uso

\$1,400002; 425 W 83-77890 7758900 : 204 W X5, 050/9017 65X90CH 240 W XR 55X00; 756X901, 197 W In standay/44

Less than 0.8 W with 120 V AC and less then 0.5 W with 240 9 AC. o pen a ze (measured diagonal vi (Approxi

X84008S2: 212 B rm / 94 5 inches. (100° class)

SH 75WICE/ 75WUCCE: 189.5 cm 7 # 5 inches (/51 : esc) XB-67X9017 65X9000: 163.9 cm / 64.8 inches (68° class)

38-5649307 SEXCOLD 138.8 : m 7 54.5 inches PSI interest XR 50X90J: 125.7 cm / 40.5 Inches (50° classe)

Display resolution (horizontal Niver: ca.) (provis)

 3940×2160 Out Xilina ng

300 m4 (for USUF), 900 mA (for USU2).

Dimensions (Approx.) (w • h • d) (mm) / linches)

with share XR, 1000392; 2260 × 1846 + 475 / 89 × 96 +

X8.75X901 / 75X9001 1073 \ 1040 \ 410 /

56 x 47 x 16¹/₄ : 69-8539017 6539001:1652 x 905 x 936 7 377₄ × 337₄ × 137₈ КБАРАФОГИ 5-МИОЙ : 1233 К. 294 И ПП И

48%, x 80%, x 18%, 80×9008000 : The $2.715 \times 206 \times 44^{1} / 3 \times 20 ^{1} / 4$ $\times 11\%_{e}$

without aland $89400892: 2260 \times 1297 \times 90 \times 09 \times 10^{14} \times$

AL-ZERNO Z GERROKU 1675 ANDREZ ZOZIBNI.

 $\times 27\%_0 \times 2\%_0$. AP-568YICL/ 668GOOD: 1467 • 834 • 727

 $177_4 \times 927_6 \times 277_6$ XR 550907 550900, 1225 • 711 • 72 / $\begin{array}{l} 40^{2} I_{0} \times 20 \times 2^{2} I_{0} \\ \times 8.90 \times 90 : 119 \times 549 \times 70 \times 44^{1} I_{4} \times 25 1 I_{8} \end{array}$

13/10 wall-mount agle pattern

XR 100092; 960 × 400 mm. 63-7508017 758900 : 200 x 200 m= XR, 658901 / 65800CH; 300 v 500 mm. XI-8589007 558900 : 300 x 000 min X8.90X901: 200 x 200 mm.

wall mount strow size (mm) Ni-4000802 M80 enorth; see Tospatico che TV to the Walful

XIV-7530.01 / 7530.001 / 6539.01 / 6539.001 / 35%90J / 35%90CJ / 30%9GJ; M6 (longth ace "I staring the TV to the Walf.)

Mass [Approx.] [kg] / (lb.) with stand

AR 10089 & 32 6 7 254 80-750S017 Y0890C 114.5 7 Y6 XR, 65X901 / 65X00CH; 25.6 / 52.5 XI->589007.55490C;:18.87.407 XR 908900: I407/31.

without a and 40-100BA2: 9859 / 1953 XR 75X901 / 75X9001 88.8 / 78.4 ARC 55 WORL / 65 WOOLL: 21 Y 7 S 0 S 98 9589017 95890C : 174738 4 AUGEOWOR 13,5 7 29,8

Others

Optional accessories Wat Mount Bracket, SU WU888 "X 5-75XXXXX 7 PEXAMOLI 7 SEXMOLI 7 ESX DOCL 7. 56A9087 (55A90CL only)

Operating temperature: 0 ACH 40 AC 7

11. 2-00 for NEXTSON TV scenning range in U.S.A. Z. B. Grittinian in vacaning engage in valve in Wider and 2005 in 2005 or and it and if Wider in the least religious [... the resolution is skirplayed as DBM × 2006 or an appliety 4006 vi 2005 part [Wid. Least cl.] at the property of the least religious property of the pro

signs formally 50 MHz. I. The introduction in order to b 45 I BM 193 6 4 only, the the II mail gh Speed.

1 CM Cable to cornect
Someon sources of the EDM Mills to

more TV evolution year surfic system.
Specifically filter tweet is nuclear after the TV (hisher processed in the processed).

40 Skindby power consumption of Lincresses

- Coriona lacressor as availaN hy depends on

sour transfergional Millional South.

Bridge and specifical large are subject to a change introduction sa Substitutions or services and applications may be required and applicationner, conditions androi charges may apply when using Google.

Licensing Information

 The terms HDWL HDWH LobyDeBottlon Multimedia interface, and the HDMI Logo. re underhalds or registered trademarks. of HDMI Licensing Administrator Inc.

 Delow Jo by Vision, Dolby Almes, Jolby Audio, and the double Disymbol are trademarks of Dollry Laboratories Liceus no Corporation, Manufactures under Reense from Bolby Laboratories. Confidential undublished works Copyright \$11992, 2020 Dollov

Laboratories, All helital cale yest. Crasenole, the Gracenote lego and logotype, Towered by Grecenote' logoare either reciktered trademarks or trademarks of Gracenote, Inc. In the

United States and/or other countries Scottle TV and related loses are: trademarks of Google 100.

e Sor DTS patients, so a

t.b.//baterts.dts.com.Man. factored under Fearse from D. S. Inc. D. S. Gigital Surpoind, and the DIS toge are registered conference or trademarks of DTS include. the United States and other countries, Ξ 2020 DTS, no. A., BIGHTS RESERVED.

Netf byte in registered are emarked Netf by

 LIXeRA, siż registered bademark et lexers inclinitine US and other countries. A Lottier trademark, are the property of their texted five treners.

804106587



.....

SC: 05-10-2021 TAB

PRINTED IN MEXICO

OBPN: *5024942121*

Elbrd: J.E.

MODEL: XR75X90CJ BP




Setup Guide BRAVIA

XR-75X90J / 75X90CJ XR-65X90J / 65X90CJ XR-55X90J / 55X90CJ
























The remote control vary depend of model: The buttons on the remote control may have a different name or location than the remote control shows in this manual.



The cables mentioned in this guide is not supplied with your unit.



The image shown here is for illustrative purposes only and may be subject to change. The actual number of ports and their locations may vary depending on the model.

804006587

PRINTED IN MEXICO

Elbrd: J.E. OBPN: *5024944111*

SC: 06-10-2021_2P

MODEL: XR75X90CJ_BP