

SKIL[®]

WHAT POWERS YOU? 



2021

**SPRING PRODUCT
CATALOG**

PWRCORE 12™

PWRCORE 20™

PWRCORE 40™



**/// OVER 130
NEW TOOLS**

**/// 5-STAR RATED
PRODUCTS**

**/// BACKED BY A
5 YEAR WARRANTY**



6 PWR CORE 12™ SYSTEM

6-15 TOOLS

16-21 COMBO KITS

22 PWR CORE 20™ SYSTEM

22-36 TOOLS

37-41 COMBO KITS

42-45 OUTDOOR POWER

46 PWR CORE 40™ SYSTEM

46-51 OUTDOOR POWER

52 HIGH PERFORMANCE CUTTING

52-57 TRUEHVL™ CORDLESS

58-67 CORDED

68 CORDED TOOLS

68-81 TOOLS

82 LASERS & LEVELS

82-87 TOOLS

88 4V TOOLS & ACCESSORIES

88-95 TOOLS & ACCESSORIES

PWRCORE 12™

The PWRCORE 12™ system offers a range of tools with compact, lightweight power and innovative features.



BRUSHLESS

PATENTED BATTERY TECHNOLOGY PWRCORE 12™



Industry leading battery technology wraps each cell with cooling material to keep the battery powering on for 25% longer run time and 2X battery life.

5-MINUTE CHARGING PWRJUMP™



PWRJUMP™ boosts the battery from 0 to 25% power in 5 minutes giving enough power to blast through up to 100 screws. (Based on 2.0Ah battery)

MOBILE CHARGING PWRASSIST™



Built-in USB port offers convenient, on-the-go charging for mobile devices.

DL529002 PWRCORE 12™ BRUSHLESS 12V 1/2" DRILL DRIVER KIT WITH PWRJUMP™ CHARGER



-  **25% LONGER RUN TIME**
-  **5-MINUTE CHARGING**
-  **CHARGE MOBILE DEVICES**

Features

- › **HYBRID CHUCK™**
Secure bit with chuck jaws or lock 1/4" hex bit without tightening
- › **1/2 IN. SINGLE-SLEEVE, KEYLESS CHUCK**
For fast and easy bit changes
- › **LED LIGHT**
See work more clearly
- › **350 IN. LBS OF TORQUE**
Brushless motor delivers up to 350 in. lbs of torque

Specifications

Speed	0-450/0-1700 RPM
Torque	350 in. lbs
Chuck Size	1/2" with Integrated 1/4" Hex for Holding Screw Bits
Torque Settings	17 Settings + Drill Mode
Length	7-1/8" (180mm)

Includes

- Drill Driver
- 2.0Ah **PWRASSIST™** Battery
- PWRJUMP™** Charger
- PH2 Bit
- Belt Clip





ID574402 PWRCORE 12™ BRUSHLESS 12V 1/4" HEX IMPACT DRIVER WITH PWRJUMP™ CHARGER

Features

- › **HALO LIGHT™**
5X more light than standard LEDs and reduces shadows
- › **1/4" HEX COLLET**
Fast, easy bit changes
- › **2-SPEED TORQUE SELECTION**
Use low speed for more accurate control and high speed for more power

Specifications

Speed	0-1600/0-2600 RPM
Impact Rate	0-2500/0-3500 IPM
Torque	1100 in. lbs
Collet Size	1/4" Hex
Length	5-7/8" (149mm)

Includes

- Impact Driver
- 2pcs 2.0Ah PWRASSIST™ Battery
- PWRJUMP™ Charger
- 2" Bit PH2
- Belt Clip



CHARGE MOBILE DEVICES



CR541802 PWRCORE 12™ BRUSHLESS 12V 5-1/2" CIRCULAR SAW WITH 4.0AH BATTERY AND PWRJUMP™ CHARGER

Features

- › **COMPACT SIZE**
The digital brushless motor provides compact, lightweight power
- › **0-50° BEVEL CAPACITY**
Easily cut a variety of angles
- › **18 TOOTH CARBIDE BLADE**
For fast and clean cuts
- › **ELECTRIC BRAKE**
Stops blade quickly

Specifications

Blade Size	5-1/2"
Speed	4200 RPM
Bevel Capacity	0-50°
Cutting Depth (90°)	1-5/8"
Cutting Depth (45°)	1-3/16"
Tool Size	10.9" x 6.5" x 9.6"

Includes

- Circular Saw
- 4.0Ah PWRASSIST™ Battery
- PWRJUMP™ Charger
- 18T Thin Kerf Carbide Wood Cutting Blade
- Allen Key
- Vacuum Adapter
- Battery Jacket



CHARGE MOBILE DEVICES



IW5744-10 PWRCORE 12™ BRUSHLESS 12V 3/8" IMPACT WRENCH WITH BATTERY AND PWRJUMP™ CHARGER

Features

- › **COMPACT SIZE**
This 3/8" Impact Wrench's digital brushless motor provides compact, lightweight power
- › **QUICK & EASY SOCKET CHANGES**
3/8 inch square anvil with friction ring reduces downtime between changes
- › **MATCH THE POWER TO THE APPLICATION**
Two speed modes for greater control

Specifications

Anvil with Friction Ring	3/8"
Torque	1200 in.lbs
Speed	0-1900/0-2500 RPM
Impact Rate	0-2900/0-3400 IPM
Tool Size	5.9" x 2.7"x 7.5" (149 x 68 x 191 mm)

Includes

- Impact Wrench
- 2.0Ah Battery with Mobile Charging
- PWRJUMP™ Charger
- Belt Clip
- Battery Jacket



CHARGE MOBILE DEVICES



OS592702 PWRCORE 12™ BRUSHLESS 12V OSCILLATING MULTITOOL KIT WITH BATTERY AND PWRJUMP™ CHARGER

Features


- › **QUICK RELEASE LEVER**
For fast and convenient accessory changes
- › **HALO LIGHT™**
5X brighter light than common LEDs and reduces shadows
- › **COMPACT SIZE**
The digital brushless motor provides compact, lightweight power

Specifications

Interface for Accessories	12 Pin OIS
Oscillating Angle	3.6°
Variable 6 Speed Dial	11000-18000 OPM
Length	11"

Includes

- Multi-Tool
- 2.0Ah PWRASSIST™ Battery
- PWRJUMP™ Charger
- 35pcs Sanding Paper
- Sanding Pad
- Bi-metal Plunge Blade
- HCS Wood Blade
- HCS Segment Blade
- Rigid Scraper
- Battery Jacket



CHARGE MOBILE DEVICES



HD5290A-10 PWRCORE 12™ BRUSHLESS 12V 1/2" HAMMER DRILL KIT WITH PWRJUMP™ CHARGER

Features

- › **THREE FUNCTIONS IN ONE**
Easily transition between hammer drill, drill and screwdriver modes
- › **1/2" KEYLESS RATCHETING CHUCK**
For superior bit gripping strength
- › **LED LIGHT**
Pre-light and after-glow illuminates work area for precise drilling

Specifications

Keyless Ratcheting Chuck	1/2"
Torque	350 in.lbs
Speed	0-450/0-1700 RPM
Impact Rate	0-6750/0-25500 IPM
Clutch Setting	17+1+1

Includes

- Hammer Drill
- 2.0Ah Battery with USB
- PWRJUMP™ Charger
- Belt Clip
- PH2 Bit
- Battery Jacket



CHARGE MOBILE DEVICES



RI574502 PWRCORE 12™ BRUSHLESS 12V 1/4" HEX RIGHT ANGLE IMPACT DRIVER WITH BATTERY AND PWRJUMP™ CHARGER

Features

- › **900 IN. POUNDS OF TORQUE**
The power to drive large fasteners and bolts
- › **90° ANGLED HEAD**
Compact head is ideal for tight spaces
- › **HALO LIGHT™**
5X brighter light than common LEDs and reduces shadows
- › **1/4 IN. COLLET**
For easy bit changes

Specifications

Chuck	1/4" Hex Collet
Torque	900 In. lbs
Speed	0-2700 RPM, 0-3750 IPM
Length	12.3"
Tool Size	2.6" x 2.7" x 12.3"

Includes

- Right Angle Impact Driver
- 2.0Ah PWRASSIST™ Battery
- PWRJUMP™ Charger
- PH2 Bit
- Belt Clip
- Battery Jacket



CHARGE MOBILE DEVICES



RS582802 PWRCORE 12™ BRUSHLESS 12V COMPACT RECIPROCATING SAW WITH BATTERY AND PWRJUMP™ CHARGER

Features

- › **TOOL-LESS BLADE CHANGE**
For quick blade changes
- › **3/4 INCH STROKE**
For fast and clean cuts
- › **VARIABLE SPEED CONTROL**
Precision speed control
- › **PIVOTING SHOE**
Create smoother cuts and minimizes vibration

Specifications

Stroke	3/4" (18mm)
Speed	0-3000 SPM
Tool Size	12-3/4" x 2-3/4" x 5-1/2"

Includes

Compact Recip Saw
2.0Ah PWRASSIST™ Battery
PWRJUMP™ Charger
Wood Cutting Blade
Battery Jacket



LH5533-00 PWRCORE 12™ 12V FLOOD LIGHT, TOOL ONLY

Features

- › **COMPACT AND LIGHTWEIGHT**
LED panel work light with ultra-thin head illuminates dark areas with up to 850 lumens for greater visibility
- › **ILLUMINATION CONTROL**
Choose high or low depending on your project
- › **MULTI-POSITION HANDLE**
Rotates 180 degrees and can be used as a rafter hook, carrying handle, or stand

Specifications

Two Settings	850 or 550 Lumens
Runtime	Up to 4.5 Hours in High Setting with SKIL 12V 4.0Ah Battery
Pivoting Angles:	7 Handle Positions From 0-180°
Weight	1.51 lbs. (0.69kg)

Includes

Flood Light



CHARGE MOBILE DEVICES



JS5833A-10 PWRCORE 12™ BRUSHLESS 12V COMPACT JIGSAW KIT WITH BATTERY AND PWRJUMP™ CHARGER

Features

- › **THE MOST POWERFUL AND CONTROLLED CUTTING JIGSAW IN ITS CLASS**
- › **COMPACT DESIGN**
Greater control for detail wood cutting
- › **HALO LIGHT™**
5X more light common LEDs
- › **4-STAGE ORBITAL**
Cut through a variety of metals with ease
- › **TOOL-FREE BLADE CLAMP**
Replace T or U Shank saw blades in a matter of seconds

Specifications

Stroke Distance	7/8" (22mm)
Speed	800-3000 SPM
Bevel	0°, ± 15°, ± 30°, ± 45°
Tool Size	8.4" x 2.7" x 7" (213 x 69 x 179mm)

Includes

Jigsaw
2.0Ah Battery with USB
PWRJUMP™ Charger
Wood Cutting Blade
Metal Cutting Blade
Battery Jacket
Allen Wrench



IF5943-00 PWRCORE 12™ 12V INFLATOR, TOOL ONLY

Features

- › **HIGH PRESSURE MODE WITH AUTO SHUTOFF**
Quickly inflates tires, sports equipment, and more hands-free
- › **12V TIRE INFLATOR WITH GAUGE**
Equipped with digital pressure gauge to set and view PSI in real time
- › **COMPACT SIZE**
Easy to store, and portable size perfect for the car or garage
- › **ON BOARD ADAPTER STORAGE**
Keeps adapters handy and accessible

Specifications

Pressure	Up to 160 PSI
Hose Length	28"
Tool Size	7-7/8" x 5-5/8" x 5-3/4"

Includes

Inflator
Presta Valve Adapter
Sports Ball Needle
Pinch Valve Adapter



CHARGE MOBILE DEVICES



ES4651A-00 PWRCORE 12™ 12V MULTI-CUTTER, TOOL ONLY

Features

- › **1/4" CUTTING CAPACITY**
Cuts a variety of materials like cardboard, carpet, leather, or vinyl
- › **SELF-SHARPENING BLADE**
Provides more precise and efficient cutting
- › **COMPACT SIZE**
Lightweight and ergonomic handle design reduces user fatigue
- › **LOCK-OFF SWITCH**
Prevents accidental startups

Specifications

Speed	300 RPM
Max Cutting Thickness	1/4" (6mm)
Blade Size	1-9/16" (40mm)
Tool Size	9-17/32" x 4-1/4" x 2-23/32"

Includes

Multi-Cutter
1-9/16" Blade



R0502601 PWRCORE 12™ BLUETOOTH 12V SPEAKER, TOOL ONLY

Features

- › **PORTABLE SPEAKER**
This bluetooth speaker's design makes it easy to bring along wherever you go
- › **QUALITY SOUND**
Dual passive bass radiators allow for improved bass sound
- › **LONGER RUN TIME & BATTERY LIFE**
Uses the same industry leading PWRCore 12™ lithium battery technology as your tools. Battery sold separately.

Specifications

Bluetooth Distance	Up to 100ft
USB Output	5V, 2.1Amp
Speaker	2.5" 10W
USB Port	2.1A 5V
Auxiliary Input	3.5 mm

Includes

Speaker
AUX Cable



LH5537A-00 PWRCORE 12™ 12V MECHANICAL LIGHT, TOOL ONLY

Features

- › **BRIGHTEN YOUR WORKSPACE**
Ultra-bright and compact LED light illuminates dark areas up to 600 lumens, with settings for high, low, or strobe depending on the project
- › **MULTI-DIRECTIONAL LIGHT**
180° pivoting head with 270° left/right swivel provides versatility for lighting
- › **MULTIPLE HANGING OPTIONS**
A built-in metal hook, rafter hook, and magnets that attach to car hood provide utility

Specifications

Brightness Settings	High 600lm, Low 300lm, Strobe 600lm
Lamp Head Rotation	180° vertical range, 270° swivel range
Run Time	High mode for up to 7.5 hours with 4.0Ah battery
Light Source	20 LEDs
Tool Size	14.69" x 3.43" x 2.44" (373x87x62mm)

Includes

12V Mechanical Light



QC535701 PWRCORE 12™ PWRJUMP™ CHARGER

Features

- › **PWRJUMP™ CHARGING**
Charges up to 25% in just 5 minutes.*
That's enough power to drive up 100 screws
- › **PRESS THE PWRJUMP BUTTON AND CONSIDER IT DONE**
- › **BATTERY CHARGE STATUS INDICATORS**
- › **USB PORT TO CHARGE OTHER DEVICES**
TABLE OR WALL MOUNTING

*Based on 2.0 Ah battery

Specifications

Input Voltage	120V
Input Power	90W
USB Port	5V, 1.0A Output
Compatibility	All SKIL 12V Tools

Includes

PWRJUMP™ Charger



BY500101 PWRCORE 12™ LITHIUM 2.0AH 12V BATTERY WITH PWRASSIST™ MOBILE CHARGING

Features

- › **PWRCORE 12™ LITHIUM TECHNOLOGY**
Industry leading battery technology; 25% longer run time and 2X longer battery life
- › **PWRASSIST™ MOBILE CHARGING**
Utilize USB port on the battery to charge other devices
- › **FUEL GAUGE**
LED charge status indicators show how much power is left

Specifications

Battery Type	Rechargeable Lithium-Ion
Voltage	12V
Capacity	2.0Ah
USB Port	5V, 1.0A
Compatibility	All SKIL 12V Tools
Fuel Gauge	Green LED
Charger	Only with SKIL 12V

Includes

2.0Ah PWRASSIST™ Battery
Battery Jacket



BY519801 PWRCORE 12™ LITHIUM 4.0AH 12V BATTERY WITH PWRASSIST™ MOBILE CHARGING

Features

- › **PWRCORE 12™ LITHIUM**
Industry leading battery technology; 25% longer run time and 2X longer battery life
- › **PWRASSIST™ MOBILE CHARGING**
Utilize USB port on the battery to charge other devices
- › **FUEL GAUGE**
LED charge status indicators show how much power is left

Specifications

Battery Type	Rechargeable Lithium-Ion
Voltage	12V
Capacity	4.0Ah
USB Port	5V, 1.0A
Compatibility	All SKIL 12V Tools
Fuel Gauge	Green LED
Charger	Only with SKIL 12V

Includes

4.0Ah PWRASSIST™ Battery
Battery Jacket





CB737501 PWRCORE 12™ BRUSHLESS 12V 1/2" DRILL DRIVER & LASER MEASURER KIT WITH PWRJUMP™ CHARGER

Drill Driver Features

- › **HYBRID CHUCK™**
Secure bit with chuck jaws or lock 1/4" hex bit without tightening
- › **1/2 IN. SINGLE-SLEEVE, KEYLESS CHUCK**
For fast and easy bit changes
- › **LED LIGHT**
See work more clearly
- › **350 IN. LBS OF TORQUE**
Brushless motor delivers up to 350 in. lbs of torque

Laser Measurer / Level Features

- THREE WAYS TO MEASURE**
Laser measures distance, area, or in real time up to 100 feet
- › **DIGITAL LEVELING MODE**
Digital accuracy with real-time arrow guidance
 - › **INDIRECT MEASURING**
Calculates distances past obstacles
 - › **HOLD FEATURE**
Save readings for later reference

Specifications

Drill Driver	
Speed	0-450/0-1700 RPM
Torque	350 in. lbs
Chuck size	1/2" with Integrated 1/4" Hex for Holding Screw Bits
Torque settings	17+ Drill Mode
Length	7-1/8" (180mm)
Laser Measurer / Level	
Laser Type	635nm, Output < 1mW
Laser Class	Class II
Distance Measuring accuracy	+/- 1/8"
Measuring Range	Up to 100ft.
Angle Measuring Accuracy	±0.5°

Includes

Drill Driver	Laser Distance Measurer & Level
2.0Ah PWRASSIST™ Battery	Soft Bag
PWRJUMP™ Charger	Micro USB Charging Cord
Belt Clip	
PH2 Bit	



CB742701 PWRCORE 12™ BRUSHLESS 12V DRILL DRIVER AND CIRCULAR SAW KIT WITH PWRJUMP™ CHARGER

Drill Driver Features

- › **HYBRID CHUCK™**
Secure bit with chuck jaws or lock 1/4" hex bit without tightening
- › **1/2" SINGLE-SLEEVE, KEYLESS CHUCK**
For fast and easy bit changes
- › **LED LIGHT**
See work more clearly
- › **350 IN. LBS OF TORQUE**
Brushless motor delivers up to 350 in. lbs of torque

Circular Saw Features

- › **0-50° BEVEL CAPACITY**
Easily cut a variety of angles
- › **18 TOOTH CARBIDE BLADE**
For fast and clean cuts
- › **ELECTRIC BRAKE**
Stops blade quickly
- › **DEPTH ADJUSTMENT**
Quickly adjust depth for maximum performance

Specifications

Drill Driver	
Speed	0-450/0-1700 RPM
Torque	350 in. lbs
Chuck size	1/2" with Integrated 1/4" Hex for Holding Screw Bits
Torque settings	17+ Drill Mode
Length	7-1/8" (180mm)
Circular Saw	
Blade Size	5-1/2"
Speed	4200 RPM
Bevel Capacity	0-50°
Cutting Depth (90°)	1-5/8"
Cutting Depth (45°)	1-3/16"
Tool Size	10.9" x 6.5" x 9.6"

Includes

Drill Driver	Allen Key
Circular Saw	Vacuum Adapter
4.0Ah PWRASSIST™ Battery	PH2 Bit
PWRJUMP™ Charger	Belt Clip
18T Thin Kerf Carbide Wood Cutting Blade	Battery Jacket



 **25% LONGER RUN TIME**

 **5-MINUTE CHARGING**

 **CHARGE MOBILE DEVICES**



 **25% LONGER RUN TIME**

 **5-MINUTE CHARGING**

 **CHARGE MOBILE DEVICES**



CB736701 PWRCORE 12™ BRUSHLESS 12V DRILL DRIVER & IMPACT DRIVER KIT WITH PWRJUMP™ CHARGER

Drill Driver Features

- › **HYBRID CHUCK™**
Secure bit with chuck jaws or lock 1/4" hex bit without tightening
- › **1/2 IN. SINGLE-SLEEVE, KEYLESS CHUCK**
For fast and easy bit changes
- › **LED LIGHT**
See work more clearly
- › **350 IN. LBS OF TORQUE**
Brushless motor delivers up to 350 in. lbs of torque

Impact Driver Features

- › **HALO LIGHT™**
5X more light than standard LEDs and reduces shadows
- › **1/4 IN. HEX COLLET**
Fast, easy bit changes
- › **2-SPEED TORQUE SELECTION**
Use low speed for more accurate control and high speed for more power

Specifications

Drill Driver	
Speed	0-450/0-1700 RPM
Torque	350 in. lbs
Chuck size	1/2" with Integrated 1/4" Hex for Holding Screw Bits
Torque settings	17+ Drill Mode
Length	7-1/8" (180mm)
Impact Driver	
Speed	0-1600/0-2600 RPM
Impact Rate	0-2500/0-3500 IPM
Collet	1100 in. lbs
Collet Size	1/4" Hex
Length	5-7/8" (149mm)

Includes

Drill Driver	
Impact Driver	
2pcs 2.0Ah PWRASSIST™ Battery	
PWRJUMP™ Charger	
2pcs Bit PH2	
2pcs Belt Clip	



CB742901 PWRCORE 12™ BRUSHLESS 12V DRILL DRIVER & IMPACT DRIVER KIT WITH PWRJUMP™ CHARGER

Drill Driver Features

- › **HYBRID CHUCK™**
Secure bit with chuck jaws or lock 1/4" hex bit without tightening
- › **1/2" SINGLE-SLEEVE, KEYLESS CHUCK**
For fast and easy bit changes
- › **LED LIGHT**
See work more clearly
- › **350 IN. LBS OF TORQUE**
Brushless motor delivers up to 350 in. lbs of torque

Impact Driver Features

- › **HALO LIGHT™**
5X more light than standard LEDs and reduces shadows
- › **1/4 IN. HEX COLLET**
Fast, easy bit changes
- › **2-SPEED TORQUE SELECTION**
Use low speed for more accurate control and high speed for more power
- › **VARIABLE SPEED TRIGGER**
Precision speed control

Specifications

Drill Driver	
Speed	0-450/0-1700 RPM
Torque	350 in. lbs
Chuck size	1/2" with Integrated 1/4" Hex for Holding Screw Bits
Torque settings	17+ Drill Mode
Length	7-1/8" (180mm)
Impact Driver	
Speed	0-1600/0-2600 RPM
Impact Rate	0-2500/0-3500 IPM
Collet	1100 in. lbs
Collet Size	1/4" Hex
Length	5-7/8" (149mm)

Includes

Drill Driver	2pcs Bit PH2
Impact Driver	2pcs Belt Clip
2.0Ah PWRASSIST™ Battery	Battery Jacket
PWRJUMP™ Charger	



 **25% LONGER RUN TIME**

 **5-MINUTE CHARGING**

 **CHARGE MOBILE DEVICES**



 **25% LONGER RUN TIME**

 **5-MINUTE CHARGING**

 **CHARGE MOBILE DEVICES**



CB737601 PWRCORE 12™ BRUSHLESS 12V 1/2" DRILL DRIVER & 12" DIGITAL LEVEL KIT WITH PWRJUMP™ CHARGER

Drill Driver Features

- › **HYBRID CHUCK™**
Secure bit with chuck jaws or lock 1/4" hex bit without tightening
- › **1/2" SINGLE-SLEEVE, KEYLESS CHUCK**
For fast and easy bit changes
- › **LED LIGHT**
See work more clearly
- › **350 IN. LBS OF TORQUE**
Brushless motor delivers up to 350 in. lbs of torque

Digital Level Features

- › **HIGH-ACCURACY BLUE VIALS**
The vials are easy to see, highly accurate, and show both vertical and horizontal levels
- › **READ FROM ANY PERSPECTIVE**
The digital LCD screen is backlit for easy reading from any perspective, and the screen conveniently auto-adjusts the orientation depending on how you hold it
- › **EASY TO USE**
Up and down arrow indicators give you real-time leveling guidance

Specifications

Drill Driver	
Speed	0-450/0-1700 RPM
Torque	350 in. lbs
Chuck size	1/2" with Integrated 1/4" Hex for Holding Screw Bits
Torque settings	17+ Drill Mode
Length	7-1/8" (180mm)
Digital Level	
Length	12" (30cm)
Digital Level Accuracy:	±0.05° at 0° & 90°, ±0.2° at Other Angles
Display	Auto-Backlit, Black on White

Includes

- | | |
|-------------------|-------------------|
| Drill Driver | PH2 Bit |
| 12" Digital Level | Belt Clip |
| 12V Battery | Soft Case |
| PWRJUMP™ Charger | (2) AAA Batteries |
| Battery Jacket | |



CB7431-10 PWRCORE 12™ BRUSHLESS 12V 3-TOOL COMBO KIT WITH PWRJUMP™ CHARGER

Drill Driver Features

- › **HYBRID CHUCK™**
Secure bit with chuck jaws or lock 1/4" hex bit without tightening
- › **1/2" SINGLE-SLEEVE, KEYLESS CHUCK**
For fast and easy bit changes
- › **LED LIGHT**
See work more clearly
- › **350 IN. LBS OF TORQUE**
Brushless motor delivers up to 350 in. lbs of torque

Inflator Features

- › **HIGH PRESSURE MODE WITH AUTO SHUTOFF**
Quickly inflates tires, sports equipment, and more hands-free
- › **12V TIRE INFLATOR WITH GAUGE**
Equipped with digital pressure gauge to set and view PSI in real time
- › **COMPACT SIZE**
Easy to store, and portable size perfect for the car or garage

Area Light Features


- › **LOCK ON**
For continuous use without having to hold trigger
- › **120 DEGREE PIVOTING HEAD**
To direct light in work place
- › **HIGH/LOW LED SETTINGS**
Up to 400 lumens

Specifications

Drill Driver	
Speed	0-450/0-1700 RPM
Torque	350 in. lbs
Chuck size	1/2" with Integrated 1/4" Hex for Holding Screw Bits
Torque settings	17+ Drill Mode
Length	7-1/8" (180mm)
Inflator	
Pressure	Up to 160 PSI
Hose Length	28"
Tool Size	7-7/8" x 5-5/8" x 5-3/4"
Area Light	
LEDs	8
Lamp	400 Lumens Max

Includes

- | | |
|------------------------|----------------------|
| Drill Driver | PH2 Bit |
| Inflator | Presta Valve Adapter |
| Area Light | Sports Ball Needle |
| 2.0Ah Battery with USB | Pinch Valve Adapter |
| PWRJUMP™ Charger | Battery Jacket |
| Belt Clip | |



CB743001 PWRCORE 12™ BRUSHLESS 12V DRILL DRIVER & RIGHT ANGLE IMPACT DRIVER KIT WITH PWRJUMP™ CHARGER

Drill Driver Features

- › **HYBRID CHUCK™**
Secure bit with chuck jaws or lock 1/4" hex bit without tightening
- › **1/2" SINGLE-SLEEVE, KEYLESS CHUCK**
For fast and easy bit changes
- › **LED LIGHT**
See work more clearly
- › **350 IN. LBS OF TORQUE**
Brushless motor delivers up to 350 in. lbs of torque

Right Angle Impact Driver Features



- › **900 IN. POUNDS OF TORQUE**
The power to drive large fasteners and bolts
- › **90° ANGLED HEAD**
Compact head is ideal for tight spaces
- › **HALO LIGHT™**
5X brighter light than common LEDs and reduces shadows
- › **1/4 IN. COLLET**
For easy bit changes

Specifications

Drill Driver	
No Load Speed	0-450/0-1700 RPM
Torque	350 in. lbs
Chuck Size	1/2" with Integrated 1/4" Hex for Holding Screw Bits
Length	7-1/8" (180mm)
Torque	17 Settings + Drill Mode
Right Angle Impact Driver	
Chuck	1/4" Hex Collet
Torque	900 in. lbs
Speed	0-2700 RPM, 0-3750 IPM
Length	12.3"
Tool Size	2.6" x 2.7" x 12.3"

Includes

- Drill Driver
Right Angle Impact Driver
2.0Ah PWRASSIST™ Battery
PWRJUMP™ Charger
2pcs Bit PH2
2pcs Belt Clip
Battery Jacket





CB736801 PWRCORE 12™ BRUSHLESS 12V 5-TOOL COMBO KIT

Drill Driver Features

- › **HYBRID CHUCK™**
Secure bit with chuck jaws or lock 1/4" hex bit without tightening
- › **1/2" SINGLE-SLEEVE, KEYLESS CHUCK**
For fast and easy bit changes
- › **LED LIGHT**
See work more clearly

Impact Driver Features

- › **HALO LIGHT™**
5X more light than standard LEDs and reduces shadows
- › **1/4 IN. HEX COLLET**
Fast, easy bit changes
- › **2-SPEED TORQUE SELECTION**
Use low speed for more accurate control and high speed for more power

Area Light Features

- › **LOCK ON**
For continuous use without having to hold trigger
- › **120 DEGREE PIVOTING HEAD**
To direct light in work place
- › **HIGH/LOW LED SETTINGS**
Up to 400 lumens

Oscillating Multi-Tool Features

- › **HALO LIGHT™**
5X more light than standard LED without shadows
- › **3.6 DEGREE OSCILLATING ANGLE**
Faster cutting speeds
- › **6-SPEED AUTO SENSING**
Automatically adjusts based on your project

Bluetooth Speaker Features

- › **BLUETOOTH TECHNOLOGY**
Connect wirelessly up to 100 ft. away
- › **QUALITY SOUND**
Dual passive bass radiators allow for improved bass sound
- › **MULTIPLE INPUTS**
Connect with bluetooth technology or an auxiliary input, plus you can charge your device with the USB port

Specifications

Drill Driver	
Speed	0-450/0-1700 RPM
Torque	350in. lbs
Impact Driver	
Speed	0-1600/2600 RPM
Impact Rate	0-2500/3500 IPM
Torque	1100in. lbs
Area Light	
LEDs	8
Lamp	400 Lumens Max
Oscillating Multi-Tool	
Speed	11,000-18,000 OPM
Oscillation Angle	3.6°
Bluetooth Speaker	
Bluetooth Range	100ft
Speaker	10W
Charger	90W
Batteries	12V, 2.0Ah

Includes

Drill Driver	2pcs PH2 Bits
Multi-Tool	2pcs Belt Clip
Impact Driver	10pcs Sanding Paper
Area Light	Sanding Pad
Bluetooth Speaker	Bi-Metal Plunge
2pcs 2.0Ah PWRASSIST™ Battery	Blade
PWRJUMP™ Charger	Speaker AUX Cable



CB7434-21 PWRCORE 12™ BRUSHLESS 6-TOOL COMBO KIT WITH PWRJUMP™ CHARGER

Drill Driver Features

- › **HYBRID CHUCK™**
Secure bit with chuck jaws or lock 1/4" hex bit without tightening
- › **1/2" SINGLE-SLEEVE, KEYLESS CHUCK**
For fast and easy bit changes
- › **LED LIGHT**
See work more clearly

Circular Saw Features

- › **0-50° BEVEL CAPACITY**
Easily cut a variety of angles
- › **18 TOOTH CARBIDE BLADE**
For fast and clean cuts
- › **ELECTRIC BRAKE**
Stops blade quickly

Right Angle Impact Driver Features

- › **900 IN. POUNDS OF TORQUE**
The power to drive large fasteners and bolts
- › **90° ANGLED HEAD**
Compact head is ideal for tight spaces
- › **HALO LIGHT™**
5X brighter light than common LEDs and reduces shadows

Oscillating Multi-Tool Features

- › **HALO LIGHT™**
5X more light than standard LED without shadows
- › **3.6 DEGREE OSCILLATING ANGLE**
Faster cutting speeds
- › **6-SPEED AUTO SENSING**
Automatically adjusts based on your project

Inflator Features

- › **HIGH PRESSURE MODE WITH AUTO SHUTOFF**
Quickly inflates tires, sports equipment, and more hands-free
- › **12V TIRE INFLATOR WITH GAUGE**
Equipped with digital pressure gauge to set and view PSI in real time
- › **COMPACT SIZE**
Easy to store, and portable size perfect for the car or garage

Area Light Features

- › **LOCK ON**
For continuous use without having to hold trigger
- › **120 DEGREE PIVOTING HEAD**
To direct light in work place
- › **HIGH/LOW LED SETTINGS**
Up to 400 lumens

Specifications

Drill Driver	
Speed	0-450/0-1700 RPM
Torque	350 in. lbs
Chuck size	1/2" with Integrated 1/4" Hex for Holding Screw Bits
Torque settings	17+ Drill Mode
Length	7-1/8" (180mm)
Circular Saw	
Blade Size	5-1/2"
Speed	4200 RPM
Bevel Capacity	0-50°
Cutting Depth (90°)	1-5/8"
Cutting Depth (45°)	1-3/16"
Tool Size	10.9" x 6.5" x 9.6"
Right Angle Impact Driver	
Chuck	1/4" Hex Collet
Torque	900 In. lbs
Speed	0-2700 RPM, 0-3750 IPM
Length	12.3"
Tool Size	2.6" x 2.7" x 12.3"
Oscillating Multi-Tool	
Interface for Accessories	12 Pin OIS
Oscillating Angle	3.6°
Variable 6 Speed Dial	11000-18000 OPM
Length	11"
Inflator	
Pressure	Up to 160 PSI
Hose Length	28"
Tool Size	7-7/8" x 5-5/8" x 5-3/4"
Area Light	
LEDs	8
Lamp	400 Lumens Max

Includes

Drill Driver	2pcs PH2 Bit
Circular Saw	18T Thin Kerf Carbide
Right Angle Impact Driver	Wood Cutting Blade
Multi Tool	Allen Key
Cordless Inflator	Vacuum Adapter
Area Light	10pcs Sanding Paper
2.0Ah Battery with USB	Sanding Pad
4.0Ah Battery with USB	Bi-Metal Plunge
PWRJUMP™ Charger	Blade
2pcs Belt Clip	Presta Valve Adapter
	Sports Ball Needle
	Pinch Valve Adapter
	2pcs Battery Jacket



25% LONGER RUN TIME

5-MINUTE CHARGING

CHARGE MOBILE DEVICES



25% LONGER RUN TIME

5-MINUTE CHARGING

CHARGE MOBILE DEVICES

PWRCORE 20™

This lineup offers a range of tools, plus the benefits of our patented PWRCORE 20™ lithium battery.



SERIOUS POWER.



SERIOUS PERFORMANCE.

ADVANCED BATTERY TECHNOLOGY PWRCORE 20™



Industry leading battery technology wraps each cell with cooling material to keep the battery powering on for 25% longer run time and 2X battery life.

5-MINUTE CHARGING autoPWRJUMP™



autoPWRJUMP™ boosts the battery from 0 to 25% power in 5 minutes giving enough power to blast through up to 100 screws. (Based on 2.0Ah battery)

MOBILE CHARGING PWRASSIST™



Built-in USB port offers convenient, on-the-go charging for mobile devices.



CR5413-1A PWRCORE 20™ BRUSHLESS 20V 6-1/2"
CIRCULAR SAW KIT WITH 4.0 AH BATTERY AND
autoPWRJUMP™ CHARGER



- 25% LONGER RUN TIME
- 5-MINUTE CHARGING
- CHARGE MOBILE DEVICES

Features

- › **DIGITAL BRUSHLESS MOTOR**
Provides efficient, high-performance and extended tool life
- › **0-50° BEVEL CAPACITY**
Easily achieve the most commonly cut angles
- › **QUICK CUTTING DEPTH ADJUSTMENT**
Make adjustments quickly for better accuracy
- › **LED LIGHT W/PRELIGHT & AFTERFLOW**
See work clearly

Specifications

Blade	6-1/2" (165mm)/24T
Speed	5400 RPM
Bevel Capacity	0-50°
Cutting Depth at 90°	2-13/32" (61mm)
Cutting Depth at 45°	1-11/16" (43mm)
Arbor Size	5/8" (16mm)
Tool Size	12-5/8" x 10-3/8" x 6" (320 x 260 x 150mm)

Includes

- Circular Saw
- 4.0Ah Battery
- autoPWRJUMP™ Charger
- PWRASSIST™ USB Adapter
- Carbide Blade
- Allen Key
- Vacuum Adaptor
- 24T Ultra Thin Carbide Blade
- Allen Key
- Dust Extractor





DL529302 PWRCORE 20™ BRUSHLESS 20V 1/2" DRILL DRIVER KIT WITH autoPWRJUMP™ CHARGER

Features

- › 1/2" SINGLE-SLEEVE, KEYLESS METAL CHUCK
For fast, easy bit changes
- › 17+ DRILL TORQUE ADJUSTMENT
17 settings for different driving applications + 1 drill mode
- › LED LIGHT WITH PRE-LIGHT AND AFTER-GLOW
See work clearly
- › HIGH/LOW SPEED SETTINGS
For maximum control and speed

25% LONGER RUN TIME

5-MINUTE CHARGING

CHARGE MOBILE DEVICES

Specifications

Chuck	1/2" Keyless Metal
Torque	450 in.lbs
Speed	0-480/0-1800 RPM
Clutch Setting	17+1
Tool Size	7-1/8" x 2-7/8" x 7-11/16"

Includes

- Drill Driver
2.0Ah PWRASSIST™ Battery
autoPWRJUMP™ Charger
2" Double-end Bit
- PH2
Belt Clip
Battery Jacket



HD529402 PWRCORE 20™ BRUSHLESS 20V 1/2" HAMMER DRILL KIT WITH autoPWRJUMP™ CHARGER

Features

- › 1/2" SINGLE-SLEEVE, KEYLESS CHUCK
For fast and easy bit changes
- › 17 TORQUE SETTINGS
More settings for maximum control
- › LED LIGHT WITH PRE-LIGHT & AFTER-GLOW
See work clearly
- › 3-IN-1 MULTI-FUNCTION
Quickly transition between drill, hammer drill and driving modes

25% LONGER RUN TIME

5-MINUTE CHARGING

CHARGE MOBILE DEVICES

Specifications

Chuck	1/2" Keyless Metal Ratcheting
Torque	450 in.lbs
Speed	0-480/0-1800 RPM
Impact Rate	0-7200/0-27000 IPM
Clutch Settings	17+1+1
Tool Size	7-5/8" x 2-7/8" x 7-11/16"

Includes

- Hammer Drill
2.0Ah PWRASSIST™ Battery
autoPWRJUMP™ Charger
- 2" Double-end Bit
PH2
Belt Clip
Battery Jacket



DL529303 PWRCORE 20™ BRUSHLESS 20V 1/2" DRILL DRIVER KIT

Features

- › 1/2" SINGLE-SLEEVE, KEYLESS METAL CHUCK
For fast, easy bit changes
- › 17+ DRILL TORQUE ADJUSTMENT
17 settings for different driving applications + 1 drill mode
- › LED LIGHT WITH PRE-LIGHT AND AFTER-GLOW
See work clearly
- › HIGH/LOW SPEED SETTINGS
For maximum control and speed

25% LONGER RUN TIME

5-MINUTE CHARGING

CHARGE MOBILE DEVICES

Specifications

Chuck	1/2" Keyless Metal
Torque	450 in.lbs
Speed	0-480/0-1800 RPM
Clutch Setting	17+1
Tool Size	7-1/8" x 2-7/8" x 7-11/16"

Includes

- Drill Driver
2.0Ah Battery
Standard Charger
2" Double-end Bit
PH2
Belt Clip



HD5295-1A PWRCORE 20™ BRUSHLESS 20V 1/2" HEAVY DUTY HAMMER DRILL KIT WITH 5.0AH LITHIUM BATTERY AND autoPWRJUMP™ CHARGER

Features

- › THREE IN ONE
Transition between hammer drill, drill, and drive modes to reduce time and increase efficiency
- › QUICK BIT CHANGES
1/2 inch single-sleeve, keyless metal ratcheting chuck allows for easy bit changes to keep your project going
- › 24 POSITION CLUTCH
Handles high torque applications

25% LONGER RUN TIME

5-MINUTE CHARGING

CHARGE MOBILE DEVICES

Specifications

Chuck	1/2" Keyless Metal Ratcheting
Variable Speed Switch	Yes
No-Load Speed	0-550/0-2000 RPM
Max Impact Rate	0-8800/0-32000
Clutch Settings	24+1+1
LED light	Pre-Light and After-Glow

Includes

- Heavy Duty Hammer Drill
5.0Ah Battery
autoPWRJUMP™ Charger
- Double-Ended PH2 Bit
Belt Clip
Side Handle



DL527502 PWRCORE 20™ 20V 1/2" DRILL DRIVER KIT WITH PWRCORE 20™ LITHIUM BATTERY

Features

- › 1/2" SINGLE-SLEEVE, KEYLESS CHUCK
For fast and easy bit changes
- › LED LIGHT
Turns on with trigger, stays lit for 10 seconds after release
- › CHOOSE YOUR SPEED SETTING
Set to high speed for efficiency and low speed for higher torque
- › FORWARD/REVERSE LED INDICATOR
Check driving direction at a glance

Specifications

Chuck	1/2 in. Keyless with Auto Spindle Lock
Two Speed Settings	Low 0-420, High 0-1450 RPM
Torque Settings	17 Settings + Drill Mode
Torque	350 in. lbs
Light	LED
LED Indicator	Forward/Reverse
Length	7-7/16" (189 mm)

Includes

- Drill Driver
2.0Ah Battery
Standard Charger
- PH2 Bit
Belt Clip



HD527802 PWRCORE 20™ 20V 1/2" HAMMER DRILL KIT WITH PWRCORE 20™ 2.0AH LITHIUM BATTERY

Features

- › VERSATILITY AT IT'S BEST
From tightening screws to drilling into wood, metal and even concrete, this versatile hammer drill is the ideal DIY tool for a variety of home projects
- › 3-IN-1 MULTI-FUNCTION
Quickly transition between hammer, drill and screwdriver mode to save time
- › CHOOSE YOUR SPEED SETTING
Set to high speed for better efficiency and low speed for higher torque
- › EASY BIT CHANGES
1/2" keyless chuck with auto spindle lock allows for quick bit changes

Specifications

Variable Speed	Low 0-420, High 0-1450 RPM
Impact Rate	0-6300/0-21750 BPM
Max Torque	350 in. lbs
Keyless Ratcheting Chuck	1/2"
Torque settings	17 plus Hammer Drill and Screwdriver Modes
Length	7-7/8" (201 mm)

Includes

- Hammer Drill
20V 2.0Ah Battery
Standard Charger
- 2" Double-end Bit PH2
Belt Clip



ID573902 PWRCORE 20™ BRUSHLESS 20V 1/4" HEX IMPACT DRIVER WITH BATTERY AND autoPWRJUMP™ CHARGER

Features

- › **VARIABLE SPEED CONTROL**
For maximum control and speed precision
- › **2-SPEED TORQUE SETTING**
Allows for a wide range of fastening
- › **LED LIGHT WITH PRE-LIGHT & AFTER-GLOW**
See work clearly
- › **CONTROL MODE**
Eliminates screw “Cam Out” & “Cross Threading”

Specifications

Collet	1/4" Hex Collet
Torque	1800in. lbs
2 Speeds	0-1700 and 0-2700 RPM
Impact Rate	0-2400/3400 IPM
Length	5.8"
Tool Size	5.8" x 2.8" x 8.0"

Includes

- 1/4" Hex Impact Driver
2.0Ah PWRASSIST™ Battery
autoPWRJUMP™ Charger
- PH2 Bit
Belt Clip
Battery Jacket



CHARGE MOBILE DEVICES



OS5937-10 PWRCORE 20™ BRUSHLESS 20V OSCILLATING MULTITOOL WITH BATTERY AND autoPWRJUMP™ CHARGER

Features

- › **VIBRATION REDUCTION SYSTEM (VRS)**
Innovative isolated motor design offers 90% less vibration, helping you work more comfortably. (compared to SKIL models without VRS feature)
- › **POWERFUL PERFORMANCE**
The digital brushless motor provides efficient, high-performance power for longer tool life.
- › **CONSTANT SPEED TECHNOLOGY**
Innovative SKIL brushless motor communicates with the PWRCore 20™ battery to maintain consistent speed through harder cuts

Specifications

Interface for Accessories	12 Pin OIS
Oscillating Angle:	3.6°
Variable 6 Speed Dial	11,000-17,000 OPM
Light	LED
Length	12-1/6" (309mm)

Includes

- Multi-Tool
2.0Ah PWRASSIST™ Battery
autoPWRJUMP™ Charger
35 pc Sanding Paper
Sanding Pad
- Bi-Metal Blade
HCS Wood Blade
HCS Segment Blade
Rigid Scraper
Accessories Case
Battery Jacket



CHARGE MOBILE DEVICES



ID572702 PWRCORE 20™ 20V 1/4" HEX IMPACT DRIVER KIT WITH PWRCORE 20™ LITHIUM BATTERY

Features

- › **1/4" HEX COLLET**
Fast, easy bit changes
- › **LED LIGHT**
Turns on with trigger, stays lit for seconds after release
- › **VARIABLE SPEED CONTROL**
Full control for a variety of projects
- › **FORWARD/REVERSE LED INDICATOR**
Check driving direction at a glance

Specifications

Collet	1/4 inch Hex
Speed	0-2500 RPM
Trigger	Variable Speed
Torque	1,100 in. lbs
LED Indicators	Forward/Reverse
Light	LED
Length	6" (152 mm)

Includes

- Impact Driver
2.0Ah Battery
Standard Charger
- PH2 Bit
Belt Clip



CHARGE MOBILE DEVICES



OS593002 PWRCORE 20™ 20V OSCILLATING MULTITOOL KIT WITH PWRCORE 20™ 2.0AH LITHIUM BATTERY

Features

- › **3.6 DEGREE OSCILLATING ANGLE**
High performance cutting, sanding, and scraping
- › **ERGONOMIC DESIGN**
Balanced and easy to handle
- › **LED LIGHT**
See work more clearly
- › **VARIABLE SPEED DIAL**
Choose the speed based on your project

Specifications

Interface	12 Pin OIS for Accessories
Oscillating Angle	3.6 Degrees
Variable 6 Speed Dial	11,000-16,000 OPM
Light	LED
Length	12-1/2" (318 mm)

Includes

- Oscillating Multi-Tool
2.0Ah Battery
Standard Charger
Sanding Paper
(14: 60 grit,
14: 120 grit)
- Sanding Pad
HCS Wood Blade
HCS Segment Blade
Rigid Scraper
Hex Key

RH1704-1A PWRCORE 20™ BRUSHLESS 20V 7/8" ROTARY HAMMER KIT WITH 5.0AH BATTERY AND autoPWRJUMP™ CHARGER

Features

- › **DIGITAL BRUSHLESS MOTOR**
Provides efficient, high-performance power when drilling through tough surfaces like brick, concrete, and other masonry
- › **4-MODE SELECTOR**
Transition between drill, hammer drill, chisel, and chisel alignment settings, reducing time and increasing efficiency
- › **QUICK BIT CHANGES**
SDS Plus Chuck allows for easy and secure bit changes to keep your project going

Specifications

Chuck	SDS Plus
Impact Energy	1.5 ft.lbs / 2.0J
Speed	0-1400 RPM
Impact Rate	0-4500 IPM
Drilling Capacity	7/8"
Tool Size	11.18" x 3.15" x 7.80" (284 x 80 x 198mm)

Includes

- Rotary Hammer
5.0Ah Battery
Depth Rod
Side Handle
- Auto PWRJUMP™ Charger
PWRASSIST™ USB Adapter



CHARGE MOBILE DEVICES





RH170202 PWRCORE 20™ 20V ROTARY HAMMER KIT
WITH PWRCORE 20™ LITHIUM BATTERY

Features

- › **MULTI-FUNCTION CHUCK**
Compatible with SDS Plus drilling bit and 1/4" hex bit
- › **DIRECTION INDICATORS**
Forward/reverse LED indicator to determine driving direction
- › **THREE TOOLS IN ONE**
Combines hammer drill, drill and screwdriver into one tool
- › **POWERFUL PERFORMANCE**
Hammers through materials like concrete and masonry
- › **LED LIGHT**
Turns on with trigger, stays lit for 10 seconds after release

Specifications

Speed	0-900 RPM
Impact Rate	0-5000 BPM
Impact Force	0.7 ft. lbs (1J)
Multi-function Chuck	For SDS, SDS+ and 1/4" Hex Bits
Solid Bit Capacity	1/2"

Includes

Rotary Hammer
2.0Ah Battery
Standard Charger
1x75mm Bit Holder



JS820302 PWRCORE 20™ 20V 7/8" STROKE LENGTH ORBITAL
JIGSAW KIT WITH PWRCORE 20™ LITHIUM BATTERY

Features

- › **VARIABLE SWITCH WITH BRAKE**
Maximum control for cleaner cuts on various projects
- › **4-STAGE ORBITAL FUNCTION**
High cutting efficiency for different materials, up to 2,800 strokes per minute
- › **TOOL-FREE BLADE CLAMP**
Easily replace and secure saw blades in seconds
- › **TOOL-FREE BEVEL ADJUSTMENT**
Quickly adjust the shoe for a perfectly angled cut
- › **LED LIGHT**
Turns on with trigger, stays lit for 10 seconds after release

Specifications

Speed	0-2800 SPM
Stroke	7/8"
Blade Compatibility	U-Shank and T-Shank
Orbital Settings	3
Shoe	Pivoting
Length	8-3/8" (213 mm)

Includes

Jig Saw Wood Blade
2.0Ah Battery Metal Blade
Standard Charger



CR540602 PWRCORE 20™ 20V 6-1/2" CIRCULAR SAW KIT
WITH PWRCORE 20™ LITHIUM BATTERY

Features

- › **BEVEL ADJUSTMENT**
0-50 degree bevel cut capacity
- › **DEPTH ADJUSTMENT LEVER**
For quick depth adjustment
- › **LED LIGHT**
See the cut line more clearly
- › **SAW LINE VISOR**
Helps keep the cut straight
- › **LOCK-OFF LEVER**
For enhanced safety

Specifications

Speed	4,500 RPM
Bevel Capacity	Up to 50 Degrees
Max Depth of Cut	2-1/8" at 90 Degrees
Blade Type	Thin-Kerf, 24-Tooth, Carbide-Tipped
Visor	Saw Line
Light	LED

Includes

Circular Saw Standard Charger
2.0Ah Battery Allen Key
6-1/2" Blade Vacuum Adapter



RS5884-1A PWRCORE 20™ BRUSHLESS 20V RECIPROCATING
SAW KIT WITH 4.0AH BATTERY AND autoPWRJUMP™ CHARGER

Features

- › **POWERFUL PERFORMANCE**
The digital brushless motor provides efficient, high-performance power for longer tool life
- › **CONTROL YOUR CUTS**
Switch between linear mode for cleaner cuts and orbital mode for more aggressive cuts
- › **PIVOTING ADJUSTABLE SHOE**
Extend the blade life and control the depth of cut
- › **TOOL-LESS BLADE CHANGES**
Spindle lock allows for quick and secure blade changes

Specifications

Speed	0-3000 SPM
Stroke Distance	1-1/8" (29mm)
Tool Size	17" x 3.75" x 6.5" (430 x 96 x 165mm)
Weight	6.28 lbs. (2.85kg)

Includes

Reciprocating Saw
4.0Ah Battery without USB
autoPWRJUMP™ Charger
PWRASSIST™ USB Adapter
Wood Cutting Blade



25% LONGER RUN TIME

5-MINUTE CHARGING

CHARGE MOBILE DEVICES



JS820202 PWRCORE 20™ BRUSHLESS 20V JIGSAW KIT
WITH BATTERY AND autoPWRJUMP™ CHARGER

Features

- › **VARIABLE TRIGGER WITH BRAKE**
Allows for maximum control and a precise finish
- › **TOOL-LESS BEVEL ADJUSTMENT**
Quickly adjusts for angled cutting
- › **4 STAGE ORBITAL FUNCTION**
Smooth cutting ability across different materials and applications with up to 3,000 strokes per minute
- › **TOOL-FREE BLADE CLAMP**
For quick and secure blade changes

Specifications

Blade Compatibility	U-Shank and T-Shank Blades
Blade Stroke	1"
Speed	0-3000 SPM
Bevel Adjustment	Up to 45 Degrees
Tool Size	8-3/8" x 2-9/10" x 8-1/5"

Includes

Jig Saw Wood Blade
2.0Ah PWRASSIST™ Battery Metal Blade
autoPWRJUMP™ Charger Battery Jacket



RS5825B-10 PWRCORE 20™ BRUSHLESS 20V COMPACT
RECIPROCATING SAW WITH BATTERY AND autoPWRJUMP™ CHARGER

Features

- › **COUNTERBALANCE GEAR BOX & PIVOTING SHOE**
Maximum precision and control with reduced vibration to perform smooth clean cuts
- › **VARIABLE SPEED TRIGGER**
Provides maximum precision and control
- › **DUAL LED LIGHTS WITH PRE-LIGHT AND AFTER-GLOW**
Top LED illuminates an upper surface when cutting pipes while lower LED casts a vertical line when cutting walls or vertical board

Specifications

Stroke Length	1"
SPM	0-3000
Tool Size	13.6" x 2.9" x 6" (345 x 73 x 153mm)
Weight	5.0 lbs. (2.27kg)

Includes

Compact Reciprocating Saw
2.0Ah Battery with USB
autoPWRJUMP™ Charger
Wood Cutting Blade
Battery Jacket



25% LONGER RUN TIME

5-MINUTE CHARGING

CHARGE MOBILE DEVICES





RS582902 PWRCORE 20™ 20V RECIPROCATING SAW KIT WITH BATTERY AND CHARGER

Features

- › **TOOL-LESS BLADE CHANGE**
Easy blade changes
- › **ADJUSTABLE PIVOTING SHOE**
Greater depth control
- › **UP TO 3000 SPM**
Fast, efficient cutting
- › **VARIABLE SPEED TRIGGER**
Precision speed control

Specifications

Speed	0-3000 SPM
Stroke Length	1 Inch (25 mm)
Trigger	Variable Speed
Blade Change	Tool-Less
Shoe	Pivoting
Length	15-3/8" (390 mm)

Includes

Reciprocating Saw	Wood Cutting Blade
2.0 Ah Battery	Allen Wrench
Standard Charger	



SR660302 PWRCORE 20™ BRUSHLESS 20V 5" RANDOM ORBITAL SANDER WITH BATTERY AND autoPWRJUMP™ CHARGER

Features

- › **DIGITAL BRUSHLESS MOTOR**
Provides high-performance and extended tool life
- › **RANDOM ORBIT FUNCTION**
Vibrates and spins simultaneously reducing noticeable swirls and scratches
- › **DIAL SPEED CONTROL**
For Maximum control and speed precision
- › **HOOK & LOOP PAD**
Easily change sand paper

Specifications

Speed	7000-11000 OPM
Pad Diameter	5"
Dust Box	With Micro-Filter
Dust Port	Fits 1-1/4" (32 mm) Vacuum Attachment
Paper Attachment Type	Hook & Loop
Tool Size	6.3" x 5.9" x 8.4" (160 x 151 x 213mm)

Includes

Random Orbital Sander
2.0Ah PWRASSIST™ Battery
autoPWRJump™ Charger
5pc Sanding Paper
Dust Box



25% LONGER RUN TIME

5-MINUTE CHARGING

CHARGE MOBILE DEVICES



AG2907-1A PWRCORE 20™ BRUSHLESS 20V 4-1/2" ANGLE GRINDER KIT WITH 5.0AH BATTERY AND autoPWRJUMP™ CHARGER

Features

- › **POWERFUL PERFORMANCE**
The digital brushless motor provides efficient, high-performance power for cutting through strong materials like steel, ceramic, and more
- › **SAFETY FIRST**
Move through projects faster with tool-less guard adjustment
- › **ONBOARD WRENCH STORAGE**
Conveniently located in side handle for easy access

Specifications

Speed	8500 RPM
Wheel Diameter	4-1/2" (115mm)
Tool Size	12-1/4" x 2-7/8" x 4" (311 x 73 x 102mm)

Includes

Angle Grinder
5.0Ah Battery
autoPWRJUMP™ Charger
Grinding Disc
Wrench
Wrench Storage Handle
Grinding Guard
PWRASSIST™ USB Adapter



25% LONGER RUN TIME

5-MINUTE CHARGING

CHARGE MOBILE DEVICES



SR6604B-10 PWRCORE 20™ 5" RANDOM ORBITAL SANDER WITH BATTERY AND CHARGER

Features

- › **POWERFUL MOTOR**
For a variety of sanding applications with 7,000-11,000 OPM
- › **VARIABLE SPEED CONTROL**
Provides maximum control for a variety of projects and surfaces
- › **REDUCES DUST**
Microfiltration canister keeps dust contained
- › **EASY SANDPAPER CHANGING**
A hook and loop system allows for simple and quick sanding paper changes
- › **DUST SEALED POWER SWITCH**
For extended tool life

Specifications

Pad Size	5" Diameter
Speed	7000-11000 RPM
Orbit Diameter	1/8" (3mm)
Paper Attachment	Hook & Loop
Variable Speed	6 Speed Settings
Tool Size	5.7" x 5.9" x 6.3" (145 x 150 x 160mm)
Tool Weight	2.6 lbs. (1.2kg)

Includes

Random Orbital Sander
2.0Ah Battery
Standard Charger
(3) Sanding Paper
Dust Canister



AG290202 PWRCORE 20™ 20V 4-1/2" ANGLE GRINDER KIT WITH PWRCORE 20™ LITHIUM BATTERY

Features

- › **DUAL FUNCTION LOCK-ON SWITCH**
Prevents accidental start up and locks on for prolonged use
- › **TOOL-FREE GUARD ADJUSTMENT**
One handed release to quickly adjust position of guard
- › **ENHANCED CONTROL**
An easier and safer, soft start
- › **3 POSITIONS FOR SIDE HANDLE**
Choose the position that works best for the project
- › **ONBOARD WRENCH STORAGE**
Conveniently located in side handle for easy access

Specifications

Speed	8500 RPM
Wheel Diameter	4-1/2" (115 mm)
Adjustable Guard	Tool-Free
Wrench	Integrated in Side Handle
Side Handle Positions	3
Length	11-1/8" (285 mm)

Includes

Angle Grinder
2.0Ah Battery
Standard Charger
Grinding Disc
Wrench Storage Handle
Grinding Guard
Wrench



PL5938-1A PWRCORE 20™ BRUSHLESS 20V 3-1/4" PLANER KIT WITH 4.0AH BATTERY AND autoPWRJUMP™ CHARGER

Features

- › **PRECISION PLANING**
Depth of cut in increments of 1/64th
- › **CLEAR DEBRIS**
Dual left or right chip exhaust keeps your workspace free of sawdust
- › **BUILT-IN WRENCH STORAGE**
For easy and secure access

Specifications

Speed	14,000 RPM
Planing Width	3-1/4" (82mm)
Single Pass Depth Capacity	5/64" (2mm)
Depth Adjustment	1/128" (0.2mm)
Max Rabbet Depth	5/16" (8mm)
Tool Size	11.56" x 6.57" x 7.38" (294 x 167 x 187mm)
Tool Weight	5.12 lbs (2.32kg)

Includes

Planer
4.0Ah Battery
Auto PWRJUMP™ Charger
Parallel Guide
Dust Bag
Spanner
Rabbet Fence
PWRASSIST™ USB Adapter



25% LONGER RUN TIME

5-MINUTE CHARGING

CHARGE MOBILE DEVICES



JB4712B-00 PWRCORE 20™ BRUSHLESS 20V JOBSITE BLOWER, TOOL ONLY

Features

- › **VARIABLE TRIGGER AND SPEED LOCK**
Provides greater control based on the application and reduces user fatigue
- › **3-SPEED SETTINGS**
Delivers maximum output of 110 CFM at 180 MPH
- › **COMPACT POWER**
Provides power in a lightweight design
- › **RUBBER NOZZLE**
Protects work surfaces and increases durability

Specifications

Air Volume	110 CFM
Air Speed	180 MPH
Speed Setting	High, Medium, Low
Tool Size	14.6" x 2.9" x 9.6" (370 x 73 x 243mm)

Includes

- Jobsite Blower
- Rubber Extension Nozzle
- Inflator/Deflator Adapter



25% LONGER RUN TIME

5-MINUTE CHARGING

CHARGE MOBILE DEVICES



IF5940-00 PWRCORE 20™ 20V DUAL FUNCTION INFLATOR, TOOL ONLY

Features

- › **HIGH VOLUME MODE**
With included high volume hose, large inflatables like air mattresses inflate and deflate easily
- › **HIGH PRESSURE MODE**
Preset the pressure for an accurate and efficient way to automatically fill a variety of tires hands-free
- › **DIGITAL PRESSURE GAUGE**
Digital readout and control buttons allow you to choose two modes
- › **LED WORK LIGHT**
See your work clearly with a bright LED
- › **DUAL FUNCTION INFLATOR**
This combined air inflator/deflator is powered by SKIL PWRCore 20™ Lithium Battery (sold separately)

Specifications

Pressure	Up to 160 PSI
Air Volume	14.4CFM (Low Pressure)
Hose Length	26"
Vehicle Power	12V
Tool Size	12" x 8-3/8" x 5-1/4"

Includes

- Dual Function Inflator
- Presta Valve Adapter
- Sports Ball Needle
- Pinch Valve Adapter
- High Volume Hose



LH5534-00 PWRCORE 20™ 20V FLOOD LIGHT, TOOL ONLY

Features

- › **DUAL-PANEL FLOOD LIGHT**
Ultra-bright LED panels in this work light illuminate large work areas with up to 1800 lumens for greater visibility
- › **ROTATING LED PANELS**
Each panel rotates independently to illuminate multiple surfaces at once
- › **ILLUMINATION CONTROL**
Choose from three light settings depending on the task at hand: high, low, or single panel
- › **LOW BATTERY WARNING**
Light dims twice when the battery is low, so you'll never get caught in the dark
- › **AUTOMATIC SHUT OFF**
Lights power off automatically when panels are closed

Specifications

Three Settings	1800, 900, or Single Panel 450 Lumens
Runtime	Up to 3.5 Hours on High Setting with SKIL 20V 4.0Ah Battery
Pivoting Angles	Lower Panel 0-170°, Upper Panel 0-270°
Low Battery	Pulse Indication
Mounting Thread	1/4" -20 UNC
Tool Size	8.54" x 8.23" x 6.9" (217 x 209 x 175mm)
Weight	3.17 lbs. (1.44kg)

Includes

- Flood Light



QC536001 PWRCORE 20™ autoPWRJUMP™ CHARGER

Features

- › **autoPWRJUMP™ CHARGING**
Charges in just 5 minutes*, or 100% battery in 30 minutes
- › **PWRCORE™ 20 SYSTEM**
Pairs with SKIL 20V Lithium Batteries
- › **LED CHARGING INDICATOR**
Indicates charging status

Specifications

Power Cord Length	6 ft
Size	6" x 6.9" x 2.4"
Charging Current	6 A
Compatibility	All SKIL 20V Batteries

Includes

- autoPWRJUMP™ Charger

*Based on 2.0 Ah battery



R05028-00 PWRCORE 20™ BLUETOOTH 20V SPEAKER, TOOL ONLY

Features

- › **BLUETOOTH SPEAKER**
Portable and wireless to take with you wherever you go
- › **BASS BOOSTER**
Dual passive bass radiators for quality sound
- › **PHONE CRADLE**
A helpful spot for your phone while you listen
- › **CHARGE OTHER DEVICES**
Stay powered up with the integrated USB port.
- › **AUXILIARY INPUT**
Optional connection for your phone or MP3 player

Specifications

Voltage	20V
Bluetooth Connectivity	Up to 100ft (30m)
Speaker	2.5", 10W
USB Port	2.1A 5V
Auxiliary Input	3.5 mm
Unit Size	4-3/4" x 7" x 5" (120 x 178 x 127 mm)

Includes

- 20V Speaker
- 3.5mm Auxiliary Cord



BY519702 PWRCORE 20™ LITHIUM 2.0AH 20V BATTERY WITH PWRASSIST™ MOBILE CHARGING

Features

- › **PWRCORE 20™ LITHIUM TECHNOLOGY**
Industry leading battery technology, 25% longer run time and 2X longer battery life
- › **PWRASSIST™ MOBILE CHARGING**
Utilize USB port on the battery to charge other devices
- › **FUEL GAUGE**
LED charge status indicators show how much power is left

Specifications

Battery Type	Rechargeable Lithium-Ion
Voltage	20V
Capacity	2.0Ah
USB Port	5V, 1.0A
Compatibility	All SKIL 20V Tools
Fuel Gauge	Green LED
Charging	Only with SKIL 20V Charger

Includes

- 2.0Ah Battery
- Battery Jacket

BY519603 20V 5.0AH PWRCORE 20™ LITHIUM BATTERY



Features

- › **PWRCORE 20™ LITHIUM TECHNOLOGY**
Industry leading technology keeps the battery cool and powering on for 25% longer run time
- › **2X BATTERY LIFE**
Patented battery technology extends the battery life 2X longer

Specifications

Battery Type	Rechargeable Lithium-Ion
Voltage	20V
Capacity	5.0Ah
Compatibility	All SKIL 20V Tools
Fuel Gauge	Green LED
Charging	Only with SKIL 20V Charger

Includes

5.0Ah Battery



CB743701 PWRCORE 20™ BRUSHLESS 20V DRILL DRIVER & IMPACT DRIVER KIT WITH autoPWRJUMP™ CHARGER

Drill Driver Features

- › **1/2" SINGLE-SLEEVE, KEYLESS METAL CHUCK**
For fast, easy bit changes
- › **17+ DRILL TORQUE ADJUSTMENT**
17 settings for dierent driving applications + 1 drill mode
- › **LED LIGHT WITH PRE-LIGHT AND AFTER-GLOW**
See work clearly
- › **HIGH/LOW SPEED SETTINGS**
For maximum control and speed

Impact Driver Features

- VARIABLE SPEED CONTROL**
For maximum control and speed precision
- › **2-SPEED TORQUE SETTING**
Allows for a wide range of fastening
- › **LED LIGHT WITH PRE-LIGHT & AFTER-GLOW**
See work clearly
- › **CONTROL MODE**
Eliminates screw “Cam Out” & “Cross Threading”

⚙️ 25% LONGER RUN TIME ⚡ 5-MINUTE CHARGING

🔌 CHARGE MOBILE DEVICES

Specifications

Drill Driver	
Chuck	1/2" Keyless Metal
Torque	450 in.lbs
Speed	0-480/0-1800 RPM
Clutch Setting	17+1
Tool Size	7-1/8" x 2-7/8" x 7-11/16"
Impact Driver	
Collet	1/4" Hex Collet
Torque	1800in. lbs
2 Speeds	0-1700 and 0-2700 RPM
Impact Rate	0-2400/3400 IPM
Length	5.8"
Tool Size	5.8" x 2.8" x 8.0"

Includes

Drill Driver	2" Double-end Bit
Impact Driver	PH2
2.0Ah PWRASSIST™ Battery	PH2 Bit
autoPWRJUMP™ Charger	2pcs Belt Clip
	Battery Jacket

🎯 BRUSHLESS



CB7475-1A PWRCORE 20™ BRUSHLESS 20V DRILL DRIVER & CIRCULAR SAW KIT WITH WITH 4.0AH BATTERY

Drill Driver Features

- › **1/2" SINGLE-SLEEVE, KEYLESS METAL CHUCK**
For fast, easy bit changes
- › **17+ DRILL TORQUE ADJUSTMENT**
17 settings for dierent driving applications + 1 drill mode
- › **LED LIGHT WITH PRE-LIGHT AND AFTER-GLOW**
See work clearly
- › **HIGH/LOW SPEED SETTINGS**
For maximum control and speed
- › **DIGITAL BRUSHLESS MOTOR**
Provides high-performance and extended tool life

Circular Saw Features

- › **DIGITAL BRUSHLESS MOTOR**
Provides efficient, high-performance and extended tool life
- › **0-50° BEVEL CAPACITY**
Easily achieve the most commonly cut angles
- › **QUICK CUTTING DEPTH ADJUSTMENT**
Make adjustments quickly for better accuracy

⚙️ 25% LONGER RUN TIME ⚡ 5-MINUTE CHARGING

🔌 CHARGE MOBILE DEVICES

Specifications

Drill Driver	
Chuck	1/2" Keyless Metal
Torque	450 in.lbs
Speed	0-480/0-1800 RPM
Clutch Setting	17+1
Tool Size	7-1/8" x 2-7/8" x 7-11/16"
Circular Saw	
Blade	6-1/2" (165mm)/24T
Speed	5400 RPM
Bevel Capacity	0-50°
Cutting Depth at 90°	2-13/32" (61mm)
Cutting Depth at 45°	1-11/16" (43mm)
Arbor Size	5/8" (16mm)
Tool Size	12-5/8" x 10-3/8" x 6" (320 x 260 x 150mm)

Includes

Drill Driver	Belt Clip
Circular Saw	PH2 Bit
4.0Ah Battery	Carbide Blade
autoPWRJUMP™ Charger	Allen Key
PWRASSIST™ USB Adaptor	Vacuum Adaptor

🎯 BRUSHLESS





CB7488B-20 PWRCORE 20™ BRUSHLESS 20V 4-TOOL COMBO KIT WITH autoPWRJUMP™ CHARGER

Drill Driver Features

- › **1/2" SINGLE-SLEEVE, KEYLESS METAL CHUCK**
For fast, easy bit changes
- › **17+ DRILL TORQUE ADJUSTMENT**
17 settings for dierent driving applications + 1 drill mode

Circular Saw Features

- › **DIGITAL BRUSHLESS MOTOR**
Provides efficient, high-performance and extended tool life
- › **0-50° BEVEL CAPACITY**
Easily achieve the most commonly cut angles

Reciprocating Saw Features

- › **POWERFUL PERFORMANCE**
The digital brushless motor provides efficient, high-performance power for longer tool life
- › **CONTROL YOUR CUTS**
Switch between linear mode for cleaner cuts and orbital mode for more aggressive cuts

Area Light Features

- › **120 DEGREE ROTATION**
Allows for projection in multiple directions

**25% LONGER RUN TIME**

**5-MINUTE CHARGING**

**CHARGE MOBILE DEVICES**

Specifications

Drill Driver	
Chuck	1/2" Keyless Metal
Torque	450 in.lbs
Speed	0-480/0-1800 RPM
Circular Saw	
Blade	6-1/2" (165mm)/24T
Speed	5400 RPM
Bevel Capacity	0-50°
Reciprocating Saw	
Speed	0-3000 SPM
Stroke Distance	1-1/8" (29mm)
Tool Size	17" x 3.75" x 6.5" (430 x 96 x 165mm)
Area Light	
2 Light Settings	400 / 200 Lumens
LEDs	8
Pivot Hinge	120°

Includes

Drill Driver	Belt Clip
Reciprocating Saw	Wood Cutting Blade
Circular Saw	24T Ultra Thin Carbide Wood Cutting Blade
Area Light	Allen Key
2.0Ah Battery with USB	Dust Port
4.0Ah Battery	Battery Jacket
Auto PWRJUMP™ Charger	Soft Bag
2" Double-end Bit PH2	



CB7443-21 PWRCORE 20™ BRUSHLESS 20V 6-TOOL COMBO KIT WITH 4.0AH BATTERY AND autoPWRJUMP™ CHARGER

Drill Driver Features

- › **1/2" SINGLE-SLEEVE, KEYLESS METAL CHUCK**
For fast, easy bit changes
- › **17+ DRILL TORQUE ADJUSTMENT**
17 settings for dierent driving applications + 1 drill mode
- › **LED LIGHT WITH PRE-LIGHT AND AFTER-GLOW**
See work clearly

Reciprocating Saw Features

- › **POWERFUL PERFORMANCE**
The digital brushless motor provides efficient, high-performance power for longer tool life
- › **CONTROL YOUR CUTS**
Switch between linear mode for cleaner cuts and orbital mode for more aggressive cuts
- › **PIVOTING ADJUSTABLE SHOE**
Extend the blade life and control the depth of cut

Multi Tool Features

- › **POWERFUL PERFORMANCE**
The digital brushless motor provides efficient, high-performance power for longer tool life.
- › **VIBRATION REDUCTION SYSTEM (VRS)**
Innovative isolated motor design offers 90% less vibration, helping you work more comfortably. (compared to SKIL models without VRS feature)
- › **CONSTANT SPEED TECHNOLOGY**
Innovative SKIL brushless motor communicates with the PWRCore 20™ battery to maintain consistent speed through harder cuts

Bluetooth Speaker Features

- › **BLUETOOTH SPEAKER**
Portable and wireless to take with you wherever you go
- › **BASS BOOSTER**
Dual passive bass radiators for quality sound
- › **PHONE CRADLE**
A helpful spot for your phone while you listen

Random Orbital Sander Features

- › **DIGITAL BRUSHLESS MOTOR**
Provides high-performance and extended tool life
- › **RANDOM ORBIT FUNCTION**
Vibrates and spins simultaneously reducing noticeable swirls and scratches
- › **DIAL SPEED CONTROL**
For Maximum control and speed precision

Spotlight Features

- › **104° PIVOTING HEAD**
Shine the light in dierent directions
- › **2-STEP ILLUMINATION CONTROL**
150 or 300 lumens based on the project
- › **HANDS-FREE USE**
Hanging hook on back

**25% LONGER RUN TIME**

**5-MINUTE CHARGING**

**CHARGE MOBILE DEVICES**

Specifications

Drill Driver	
Chuck	1/2" Keyless Metal
Torque	450 in.lbs
Speed	0-480/0-1800 RPM
Clutch Setting	17+1
Tool Size	7-1/8" x 2-7/8" x 7-11/16"
Reciprocating Saw	
Speed	0-3000 SPM
Stroke Distance	1-1/8" (29mm)
Tool Size	17" x 3.75" x 6.5" (430 x 96 x 165mm)
Weight	6.28 lbs. (2.85kg)
Multi Tool	
Interface for Accessories	12 Pin OIS
Oscillating Angle:	3.6°
Variable 6 Speed Dial	11,000-17,000 OPM
Light	LED
Length	12-1/6" (309mm)
Bluetooth Speaker	
Voltage	20V
Bluetooth Connectivity	Up to 100ft (30m)
Speaker	2.5", 10W
USB Port	2.1A 5V
Auxiliary Input	3.5 mm
Unit Size	4-3/4" x 7" x 5" (120 x 178 x 127 mm)
Random Orbital Sander	
Speed	7000-11000 OPM
Pad Diameter	5"
Dust Box	With Micro-Filter
Dust Port	Fits 1-1/4" (32 mm) Vacuum Attachment
Paper Attachment Type	Hook & Loop
Tool Size	6.3" x 5.9" x 8.4" (160 x 151 x 213mm)
Spotlight	
Two Settings	300 / 150 Lumens
Run Time	19 Hours with a SKIL 2.0Ah Battery (Low Setting)
Pivoting Angles	0-104°
Tool Size	5.3" x 2.8" x 8.2" (135 x 72 x 209mm)

Includes

Drill Driver	2" Double-end Bit PH2
Reciprocating Saw	PH2
Multi-Tool	Belt Clip
Speaker	Wood Cutting Blade
Sander	Dust Box
Spotlight	13 pc. Sanding Paper
2.0Ah Battery with USB	Sanding Pad
4.0Ah Battery	Bi-Metal Blade
Auto PWRJump™ Charger	Battery Jacket
	Wire for AUX Port
	Allen Key



CB7440-21 PWRCORE 20™ BRUSHLESS 20V 4-TOOL COMBO KIT WITH autoPWRJUMP™ CHARGER

Drill Driver Features

- › **1/2" SINGLE-SLEEVE, KEYLESS METAL CHUCK**
For fast, easy bit changes
- › **17+ DRILL TORQUE ADJUSTMENT**
17 settings for dierent driving applications + 1 drill mode

Circular Saw Features

- › **DIGITAL BRUSHLESS MOTOR**
Provides efficient, high-performance and extended tool life
- › **0-50° BEVEL CAPACITY**
Easily achieve the most commonly cut angles

Multi Tool Features

- › **VIBRATION REDUCTION SYSTEM (VRS)**
Innovative isolated motor design offers 90% less vibration, helping you work more comfortably. (compared to SKIL models without VRS feature)

Bluetooth Speaker Features

- › **BLUETOOTH SPEAKER**
Portable and wireless to take with you wherever you go
- › **BASS BOOSTER**
Dual passive bass radiators for quality sound

**25% LONGER RUN TIME**

**5-MINUTE CHARGING**

**CHARGE MOBILE DEVICES**

Specifications

Drill Driver	
Chuck	1/2" Keyless Metal
Torque	450 in.lbs
Speed	0-480/0-1800 RPM
Circular Saw	
Blade	6-1/2" (165mm)/24T
Speed	5400 RPM
Bevel Capacity	0-50°
Multi Tool	
Interface for Accessories	12 Pin OIS
Oscillating Angle:	3.6°
Variable 6 Speed Dial	11,000-17,000 OPM
Bluetooth Speaker	
Voltage	20V
Bluetooth Connectivity	Up to 100ft (30m)
Speaker	2.5", 10W

Includes

Drill Driver	Belt Clip
Circular Saw	24T Thin Carbide Wood Cutting Blade
Multi-Tool	Allen Key
Speaker	Dust Port
2.0Ah Battery	10 pc Sanding Paper
4.0Ah Battery	Bi-Metal Blade
autoPWRJUMP™ Charger	Sanding Pad
2" Double-End Bit PH2	Battery Jacket
	3.5mm AUX Cord





CB739001 PWRCore 20™ 20V DRILL DRIVER & IMPACT DRIVER KIT

Drill Driver Features

- › **1/2" SINGLE-SLEEVE, KEYLESS CHUCK**
For fast, easy bit changes
- › **LED LIGHT**
Turns on with trigger, stays lit for seconds after release
- › **HIGH/LOW SPEED SETTING**
Right speed for the project
- › **FORWARD/REVERSE LED INDICATOR**
Check driving direction at a glance

Impact Driver Features

- › **1/4" HEX COLLET**
Fast, easy bit changes
- › **LED LIGHT**
Turns on with trigger, stays lit for seconds after release
- › **VARIABLE SPEED CONTROL**
Full control for a variety of projects
- › **FORWARD/REVERSE LED INDICATOR**
Check driving direction at a glance

Specifications

Drill Driver	
Chuck	1/2 in. Keyless with Auto Spindle Lock
Two Speed Settings	Low 0-420, High 0-1450 RPM
Torque Settings	17 Settings + Drill Mode
Torque	350 in. lbs
Light	LED
LED Indicator	Forward/Reverse
Length	7-7/16" (189 mm)
Impact Driver	
Collet	1/4 Inch Hex
Speed	0-2500 RPM
Impacts per Minute	0-3200 IPM
Trigger	Variable Speed
Torque	1,100 in. lbs
LED Indicators	Forward/Reverse
Light	LED
Length	6" (152 mm)

Includes

Drill Driver	Standard Charger
Impact Driver	2pcs PH2 Bits
2.0Ah Battery	2pcs Belt Clip



CB739601 PWRCore 20™ 20V 4-TOOL COMBO KIT

Drill Driver Features

- › **1/2" SINGLE-SLEEVE, KEYLESS CHUCK**
For fast, easy bit changes
- › **LED LIGHT**
Turns on with trigger, stays lit for seconds after release
- › **HIGH/LOW SPEED SETTING**
Right speed for the project

Impact Driver Features

- › **1/4" HEX COLLET**
Fast, easy bit changes
- › **LED LIGHT**
Turns on with trigger, stays lit for seconds after release
- › **FORWARD/REVERSE LED INDICATOR**
Check driving direction at a glance

Reciprocating Saw Features

- › **TOOL-LESS BLADE CHANGE**
Easy blade changes
- › **ADJUSTABLE PIVOTING SHOE**
Greater depth control
- › **UP TO 3000 SPM**
Fast, efficient cutting

Spot Light Features

- › **2-STEP ILLUMINATION CONTROL**
Choose the level of lighting you need
- › **EASY TO ADJUST**
104 degree pivoting head

Specifications

Drill Driver	
Speed	0-420/0-1450 RPM
Torque	350 in. lbs
Torque Setting	17+1
Chuck Size	1/2" Chuck
Length	7-7/16"
Impact Driver	
Speed	0-2500 RPM
Impact Rate	0-3200 IPM
Torque	1100 in. lbs
Collet Size	1/4" Hex
Length	6"
Reciprocating Saw	
Stroke Distance	1"
Speed	0-3000 SPM
Spot Light	
Power	300/150 lm
Hanging	2pcs Magnet and 1pc Hook
Runtime	19hrs in Low Mode with 20V 2.0Ah Battery
Head Rotation	104 Degrees

Includes

Drill Driver	Standard Charger
Impact Driver	2pcs PH2 Bits
Reciprocating Saw	2pcs Belt Clip
Spot Light	Wood Cutting Blade
2pcs 2.0Ah Battery	Allen Key



PWRCORE 20™

This lineup offers a range of outdoor power, plus the benefits of our patented PWRCORE 20™ lithium battery.



OUTDOOR



POWER

ADVANCED BATTERY TECHNOLOGY




Industry leading battery technology wraps each cell with cooling material to keep the battery powering on for 25% longer run time.

2X BATTERY LIFE



SKIL's patented technology extends the life 2X longer.

ONE BATTERY. MANY TOOLS.



Pairs with any PWRCORE 20™ Battery.

PM4912B-20 PWRCORE 20™ BRUSHLESS 18" LAWN MOWER WITH TWO 4.0 AH BATTERIES AND DUAL PORT CHARGER

 **25% LONGER
RUN TIME**

 **2X BATTERY
LIFE**



Features

- › **POWERFUL PERFORMANCE**
The digital brushless motor provides efficient, high-performance power without the hassle of gas
- › **PUSH-BUTTON START**
Get started easily and quickly with a convenient push-button start
- › **SINGLE LEVER HEIGHT ADJUSTMENT**
6 settings to quickly adjust for your preferred grass height
- › **TELESCOPING/FOLDABLE HANDLE**
Telescoping handle folds easily for convenient vertical storage

Specifications

Voltage	2 X 20V
Motor	Brushless
Runtime	Up to 45 min
Charge Time	100 min
Deck Size	18"
Cutting Height	6 Cutting Height Settings, 1"-3"
Grass Bag	1.4 Bushel (50L) Collector Capacity
Function	2-in-1 Mulching or Bagging

Includes

- 2 X 20V Brushless Lawn Mower
- (2) 4.0Ah Battery
- Dual Port Charger
- Mulching Plug
- Grass Bag



BL4714B-10 PWRCORE 20™ BRUSHLESS 400 CFM LEAF BLOWER WITH 4.0AH BATTERY AND CHARGER

Features

- › **VARIABLE SPEED WITH CRUISE CONTROL**
Provides control for everything from clearing flower beds or your backyard, plus cruise control to stay powered on
- › **TURBINE FAN**
Maximizes leaf blower performance for up to 400 CFM of clearing power
- › **EASY STORAGE BRACKET**
This blower comes equipped with an Easy Storage Hook and Bracket, to conveniently store all your SKIL PWRCORE 20™ outdoor equipment with ease

Specifications

Voltage	20V
Motor	Brushless
Air Volume	400 CFM
Max Air Speed	100 MPH
Speed Control	Variable with Cruise Control
Net Weight	4.4 lbs

Includes

- 20V Brushless Leaf Blower
- 4.0Ah Battery
- Charger
- Nozzle Attachment
- EASYSTORAGE Bracket



HT4222B-10 PWRCORE 20™ 22" HEDGE TRIMMER WITH BATTERY AND CHARGER

Features

- › **DUAL ACTION HARDENED STEEL BLADES + BLADE TIP PROTECTOR**
For clean and precise cuts, even along paths and fences
- › **FOR TOUGH JOBS**
Delivers 3,000 strokes per minute to get jobs done fast
- › **3/4" CUT CAPACITY**
Cut through large branches and bushes with ease
- › **EASY STORAGE BRACKET**
This hedge trimmer comes equipped with an Easy Storage Hook and Bracket, to conveniently store all your SKIL PWRCORE 20™ outdoor equipment with ease
- › **SAWING FUNCTION**
For cutting larger diameter branches

 **25% LONGER
RUN TIME**

 **2X BATTERY
LIFE**

Specifications

Voltage	20V
SPM	3,000 spm
Blade Length	22"
Cutting Capacity	3/4"
Blade Type	Single Side Dual-Action
Blade	Hardened Steel
Net Weight	5.7 lbs

Includes

- 20V 22" Hedge Trimmer
- 2.0Ah Battery
- Charger
- Blade Sheath
- EASYSTORAGE Bracket

LT4823B-10 PWRCORE 20™ BRUSHLESS 20V 13" STRING TRIMMER WITH 4.0AH BATTERY AND CHARGER

Features

- › **POWERFUL PERFORMANCE**
The digital brushless motor provides efficient, high-performance power without the hassle of gas
- › **2-SPEED SETTINGS + VARIABLE SPEED TRIGGER**
Delivers optimal cutting performance and superior control
- › **EASY TO LOAD + DUAL LINE BUMP FEED**
Patented Twist Load™ Head allows you to insert the .080" line and simply twist to get started, while the dual line bump feed seamlessly feeds the line with a tap of the head

 **25% LONGER
RUN TIME**

 **2X BATTERY
LIFE**

Specifications

Voltage	20V
Motor	Brushless
Line Feed	Bump
Line Load	Twist Load™
Cutting Swath	13"
Trimmer Line	Dual 0.080" Twist Line
Net Weight	6.2 lbs

Includes

- 20V Brushless String Trimmer
- 4.0Ah Battery
- Charger
- Extra Line
- EASYSTORAGE Bracket & Hook



CS4562B-10 PWRCORE 20™ BRUSHLESS 12" CHAIN SAW WITH 4.0AH BATTERY AND CHARGER

Features

- › **POWERFUL PERFORMANCE**
The digital brushless motor provides efficient, high-performance power without the hassle of gas
- › **TOOL-LESS CHAIN TENSIONING & AUTO-LUBRICATING**
Adjust the chain tension on this electric chainsaw with a convenient dial on the side of the tool while reducing friction with auto-lubrication
- › **ANTI-KICKBACK BRAKE**
Cuts the power when kickback occurs, so you can work with confidence

 **25% LONGER
RUN TIME**

 **2X BATTERY
LIFE**

Specifications

Voltage	20V
Motor	Brushless
Bar Length	12"
Chain Gauge	0.043"
Chain Pitch	3/8"
Oil Tank	6.8 fl. oz (200ml)
Net Weight	5.5 lbs
No-Load Chain Speed	7.9 m/s

Includes

- Brushless 20V 12" Chainsaw
- 4.0Ah Battery
- Charger
- EASYSTORAGE Bracket
- Chain Scabbard



PWRCORE 40™

The PWRCORE 40™ platform offers a complete line-up of outdoor power tools. The power of cordless with complete brushless assortment. The patented lithium battery technology allows you to ditch the gas without sacrificing any power.




DITCH THE GAS



KEEP THE POWER

BRUSHLESS

ADVANCED BATTERY TECHNOLOGY PWRCORE 40™



Industry leading battery technology. 25% longer run time. 2X battery life.

15-MINUTE CHARGING autoPWRCORE JUMP™



Charges 0-30% in just 15 minutes*. Fully charges within 60 minutes*. (*Based on 2.5Ah battery)

SM4910-10 PWRCORE 40™ BRUSHLESS 40V 20" SELF-PROPELLED MOWER KIT

25% LONGER RUN TIME 15-MINUTE CHARGING



- Features
- › LOAD-SENSING TECHNOLOGY FOR OPTIMIZED CUTTING PERFORMANCE
 - › COMPACT TELESCOPING HANDLE, TO STORE VERTICALLY
 - › DIGITAL BRUSHLESS MOTOR
 - › PUSH BUTTON START
 - › SELF-PROPEL WITH VARIABLE SPEED CONTROL DIAL
 - › 2-IN-1 MULCHING OR BAGGING
 - › SINGLE-LEVER DECK HEIGHT ADJUSTMENT

Specifications

Voltage	40V
Motor	Brushless
Runtime	Up to 40 min
Charge Time	120 min
Deck Size	20"
Cutting Height	7 Cutting Height Settings, 1.5"~4"
Grass Bag	1.7 Bushel (60L) Collector Capacity
Self-Propel	0.4m/s-1.4m/s Variable Speed
Dimension	3.05 x 1.74 x 1.28 ft. (930 x 530 x 390 mm)

- Includes
- 40V Brushless Self-Propelled Mower
 - Auto PWRJUMP™ Charger
 - 5.0Ah Battery
 - Mulching Plug
 - Grass Bag

BRUSHLESS



BRUSHLESS

PM4910-10 PWRCORE 40™ BRUSHLESS 40V 20" MOWER KIT

- Features
- › LOAD-SENSING TECHNOLOGY FOR OPTIMIZED CUTTING PERFORMANCE
 - › COMPACT TELESCOPING HANDLE, TO STORE VERTICALLY
 - › DIGITAL BRUSHLESS MOTOR
 - › PUSH BUTTON START
 - › 2-IN-1 MULCHING OR BAGGING
 - › SINGLE-LEVER DECK HEIGHT ADJUSTMENT

25% LONGER RUN TIME 15-MINUTE CHARGING

Specifications

Voltage	40V
Motor	Brushless
Runtime	Up to 45 min
Charge Time	120 min
Deck Size	20"
Cutting Height	7 Cutting Height Settings, 1.5"~4"
Grass Bag	1.7 Bushel (60L) Collector Capacity
Dimension	3.05 x 1.74 x 1.28 ft. (930 x 530 x 390 mm)

- Includes
- 40V Push Mower
 - Auto PWRJUMP™ Charger
 - 5.0Ah Battery
 - Mulching Plug
 - Grass Bag

BL4713-10 PWRCORE 40™ BRUSHLESS 40V 500 CFM LEAF BLOWER KIT

- Features
- › VARIABLE SPEED WITH POWER BOOST
 - › 500 CFM / 120 MPH FOR CLEARING POWER
 - › DIGITAL BRUSHLESS MOTOR
 - › TURBINE FAN FOR OPTIMAL PERFORMANCE
 - › QUICK-RELEASE TUBE FOR COMPACT STORAGE

25% LONGER RUN TIME 15-MINUTE CHARGING

Specifications

Voltage	40V
Motor	Brushless
Air Volume	500 CFM
Max Air Speed	120 MPH
Speed Control	Variable with Power Boost
Net Weight	3.9 lbs

- Includes
- 40V Brushless Leaf Blower
 - 2.5Ah Battery
 - Auto PWRJUMP™ Charger



BRUSHLESS

HT4221-10 PWRCORE 40™ BRUSHLESS 40V 24" HEDGE TRIMMER KIT

- Features
- › 24" CUTTING LENGTH
 - › 3/4" CUT CAPACITY
 - › DUAL-ACTION HARDENED STEEL BLADES
 - › DIGITAL BRUSHLESS MOTOR

25% LONGER RUN TIME 15-MINUTE CHARGING

Specifications

Voltage	40V
Motor	Brushless
SPM	3000 spm
Blade Length	24"
Cutting Capacity	3/4"
Blade Type	Single Side Dual-Action
Blade	Hardened Steel
Net Weight	6 lbs

- Includes
- 40V Brushless Hedge Trimmer
 - 2.5Ah Battery
 - Auto PWRJUMP™ Charger
 - Blade Sheath



BRUSHLESS





LT4818-10 PWRCORE 40™ BRUSHLESS 40V 14" STRING TRIMMER KIT

Features

- › **TWIST LOAD™**
Simply insert the line and twist to load
- › **14" CUTTING SWATH**
- › **DIGITAL BRUSHLESS MOTOR**
- › **VARIABLE SPEED TRIGGER**
- › **ADJUSTABLE AUXILIARY HANDLE**

Specifications

Voltage	40V
Motor	Brushless
Line Feed	Bump
Line Load	Twist Load™
Cutting Swath	14"
Trimmer Line	Dual 0.080" Twist Line
Net Weight	6.8 lbs

Includes

40V String Trimmer
2.5Ah Battery
Auto **PWRJUMP™** Charger



25% LONGER RUN TIME

15-MINUTE CHARGING



BY8705-00 PWRCORE 40™ 40V 2.5AH BATTERY

Features

- › **PWRCORE 40™ LITHIUM TECHNOLOGY**
Industry leading technology wraps each cell with cooling material for 25% LONGER RUN TIME.
- › **PWRCORE 40™ LITHIUM BATTERY**
Patented techonology maximizes power and extends the battery life 2X LONGER.
- › **PWRCORE 40™ SYSTEM**
All tools in the PWRCore 40 system use the same battery.

Specifications

Voltage	40V
Capacity	2.5Ah
Indicator	Fuel Gauge
Energy Content (Wh)	100

Includes

40V 2.5 Ah Battery



CS4555-10 PWRCORE 40™ BRUSHLESS 40V 14" CHAINSAW KIT

Features

- › **TOOL-LESS BLADE TENSIONING**
- › **ANTI-KICKBACK BRAKE**
- › **DIGITAL BRUSHLESS MOTOR**
- › **AUTO-LUBRICATING CHAIN**

Specifications

Voltage	40V
Motor	Brushless
Bar Length	14"
Chain Gauge	0.043"
Chain Pitch	3/8"
Oil Tank	5.0 fl. oz (150ml)
Net Weight	7.83 lbs

Includes

40V Brushless Chainsaw
2.5Ah Battery
Auto **PWRJUMP™** Charger
Chain Scabbard



25% LONGER RUN TIME

15-MINUTE CHARGING



BY8708-00 PWRCORE 40™ 40V 5.0AH BATTERY

Features

- › **PWRCORE 40™ LITHIUM TECHNOLOGY**
Industry leading technology wraps each cell with cool-ing material for 25% LONGER RUN TIME.
- › **PWRCORE 40™ LITHIUM BATTERY**
Patented techonology maximizes power and extends the battery life 2X LONGER.
- › **PWRCORE 40™ SYSTEM**
All tools in the PWRCore 40 system use the same battery.

Specifications

Voltage	40V
Capacity	5.0Ah
Indicator	Fuel Gauge
Energy Content (Wh)	200

Includes

40V 5.0 Ah Battery



PS4561C-10 PWRCORE 40™ BRUSHLESS 40V 10" POLE SAW WITH BATTERY AND auto**PWRJUMP™** CHARGER

Features

- › **TELESCOPIC SHAFT & ANGLED HEAD**
- › **AUTO LUBRICATING & TOOL-LESS CHAIN TENSIONING**
- › **ADJUSTABLE AUXILIARY HANDLE**
- › **DIGITAL BRUSHLESS MOTOR**

Specifications

Full Length	10 ft
No-Load Chain Speed	12m/s
Length Adjust Range	7.5-10ft (2.29 - 3.04m)
Bar Length	10" (Trilink)
Chain Pitch	3/8"
Chain Gauge	0.043"
Telescopic Shaft	Yes

Includes

40V Pole Saw
2.5Ah Battery
Auto **PWRJUMP™** Charger
Scabbard



25% LONGER RUN TIME

15-MINUTE CHARGING



SC5364-00 PWRCORE 40™ auto**PWRJUMP™** CHARGER

Features

- › **auto**PWRJUMP™** CHARGING BOOSTS THE BATTERY FROM 0 TO 30% POWER IN JUST 15 MINUTES***
- › **FULL CHARGE IN ONE HOUR***
- › **WALL MOUNTING HOLES**
- › **LED INDICATORS DISPLAY CHARGE STATUS**
- › **COMPATIBLE WITH ALL SKIL 40V LITHIUM BATTERIES**

*Based on 2.5Ah battery

Specifications

Input Voltage	120V-60HZ
Output Voltage	40V
Compatibility	All SKIL 40V batteries
LED Charging Indicator	Yes
Charging time	60mins for 2.5Ah battery; 120mins for 5.0Ah battery


Includes

40V Auto **PWRJUMP™** Charger

HIGH PERFORMANCE CUTTING

Legendary power, cutting-edge innovation.


Whether you're cutting metal, wood, concrete, or all of the above, SKILSAW® has the right saw for the job.



25% LONGER
RUN TIME

Distinct arrangement of cells evenly distributes heat to extend run time.



2X BATTERY LIFE



Each cell is wrapped with a temperature controlling material that keeps cells cool to provide better performance.



SPTH70M 10-1/4" TRUEHVL™ CORDLESS WORM DRIVE SAW



**25% LONGER
RUN TIME**

**2X BATTERY
LIFE**

Features

› CUTS 4X IN ONE PASS

Powers through tough material with up to 3-11/16" depth of cut

› POWERED BY TRUEHVL™

The battery platform designed to power worm drive

› ALL MAGNESIUM CONSTRUCTION

Delivers jobsite durability and performance

› IDEAL FOR FRAMING

Specifications

Ratings: 48V, 5.0Ah, 240Wh

Brushless motor

n, 4,300 RPM

Magnesium guards, foot plate, housings

Bare Tool Weight: 13.3 lbs. (6.06 Kg)

without battery, blade, and wrench

Battery Weight: 4.25 lbs. (1.93 Kg)

Capacities

3-11/16 in. (93.66 mm) Max cut at 90°

2-3/4 in. (69.85 mm) Max cut at 45°

2-1/2 in. (63.5 mm) Max cut at 51°

Available Options

SPTH70M-21

2 Battery Kit

SPTH70M-11



1 Battery Kit

SPTH70M-01

Bare Tool



SPTH77M 7-1/4" TRUEHVL™ CORDLESS WORM DRIVE SAW



25% LONGER RUN TIME | **2X BATTERY LIFE**

Features

- › **WORM DRIVE GEARING**
The only cordless saw with worm drive gearing. Legendary power to go anywhere.
- › **POWERED BY TRUEHVL™**
The battery platform designed to power worm drive
- › **ALL MAGNESIUM CONSTRUCTION**
Delivers jobsite durability and performance
- › **IDEAL FOR FRAMING**

Specifications

Ratings: 48V, 5.0Ah, 240Wh
Brushless motor
n_a 5,800/min
Magnesium guards, foot plate, housings
Bare Tool Weight: 11.09 lbs. (5.03 Kg) without battery, blade, wrench, and vacuum adapter
Battery Weight: 4.25 lbs. (1.93 Kg)

Capacities

2-3/8 in. (60.33 mm) Max cut at 90°
1-15/16 in. (49.21 mm) Max cut at 45°
1-11/16 in. (42.86 mm) Max cut at 53°

Available Options

- SPTH77M-21**
2 Battery Kit
- SPTH77M-11**
1 Battery Kit
- SPTH77M-01**
Bare Tool



SPTH15 TRUEHVL™ LITHIUM ION BATTERY

Features

- › **STAY COOL™ BATTERY TECHNOLOGY**
Each cell is wrapped with a temperature controlling material that keeps cells cool to provide better performance
- › **INNOVATIVE BATTERY DESIGN**
Distinct arrangement of cells evenly distributes heat to extend run time
- › **INTELLIGENT POWER MANAGEMENT SYSTEM**
Monitors and optimizes each cell to maximize power, performance and run time

Specifications

Ratings: 48V, 5.0Ah, 240Wh



SPTH14 TRUEHVL™ QUICK CHARGER

Features

- › **QUICK CHARGE TIME**
From zero to full charge in only 1 hour
- › **FAN COOLED CHARGING**
Prevents the battery from overheating
- › **CHARGING INDICATORS**
Displays the charging status

Specifications

Ratings: 120V, 60Hz
Maximum input power: 380W





SPT77WML-01 7-1/4" LIGHTWEIGHT WORM DRIVE SAW

Features

- › **LIGHTEST WEIGHT MAGNESIUM DESIGN**
Reduces user fatigue and dissipates motor heat
- › **POWERFUL DUAL-FIELD™ MOTOR**
Increases cooling and extends tool life
- › **CUT READY™ DEPTH-OF-CUT SYSTEM**
Assists with quick and accurate depth measurements
- › **IDEAL FOR FRAMING**

DIABLO® BLADE CONFIGURATIONS:
SPT77WML-22, SPT77WML-72

Specifications

Ratings: 15A, 120V ≈ 60 Hz, n₀ 5,300/min
Magnesium guards, foot plate, housings

Capacities

2-3/8 In. (60.3 mm) Max cut at 90°
1-15/16 In. (49.2 mm) Max cut at 45°
1-11/16 In. (42.8 mm) Max cut at 53°

Includes

24-tooth SKILSAW® Carbide Blade,
Multi-function Wrench (stored in foot)



SPT77W-01 7-1/4" WORM DRIVE SAW

Features

- › **POWERFUL DUAL-FIELD™ MOTOR**
Increases cooling and extends tool life
- › **CUT READY™ DEPTH-OF-CUT SYSTEM**
Assists with quick and accurate depth measurements
- › **DURABLE STEEL FOOT CONSTRUCTION**
Stands up to jobsite demands
- › **IDEAL FOR FORMING**

DIABLO® BLADE CONFIGURATIONS:
SPT77W-22, SPT77W-72

Specifications


Ratings: 15A, 120V ≈ 60 Hz, n₀ 5,300/min
Aluminum upper guard and housings, steel foot plate, magnesium lower guard

Capacities

2-13/32 In. (61.1 mm) Max cut at 90°
1-31/32 In. (50.0 mm) Max cut at 45°
1-3/4 In. (44.4 mm) Max cut at 51°

Includes

24-tooth SKILSAW® Carbide Blade,
Multi-function wrench (stored in foot)



SPT78W-01 8-1/4" WORM DRIVE SAW

Features

- › **EXTENDED 60 DEGREE BEVEL**
Adds capacity for a wider variety of cuts
- › **POWERFUL DUAL-FIELD™ MOTOR**
Increases cooling and extends tool life
- › **WORM DRIVE DURABILITY**
Combines Worm Drive gearing with all metal components for job-site durability
- › **IDEAL FOR HIGHER CAPACITY FORMING**

DIABLO® BLADE CONFIGURATIONS:
SPT78W-22

Specifications

Ratings: 15A, 120V ≈ 60 Hz, n₀ 4,700/min
Aluminum guards and housings, steel foot plate

Capacities

2-7/8 In. (73 mm) Max cut at 90°
2-1/4 In. (57 mm) Max cut at 45°
1-1/2 In. (38 mm) Max cut at 60°

Includes

24-tooth SKILSAW® Carbide Blade,
Multi-function Wrench (stored in foot)

SPT70V-11 16-5/16" MAGNESIUM SUPER SAWSQUATCH™ WORM DRIVE SAW



Features

- › **IMPRESSIVE DEPTH-OF-CUT**
To power through material up to 6-1/4 In.
- › **WORM DRIVE GEARING WITH ELECTRIC BRAKE**
Delivers relentless power for the biggest jobs
- › **MAGNESIUM DIE-CAST FOOTPLATE**
Ensures true cuts everytime
- › **IDEAL FOR 6X ONE PASS CUTTING**

Specifications

Ratings: 15A, 120V ≈ 60 Hz, n₀ 2,500/min
Magnesium guards, foot plate and gear housing
Dust Port Diameter: 1-7/8 In.

Capacities

6-1/4 In. (156 mm) Max cut at 90°
4-5/16 In. (109 mm) Max cut at 45°

Includes

32-Tooth SKILSAW® Carbide Blade,
with 1" Round Arbor, Adjustable Auxiliary
Handle, Multi-function Wrench (stored in foot),
Saw Stand





SPT55-11 16" WORM DRIVE SAWSQUATCH™ CARPENTRY CHAINSAW

Features

- › **14-1/4 IN. DEPTH OF CUT**
Powers through material in one pass
- › **WORM DRIVE GEARING WITH ELECTRIC BRAKE**
Delivers relentless power and proven durability
- › **FULL HOUSE CHAIN**
Provides fast and accurate cuts with unmatched precision
- › **IDEAL FOR ACCURATE LARGE CAPACITY CUTTING**

Specifications

Ratings: 15A, 120VAC, 60 Hz, n₀ 6,300/min
Chain: 56 Tooth Full House, Bar Length: 16 in. (406mm)

Capacities

14-1/4 In. (362mm) Depth of cut at 0°
8-3/4 In. (222mm) Depth of cut at 45°
5-1/2 In. (138mm) Depth of cut at 60°

Includes

SPT55 16 In. Worm Drive Sawsquatch™
Carpentry Chainsaw, SKILSAW 56T Full House Chain, 16 In. Guide Bar, Auxiliary Handle, Saw Stand, Chain Sheath



SPT70WM-01 10-1/4" MAGNESIUM SAWSQUATCH™ WORM DRIVE SAW

Features

- › **IMPRESSIVE DEPTH-OF-CUT**
Cuts 4X in one pass and tackles LVL, glulam, pine and PSL
- › **POWERFUL DUAL-FIELD™ MOTOR**
Increases torque with a larger motor for big cuts
- › **WORM DRIVE DURABILITY**
Combines Worm Drive gearing with all metal components for job-site durability
- › **IDEAL FOR 4X ONE PASS CUTTING**

DIABLO® BLADE CONFIGURATIONS:
SPT70WM-22, SPT70WM-72

Specifications

Ratings: 15A, 120V = 60 Hz, n₀ 4,700/min
Magnesium guards, foot plate and gear housing

Capacities

3-11/16 In. (93.6 mm) Max cut at 90°
2-3/4 In. (69.8 mm) Max cut at 45°
2-1/2 In. (63.5 mm) Max cut at 51°

Includes

40-tooth SKILSAW® Carbide Blade,
Multi-function Wrench (stored in foot),
Multi-position Handle



SPT67M8-01 7-1/4" LEFT BLADE SIDEWINDER™ CIRCULAR SAW

Features

- › **LEFT BLADE SIDEWINDER™**
Improves blade and cut line accuracy and visibility
- › **ALL MAGNESIUM CONSTRUCTION**
Reduces user fatigue and adds durability
- › **POWERFUL DUAL-FIELD™ MOTOR**
Increases cooling and extends tool life
- › **IDEAL FOR CUT-LINE VISIBILITY**

Specifications


Ratings: 15A, 120V = 60 Hz, n₀ 5,300/min
Magnesium guards & foot plate, resin housings

Capacities

2-7/16 In. (62 mm) Max cut at 90°
1-7/8 In. (47 mm) Max cut at 45°
1-1/2 In. (38 mm) Max cut at 56°

Includes

24-tooth SKILSAW® Carbide Blade,
Multi-function Wrench (stored in foot)



SPT67WM-22 7-1/4" MAGNESIUM SIDEWINDER™ CIRCULAR SAW

Features

- › **ALL MAGNESIUM CONSTRUCTION**
Reduces user fatigue and adds durability
- › **POWERFUL DUAL-FIELD™ MOTOR**
Increases cooling and extends tool life
- › **BEST-IN-CLASS TORQUE**
Improves productivity by increasing speed of cut
- › **IDEAL FOR FRAMING / FORMING**

Specifications

Ratings: 15A, 120V = 60 Hz, n₀ 5,300/min
Magnesium guards, magnesium foot plate, magnesium housing

Capacities

2-7/16 In. (62 mm) Max cut at 90°
1-7/8 In. (47 mm) Max cut at 45°
1-1/2 In. (38 mm) Max cut at 56°

Includes

24-tooth DIABLO® Carbide Blade,
Multi-function Wrench (stored in foot)



SPT67WMB-01 7-1/4" MAGNESIUM SIDEWINDER™ CIRCULAR SAW WITH BRAKE

Features

- › **ELECTRIC CONVENIENCE BRAKE**
Helps make repetitive cuts faster
- › **ALL MAGNESIUM CONSTRUCTION**
Reduces user fatigue and adds durability
- › **POWERFUL DUAL-FIELD™ MOTOR**
Increases cooling and extends tool life
- › **IDEAL FOR FRAMING / FORMING**

DIABLO® BLADE CONFIGURATIONS:
SPT67WMB-22

Specifications


Ratings: 15A, 120V ≈ 60 Hz, n₀ 5,300/min
Magnesium guards, magnesium foot plate, magnesium housing

Capacities

2-7/16 In. (62 mm) Max cut at 90°
1-7/8 In. (47 mm) Max cut at 45°
1-1/2 In. (38 mm) Max cut at 56°

Includes

24-tooth SKILSAW® Carbide Blade,
Multi-function Wrench (stored in foot)



SPT62MTC-22 12" DRY CUT SAW

Features

- › **COMPACT PORTABLE FRAME WEIGHING ONLY 38.2 LBS.**
Lightweight portability perfect for the shop or jobsite
- › **PROFESSIONAL 15 AMP MOTOR WITH LARGE CUTTING CAPACITY**
Stands up to jobsite applications
- › **SAW FEATURES CERMET-TIPPED BLADE TECHNOLOGY**
For weld ready and faster cuts than abrasive chop saws
- › **IDEAL FOR THICK GAUGE METAL**

Specifications

Ratings: 15A, 120V ≈ 60 Hz, n₀ 1,500/min
Aluminum guards & base, resin housing & handles

Capacities

4.53 In. (115 mm) Max cut @ 90° for round pipe
3.94 In. (100 mm) Max cut @ 90° for square stock
3.15 In. x 6.22 In. (80 mm x 158 mm) Max cut @ 90° for rectangular stock

Includes

60-tooth DIABLO® CERMET Carbide Blade, Wrench (stored in foot)



SPT67FMD-01 7-1/4" SIDEWINDER™ CIRCULAR SAW FOR FIBER CEMENT

Features

- › **UNIQUE DUST COLLECTION DESIGN**
Channels silica dust away from the tool motor for longer life
- › **SEALED BEARINGS AND DUST-RESISTANT SWITCH**
Protects the saw from silica dust for longer life
- › **NO-MARD CORD SLEEVE**
Keeps cord and hose out of the way
- › **IDEAL FOR FIBER CEMENT**

DIABLO® BLADE CONFIGURATIONS:
SPT67FMD-22

Specifications

Ratings: 15A, 120V ≈ 60 Hz, n₀ 5,300/min
Magnesium guards, magnesium foot plate

Capacities

2-7/16 In. (62 mm) Max cut at 90°
1-7/8 In. (47 mm) Max cut at 45°
1-1/2 In. (38 mm) Max cut at 56°

Includes

4-tooth SKILSAW® blade for Fiber Cement,
8 ft. Vacuum hose with nylon sleeve, 1.5 in. Vacuum hose adapter, 2.5 in. Vacuum hose adapter and Multi-function wrench (stored in foot)



SPT84-01 14" ABRASIVE CUT-OFF SAW

Features

- › **LIGHTEST WEIGHT CHOP SAW AT 34 LBS.**
Lightweight portability perfect for the shop or jobsite
- › **CUSTOM "D" HANDLE AND GUARD DESIGN**
Increases comfort and control
- › **STAMPED STEEL GUARDS AND CHIP DEFLECTOR**
Improved chip management and job-site durability
- › **IDEAL FOR THICK GAUGE METAL**

Specifications

Ratings: 15A, 120VAC, 60 Hz, n₀ 3,800/min
Steel Guards, Base & Vise, Die Cast Arm & Gear Housing, Resin Motor Housing & Handles

Capacities

5 in. (127 mm) Max Cut @ 90° for Round Pipe
4 1/2 in. (114 mm) Max Cut @ 90° for Square Stock
4 in. x 7 5/8 in. (101 mm x 193 mm) Max Cut @ 90° for Rectangular Stock

Includes

14 in. SKILSAW® Metal Cutting Abrasive Wheel, Wrench (stored in base)



SPT78MMC-01 8" OUTLAW™ WORM DRIVE FOR METAL

Features

- › **WORM DRIVE GEARING OPTIMIZED FOR METAL**
Balances torque and speed to cut through metal
- › **ONLY LEFT-BLADE SAW BUILT WITH SIGHT WINDOW**
Adds visibility to make accurate cuts
- › **LARGEST AVAILABLE CHIP TRAY**
Holds 33% more for improved productivity
- › **IDEAL FOR METAL FABRICATION**

DIABLO® BLADE CONFIGURATIONS:
SPT78MMC-22

Specifications

Ratings: 15A, 120V ≈ 60 Hz, n₀ 3,900/min
Magnesium Guards & Housings, Stainless Steel Foot, Resin Handles

Capacities

2-3/4 In. (70 mm) Max Cut at 90°

Includes

42-tooth SKILSAW® Carbide-tipped blade and Wrench (stored in foot)



SPT79-00 7" MEDUSAW™ WORM DRIVE FOR CONCRETE

Features

- › **FIRST WORM DRIVE CONCRETE SAW**
Delivers a complete concrete cutting system with worm drive power and durability
- › **CUT-READY™ ADJUSTABLE PLUNGE LOCK**
Quickly and easily sets straight plunge cuts
- › **WET/DRY DUST MANAGEMENT SYSTEM WITH GFCI PROTECTION**
Controls dust for cleaner cuts and longer tool life
- › **IDEAL FOR CONCRETE/MASONRY**
 - Decorative
 - New Scoring
 - Control Joints

Specifications

Ratings: 15A, 120V ≈ 60 Hz, n₀ 4,700/min
Aluminum guards, foot plate, housings

Capacities

2 In. (50.8 mm) Max cut at 90°

Includes

GFCI, Vacuum Adapter with Clamp (fits 1-7/8 In. and 2-1/2 In. hoses), Water Feed Assembly, Multi-Function Wrench (stored in foot)



SPT99T-01 8-1/4" PORTABLE WORM DRIVE TABLE SAW

Features

- › **LEGENDARY WORM DRIVE GEARING**
Maximum torque for ripping applications
- › **RACK AND PINION FENCE SYSTEM**
Make fence adjustments quickly and smoothly for accurate cuts
- › **POWERFUL AND COMPACT**
Cuts 3x with ease in a portable, lightweight design
- › **IDEAL FOR RIPPING**

Specifications

Ratings: 15A, 120VAC, 60 Hz, 5,300/min
All-metal roll cage design, die cast aluminum table top and rack & pinion fence

Capacities

2-5/8 in. (68 mm) Max cut at 90°
1-7/8 in. (48 mm) Max cut at 45°
25 in. Max rip capacity on right side of the blade

Includes

24-tooth SKILSAW® carbide blade for rip cutting, miter gauge, rack & pinion fence, smart guard system including anti-kick back device, insert plate, push stick, wrench



SPT79A-10 7" MEDUSA™ WALK BEHIND WORM DRIVE FOR CONCRETE

Features

- › **WORM DRIVE CONCRETE SAW**
Delivers a complete concrete cutting system with worm drive power and durability
- › **ADJUSTABLE HANDLE**
Extends to optimal height and folds for easy transport
- › **WET/DRY DUST MANAGEMENT SYSTEM WITH GFCI PROTECTION**
Controls dust for cleaner cuts and longer tool life
- › **IDEAL FOR CONCRETE/MASONRY**
 - New Scoring
 - Control Joints
 - Joint Repair
 - Cleanout

Specifications


Ratings: 15A, 120V = 60 Hz, 5,100/min
Aluminum guards, foot plate, housings

Capacities

2 in. (50.8 mm) Max cut at 90°

Includes

GFCI, Carry Bag, Triple Size Vacuum Adapter with Clamp (fits 3.5 cm, 1-7/8 in. and 2-1/2 in. hoses), Water Feed Assembly, Auxiliary Handle, Multi-Function Wrench (stored on foot)



SPT99-11 10" HEAVY DUTY WORM DRIVE TABLE SAW WITH STAND

Features

- › **3-1/2 IN. DEPTH OF CUT AND 30-1/2 IN. RIP CAPACITY**
Cuts through 4X for increased productivity
- › **PRECISION RACK AND PINION FENCE SYSTEM**
Makes fence adjustments quickly and smoothly for accurate cuts
- › **RUGGED ROLLING STAND WITH 16 IN. WHEELS**
Delivers unsurpassed mobility over stairs and rough job-site surfaces
- › **IDEAL FOR JOB-SITES**

DIABLO® BLADE CONFIGURATIONS:
SPT99-12

Specifications


Ratings: 15A, 120V = 60 Hz, 5,000/min
Steel roll-cage design, die cast table top and side extension

Capacities

3-1/2 in. (89 mm) Depth of cut at 90°
2-1/4 in. (58 mm) Depth of cut at 45°
30-1/2 in. Max Rip capacity on right side of the blade 16-1/2 in. Max Rip to Left of Blade

Includes

30-Tooth SKILSAW® Carbide Blade for rip cutting, Miter Gauge, Smart Guard system including anti-kick back device, Dust Elbow, Insert Plate, Push Stick, Wrench, Rip Fence



SPT88-01 12" WORM DRIVE DUAL BEVEL SLIDING MITER SAW

Features

- › **WORM DRIVE GEARING WITH ELECTRIC BRAKE**
Delivers relentless power and proven durability
- › **LIGHTWEIGHT**
Lightest-in-class weight, easy transportation
- › **SHADOW LIGHT**
LED light casts a shadow to accurately align with the cutline
- › **IDEAL FOR ACCURACY AND PORTABILITY**

DIABLO® BLADE CONFIGURATIONS:
SPT88-02

Specifications

Ratings: 15A, 120V = 60 Hz, 4,000/min
Arbor: 1 in. Diameter, Tool Weight: 51 lbs., Blade Diameter: 12 in.

Capacities

Max. Miter Angle: 60° right, 50° left
Max. Bevel Angle: 48° right and left
Miter Detents: 0°, 15°, 22.5°, 31.6°, 45° right and left, 60° right, 50° left Bevel Stops: 0°, 22.5°, 33.9°, 45°, 48° left and right

Includes

SKILSAW® 60 Tooth Carbide Blade, Left and Right Crown Stops with Fastening Knobs, Dust Bag, Dust Elbow, 2-size Allen Wrench, Miter Lock Knob, Clamp



SPT44-10 15 AMP HEAVY DUTY RECIPROCATING SAW

Features

- › **TOUGH 15 AMP MOTOR**
Provides more power for all applications
- › **PATENTED BUZZKILL™ TECHNOLOGY**
Delivers best in class in-line vibration suppression
- › **CONSTANT RESPONSE ELECTRONICS**
Supplies consistent power for the toughest cuts
- › **IDEAL FOR DEMOLITION**

Specifications

Ratings: 15A, 120V ~ 60 Hz, n₀ 0-2900 SPM

Capacities

1-1/4 In. (32 mm) Stroke length

Includes

15 Amp Heavy Duty Reciprocating Saw,
Carrying Case



SPT44A-00 13 AMP RECIPROCATING SAW

Features

- › **TOUGH 13 AMP MOTOR**
Provides power for all applications
- › **PATENTED BUZZKILL™ TECHNOLOGY**
Delivers best in class in-line vibration suppression
- › **VARIABLE SPEED TRIGGER**
Controls tool speed for cutting specialized materials
- › **IDEAL FOR DEMOLITION**

Specifications

Ratings: 13A, 120V ~ 60 Hz, n₀ 0-2800 SPM

Capacities

1-1/8 In. (28 mm) Stroke length

Includes

13 Amp Reciprocating Saw

OUR MOTORS ARE BUILT FOR SAWS


+ Dual Copper Windings

Increases copper surface area by 40% to keep the motor cool


+ Dependable Motor

Cooler running motor tackles the most difficult cuts

Dual-Field™ Motor OURS RUN COOLER



THEIRS RUN HOT Don't trust just any motor



SKIL®

CORDED TOOLS

Saws, Drills, Sanders &
Grinders; everything you
need to tackle any job.





TS6307-00 15 AMP 10" TABLE SAW

Features

- › **RACK AND PINION FENCE RAILS**
Ensures fence stays parallel to blade for fast, smooth, and accurate cuts
- › **INTEGRATED FOLDING STAND**
Legs quickly fold in to provide portability and convenient storage
- › **PARALLEL BLADE ALIGNMENT**
Available micro-adjustment of blade so that it is parallel to rip fence and miter slot
- › **4x4 CUTTING CAPACITY**
Cuts material up to 4x4 at 90 degrees
- › **-2-47° BEVEL CAPACITY**
Cuts between two positive stops at 0 and 45 degrees with quick release lever
- › **DUST PORT ELBOW**
Redirects dust to a container for easy cleanup

Specifications

Rating	15 Amps, 120V
Speed	4600 RPM
Blade Size	10"
Arbor Size	5/8"
Depth of Cut at 45°	2-1/2"
Depth of Cut at 90°	3-1/2"
Bevel Cut	-2° - 47°
Cord Length	6 ft

Includes

Table Saw with Integrated Folding Stand	Dust Port Elbow
Blade Guard	(2) Wrenches
Push Stick	Riving Knife/Spreader
Miter Gauge	Rip Fence
Anti Kick-Back Pawl	24T Blade



5180-01 7-1/4" CORDED CIRCULAR SAW

Features

- › **51° BEVEL WITH POSITIVE STOP AT 45°**
Greater cut capacity
- › **14 AMP 2.4 HP MOTOR**
Easily cuts through a variety of materials
- › **SPINDLE LOCK**
Fast, convenient blade changes
- › **CONTOURED MAIN HANDLE**
For comfort and control
- › **20 TOOTH CARBIDE BLADE**
Quick, quality cuts in common lumber and sheet goods
- › **POWER-ON INDICATOR LIGHT**

Specifications

Rating	14 Amps, 120V
RPM	5300
Max Cut Capacity	2-7/16 in. (61.9 mm)
Max Cut at 45°	1-15/16 in. (49.2 mm)
Tool Weight	7.2 lbs
Cord Length	6ft (1.8 m)

Includes

7-1/4" Circular Saw
20-Tooth Carbide Blade
Wrench



MS6305-00 10" DUAL BEVEL SLIDING MITER SAW

Features

- › **POWERFUL 15 AMP MOTOR**
Delivers 5,000 RPM for quick, detailed cuts
- › **DUAL BEVEL**
Perform cuts in four positive stop positions at 48° & 45° left, 0°, and 45° right
- › **LED SHADOW LINE**
Provides high precision cuts with greater accuracy than lasers
- › **2x12 CUTTING CAPACITY**
Cross cuts lumber up to 2x12 at 90 degrees, and 2x8 lumber at 45 degrees
- › **CUTS AT COMMON ANGLES**
Cuts up to 50 degrees left and right with 11 positive stops at most used angles
- › **SLIDE RAIL SYSTEM**
Linear bearings allow for smooth and accurate operation to cut

Specifications

Rating	15 Amps, 120V
Speed	4800 RPM
Blade Diameter	10"
Blade Arbor Size	5/8"
Max Miter Angle	50° Right, 50° Left
Max Bevel Angle	45° Right, 48° Left
Miter Detents Left	0°, 15°, 22.5°, 31.6°, 45°
Miter Detents Right	0°, 15°, 22.5°, 31.6°, 45°
Bevel Stops Left	0°, 45°, 48°
Bevel Stops Right	45°

Includes

Miter Saw	Miter Lock Knob
40T Carbide Blade	Carrying Handle
Dust Bag	(2) Carrying Handle Screws
Double-Ended Allen Wrench	Right Sliding Fence
Work Clamp	



5280-01 7-1/4" CORDED CIRCULAR SAW WITH LASER

Features

- › **51° BEVEL WITH POSITIVE STOP AT 45°**
Greater cut capacity
- › **SPINDLE LOCK**
Fast, convenient blade changes
- › **CONTOURED MAIN HANDLE**
For comfort and control
- › **24 TOOTH CARBIDE BLADE**
Quick, quality cuts in common lumber and sheet goods
- › **SAFETY LOCKOUT GUARDED TRIGGER**
Protects against accidental starts
- › **SINGLE BEAM LASER**

Specifications

Rating	15 Amps, 120V
RPM	5300
Laser	Class IIIa, 650 nm, < 5 mw
Max Cut Capacity	2-7/16 in. (61.9 mm)
Max Cut at 45°	1-15/16 in. (49.2 mm)
Tool Weight	8.7 lbs
Cord Length	6ft (1.8 m)

Includes

7-1/4" Circular Saw
24-Tooth Carbide Blade
Wrench
Carrying Bag



5080-01 13 AMP 7-1/4" CIRCULAR SAW

Features

- › **51° BEVEL WITH POSITIVE STOP AT 45°**
Greater cut capacity
- › **13 AMP 2.3 HP MOTOR**
Easily cuts through a variety of materials
- › **SPINDLE LOCK**
Fast, convenient blade changes
- › **CONTOURED MAIN HANDLE**
For comfort and control
- › **18 TOOTH CARBIDE BLADE**
Quick, quality cuts in common lumber and sheet goods

Specifications

Rating	13 Amps, 120V
RPM	5300
Max Cut Capacity	2-7/16 in. (61.9 mm)
Max Cut at 45°	1-15/16 in. (49.2 mm)
Tool Weight	7.0 lbs
Cord Length	6ft (1.8 m)

Includes

7-1/4" Circular Saw
18-Tooth Carbide Blade
Wrench



RT1322-00 14 AMP PLUNGE AND FIXED BASE DIGITAL ROUTER

Features

- › **SPEED CONTROL LCD DISPLAY**
Lets you select the bit type and material for suggested speed settings based on the task at hand
- › **ELECTRONIC FEEDBACK**
Ensures motor maintains RPM while the material is being routed
- › **SOFT START**
Provides a safe and controlled start to routing
- › **LIVE TOOL INDICATOR**
Stay safe and alert with an indicator that lights up when plunge router is connected to power
- › **FAST AND ACCURATE SET-UP**
Three coarse depth settings with micro-depth adjustment makes fast and accurate depth adjustments

Specifications

Rating	14 Amps, 2.5 HP
Speed	10,000 - 25,000 RPM
LCD Screen	1" x 1.5"
Fixed Base	3 Depth of Cut Positions, Each with Micro Adjustment up to 1-1/4"
Plunge Base Depth of Cut Adjustment	2"
Fixed Base Diameter	6"
Plunge Base Diameter	6-11/16"

Includes

Router with Fixed and Plunge Base	Plunge Base Dust Extraction Adaptor
Parallel Guide	Collet Wrench
Fixed Base Dust Extraction Adaptor	1/4" and 1/2" Collet



RT1323-00 10 AMP FIXED BASE ROUTER

Features

- › **SOFT START**
Provides a safe and controlled start to routing
- › **SPEED CONTROL**
Lets you adjust speed based on the material
- › **LIVE TOOL INDICATOR**
Stay safe and alert with an indicator that lights up when the router is connected to power
- › **DURABLE & ERGONOMIC**
Die-cast motor housing and shaped handles provide superior grip and control
- › **FAST AND ACCURATE SET-UP**
Three coarse depth settings with micro-depth adjustment makes fast and accurate depth adjustments

Specifications

Rating	10 Amps, 1-3/4 HP
Speed	10,000 - 25,000 RPM
Input	120V, 60HZ
Depth of Cut Adjustment	1-3/4"
Fixed Base Diameter	6"
Sub-Base Opening	1-1/4"
Tool Size	10"x 6" x 9-1/4" (255 x 152 x 235 mm)

Includes

- Router
- Parallel Guide
- Collet Wrench
- Dust Extraction Adaptor
- 1/4" and 1/2" Collet



9206-02 7.5 AMP VARIABLE SPEED RECIPROCATING SAW

Features

- › **HEAVY-DUTY METAL GEAR HOUSING**
For increased life and durability
- › **TOOL-LESS BLADE CHANGE**
For easy blade changes
- › **PIVOTING FOOT**
Provides stability when cutting through materials
- › **COUNTER BALANCE**
For vibration control
- › **POWERFUL 7.5 AMP MOTOR**
Power to get the job done

Specifications

Rating	7.5 Amps, 120V
Stroke	1-1/8" (29 mm)
Speed	800-2700 SPM
Tool Size	20.8" x 6" x 3.8" (528 x 152 x 96 mm)
Weight	8 lbs (3.6 Kg)

Includes

- Reciprocating Saw
- Wood Blade
- Allen Key



JS313101 5 AMP CORDED JIGSAW

Features

- › **4 ORBITAL SETTINGS**
For smooth cuts on a variety of materials
- › **TOOL-LESS BLADE CLAMP**
Fast and secure changes of T or U shank blades
- › **DUST BLOWER SWITCH**
Keeps cut line clear of dust
- › **VARIABLE SPEED TRIGGER WITH LOCK-ON**
For continuous cutting
- › **5 AMP MOTOR**
Powerful for many applications
- › **BASE ADJUSTMENT BEVELING**
Cut at different angles

Specifications

Rating	5 Amps, 120V
Speed	0-3000 SPM
Stroke Distance	3/4" (18 mm)
Bevel Capacity	0° ± 45°
Blade Type	T & U Shank
Tool Size	9-1/3" x 3" x 8-1/8" (237 x 77.6 x 206.5 mm)

Includes

- Jig Saw
- Wood Blade
- Metal Blade
- Allen Key



9216-01 9 AMP VARIABLE SPEED RECIPROCATING SAW

Features

- › **HEAVY-DUTY METAL GEAR HOUSING**
For increased life and durability
- › **TOOL-LESS BLADE CHANGE**
For easy blade changes
- › **POWERFUL 9 AMP MOTOR**
Ample power for the job
- › **COUNTER BALANCE**
For vibration control
- › **POWER-ON INDICATOR**
For safety and convenience

Specifications

Rating	9 Amps, 120V
Stroke	1-1/8 in. (29mm)
Variable Speed	800 to 2700 SPM
Weight	7.2 lbs

Includes

- Reciprocating Saw
- Wood Cutting Blade



JS314901 6 AMP CORDED JIGSAW

Features

- › **4 ORBITAL SETTINGS**
For smooth cuts on a variety of materials
- › **TOOL-LESS BLADE CLAMP**
Fast and secure changes of T or U shank blades
- › **DUST BLOWER SWITCH**
Keeps cut line clear of dust
- › **VARIABLE SPEED TRIGGER WITH LOCK-ON**
For continuous cutting
- › **6 AMP MOTOR**
Powerful for many applications
- › **TOOL-LESS BASE ADJUSTMENT BEVELING**
Cut at different angles
- › **HALO LIGHT™**
Provides 10X more light than common LEDs

Specifications

Rating	6 Amps, 120V
Speed	800-3200 SPM
Stroke Distance	7/8" (23 mm)
Bevel Capacity	0° ± 45°
Blade Type	T & U Shank
Tool Size	10.23" x 2.9" x 8.4" (260 x 74 x 214 mm)

Includes

- Jig Saw
- Wood Blade
- Metal Blade



DL181901 7.5 AMP 1/2" CORDED DRILL

Features

- › **1/2" HEAVY-DUTY METAL CHUCK**
Accepts large diameter bits for heavy duty jobs
- › **POWERFUL 7.5 AMP MOTOR**
Tackle tough applications
- › **VARIABLE SPEED TRIGGER**
For increased control
- › **SIDE-ASSIST HANDLE**
With depth rod for increased control in high torque applications
- › **LOCK-ON BUTTON**
For extended drilling
- › **SOFT-GRIP HANDLE**
For added comfort

Specifications

Rating	7.5 Amps, 120V
Chuck Size	1/2" Keyed
Speed	0-950 RPM
Cord Length	6ft (1.8 m)
Tool Size	14" x 3" x 8-5/8" (355 x 77 x 220 mm)

Includes

- Drill
- Side Handle
- Depth Gauge
- Chuck Key



HD182001 7.5 AMP 1/2" CORDED HAMMER DRILL

Features

- › **1/2" HEAVY-DUTY METAL CHUCK**
Accepts large diameter bits for heavy duty jobs
- › **POWERFUL 7.5 AMP MOTOR**
Tackle tough applications
- › **VARIABLE SPEED TRIGGER**
For increased control
- › **SIDE-ASSIST HANDLE**
With depth rod for increased control in high torque applications
- › **LOCK-ON BUTTON**
For extended drilling
- › **SOFT-GRIP HANDLE**
For added comfort
- › **2-IN-1 DRILLING FUNCTION**
Easily switch between drilling and hammer drilling

Specifications

Rating	7.5 Amps, 120V
Chuck Size	1/2" Keyed
Speed	0-3000 RPM
Cord Length	6ft (1.8 m)
Impact Rate	0-48000 IPM
Tool Size	12-5/8" x 3" x 8-7/8" (319 x 77 x 226 mm)

Includes

- Hammer Drill
- Side Handle
- Depth Gauge
- Chuck Key



PL201201 6.5 AMP 3-1/4 IN. PLANER

Features

- › **DUAL DUST PORTS**
Keeps the workspace free of saw dust for better visibility
- › **ON-BOARD WRENCH STORAGE**
Always have the wrench in reach
- › **LOCK OFF SAFETY SWITCH**
Prevents unintended start ups
- › **SMOOTH KICKSTAND**
Prevents blade from scratching finished surfaces

Specifications

Rating	6.5 Amps, 120V
Blade Width	3-1/4"
Speed	16000 RPM
Max Cutting Depth in Single Pass	5/64"
Depth Adjustment Amount	1/128"
Max Rabbet Depth	5/16"
Cord Length	6 ft
Tool Size	11.6" x 6.4" x 6.9"

Includes

- | | |
|----------------|--------------|
| Planer | Spanner |
| Parallel Guide | Rabbet Fence |
| Dust Bag | Adaptor |



6239-01 5.5 AMP 3/8" CORDED DRILL

Features

- › **KEYLESS CHUCK**
For fast and easy bit changes
- › **NON-SLIP BUMPERS**
For surface and tool protection
- › **FORWARD / REVERSE OPERATION**
For ease of use
- › **SOFT GRIP**
For better balance and control
- › **HORIZONTAL BUBBLE LEVEL**
For precise and accurate drilling
- › **5.5 AMP MOTOR**
Powerful motor ideal for tough applications

Specifications

Rating	5.5 Amps, 120V
Speed	0-2700 RPM
Chuck	3/8", 2 Sleeve Keyless
Cord Length	6ft (1.8 m)

Includes

- Drill



7510-01 3 X 18" 6 AMP BELT SANDER

Features

- › **MICRO-FILTRATION CANISTER**
Captures and contains fine dust particles
- › **PRESSURE CONTROL TECHNOLOGY**
Monitors sanding belt pressure applied for optimal results
- › **AUTO-TRACK SYSTEM**
Keeps belt centered on track
- › **TRIGGER LOCK-ON**
- › **SINGLE LEVER BELT CHANGES**

Specifications

Rating	6 Amps, 120V
Belt Speed	1050 SFPM
Belt Size	3 x 18 in. (76 mm x 457 mm)
Vacuum Port	Fits 1-1/4" Hose
Weight	6.4 lbs

Includes

- Belt Sander
- 3 x 18 in. 80 Grit Sanding Belt
- Clear-View Dust Canister



6335-02 7 AMP 1/2" CORDED DRILL

Features

- › **POWERFUL 7.0 AMP MOTOR**
For tough applications
- › **1/2" KEYED CHUCK**
To accept large diameter bits designed for woodworking and cutting
- › **SIDE-ASSIST HANDLE**
For controlled, accurate drilling
- › **VARIABLE SPEED TRIGGER**
Lets you control drilling speed
- › **HORIZONTAL BUBBLE LEVEL**
For precise drilling and driving
- › **2-FINGER TRIGGER WITH LOCK-ON**
For increased control

Specifications

Rating	7.0 Amps
Speed	0-950 RPM
Chuck	1/2" Keyed
Cord Length	8ft

Includes

- Drill



SR232301 CORDED MULTI-FUNCTION DETAIL SANDER

Features

- › **LOW VIBRATION**
Its ergonomic design, soft rubber grip, and counterweight balance reduce hand fatigue from vibration
- › **HOOK & LOOP SYSTEM**
For simple and quick sanding sheet changes
- › **MULTI-FUNCTION**
Comes with additional detail attachments for fine finishing large surfaces, corners, edges, and hard to reach areas
- › **MICRO-FILTRATION SYSTEM**
Captures and contains fine dust particles
- › **1.2 AMP MOTOR**
Delivers a smooth performance over a variety of sanding applications with 13,500 OPM

Specifications

Rating	1.2 Amps, 120V
Pad Size	4" x 5-3/4"
Speed	13500 OPM
Sandpaper Attachment Method	Hook & Loop
Tool Size	7-7/8" x 4" x 5-5/8"

Includes

- Multi-Sander
- 12pcs 120 Grit Sandpaper
- Dust Canister
- Finger Attachment
- Louver Attachment
- Unique Flexible Attachment



SR211601 5" CORDED RANDOM ORBITAL SANDER

Features

- › **VARIABLE SPEED CONTROL**
Provides the right amount of power and control across different materials
- › **DUST SEALED POWER SWITCH**
For extended tool life
- › **X-FLOW DUST COLLECTOR**
Collects dust using cyclone force into an easy-to-empty transparent container
- › **LOW VIBRATION**
Its ergonomic design, soft rubber grip, and counterweight balance reduce hand fatigue from vibration
- › **2.8 AMP MOTOR**
Delivers a smooth performance over a variety of sanding applications with 13,000 OPM

Specifications

Rating	2.8 Amps, 120V
Pad Size	5"
Speed	7,000-13,000 OPM
Sandpaper Attachment Method	Hook & Loop
Tool Size	7-7/8" x 4-4/5" x 5-1/2"

Includes

- Random Orbital Sander
- 3pcs 120 Grit Sandpaper
- Dust Canister



AG242001 8 AMP 5" CORDED ANGLE GRINDER

Features

- › **3-POSITION SIDE HANDLE WITH WRENCH STORAGE**
Allows for greater control
- › **HEAVY-DUTY METAL GEAR HOUSING**
For increased life and durability
- › **TOOL-LESS GUARD ADJUSTMENT**
For quick guard changes
- › **POWERFUL 8 AMP MOTOR**
Power to get the job done
- › **FITS 5" DISCS**
- › **PADDLE SWITCH CONTROLS**

Specifications

Rating	8 Amps, 120V
Speed	12,000 RPM
Disc Size	5" (125 mm)
Cord Length	6ft (1.8 m)
Tool Size	14" x 5-11/16" x 4-7/16" (356 x 144 x 112 mm)
Weight	4.85 lbs (2.2 kg)

Includes

- Angle Grinder
- Grinding Disc
- Wrench Storage Handle
- Grinding Guard
- Wrench



7292-02 1/4 SHEET SANDER WITH PRESSURE CONTROL

Features

- › **DUST SEALED SWITCH**
For extended tool life
- › **PRESSURE CONTROL TECHNOLOGY**
Helps to produce professional results
- › **MICRO-FILTRATION CANISTER**
Captures and contains fine dust particles
- › **BUILT-IN VACUUM ADAPTER**

Specifications

Rating	2 Amps, 120V
Speed	14,000 OPM
Vacuum Port	Fits 1-1/4" Hose
Weight	2.6 lbs

Includes

- 1/4 Sheet Palm Sander
- Paper Punch Plate
- 2 Sheets of Abrasive Paper



9295-01 4-1/2" ANGLE GRINDER

Features

- › **3-POSITION SIDE HANDLE WITH WRENCH STORAGE**
Allows for greater control
- › **HEAVY-DUTY METAL GEAR HOUSING**
For increased life and durability
- › **TOOL-LESS GUARD ADJUSTMENT**
For quick guard changes
- › **POWERFUL 6 AMP MOTOR**
Power to get the job done

Specifications

Rating	6 Amps, 120V
Speed	11,000 RPM
Disc Size	4-1/2" (115 mm)
Cord Length	6ft (1.8 m)
Tool Size	10-3/4" x 5" x 4-3/8" (272 x 126 x 108mm)
Weight	4.65 lbs (2.11 kg)

Includes

- Angle Grinder
- Grinding Disc
- Side Handle
- Wrench



SR250801 CORDED DETAIL SANDER

Features

- › **DUST SEALED ON/OFF SWITCH**
For control and durability
- › **VIBRATION CONTROL**
Counterweight balance minimizes vibration
- › **HOOK & LOOP ATTACHMENT**
Quick and easy sanding sheet changes
- › **COMPACT & LIGHTWEIGHT**
Use for a variety of detail applications
- › **MICROFILTRATION DUST CANISTER**
Captures fine dust particles

Specifications

Rating	120V, 1.0A
Speed	12,000 OPM
Pad Size	4"x 5-3/4" (102 x 146 mm)
Dust Port	Fits 1-1/4" Vacuum Hose
Weight	1.77 Lbs (0.8 Kg)

Includes

- Detail Sander
- 3pcs 120 Grit Sand Paper
- Dust Box



9295-02 6 AMP 4-1/2" ANGLE GRINDER

Features

- › **3-POSITION SIDE HANDLE WITH WRENCH STORAGE**
Allows for greater control
- › **HEAVY-DUTY METAL GEAR HOUSING**
For increased life and durability
- › **TOOL-LESS GUARD ADJUSTMENT**
For quick guard changes
- › **POWERFUL 6 AMP MOTOR**
Power to get the job done

Specifications

Rating	6 Amps, 120V
Speed	11,000 RPM
Disc Size	4-1/2" (115 mm)
Cord Length	6ft (1.8 m)
Tool Size	10-3/4" x 5" x 4-3/8" (272 x 126 x 108 mm)
Weight	4.65 lbs (2.11 kg)

Includes

- Angle Grinder
- 3 pcs. Grinding Discs
- Side Handle
- Wrench
- Soft Bag



3540-02 7" WET TILE SAW

Features

- › **STAINLESS STEEL TABLE TOP**
Resistant to corrosion
- › **ADJUSTABLE RIP FENCE WITH MITER GAUGE**
For accurate straight and miter cuts
- › **BEVEL CUTS TILE FROM 0 TO 45 DEGREES**
Flexibility for dierent cut types
- › **7 IN. CONTINUOUS RIM DIAMOND BLADE**
Provides fast and smooth cutting
- › **BLADE COOLING WATER RESERVOIR**
Keeps blade cool and minimizes dust and debris

Specifications

Rating	4.2 Amps, 120V
Speed	3600 RPM
Blade	7" Diameter Diamond
Bevel Stops	0° and 45°
Miter Gauge	0° to 45°
Weight	18 lbs

Includes

- Wet Tile Saw
- 7" Diamond Blade
- Blade Guard
- Blade Wrenches



3320-01 10" DRILL PRESS

Features

- › **1/2-INCH KEYED CHUCK**
Bump-off switch for added safety
- › **5 SPEEDS**
570 - 3,050 RPM
- › **ADJUSTABLE DEPTH STOP**
For accurate measurements and repetitive drilling
- › **LASER X 2 2-BEAM LASER**
For precise hole alignment
- › **0-45 DEGREE LEFT/RIGHT TILTING WORK SURFACE**

Specifications

Rating	3.2 Amps, 120V
Chuck	1/2" Metal Keyed Chuck
5 Speed Settings	570-3050 RPM
Tilting Work Surface	0°-45° Left, 0°-45° Right
Drilling Capacity	10"
Table Size	7-5/8"
Weight	52.3 lbs.

Includes

- 10" Drill Press
- Motor Unit
- Cast Iron Base and Work Table
- (2) AA Batteries
- Chuck Key



3550-02 7" WET TILE SAW WITH HYDRO LOCK SYSTEM

Features

- › **HYDRO LOCK WATER CONTAINMENT SYSTEM**
Keeps water contained near the blade and reduce clean-up time
- › **SLIDING SIDE EXTENSION**
Provides support for tiles up to 18 x 18 in.
- › **ALUMINUM TABLE TOP**
Durable, rust-resistant surface
- › **ADJUSTABLE RIP FENCE WITH MITER GAUGE**
For accurate straight and miter cuts
- › **BEVEL CUTS TILE AT 0, 22.5 AND 45 DEGREES**
Gives flexibility for different cut types

Specifications

Rating	5 Amps, 120V
Speed	3600 RPM
Blade Size	7"
Bevel Stops	0°, 22.5°, 45°
Max Tile Size	18" x 18"
Miter Angle	0°-45°
Weight	18 lbs.

Includes

- 7" Wet Tile Saw
- 7" Diamond Blade
- Blade



3335-07 16" SCROLL SAW

Features

- › **INTEGRATED DUST REMOVAL SYSTEM**
Keeps cutline free of debris
- › **ARTICULATING LED WORKLIGHT**
Ensures that the work piece is clearly lit.1.5 in. dust port keeps work area clear of dust
- › **ELECTRONIC VARIABLE SPEED CONTROL**
Helps cut a variety of materials
- › **TILTING 16" X 10" WORK TABLE**
Tilts 0-45 degrees for precise
- › **16" THROAT**
Allows for cutting thicker pieces

Specifications

Rating	1.2 Amps, 120V
Speed	500-1700 RPM
Max Thickness of Cut	2-1/2"
Table Size	16" x 10"
Cutting Stroke	7/8"
Blade Length	5"
Bevel	0°-45°
Throat Capacity	16"
Dust Port	1-1/2"
Tool Size	26" x 14.5" x 14.5"
Weight	29.5 lbs.

Includes

- Scroll Saw
- (2) Blades



3601-02 7 AMP FLOORING SAW

Features

- › **CUTS SOLID, ENGINEERED AND LAMINATE FLOORING WITH EASE**
- › **MAKES CROSS, MITER AND RIP CUTS**
- › **LIGHTWEIGHT DESIGN FOR TRANSPORT AND USE AT ANY PROJECT LOCATION**
- › **MITER DETENTS AT 0, 22.5 AND 45 DEGREES**

Specifications

Rating	7 Amps, 120V
Speed	11,000 RPM
Blade	4-3/8 in. 36 T carbide tipped blade

Includes

- Flooring Saw
- 4-3/8" 40-Tooth Carbide-Tipped Contractor
- Blade Self-Aligning Rip/Miter Fence
- Blade Wrench
- Clamp
- Push Stick



3376-01 4" X 36" BELT/DISC SANDER

Features

- › **TWO-IN-ONE SANDING STATION**
For sanding a variety of lengths and angles
- › **BEVELING TABLE TOP**
Allows for sanding 45-90 degrees
- › **BELT ANGLE ADJUSTMENT**
Allows for sanding 0-90 degrees
- › **TENSION SPRING ADJUSTMENT**
For secure belt tracking
- › **BASE WITH PRE-DRILLED HOLES**
For quick and easy mounting to a bench top

Specifications

Rating	4.3 Amps, 120V
Speed	0-3450 RPM
Disc Size	6"
Belt Size	4" x 36"
Belt Tilt	0°-45°
Belt Table Tilt	45°-90°
Belt Table Dimensions	6" x 4"
Disc Table Tilt	0°-45°
Disc Table Dimen-sions	6" x 4"

Includes

- Belt Disc Sander
- 6" Abrasive Disc
- 4" x 36" Abrasive Belt
- Miter Gauge
- Adjustment Wrenches



3380-01 6" BENCH GRINDER

Features

- › **MEDIUM AND COARSE WHEELS**
For a variety of materials
- › **2.1 AMP MOTOR**
With 3,450 RPM
- › **BUILT-IN LED WORK LIGHTS**
Over both wheels
- › **ADJUSTABLE TOOL RESTS**
For accurate grinding
- › **RUBBER FEET**
Provides increase stability

Specifications

Rating	2.1 Amps, 120V
Speed	3450 RPM
Wheel Size	6" (150mm)
Tool Size	11" x 14.75" x 8" (279 x 375 x 203mm)

Includes

6" Bench Grinder with Light



3386-01 9" BAND SAW

Features

- › **RIP FENCE**
For straight, accurate cuts
- › **6-TPI BAND SAW BLADE**
Cuts through a variety of wood materials
- › **ARTICULATING LED WORK LIGHT**
For better view of work piece and cut-line
- › **1-1/2-INCH DUST PORT**
Keeps work area clear of dust
- › **RACK AND PINION TABLE ADJUSTMENT**
For quick angle and height adjustment
- › **1-SPEED MOTOR**
For wood or metal based materials

Specifications

Rating	2.5 Amps, 120V
Speed	2800 SFPM
Cutting Capacity	3.5"
Throat Capacity	9"
Table Dimension	12" x 11-3/4"
Blade Type	1/8" to 3/8" x 59-1/4" to 59-1/2"
Weight	31.3 lbs.

Includes

120V 9" Band Saw with Light
Blade
Miter Gauge
Rip Fence



RAS900 ROUTER TABLE

Features

- › **EFFICIENT COMPACT DESIGN**
Allows quick and easy set-up, table components store on board
- › **STARTER PIN AND GUARD**
Offers support for routing curved workpieces
- › **MITER GAUGE WITH T-BAR**
Provides support for angle cuts and narrow workpieces
- › **2-1/2 IN. ID DUST PORT**
Use with shop vacuum to keep work area clean
- › **BIT HEIGHT GAUGE**
Helps with bit set-up for accurate cuts
- › **TALL FENCE WITH ADJUSTABLE MDF FENCE FACES**
For common routing applications, also features out feed shims for jointing
- › **SMOOTH LAMINATED MDF TOP**
Workpiece moves easily along surface

Specifications

Dual Outlet Power Strip Rating	15 Amps, 125V
Miter Gauge T Slot	3/4" Wide x 3/8" Deep
Dust Port Inner Diameter	2-1/2"
Bits Allowed	Up to 2-1/2" Diameter

Includes

Router Table
(2) 1/16 in. Outfeed Fence Shims
(3) Bit Insert Rings
Miter Gauge
(2) Featherboards
Started Pin and Guard
Bit Height Gauge
Instruction Manual





LASERS & LEVELS

Quickly and accurately align your work with everything you need from distance measuring to leveling tools.

- › Self Leveling
- › Rechargeable Lithium Ion Battery
- › Green Lasers for Better Visibility
- › Highly Accurate



LL932401 SELF-LEVELING GREEN CROSS LINE LASER WITH PROJECTED MEASURING MARKS

Features

- › **PROJECTS UP TO 65FT.**
Projects bright green horizontal and vertical lines onto surfaces plus includes projected measuring marks
- › **PROJECTED MEASURING MARKS**
Measuring marks cross the horizontal and vertical lines at even intervals and make it easy to tackle jobs that require equal spacing—like painting stripes or hanging multiple pictures or shelves. Change the spacing by moving the tool closer or further away
- › **INCLUDES CLAMP AND CASE**

Specifications

Working Range	Up to 65 ft
Laser Type	Class II, 520 nm, <1 mW
Power Supply	3.7V, 1.2 Ah Li-ion Battery
Accuracy	± 3/16 in. at 30 ft
Clamp Thread	1/4" -20 UNC

Includes

- Green Beam Compact Self-Leveling Cross Line Laser with Projected Measuring Marks
- Clamp
- USB Charging Cable
- Soft Bag



LL932201 SELF-LEVELING 360 DEGREE RED CROSS LINE LASER

Features

- › **SELF-LEVELING**
Laser level automatically levels to cuts out any guesswork
- › **PROJECT UP TO 65FT.**
Project a bright red continuous horizontal line, around a room, up to 65 ft., for projects like installing molding, cabinets, and more
- › **PROJECT LINES AT ANY ANGLE**
Locking mode for projects where your lines are not level or plumb, like a diagonally tiled backsplash
- › **CONVENIENT CHARGING**
The Integrated Rechargeable Lithium-Ion battery has a convenient micro-USB charging port
- › **TRIPOD & CASE INCLUDED**
Tripod adjusts to a max height of 3½ ft.; position on the floor or table

Specifications

Working Range	Up to 65 ft in Dia.
Laser Type	Class II, 635 nm, <1 mW
Accuracy	± 3/16 in. at 30 ft
Power Supply	Integrated Li-ion Battery, Micro-USB Charging Port
Tripod Thread (On Base)	1/4" -20 UNC

Includes

- Self-leveling 360 Degree Red Cross Line Laser
- Soft Bag
- 43" Tripod
- USB Charging Cable



LL9322G-01 SELF-LEVELING 360 DEGREE GREEN CROSS LINE LASER WITH TRIPOD

Features

- › **PROJECTS UP TO 100 FEET**
Laser projects a bright green cross line laser with a 360 horizontal laser that goes all the way around a room
- › **SUPERIOR VISIBILITY**
The bright green laser lines offer improved visibility for ease of measuring
- › **SELF-LEVELING**
Laser level automatically levels to cut out any guesswork
- › **CONVENIENT CHARGING**
The Integrated Rechargeable Lithium-Ion battery has a micro-USB charging port with indicators displaying the battery's life
- › **TRIPOD INCLUDED**
The adjustable tripod can be raised up to a max height of 3-1/2 ft. and lets you securely position the tool on the floor or a table

Specifications

Laser Visibility	100ft (30m)
Laser Accuracy	±3/16" at 30ft (±0.5mm/m)
Laser Type	Green Beam, 520nm, Class 2, <1mW
Mounting Thread	1/4" -20 UNC
Tool Size	3.78" x 2.87" x 4.21" (96 x 73 x 107mm)

Includes

- Self-leveling 360 Degree Green Cross Line Laser
- Soft Bag
- 43" Tripod
- USB Charging Cable



LL932301 SELF-LEVELING RED CROSS LINE LASER

Features

- › **PROJECTS UP TO 50FT.**
Projects a bright red horizontal and vertical line onto surfaces to align and install projects like cabinets, trim, or chair rail molding
- › **SELF-LEVELING**
Automatically levels to cut out any guesswork
- › **CONVENIENT CHARGING**
Integrated Rechargeable Lithium-Ion battery has a convenient micro-USB charging port
- › **INCLUDES CLAMP AND CASE**

Specifications

Working Range	Up to 50 ft
Laser Type	Class II, 635 nm, <1 mW
Power Supply	3.7V, 1.2 Ah Li-ion Battery
Accuracy	± 3/16 in. at 30 ft
Clamp Thread	1/4" -20 UNC

Includes

- Red Beam Compact Self-leveling Cross Line Laser
- Clamp
- USB Charging Cable
- Soft Bag



LL9324G-01 SELF-LEVELING GREEN CROSS LASER WITH CLAMP

Features

- › **PROJECTS UP TO 65 FT.**
This laser level tool projects a bright green horizontal and vertical line onto surfaces to align and install projects like cabinets or trim
- › **SUPERIOR VISIBILITY**
The bright green laser lines offer superior visibility
- › **SELF-LEVELING**
Automatically levels to cut out any guesswork
- › **CONVENIENT CHARGING**
The Integrated Rechargeable Lithium-Ion battery has a convenient micro-USB charging port and indicators that show when the battery is running low
- › **CLAMP INCLUDED**
Attaches to the top or bottom of the laser for easy, secure placement

Specifications

Power Supply	3.7V, 1.2 Ah Li-ion Battery
Working Range	65ft (20m)
Laser Accuracy	±3/16 in at 30ft (±0.5mm/m)
Laser Type	Green Beam, 520nm, Class 2, <1mW
Mounting Thread	1/4" -20 UNC
Tool Size	2.8" x 2.4" x 3" (71 x 67 X 77mm)

Includes

- Green Self-leveling Cross Line Laser
- Clamp
- USB Charging Cable
- Soft Bag



8101-SL MULTI-FUNCTIONAL LINE LASER

Features

- › **BRIGHT LASER LINE**
Leveling made easy
- › **TWO BACKLIT BUBBLE VIALS**
Easily level the tool
- › **MAGNET ACCESSORY**
Attaches the tool to any metal surface
- › **ADHESIVE PUTTY**
Attaches tool to drywall, wood, and other surfaces
- › **PROTRACTOR ACCESSORY**
For tile and floor aligning projects

Specifications

Laser Type	Class II, 635 nm
Max Output	1 mW
Power Supply	3 x AG13 button cell
Accuracy	± 1/4-in at 10 ft (deviation of ± 10 mm at 5 m)

Includes

- Protractor Accessory
- Magnet Accessory
- Button Cell Batteries
- Adhesive Putty



ME981901 100FT. LASER DISTANCE MEASURER & LEVEL

- Features**
- › **THREE WAYS TO MEASURE**
Laser measures distance, area, or in real time up to 100 feet
 - › **DIGITAL LEVELING MODE**
Digital accuracy with real-time arrow guidance
 - › **INDIRECT MEASURING**
Calculates distances past obstacles
 - › **HOLD FEATURE**
Save readings for later reference
 - › **RECHARGEABLE LITHIUM-ION BATTERY**
Easily charge via a micro USB port

Specifications

Measuring Range	Up to 100ft.
Distance Measuring Accuracy	±1/8"
Angle Measuring Accuracy	±0.5°
Units	Metric and Imperial

- Includes**
- 100ft Laser Measurer & Digital Level
 - Bag
 - Micro-USB Charging Cord



LV941901 24" DIGITAL LEVEL

- Features**
- › **HIGH-CONTRAST BLUE VIALS**
Easy to see and accurate
 - › **DIGITAL LCD SCREEN**
Backlit for easy reading
 - › **LEVEL INDICATORS**
Real-time leveling guidance
 - › **MEMORY FEATURE**
Store values for reference
 - › **MAGNETIC EDGE**
For easy one-handed use

Specifications

Digital Screen	High Visibility
Blue Vials	High Contrast
Accuracy of Digital Angle	±0.2°
Angle Indication	Degrees, in/ft, mm/m and %
Power Supply	2 AAA Batteries
Length	24" Excluding Endcaps

- Includes**
- 24" Digital Level
 - Bag
 - 2 AAA Batteries



ME9821-00 65FT. LASER MEASURER WITH WHEEL

- Features**
- › **POINT & CLICK LASER DISTANCE MEASURING**
Measure distances up to 65 feet, use continuous measuring to find a target distance, and calculate area on the fly
 - › **WHEEL MEASURING MODE**
Easily measure uneven and curved surfaces with wheel measuring
 - › **BACKLIT LCD SCREEN**
Easy-to-read screen clearly displays mode and measurements in real time

Specifications

Measuring Range	65ft. (20m)
Measuring Accuracy	±1/8 in. (±3mm)
Laser Type	Red Beam, 630-670nm, Class 2, <1mW
Display	Auto-backlit, White on Black
Auto Shut-O	5 Minutes

- Includes**
- Laser Distance Measure
 - Soft Case
 - Lanyard
 - (2) AAA Batteries



LV941801 12" DIGITAL LEVEL

- Features**
- › **HIGH-ACCURACY BLUE VIALS**
The vials are easy to see, highly accurate, and show both vertical and horizontal levels
 - › **READ FROM ANY PERSPECTIVE**
The digital LCD screen is backlit for easy reading from any perspective, and the screen conveniently auto-adjusts the orientation depending on how you hold it
 - › **EASY TO USE**
Up and down arrow indicators give you real-time leveling guidance, and an optional audible tone lets you know when you hit 0°, 45°, or 90°
 - › **ONE-HANDED CONVENIENCE**
A magnetic edge makes it easy to use with just one hand
 - › **DUAL MEASURING**
See centimeters on one side and inches on the other

Specifications

Size	12" (30cm)
Digital Level Accuracy	±0.05° at 0° & 90°, ±0.2° at other angles
Display	Auto-backlit, black on white
Auto Shut-Off	5 Minutes
Tool Size	14" x 1.22" x 2.5" (355 x 31 x 63mm)
Weight	0.97 lbs. (0.44kg)

- Includes**
- 12" Digital Level
 - Soft Bag
 - (2) AAA Batteries



LL9325-00 COMPACT DIGITAL LEVEL WITH LINE LASER

- Features**
- › **INSTANT ACCURACY**
Level provides real-time leveling guidance on an easy-to-read digital display
 - › **ALIGN WITH EASE**
Laser line projects on the wall or floor. Includes protractor for accuracy
 - › **COMPACT SIZE**
Compact and lightweight design allows you to level in tight spots and bring it along when on-the-go
 - › **ONE-HANDED CONVENIENCE**
A magnetic edge makes the laser level easy to use with just one hand

Specifications

Working Range	Up to 15ft
Laser Type	Class II, 635nm, <1 mW
Level Accuracy	±0.1° at 0° and 90°

- Includes**
- Digital Level Line Laser
 - Adhesive Putty
 - Magnetic Wall-Mount Base
 - Protractor with 0° to 90° Marks
 - 2 AAA Batteries





4V SCREWDRIVERS

Your go-to tool to get into tight spaces.

ACCESSORIES

Get the most out of your tools with bits, blades and more for all of your projects.



SD561201 RECHARGEABLE 4V SCREWDRIVER WITH CIRCUIT SENSOR™ TECHNOLOGY

Features

- › **PATENTED CIRCUIT SENSOR™ TECHNOLOGY**
Safely detects electrical current in outlets, switches and fixtures
- › **FORWARD & REVERSE COLLAR**
Easily change bit direction with a twist of the collar
- › **INTEGRATED RECHARGEABLE LITHIUM-ION BATTERY**
Micro USB charging is ready when you are
- › **CINCH LOCK™ COLLET**
Fast and convenient bit changes
- › **DUAL LED LIGHTS**
Improves use in low light, with after glow
- › **AUTO SPINDLE LOCK**
Bit locks for convenient manual use

Specifications

Speed	230 RPM
Battery Type	Integrated Li-Ion
Battery Capacity	1.3Ah
Collet Size	1/4"

Includes

- 4V Screwdriver with Circuit Sensor™ Technology
- USB Charging Cable
- 9pc Bit Kit
- Magnetic Insert Bit Holder



SD5618-03 RECHARGEABLE 4V SCREWDRIVER WITH 42 PC BIT KIT

Features

- › **LITHIUM-ION BATTERY**
Power up your electric screwdriver anywhere with a 4V rechargeable lithium-ion battery and micro USB charger
- › **FOR EVERYDAY USE**
This power screwdriver was designed for your everyday home and DIY projects
- › **SLIM BIT GRIP COLLAR**
4X the magnetic force to hold screws securely for one handed use; pair with included slim bits
- › **CAM SCREW SLEEVE**
Provides quick and easy support for cam screws in ready to assemble furniture
- › **DUAL MAGNETIC BIT STORAGE**
Compact for convenient, ready to go storage

Specifications

Chuck	1/4" Hex
Torque	36 in.lbs
Speed	220 RPM
Integrated Battery	4V
Charge Time	3 hours
Bit Kit	42 pc

Includes

- 4V Rechargeable Screwdriver
- 42 PC Bit Kit
- Charging Cable
- Charging Adapter



SD561801 RECHARGEABLE 4V SCREWDRIVER

Features

- › **1/4 IN. HEX DRIVE**
Securely holds standard 1/4" bits
- › **RECHARGEABLE LITHIUM-ION BATTERY**
Convenient Micro-USB charging
- › **CHARGING INDICATOR**
Light displays charging status
- › **FORWARD/REVERSE INDICATOR**
Light displays charging status

Specifications

Voltage	4V
Chuck	6.35mm (1/4") Hex Chuck with Magnetic Function
No-Load Speed	220 RPM
Tool Size	5.7" x 1.9" x 5"
Net Weight	0.81lbs (0.37kg)

Includes

- 4V Screwdriver
- 3 in. Magnetic Bit Holder
- 9pc Bit Set
- USB Charging Cable
- USB Adapter



SMXS8501 120PC DRILLING AND SCREW DRIVING KIT WITH BIT GRIP™

Features

- › **4X MAGNETIC FORCE**
Universal magnetic Bit Grip™ collar

Includes

- 21pc 2" Power Bits
- 75pc 1" Insert Bits
- 2pc 3.5" Power Bits
- 5pc Nut Drivers
- 13pc Gold Ferrous Drill Bits
- 2pc Spade Bits
- Universal Magnetic Bit Collar
- Magnetic Insert Bit Holder / Driver Guide



SD561802 RECHARGEABLE 4V PIVOT GRIP SCREWDRIVER

Features

- › **EASY TO USE**
The perfect power screwdriver for everyday needs and DIY projects
- › **PIVOT GRIP HANDLE**
Not sure if you want a straight or standard grip cordless electric screwdriver? This small drill can adjust to both based on your project.
- › **FORGET DOWN TIME**
A rechargeable lithium-ion battery keeps this tool charged over an extended period of time
- › **READY TO GO**
Power up your electric screwdriver anywhere with micro USB charging

Specifications

Speed	220 RPM
Torque	36 in.lbs
Chuck	1/4" Hex
Tool Size	6.5" x 1.8" x 4.8" (166 x 45 x 123mm)
Weight	0.77 lbs. (0.35kg)

Includes

- 4V Pivot Grip Screwdriver
- 9pcs 1" Bits
- 3" Magnetic Bit Holder
- USB Charging Cable
- USB Adapter



MXS8505 44PC DRILLING AND SCREW DRIVING BIT KIT WITH BIT GRIP™

Features

- › **4X MAGNETIC FORCE**
Universal magnetic Bit Grip™ collar

Includes

- 26 Screw Driving Bits
- 16 Drill Bits
- Universal Magnetic Bit Collar
- Magnetic Insert Bit Holder / Screw Guide



SDB7014 141PC SCREW DRIVING KIT WITH BIT GRIP™

Features

- › **PATENTED, BIT GRIP™ MAGNETIC BIT COLLAR**
Holds screws securely for one-handed use, with 4X Magnetic Force
- › **IDEAL FOR DRIVING INTO A VARIETY OF SURFACES**
Included wood, metal and plastic
- › **INCLUDES CONVENIENT CARRYING CASE**
To keep your bits organized and easy to access

Includes

73pc 1" Screwdriving Bits
38pc 2" Screwdriving Bits
4pc 3.5" Screwdriving Bits
12pc 1" Tamperproof Bits
10pc Nut Drivers
2pc Socket Adapters
Universal Magnetic Bit Collar
Magnetic Insert Bit Holder



SDB7013 50PC SCREW DRIVING BIT KIT

Features

- › **PATENTED BIT GRIP™ MAGNETIC BIT COLLAR**
Holds screws securely for one-handed use, with 4X magnetic force
- › **A VARIETY OF THE MOST COMMONLY USED DRIVING BITS ALL IN ONE KIT**
An assortment of Phillips, slotted, hex, and square bits
- › **INCLUDES CONVENIENT CARRYING CASE**
To keep you bits organized and easy to access

Includes

1" Screwdriver Bits: 9pc Phillips,
6pc Square, 6pc Star, 6pc Hex and Slotted
2" Screwdriving Bits: 5pc Phillips,
4pc Square, 6pc Star, 3pc Slotted



SDB7016 104PC SCREW DRIVING BIT SET WITH BIT GRIP™

Features

- › **VERSATILE**
Bits can be used in your power tool or as a hand tool with the included handle
- › **CONVENIENT AND STRONG**
Patented, bit grip magnetic bit collar holds screws securely for one-handed use, with 4x magnetic force
- › **WIDE ASSORTMENT**
A variety of the most commonly used driving bits
- › **STAY ORGANIZED**
Includes convenient carrying case to keep your bits organized and easy to access

Includes

Nut Drivers – 10pcs, 1" Security Bits – 30pcs, Slim Magnetic Bit Collar – 1pc,
Screwdriver Handle – 1pc, 4" Slim Long Screwdriving Bits – 7pcs, Wing Nut
Driver – 1pc, 1" Screwdriving Bits – 51pcs, 2" Socket Adapter – 1pc, 4" Bit
Holder – 1pc, 2-1/2" Magnetic Bit Holder – 1pc



RTB7500 15PC ROUTER BIT SET

Features

- › **LONG LIFE**
Carbide tips for long lasting edges
- › **WIDE ASSORTMENT**
Includes several edge-forming, straight, and joinery bits
- › **STAY ORGANIZED**
Includes convenient carrying case to keep your bits organized and easy to access

Includes

3/8" Bearing with Washer – 1pc, Rabbeting Bits – 2pcs, Roundover Bits
with Bearing – 3pcs, Roman Ogee – 1pc, Hinge Mortising Bit – 1pc,
Dovetail Bit – 1pc, 1/2" Bearing with Washer – 1pc, Straight Bits – 1pc,
Flush Trim – 1pc, 45° Chamfer Bit – 2pcs



OSA8001 18PC OSCILLATING ACCESSORY SET

Features

- › **ONE SET, MANY USES**
Cut, sand, scrape and more with multiple accessories
- › **SURFACE VARIETY**
Flush cut blade for wood, plastic and metal
- › **EASY BLADE CHANGE**
Open back attachment design for quick blade change
- › **STAY ORGANIZED**
Includes convenient carrying case to keep your blades organized and easy to access

Includes


Rigid Scraper Blade
Flexible Scraper Blade
3" Semicircular Blade
1-3/8" Flush Cut Blade
3" Sanding Pad
3" x 3" x 3" Sandpaper – 12 pcs




CRB1001
5-1/2" 18T
Circular Saw Blade




CRB1002
6-1/2" 24T
Circular Saw Blade



CDA9000
5" Sanding Disc 60 Grit
5 Pack



CDA9001
5" Sanding Disc 80 Grit
5 Pack



CDA9002
5" Sanding Disc 120 Grit
5 Pack



BG4533-00
4/5/6PC 17.7" Power
Tool Storage Bag



LL9000
Skil 3-1/2ft Compact Tripod
With Adjustable Aiming Base

HIGH PERFORMANCE BLADES AND ACCESSORIES

WOOD




75924B25 - 7-1/4 IN. x 24T Framing Saw Blade BULK Pack (25)
Arbor: 5/8" round and 13/16" diamond knockout
Kerf: 1.8mm
Compatibility: SPT67WL, SPT67WMB, SPT67M8, SPT77W, SPT77WML, SPTH77M

WOOD




75940 - 7-1/4 IN. x 40T Framing Saw Blade
Arbor: 5/8" round and 13/16" diamond knockout
Kerf: 1.8mm
Compatibility: SPT67WL, SPT67WMB, SPT67M8, SPT77W, SPT77WML, SPTH77M

WOOD




76824 - 8-1/4 IN. x 24T Worm Drive Framing Saw Blade
Arbor: 13/16" diamond knockout
Kerf: 2.05mm
Compatibility: SPT78W

WOOD




SPT1012 - 8-1/4" Circular Saw Blade
Arbor: 5/8" round
Kerf: .09 mm
Compatibility: Major brands hand saws and table saws

WOOD




75240 - 10 IN. x 40T Table Saw Blade
Arbor: 5/8" round
Kerf: 2.15mm
Compatibility: SPT70WT, SPT99

WOOD




76240 - 10-1/4 IN. x 40T Worm Drive Saw Blade
Arbor: 13/16" diamond knockout
Kerf: 2.15mm
Compatibility: SPT70WM

WOOD




SPT1010 - 12" X 60T Miter Saw Blade
Arbor: 1" round
Kerf: 2.54 mm
Compatibility: SPT88

WOOD



SPT1011 - 12" X 80T Miter Saw Blade
Arbor: 1" round
Kerf: 2.54 mm
Compatibility: SPT88

WOOD



SPT1000 - 16-5/16 IN. x 32T Saw Blade
Arbor: 1" round Kerf: 2.4mm
Compatibility: SPT70V-11

WOOD WITH NAILS



SPT2004-05 - 6 IN. Wood w/Nails Reciprocating Saw Blade (5pk)
Compatibility: SPT44A-00, SPT44-10

WOOD WITH NAILS



SPT2005-05 - 9 IN. Wood w/Nails Reciprocating Saw Blade (5pk)
Compatibility: SPT44A-00, SPT44-10

METAL



SPT2007-05 - 6 IN. Metal Reciprocating Saw Blade (5pk)
Compatibility: SPT44A-00, SPT44-10

METAL



SPT2008-05 - 9 IN. Metal Reciprocating Saw Blade (5pk)
Compatibility: SPT44A-00, SPT44-10

CONCRETE



SPT4003 - 7" Turbo Diamond Blade
Arbor: 7/8"-5/8" round
Compatibility: SPT79A and most major brands

CONCRETE



SPT4004 - 7" Segmented Diamond Blade
Arbor: 7/8"-5/8" round
Compatibility: SPT79A and most major brands

FIBER CEMENT



SPT1001 - 7-1/4" 4T Fiber Cement Blade
Arbor: 5/8" round
Kerf: 2.6 mm
Compatibility: SPT67FMD

METAL



SK842 - 8 IN. x 42T Dry Cut Metal Blade
Arbor: 5/8" round
Kerf: 1.9mm
Compatibility: SPT78MMC

METAL



SK1260 - 12 IN. x 60T Dry Cut Metal Blade
Arbor: 1" round Kerf: 2.7mm
Compatibility: SPT62MTC

MITER SAW ATTACHMENTS



SPT5002-FS
Miter Saw Stand
Compatibility: SPT88

TABLE SAW ACCESSORIES



SPT5003-FS
Table Saw Stand
Compatibility: SPT99T



SPTA70WT-DD
Dado Insert
Compatibility: SPT70WT



SPT00A
Dado Insert
Compatibility: SPT99



SPT00C
Zero Clearance Insert
Compatibility: SPT70WT & SPT99



SPT00B
Rear Outfeed
Compatibility: SPT99

CHAINSAW ACCESSORIES



SPT1500
16" Full House Chain
Compatibility: SPT55-11



SPT1501
16" Full House Chain and Bar
Compatibility: SPT55-11

MISCELLANEOUS ACCESSORIES AND ATTACHMENTS



95104L
Cord Assembly
Compatibility: HD77, HD77M, HD5825, HD5860, MAG77LT, SHD77, SHD77M, SPT55, SPT70WM, SPT70V, SPT77W, SPT77WM, SPT77WML, SPT78W, SPT78WML, SPT79A, SPT99, SPT70V



80111
Worm Drive Oil
Compatibility: SHD77, SHD77M, HD77, HD77M, HD5825, HD5860, SPT77W, SPT77WM, SPT77WML, SPT78W, SPT78WML, MAG77LT, SPT78MMC, SPT79, SPT79A, SPT99, SPT70V



SPT5009-SO
Synthetic Oil for Cordless Worm Drive
Compatibility: SPTH77M



WDHK01
Saw Hook
Compatibility: SHD77, SHD77M, HD77, HD77-02, HD5825, HD5860, SPT78W, SPT70WM



13896
Adjustable Rip Fence
Compatibility: SPT67WL, SPT67WM, SPT67WMB, SPT67FMD, SPT67M8, SPT77WML, SPT78W, SPT78MMC, SPT70WM, SPT77W, SPT77WM



95105L
Switch Kit
Compatibility: SDH77, SDH77M, SPT77W, SPT77WM, SPT77WML, SPT78W, SPT70WM, SPT79, MAG77LT



95111L
Brush & Cap Assembly
Compatibility: SHD77, SHD77M, HD77, HD77-02, HD5825, HD5860, SPT77W, SPT77WM, SPT77WML, SPT78W, SPT79, SPT79A, SPT70WM, MAG77LT, SPT70V



SKIL[®]