


Open Frame Touch Signage - Monitor



Key Feature

- 3840×2160/ 1920×1080 physical resolution
- 10 Points Capacitive Touch
- HDMI input
- Built-In Speakers
- Industrial grade components
- Open frame design for Embed Installation

Specification

Display						
Model	FT22M	FT27M	FT32M	FT43M	FT49M	FT55M
Screen Size	21.5 inch	27 inch	32 inch	43 inch	49 inch	55 inch
Native Physical Resolution	1920 x 1080			3840 x 2160		
LCD Tech	ADS					
Brightness	500nit					
Contrast	1200 :1					
View Angle	178°(H) / 178°(V)					
Display Color	1.07B					
Life Time	50,000 hrs					

Interface	
USB	× 1
HDMI	× 1
VGA	× 1
DVI	× 1
Built-In Speaker	5W × 2 (8Ω)

Touch	
Touch Type	10 Points Capacitive Touch
Touch Method	Finger
Touch Accuracy	≤2mm
Touch Response Time	<4ms
Light Transmission	≥85%

Power						
Power supply	AC110-240V(50/60Hz)					
Power consumption	60W	65W	110W	125W	150W	180W
Power of Standby Mode	0.5W	0.5W	0.5W	0.5W	0.5W	0.5W


Environment	
Operation temperature	0°C~40°C
Operation humidity	10%~80% RH

Specification


Physical						
Model	FT22M	FT27M	FT32M	FT43M	FT49M	FT55M
Color	Black					
Body Dimension (mm)	524.2 x 316.1 x 63.5	653 x 393 x 60.2	753 x 447 x 70.1	1012 x 600 x 72.2	1145 x 675 x 72.4	1287 x 770 x 72.2
Set Weight	6.7kg	10.9kg	14.6kg	23.9kg	27.5 kg	36.1 kg
Package Dimension(mm)	685 x 450 x 215	815 x 530 x 235	910 x 577 x 240	1170 x 730 x 240	1305 x 805 x 240	1440 x 900 x 240
Package Weight	10.2kg	15.6kg	20.5kg	31.2kg	35.3 kg	45.6 kg
Mounting Holes	350x200	500x300	500x300	600 x 400	500 x 400	500x400

Dimension Drawing

FT22M




FT27M




Specification

Dimension Drawing


FT32M




FT43M



FT49M



FT55M



Specification

Accessories Lists

No.	Parts	Qty	Specification
1	Power cord	1	1.5m
2	Remote controller	1	-
3	User manual	1	-