



SECURE VEHICLE GATEWAY

Using compatible diagnostic tools, now your techs can seamlessly connect to secure vehicle gateways using a fast, secure channel that links them directly to manufacturers' websites.

A large circular graphic with a glowing red and orange border. Inside the circle, there is a collage of images: a technician in a blue shirt and white cap looking at a handheld device, a car on a lift, and a car engine. The word "EMPOWER" is written in large, red, blocky letters across the top, and "UP" is written in the same style across the bottom, separated by a horizontal red line.

EMPOWER

UP



CONNECTING TO SECURE VEHICLE GATEWAYS:

IT'S EASIER THAN YOU THINK

All techs need to connect:

- A compatible diagnostic platform
- An authorized OEM account
- A Snap-on® profile to manage everything in one place


Techs simply store their compatible diagnostic tool details and OEM account information in a centralized Snap-on profile, and they're ready to connect — quickly, easily and securely.

SNAPON.COM/GATEWAY

SECURE VEHICLE GATEWAY ACCOUNT CREATION GUIDE


WHAT YOU'LL NEED IN ADVANCE

You'll need some information from your scan tool to get started - this can be found in **"System Settings"**.




Select **"Get connected!"**

The **"Get connected!"** page will display.



This information has all the **device information** you will need to complete registration. It also provides an overview of all the registration steps and required hyperlinks.


To get a complete overview of the registration process, go to **snapon.com/gateway** or use **QR code 1** on the tool.



This website has all the information and links needed to successfully create your Secure Vehicle Gateway account.

1

Go to **AutoAuth.com**.



This site is used to register users and service centers to the FCA databases.

(If new OEMs are added, links will be provided at snapon.com/gateway.)

2

Begin by clicking the **“Register Now”** button.



Create your unique username and password, and link an email address to the account. This step is used to create an individual user account.

User Signup

[Terms & Conditions](#)

☐ Accept Terms & Conditions

3


Check your email for confirmation and to verify the account.

4

After validating the account, follow the on-screen instructions.

5

Once logged in, you'll be presented with a link to register yourself or your Service Center.



Welcome to AutoAuth!

Get a Service Center Account to start using AutoAuth Certified Diagnostic tools.

To get your own AutoAuth Certified Diagnostic tools click the link below to register yourself or your Service Center.

[Service Center Signup/Independent Technician Signup](#)


After you register your account in the system, inform your Service Center owner/manager of your user account username (found in the email you received) so they can see a link on this page to join the Service Center.

You will then be able to view the diagnostic tools registered in the Service Center with which you are associated.

This link will allow you to register the name of the workshop, and you will need to input your individual account credentials as well. AutoAuth charges a **\$50 annual fee** for using their authentication services. After inputting the necessary information, click the “**Sign Up**” button at the bottom of the screen.

6

Select “**Manage Tools**,” then complete the required fields: *Manufacturer, Model and Serial Number*.



User Profile | **Manage Tools** | Manage Users

Shop Tools | Add Tool


Pick the Type of Tool

Manufacturer	Tool Model
None Selected	AutoEnginuity

Your account and workshop must be established first. This will link your diagnostic equipment to the AutoAuth website.

7

To finalize this action, click the “**Add**” button.



Add

Your AutoAuth account is now complete.

SNAP-ON PROFILE MANAGER

1

A **Snap-on Profile Manager** account is required to complete the process. If you already have a Profile Manager account, log in and go to **Step 3**. (You would have a profile manager account if you have previously accessed SureTrack community or ALTUSDrive.)


2

To create a Profile Manager account, go to **profilemanager.mitchell1.com**.



3


Once your account is created, log back in and go to the “**Device Management**” tab.



Enter your **scan tools pin code**, **serial number** and **authorization number**.

4


Next, select the **“Secure Vehicle Gateway”** tab and then select **“Add Secure Credentials”**.



Add the credentials you created at AutoAuth or webapp.autoauth.com to access FCA vehicles.

5

Now you will be able to unlock Secure Vehicle Gateways.





Snap-on is a trademark of Snap-on Incorporated. All rights reserved. ©Snap-on Incorporated 2019.

EAZ0042L62A