



# SOLUTIONS FOR ELECTRICAL TRADES.

Hilti Tools, Fastening &  
Firestop Systems



# THE CLEVER ALTERNATIVE.

**We manage your tools so you can manage your business**

## Hilti Fleet Management

### Avoid the hidden costs of owning power tools

Most contractors only think of tools in terms of purchase price. But have you considered the hidden costs associated with owning power tools?

They may be below the surface but they are very real and add up quickly.

With Hilti Fleet Management there is no upfront investment to tool-up for a job. Instead, you pay a fixed monthly charge that covers all tool, service and repair costs. This greatly simplifies your financial planning and takes a load of administrative work off your shoulders.

### Here's what some of our Fleet Management customers have to say:

**"With Fleet Management you know the tools are going to be there when you need them"**

Trent Leen, Director  
Bernie Leen & Sons



**"Fleet Management gave me more time on site and less worrying about tools"**

Norm Touma, Director  
Dux Plumbing Services



**"We don't have to worry about (services and repairs). It's effortless"**

Richard Tat, National Operations Manager  
Aus-Rack Installations



**CONTROL YOUR COSTS**

**CUT ADMINISTRATION**

**NO MORE DOWNTIME**

**KNOW WHAT YOU HAVE**

**HILTI**

**FLEET  
MANAGEMENT**

**Contact us** to help you  
optimise your tool fleet

**Watch the video** to see why professional  
tradies choose Fleet Management



#### All inclusive repairs

- No repair costs - ever
- Unlimited battery replacements



#### Fixed monthly cost

- A low monthly usage fee replaces a large upfront cash investment to tool up
- Predictable costs, every month



#### Theft coverage

- 80% of losses covered in the event of a theft
- Simply report the tool stolen with a police report. We'll take care of the rest



#### Streamlined processes

- No more repair quotes – high quality tool repairs returned fast
- Quick and easy order process to add tools to your fleet
- 1 monthly invoice



#### Tool upgrades

- Use our tools to get the job done, then trade up to the latest technology at the end of the term
- Minimise downtime with a constant fleet of peak performing tools



#### Loan tools

- In the event of a tool repair we can arrange a loan tool from a designated Kennards Hire branch. Call us on 131 292 and we'll do the rest.



#### Tool inventory and labelling

- Use Fleet Management Online to track and assign your tools to a specific job, team or worker
- A full tool fleet list helps avoid redundant purchases
- Customised labels makes tracking tools easier

Some limitations apply. Contact Hilti for details.



How many tools don't come back after a job?

How many power tools do you have and where are they?

How expensive is it to upgrade your tools to the latest technology?

How often do you repair tools?  
How much does that cost you?

How often do you lose a tool or have one stolen?

If these questions are a concern for your business, then Hilti Fleet Management may be right for you.

# QUICK, EXPERT REPAIRS.

**Clear warranties and repair costs**

**Hilti Tool Service**



**We repair and clean your Hilti tools quickly and professionally. We'll even pick them up from your jobsite and return them to you onsite as well.**

## QUICK TURNAROUND

- 1 day in shop to repair tools plus transit times.
- Smooth onsite pick-up and delivery, thanks to our strong partnerships with trusted carriers.
- All repairs are carried out by our highly trained and certified Hilti tool technicians.
- We only use Hilti spare parts.



## CLEAR WARRANTIES AND REPAIR COSTS

### **Up to 2 years no cost repair or replacement:**

We repair your Hilti tool for free for up to 2 years after you buy it, if it breaks down. This includes parts worn by wear and tear, free pick-up and delivery. After the end of the 2 year warranty, you pay for repairs, but repair costs are capped.

### **3 month no cost repair:**

We repair your Hilti tool for free for 3 months after your last Hilti repair, if it breaks down again. This includes parts worn by wear and tear, free pick-up and delivery.

### **All tools are covered by our manufacturer's warranty:**

Tools are repaired free or replaced if they break due to materials or manufacturing defects, for as long as spare parts are held.

## THE PROCESS IS SIMPLE

If you need to organise a repair, just contact us by phone or online and we'll do the rest.

Every Hilti tool is registered, so you don't even require proof of purchase.

**Watch the video** to know more about our Tool Service

# PRODUCTIVITY PLUS.

Complete systems for electrical trades

Hilti Systems




## SYSTEMS FOR ELECTRICAL CONTRACTORS

With a comprehensive range of electrical fasteners, our direct fastening systems make electrical installation work exceptionally efficient.


Our cordless systems for drilling, screw driving and cutting set the standard for maximum mobility combined with the high performance and long battery life you require.

Our highly effective dust removal systems for power tools make slitting, cutting, drilling and chiselling tasks more efficient, safe and clean.

Our mechanical and chemical anchors cover a wide range of applications from light and medium duty through to heavy-duty loads. Our advanced anchoring systems are proven to provide the strongest solution for safety critical applications in concrete and masonry.




Measure



Open



Fasten



Close

# ACCURATE, RELIABLE AND EASY TO USE.

Hilti Measuring  
Systems



## PD-I range meter

- Laser precision for reliable results and accuracy  $\pm 1\text{mm}$
- Makes measuring a one person task, helping you get the job done faster
- Can measure area and volume
- Can add, subtract and do Pythagoras
- Extremely simple to use



[Click here for more info](#)



## PM 2-LG green line laser

- Green beam laser for maximum visibility
- Transferring reference heights
- Horizontal and vertical line with a large fan angle to cover the whole working area
- Levelling electric sockets, cable trays



[Click here for more info](#)



## PM 4-M multi line laser

- Complete solution for all aligning tasks: level, align, plumb and square
- Projects clear 3D vertical lines with a cross on the ceiling
- Perfect for vertical alignment when installing cable trays
- Levelling electric sockets, cable trays and pipe installations



[Click here for more info](#)



## PX 10 transpointer

- Position for a penetration
- Find drill bit start/exit point before drilling or coring through walls or floors
- Wall thickness measurement for easy selection of the required drill or core bit length



[Click here for more info](#)



## PS 50 multidetector

- Detect and avoid rebar, aluminium, copper, plastic, wood, live wire and pipe in a range of base materials
- Simple – Easy to operate and interpret display
- Reliable – Pulse Power provides accurate object localisation and identification



[Click here for more info](#)

Measure

Open

Fasten

Close

# THE FREEDOM TO GET THE JOB DONE.

Hilti Cordless  
Systems



## TE 4-A22 cordless rotary hammer

- Repetitive drilling in all directions in concrete and masonry, recommended diameter range 5-12mm
- First class performance-to-weight ratio
- High battery capacity – more holes per charge
- Hammering mechanism specifically designed for superior drilling performance



[Click here for more info](#)



## TE 4-A22 DRS cordless rotary hammer with dust extraction

- Repetitive drilling in all directions in concrete and masonry, recommended diameter range 5-12mm
- Safer work environment with dust-free drilling using the TE DRS 4-A



[Click here for more info](#)



## TE 30-A36 cordless combi hammer

- Repetitive drilling in concrete and masonry, recommended diameter range 10-20mm
- Active Torque Control (ATC) for maximum safety
- 36 volt 6.0Ah battery for greater power and shorter charging time
- Brushless motor for 3 times longer lifetime
- Active Vibration Reduction (AVR)



[Click here for more info](#)




## SCM 22-A cordless metal cut circular saw

- Cutting openings in sheet metal in heating and air conditioning installation work
- Weighs just 4kg for best handling and ease of use
- Blade brake stops in 0.5 sec for maximum safety
- Cut channels and pipes quickly and cleanly with no sparks



[Click here for more info](#)



## AG 125-A22 cordless angle grinder

- Most powerful grinder on the market, can withstand high forces when cutting or grinding
- Perfect balance and low weight
- First class safety features: disc brake, Active Torque Control (ATC), deadman's switch



[Click here for more info](#)

Measure

Open

Fasten

Close

# QUICK, PRECISE AND CLEAN.

Hilti Diamond  
Systems



## DD 150-U diamond coring system

- Tremendous versatility to core drill on the rig or hand-held, from an all-in-one system
- 3-speed mechanical gearing to match coring diameter for optimal performance
- Rig-based wet drilling for penetrations in concrete for pipes and cables



[Click here for more info](#)



## DD-BI LCL diamond core bits

- All segments are laser welded for long-lasting performance
- Segment specifications suits concrete of medium-hard abrasiveness and medium reinforcement concrete
- X-CM diamond X-Change module (from 52mm and larger) lets you re-tip bits on site in minutes with a screwdriver



[Click here for more info](#)



## DC-SE 20 slitting tool for wall chasing

- Slit up to 40mm depths and 46mm widths, in all materials such as concrete, flint and hard stone etc.
- Economical with very high slitting performance
- Robust and long-lasting; virtually maintenance free



[Click here for more info](#)



## VC 40-U dry/wet vacuum cleaner

- Remove dust and slurry from drilling, slitting, grinding and wet/dry coring
- 1200W powerful motor
- Hilti Airboost filter technology for consistently high suction performance
- Automatic filter cleaning every 15 seconds



[Click here for more info](#)



## VC 40-U-Y hybrid vacuum cleaner

- Remove wet and dry dust from drilling, chasing, grinding etc.
- The only hybrid wet/dry (can be used both corded and cordless) vacuum on the market
- 2 charging stations for 14 V, 22 V and 36 V Li-Ion batteries



[Click here for more info](#)

Measure

Open

Fasten

Close

# ANCHOR SOLUTIONS BUILT TO CODE.

Hilti Anchor  
Systems

## NCC COMPLIANCE

To ensure you comply with the National Construction Code (NCC), ask for the ETA documentation for the selected anchor.

## STRONGEST ANCHORS

Our anchors are proven to provide the strongest solution for safety critical applications in concrete, fully backed by technical documentation, software and engineering services.

## WIDEST RANGE

We offer a full suite of ETA assessed anchoring solutions, to suit every application from basic through to the most complex and challenging.



## SAFEset FAST, RELIABLE AND SAFE

- Auto-cleaning with Hilti hollow drill bit
- Dustless
- NCC compliant and ETA approvals for the following products:



Hollow drill bit



RE 500 V3



HY 200



HVU



HST3

- Roughen diamond cored holes for better bonding
- Allows higher loads
- NCC compliant and ETA approved for RE 500 V3



Roughening tool



RE 500 V3



## HOT DIPPED GALVANISED

Hilti provides NCC compliant mechanical anchor portfolio in hot dipped galvanised.

Hilti HDG anchors with ETA approval:



HMU



HUS3



HSA



## TORQUE BAR

This unique setting tool is fast, safe and ETA approved.



HSA



## SCREW ANCHORS HUS3

Reliable and ETA approved for numerous permanent applications.

- Fast
- No torque wrench
- High loads like stud anchors
- Adjustable
- Cuts through rebar



## ETA APPROVED FOR DIAMOND CORED HOLES



RE 500 V3



HSL<sup>1)</sup>



HST3<sup>1)</sup>



HSA

1) Cored with Hilti DD EC-1 tool

Measure

Open

Fasten

Close

# STRONGEST ANCHORS, WIDEST APPROVALS.

Hilti Chemical  
Anchor Systems



## HIT-RE 500 V3 ultimate epoxy mortar

- Fastest slow cure (7hrs @ 20°)
- C1 and C2 ETA seismic approvals
- Suitable for use in cracked and uncracked concrete
- Use SAFEset hollow drill bits for dustless drilling with automatic hole cleaning



[Click here for more info](#)



## HIT-RE 100 everyday epoxy mortar

- Suitable for use in cracked and uncracked concrete
- Can be used indoors and outdoors in all conditions
- Long working time allows for greater flexibility during installation



[Click here for more info](#)




## HIT-HY 200 ultimate hybrid mortar

- Fast cure hybrid mortar (60 mins @ 20°)
- C1 and C2 ETA seismic approvals
- Suitable for use in cracked and uncracked concrete
- Use SAFEset hollow drill bits for dustless drilling with automatic hole cleaning



[Click here for more info](#)



## HIT-HY 270 ultimate hybrid mortar (masonry)

- Strong and reliable fastening in a variety of masonry base materials
- Ideal in refurbishment and renovation applications
- Use with HIT-SC composite sleeve in hollow base materials



[Click here for more info](#)



## Manual and battery dispenser systems

- HDM 330 / 500: Manual dispensing with minimal dripping and almost no wastage
- HDE 500-A22: Battery dispensing for effortless powered dispensing and minimal wastage



[Click here for more info](#)

Measure

Open

Fasten

Close

# RELIABLE AND COMPLIANT.

Hilti Mechanical  
Anchor Systems




## HUS3-P 6 screw anchor (pan head)

- Cable tray applications, attaching channels directly to the ceiling or wall
- Less drilling and convenient overhead installation
- Flat head fits nicely into channels or tray
- Fully removable



[Click here for more info](#)




## HUS3-H 6 screw anchor (hex head)

- Integrated washer
- Easily removable
- Productivity gain due to installation speed and effortless setting
- Used for channels, cable trays and large scale repetitive fastenings



[Click here for more info](#)




## HUS3-I 6 screw anchor (internal thread)

- Less drilling and convenient overhead solution
- Significant time saving versus traditional anchor methods
- Can be used in hollow core decking



[Click here for more info](#)



## HST3 expansion anchor

- Tolerates high loads and small edge distances



[Click here for more info](#)



## HKD 'short' drop-in anchors

- Shallow depth (25mm) drilling for M6, M8, M10, M12, avoids rebar strikes
- Fast installation time with unique setting tool – 50% faster than using a hammer and punch
- Drill with rotary hammer, remove bit and set with piston



[Click here for more info](#)

Measure

Open

Fasten

Close

# MAXIMISE YOUR PRODUCTIVITY.

## Hilti Powder-Driven Fastening Systems




### DX 351 ME powder-actuated tool

- Fastening of threaded rod hangers, ceiling clips and electrical fasteners
- Fully automatic system
- Light and compact
- Versatile: specific fasteners available for each application



[Click here for more info](#)




### DX 351-CT fastening pole tool

- Fastening of threaded rod hangers and ceiling clips to concrete or composite deck for hanging electrical services
- Specialised ceiling tool, do away with the need for ladders and simply install fixtures from a standing position



[Click here for more info](#)



### DX cartridges

- Different power charges combined with the power regulation wheel on the tool ensure fasteners are driven optimally for consistently high fastening quality
- The right power cartridge ensures less failures, increasing worker productivity



[Click here for more info](#)




### X-HS U threaded hanger for concrete

- Quick fastening to steel and concrete
- Threaded rod can be pre-fitted
- Install suspended components e.g. cable trays
- Fastening installation channels on roof beams or ceilings



[Click here for more info](#)



### X-CC ceiling clip for concrete

- High performance ceiling clip
- Perfect for catenary wire
- Loads up to 20kg per fastening point
- Pre-drilling with DX-Kwik can achieve loads of 90kg



[Click here for more info](#)

Measure

Open

Fasten

Close

# EFFICIENT AND PRODUCTIVE.

## Hilti Gas-Driven Fastening Systems



### GX 120-ME gas system

- Fastening to concrete, plastered masonry, sand-lime block, concrete block and steel
- Gas gauge indicates how much gas is left
- Nail magazine holds 20 nails for greater efficiency and productivity
- No charging required



[Click here for more info](#)



### Gas can and nails system

- Gas nails for all base materials

**X-GN:** Suitable for concrete, block and sand-lime stone

**X-GHP:** Suitable for hard concrete

**X-EGN:** Suitable for steel

**GC 21:** Gas can, drives maximum 750 fasteners



[Click here for more info](#)



### X-ECT cable tie fastener

- Fastening electrical cables and conduits
- Cost efficient method
- Friction fit in the nose of gas tools for easy handling
- Ideal universal holder of cable ties with a width of up to 9mm



[Click here for more info](#)



### X-UCT multi-directional cable holder

- Parallel or multi-directional cable runs
- Tough polyamide material
- Wide opening suitable for cable ties and Velcro up to 15mm wide
- Friction fit in the nose of gas or battery driven fastening tools for easy handling



[Click here for more info](#)



### X-EKSC closed electrical conduit clip

- Simple and clean fastening solution for metric electrical pipes, can be used singly or neatly clipped together
- Simple and fast attachment of electrical pipes to walls and ceilings
- Friction fit in the nose of powder, gas or battery driven fastening tools for easy handling



[Click here for more info](#)

Measure

Open

Fasten

Close

# RELIABLE AND CONSISTENT.

## Hilti Battery-Driven Fastening Systems



### BX 3-ME battery powered fastening tool

- Fastening electrical clips to concrete, plastered masonry, filled block and steel
- Drives 600 nails on a single charge
- Uses 22 volt, 5.2 Ah battery, compatible with all Hilti 22 volt cordless tools




[Click here for more info](#)



### BX nail system

- X-P B3 MX: Ballistic point, collated nails for concrete
- X-S B3 MX: Ballistic point, hardened collated nails for steel
- X-P B3 P7: Ballistic point, single nails for concrete



[Click here for more info](#)



### X-PT B3 pole tool accessory for overhead fastening

- Safe overhead fastening without a ladder
- Cradle securely clamps the tool
- Extensions available to allow up to 7 foot reach



[Click here for more info](#)



### X-UCT multi-directional holder

- Parallel or multi-directional cable runs
- Tough polyamide material
- Wide opening suitable for cable ties and Velcro up to 15mm wide
- Friction fit in the nose of gas or battery driven fastening tools for easy handling



[Click here for more info](#)



### X-EKSC closed clips for pipes

- Simple and clean fastening solution for metric electrical pipes, can be used singly or neatly clipped together
- Simple and fast attachment of electrical pipes to walls and ceilings
- Friction fit in the nose of powder, gas or battery driven fastening tools for easy handling



[Click here for more info](#)

Measure

Open

Fasten

Close

# DONE ONCE. DONE RIGHT.

Hilti Firestop  
Systems

VISIT [WWW.HILTI.COM.AU](http://WWW.HILTI.COM.AU) OR CALL 131 292 FOR FIRESTOP APPROVAL DOCUMENTATION



### CFS-BL firestop block

- Temporary or permanent sealing around cables, cable bundles and cable trays
- For use in wall and floor openings
- Perfect for conduit and co-axial cables
- Optimal for rooms with dust and fibre free requirements, such as laboratories and hospitals



[Click here for more info](#)



### CFS-PL firestop plug

- Sealing conduit and single or bunched cables through walls and floors
- Suitable for temporary and permanent applications
- Dust and fibre free
- Possible with a PVC sleeve for a cast-in concrete process




[Click here for more info](#)



### CFS-P BA firestop putty bandage

- Mould and mildew resistant intumescent putty
- Use together with Hilti firestop blocks, foam or sealant to achieve required protection ratings
- 5m long x 100mm wide x 3mm thick



[Click here for more info](#)



### CFS-FX flexible firestop foam

- Permanent firestop seals in small to medium sized openings
- Cable trays, bunched cables and single cables
- Openings accommodating small metal pipes
- 3 phase technology with optimum application characteristics (easily shapeable foam)



[Click here for more info](#)



### CP 611A intumescent firestop mastic

- High expansion firestop mastic for cable and pipe applications
- Sealing around PVC conduit up to 50mm in diameter
- For use in concrete, gas concrete and masonry
- Wide range of approvals, see website for documentation



[Click here for more info](#)

Measure

Open

Fasten

Close

# HILTI ORDERING INFORMATION

## MEASURING, ALIGNING AND DETECTION SOLUTIONS

| Ordering designation            |   | Item number |
|---------------------------------|---|-------------|
| <b>Alignment</b>                |   |             |
| Laser range meter PD 5          |   | 2004788     |
| Laser range meter PD-I          | ① | 2061407     |
| Laser range meter PD-E          |   | 2062050     |
| Green line laser PM 2-LG        | ② | 2098522     |
| Multi line laser PM 4-M         | ③ | 2047073     |
| <b>Detection</b>                |   |             |
| Transpointer PX 10              |   | 273124      |
| Multidetector PS 50             | ① | 2075559     |
| X-Scan system PS 1000 + monitor |   | 2007503     |
| X-Scan scanner PS 1000          |   | 2007501     |



## CORDLESS DRILLING, CUTTING AND GRINDING SOLUTIONS

|                                                                                      |   |         |
|--------------------------------------------------------------------------------------|---|---------|
| <b>Drill/Drivers, Impact Drivers, Rotary Hammers 22 volt and 36 volt kits</b>        |   |         |
| Impact driver SID 22-A + 2 x 5.2Ah batteries + charger kit                           | ① | 3542544 |
| Impact wrench SIW 22-A + 2 x 5.2Ah batteries + charger kit                           |   | 3542545 |
| Hammer drill/driver SFH 22-A + 2 x 5.2Ah batteries + charger kit                     |   | 3542549 |
| Rotary hammer TE4-A22 + 2 x 5.2Ah batteries + charger kit                            | ② | 3542555 |
| Dust extraction hood TE DRS 4-A                                                      | ③ | 2098484 |
| Rotary hammer TE 6-A36-AVR + dust removal system + 2 x 3.0Ah batteries + charger kit |   | 3511038 |
| Cordless combihammer TE 30-A36 + 2 x 6.0Ah batteries + charger kit                   |   | 3509856 |
| <b>Cutting and Grinding 22 volt kits</b>                                             |   |         |
| Circular saw SCM 22-A + 2 x 5.2Ah batteries + charger kit                            | ① | 3542557 |
| Angle grinder AG 125-A22 + 2 x 5.2Ah batteries + charger + 25 discs kit              |   | 3542562 |



## DRILL BITS

|                                  |  |         |
|----------------------------------|--|---------|
| <b>Premium bits</b>              |  |         |
| Hammer drill bit TE-CX 6/12 MP8  |  | 2021997 |
| Hammer drill bit TE-CX 8/17 MP8  |  | 2022003 |
| Hammer drill bit TE-CX 10/17 MP8 |  | 2022008 |



## DIAMOND DRILLING SOLUTIONS

|                                                                                         |   |         |
|-----------------------------------------------------------------------------------------|---|---------|
| <b>Vacuum cleaners</b>                                                                  |   |         |
| Universal vacuum cleaner VC 40-U                                                        | ① | 2114601 |
| Universal hybrid vacuum cleaner VC 40-U-Y + 2 x 36 V 6.0 Ah batteries + accessories kit |   | 3511469 |
| <b>Core rigs</b>                                                                        |   |         |
| Diamond coring tool DD 150-U                                                            |   | 433327  |
| Diamond coring tool DD 150-U + drill stand DD-ST kit                                    | ① | 3531116 |
| <b>Core bits (430mm)</b>                                                                |   |         |
| Diamond core bit DD BI 52/430 LCL                                                       |   | 2098526 |
| Diamond core bit DD BI 62/430 LCL                                                       |   | 2098528 |
| Diamond core bit DD BI 67/430 LCL                                                       |   | 2098529 |
| Diamond core bit DD BI 77/430 LCL                                                       |   | 2098771 |
| Diamond core bit DD BI 102/430 LCL                                                      |   | 2098775 |
| Diamond core bit DD BI 122/430 LCL                                                      |   | 2098777 |
| Diamond core bit DD BI 132/430 LCL                                                      |   | 2098778 |
| Diamond core bit DD BI 162/430 LCL                                                      |   | 2098781 |
| <b>Diamond slitting</b>                                                                 |   |         |
| Slitting machine DC-SE 20 + vacuum cleaner VC 40-U + 4 x concrete cutting blades        |   | 3541068 |
| Slitting machine DC-SE 20                                                               | ① | 312269  |
| <b>Diamond cutting discs</b>                                                            |   |         |
| Diamond cutting disc DC-D 125 SE C2 (2)                                                 | ① | 418694  |
| Diamond cutting disc DC-D 125 SE M1 (2)                                                 |   | 418695  |
| Diamond cutting disc DC-D 125 SE U10 (4)                                                |   | 360675  |



## DIRECT FASTENING SOLUTIONS

| Ordering designation                                                       | Item number |         |
|----------------------------------------------------------------------------|-------------|---------|
| Powder-actuated                                                            |             |         |
| Powder-actuated tool with magazine DX 351 MX                               | ①           | 333033  |
| Powder-actuated pole tool DX 351-CT kit                                    | ②           | 3457798 |
| Yellow cartridge 6,8/11 M                                                  |             | 50352   |
| Ceiling clip X-CC CS27 P8 (100)                                            |             | 2005065 |
| Ceiling clip X-CC27 C27 P8 (1000)                                          |             | 289964  |
| Ceiling clip X-CC U27 P8                                                   | ③           | 386230  |
| Ceiling hanger X-HS M10 U32 P8 S15                                         |             | 361790  |
| Gas-actuated                                                               |             |         |
| Gas-actuated tool GX 120-ME                                                | ①           | 274898  |
| GX 120 7ft pole                                                            |             | 3465694 |
| GX 120 5ft pole                                                            |             | 3465695 |
| Kit X-GHP 18 MX + GC 21 (750 nails + gas can)                              |             | 226931  |
| Kit X-GHP 20 MX + GC 21 (750 nails + gas can)                              |             | 226932  |
| Universal cable tie holder X-UCT MX                                        | ②           | 2095183 |
| Cable tie holder X-ECT MX                                                  | ③           | 285709  |
| Cable tie with holder X-ECT 40 MX                                          |             | 432947  |
| Ceiling clip X-ECC MX                                                      |             | 228342  |
| Electrical cable clamp X-EKSC 16 MX                                        |             | 274083  |
| Electrical cable clamp X-EKSC 20 MX                                        |             | 274086  |
| Cable clasp X-EKB 16 MX                                                    |             | 285714  |
| Battery-actuated                                                           |             |         |
| Battery powered fastening tool BX 3-ME + 2 x 5.2Ah batteries + charger kit | ①           | 3542837 |
| 5ft pole BX 3-ME                                                           |             | 3542838 |
| 7ft pole BX 3-ME                                                           |             | 3542839 |
| Universal nail X-P 20 B3 MX                                                |             | 2105404 |
| Steel nail X-S 14 B3 MX                                                    | ②           | 2105402 |
| Universal nail X-P 36 B3 P7                                                |             | 2105407 |




## MECHANICAL ANCHOR SOLUTIONS

|                                                         |   |         |
|---------------------------------------------------------|---|---------|
| <b>HUS3 screw anchor systems</b>                        |   |         |
| Screw anchor HUS3-I 6x35 M8/M10                         | ① | 416740  |
| Screw anchor HUS3-A 6x35 M8/16                          |   | 416741  |
| Screw anchor HUS3-P 6x40/5                              | ② | 416745  |
| Screw anchor HUS3-H 6x40/5                              | ③ | 416735  |
| <b>HUS screw anchors for seismic applications</b>       |   |         |
| Screw anchor HUS3-I 6x55 M8/M10                         |   | 423180  |
| Screw anchor HUS3-A 6x55 M10/21                         |   | 416744  |
| Impact socket S-NSD 1/2"-15 L                           |   | 408417  |
| Hammer drill bit TE-CX 6/17 MP8                         |   | 2021998 |
| <b>HKD knock in anchor system</b>                       |   |         |
| Flush anchor HKD M10x25 bucket                          | ① | 2037454 |
| Flush anchor HKD M12x25 bucket                          |   | 378432  |
| Setting tool HKD-TE-CX M10x25                           | ② | 414480  |
| Setting tool HKD-TE-CX M12x25                           |   | 2097386 |
| <b>HST3 stud anchor system for seismic applications</b> |   |         |
| Safety stud anchor HST3 M8x75 -/10                      |   | 2105888 |
| Safety stud anchor HST3 M8x115 -/50                     | ① | 2105890 |
| Safety stud anchor HST3 M10x70 10/-                     |   | 2113974 |
| Safety stud anchor HST3 M10x100 40/20                   |   | 2105713 |
| Safety stud anchor HST3 M12x85 10/-                     |   | 2113978 |
| Safety stud anchor HST3 M16x135 35/15                   |   | 2105858 |
| <b>Light duty mechanical anchors</b>                    |   |         |
| Sleeve anchor HLC 10x50/15 bucket                       | ① | 385821  |
| Impact anchor HPS-1 5/5x25                              |   | 260347  |
| Wedge anchor DBZ 6/4.5                                  |   | 256312  |



## CHEMICAL ANCHOR SOLUTIONS

| Ordering designation                                                                |   | Item number |
|-------------------------------------------------------------------------------------|---|-------------|
| <b>Slow cure epoxy for concrete</b>                                                 |   |             |
| Ultimate performance epoxy mortar HIT-RE 500 V3 (500 ml)                            | ① | 2123406     |
| Standard epoxy mortar HIT-RE 100 (500 ml)                                           | ② | 2123386     |
| <b>Fast cure hybrid mortar for concrete</b>                                         |   |             |
| Ultimate performance hybrid mortar HIT-HY 200-R (500 ml)                            | ① | 2045032     |
| <b>Hybrid mortar for masonry</b>                                                    |   |             |
| Ultimate performance hybrid mortar for masonry HIT-HY 270 (500 ml)                  | ① | 2095983     |
| <b>External threaded rods</b>                                                       |   |             |
| Anchor rod HIT-V-F-5.8 M10x95                                                       |   | 409551      |
| Anchor rod HIT-V-F-5.8 M12x110                                                      | ① | 409555      |
| Anchor rod HIT-V-F-5.8 M16x150                                                      |   | 409560      |
| Anchor rod HIT-V-F-5.8 M20x180                                                      |   | 409564      |
| <b>Internal threaded rods</b>                                                       |   |             |
| Int. threaded sleeve HIS-N M10x110                                                  |   | 258016      |
| Int. threaded sleeve HIS-N M12x125                                                  | ① | 258017      |
| Int. threaded sleeve HIS-N M16x170                                                  |   | 258018      |
| <b>Dispensers</b>                                                                   |   |             |
| Manual dispenser HDM 500 toolbox kit (incl. pump, brushes)                          | ① | 3497417     |
| Battery dispenser HDE 500 kit + 1 x 2.6Ah battery (incl. cartridges, pump, brushes) | ② | 3555313     |



## FIRESTOP AND CHEMICAL SOLUTIONS

|                                         |   |         |
|-----------------------------------------|---|---------|
| <b>Foams, sealant and joint filler</b>  |   |         |
| Firestop foam CFS-F FX                  | ① | 429802  |
| Firestop sealant CP 611A INT            | ② | 220351  |
| FS joint filler CP 606 580ml INT grey   |   | 209633  |
| <b>Firestop blocks, plugs and putty</b> |   |         |
| Firestop block CFS-BL                   | ① | 2062863 |
| Firestop putty bandage CFS-P BA         | ② | 2062876 |
| Firestop plug CFS-PL 107                |   | 2059530 |
| Firestop plug CFS-PL 132                | ③ | 2059531 |
| Firestop plug CFS-PL 158                |   | 2059532 |
| Firestop plug CFS-PL 202                |   | 2059533 |



# PROFESSIONAL ASSISTANCE.

**Helps make every project a success**

**Hilti Engineering Services**



## HILTI SERVICE SUPPORT POLICY

The availability of professional technical support is just as important to Hilti as the production of quality tools. Our team of Field Engineers provide expert technical support, on site or by telephone. We know that every day on the job site brings a new challenge and that's why Hilti Engineers are on-hand to consult on a wide range of technical solutions.



## PROJECT SUPPORT

Hilti project managers and engineers assist by coordinating logistics and technical support for defined projects.

## ON-SITE TECHNICAL CONSULTING

Our engineers provide on-site support at any location. They offer a consulting service for engineers and construction professionals on specific application needs. Training and site-testing is also a service we can offer.

## TECHNICAL SOFTWARE AND DOCUMENTS

Our innovative and practical software solutions cover everything from anchor design and selection, to installation concepts, and are available to support you in your daily work. Technical documents such as approvals, test certificates and technical data sheets can be viewed and downloaded from Hilti Online at [www.hilti.com.au/downloads](http://www.hilti.com.au/downloads)

## CONTACT US

For any of these services you can contact us on **131 292** or [serviceaustralia@hilti.com](mailto:serviceaustralia@hilti.com)

# AVAILABLE AS YOU NEED.

## How to get in touch

### Contacting Hilti

#### CUSTOMER SERVICE

Customer Service representatives are available Monday to Friday from 7:30am to 5:00pm. Our professionally trained team can help you with product advice, orders and deliveries, as well as organising on-site product demonstrations.

**Call: 131 292 Fax: 1300 135 042 Email: [serviceaustralia@hilti.com](mailto:serviceaustralia@hilti.com)**

#### HILTI STORES

With outlets located nationally, Hilti Stores are much more than display or sales points for Hilti products. At a Hilti Store, you can receive professional advice on products and applications. You can also have hands-on demonstrations of Hilti products. Take a look at our list of Hilti Stores for a location near you.

**Visit: [www.hilti.com.au](http://www.hilti.com.au)**

#### HILTI ONLINE


7 days a week, 24 hours a day. Use the website at your own convenience during and after office hours, with quick access to product information and pricing. Register to order online, review your order history, see your tool list and more. Take advantage of our free delivery for online ordering today!

**Visit: [www.hilti.com.au](http://www.hilti.com.au)**

#### ACCOUNT MANAGERS

Professionally trained Account Managers are readily available nationwide, to visit your place of work, where and when you want. By arranging a visit to you, they can help evaluate your job requirements and suggest ways to increase your productivity and profitability.

**Call: 131 292**



**Sydney – Lidcombe**  
35 Parramatta Road,  
Lidcombe NSW 2141  
Mon – Fri 7.00am – 5.00pm

**Sydney – Alexandria** **NEW**  
154 Bourke Road,  
Alexandria NSW 2015  
Mon – Fri 7.00am – 5.00pm

**Sydney – Annandale**  
245a Parramatta Road,  
Annandale NSW 2038  
Mon – Fri 7.00am – 4.00pm

**Newcastle**  
70-72 Orlando Road,  
Lambton NSW 2299  
Mon – Fri 7.00am – 4.00pm

**Melbourne**  
203-205 Normanby Road,  
South Melbourne VIC 3205  
Mon – Fri 7.00am – 5.00pm

**Brisbane**  
718 Kingsford Smith Drive,  
Hamilton QLD 4007  
Mon – Fri 7.00am – 5.00pm

**Gold Coast**  
Unit 5/46-50 Spencer Road,  
Nerang QLD 4211  
Mon – Fri 7.00am – 4.00pm

**Townsville**  
Unit 8/264 Woolcock Street,  
Currajong QLD 4812  
Mon – Fri 7.30am – 4.30pm

**Cairns**  
29 Hannam Street,  
Cairns QLD 4870  
Mon – Fri 7.30am – 4.30pm

**Adelaide**  
52 Richmond Road,  
Keswick SA 5035  
Mon – Fri 7.00am – 5.00pm

**Perth**  
150 Abernethy Road,  
Belmont WA 6104  
Mon – Fri 7.00am – 5.00pm

**Darwin**  
32 Benison Road,  
Winnellie NT 0820  
Mon – Fri 7.30am – 4.30pm

**Hobart**  
56a Hopkins Street,  
Moonah TAS 7009  
Mon – Fri 7.30am – 4.30pm



Hilti (Aust.) Pty Ltd  
Level 5, 1G Homebush Bay Drive  
Rhodes NSW 2138

P 131 292  
F 1300 135 042  
[www.hilti.com.au](http://www.hilti.com.au)

