



A DewertOkin Technology Brand

Powered by **OKIN**



Innovative Solutions for Drive & System Technology

DEWERTOKIN TECHNOLOGY GROUP

DewertOkin Technology Group Ltd. is a subsidiary of Phoenix Meccano Group in Switzerland. Its two brands, Dewert and OKIN, are originated in North Rhine-Westphalia, Germany, counting over 40 years of history. With 5 production bases in Asia-Pacific and Europe, and a total of nearly 3,000 employees, DewertOkin provides integrated hardware and software solutions for Smart Home, Smart Healthcare, Smart Office and other scenarios.

- Smart Manufacturing
- Production Real-time Traceability
- Global Supply Chain
- Fast Delivery Guarantee



ONE-STOP SOLUTION FOR SMART FURNITURE

Under the brand OKIN you can find a wide range of products for smart furniture (such as motion upholstery, massage chairs, theatre seating, recliners and adjustable beds) and adjustable office desk and chair systems. Whereas the brand Dewert offers high performance products for medical applications (such as medical and nursing beds).

The first in the industry to propose a One-stop Smart Solution concept, our company serves over 1/5 of the world's smart furniture manufacturers and is the preferred supplier of many world-class brands. With a presence in over 28 countries and regions around the world, DewertOkin is a true industry leader.

Over 40 years focusing on the development and innovation of One-stop Smart Solutions. 5 innovative R&D centers around the world with post-doctoral workstations as the core. Over 1,500 patents, including more than 900 patents for inventions.



- Sustainability has always been a priority for DewertOkin. In keeping with our dedication and ongoing efforts to have green factories and products while fostering a healthier and greener working environment, our Industrial Park complies with the requirements of ISO 45001, ISO 14001, and ISO 50001 certifications.
- All DewertOkin products, as well as their components, meet the European requirements for registration and prevention of chemical substances such as REACH and RoHS.
- Our product solutions are certified in accordance with DIN EN ISO 9001:2015 and the CB test report.
- Approved by authoritative certification institutions.



Business Solutions

Reliable Technology for Adjustable Beds

Electrically adjustable beds ensure outstanding comfort in everyday life and turn your own bedroom into an oasis of well-being. The key features for this type of bed are the smooth changes in position and the excellent user-friendliness. This is achieved by taking advantage of the intelligent components provided by OKIN. OKIN is the world's leading supplier of drive technology for motorized adjustable beds. The OKIN brand encompasses a broad portfolio for users – with products that can be used for mid-range and high-end applications.



Comfort Beds

A modern, stylish design is combined with optimum sleeping comfort and individually adjustable movement profiles. End users benefit from the gentle adjustments of the

sleeping, reading or sitting positions and extras such as an optional relaxing massage function, practical floor lighting and convenient operations via smartphone app.



Box Spring Beds

A comfortable mattress and relaxing environment are important, but the technology integrated into a box spring bed is also essential for ergonomic positioning and reliable functionality. Drives for box spring beds should be particularly powerful.

Our single and double drives with a high pushing force move the foot and head sections smoothly and quietly. In addition, our intelligent control units and elegant handsets allow you to create individual movement profiles.

DOUBLE DRIVES

The OKIMAT is a powerful, stable, low-maintenance and sustainable double drive for comfort beds/box spring beds. Users benefit from the fast adjustment speed, the low-noise setting and the convenient operating functionality. Thanks to its high pushing force this drive is ideal for heavy comfort beds and box spring beds.



Double Drives (Wired Systems) For Box-Spring Beds or Slatted Frames

OKIMAT 6



Input	100-240 V/AC
Min. Installation Size	581mm
Stroke	69mm, 74mm, 87mm
Load capacity	2 x 6000N
Power	Switch Mode Power Supply (SMPS)
Optionals	<ul style="list-style-type: none">- Emergency lowering function- External control unit for RF/BT/Memo and underbed light

OKIMAT 4



Input	100-240V/AC
Minimum installation size	581mm
Stroke	69mm, 74mm, 87mm
Load capacity	2 x 6000 N
Power	Switch Mode Power Supply (SMPS)
Optionals	<ul style="list-style-type: none">- Emergency lowering function- External control unit for RF/BT/Memo and underbed light

OKIMAT 6 RF-BT

Double Drives (RF Systems) For Box-Spring Beds or Slatted Frames




Input	100-240 V/AC
Min. Installation Size	581mm
Stroke	69mm, 74mm, 87mm
Load capacity	2*6000N
Power	Switch Mode Power Supply (SMPS)
Optionals	- Integrated underbed light

OKIMAT4 RF-BT



Input	100-240V/AC
Minimum installation size	581mm
Stroke	69mm, 74mm, 87mm
Load capacity	2*6500N
Power	Switch Mode Power Supply (SMPS)
Optionals	- Integrated RF / Memory positions - Integrated underbed light - Ports for 3rd/4th actuators and massage motors - Dedicated MFP port for external LED - USB charger and massage motors





Noiseless

Powerful

Stable

JLDQ.19

JLDQ.14B

Single Drives



Minimum installation size	Stroke + 150mm	Stroke + 135mm
Load capacity	6000N max	3000N max
Certifications	UL, FCC, UKCA, CE, CB	UL, FCC, IC, UKCA, CE

JLDQ.20


Alphadrive 5 Single Drives



Minimum installation size	Stroke + 135mm	Stroke + 136mm
Load capacity	4000N max	6000N max
Certifications	UL, FCC, UKCA, CE	UL, FCC, UKCA, CE

JLDQ.32

DA.29



Minimum installation size	Stroke + 130mm	Stroke + 168mm
Load capacity	3500N max	8000N max
Certifications	CE, UL	CE, ICE

HANDSETS

OKIN always works with the customer in mind, so we can provide you with the ideal solution. We consider all relevant factors in advance: including the best option for a convenient bed adjustment at the touch of a button – whether it's an individual cable-based handset or a wireless hand-held transmitter.

Wireless Handsets

OKIN RF handsets stand out in particular for their elegant design: the screwless housing is appealing and flat, ensuring an optimal handling at all times. Thanks to their responsive buttons and high value housing surfaces, the handsets are ideal for bedding applications. Equipped with the OKIN bi-directional 2.4 GHz radio control, the input of commands is always accurate and reliable.

● RF Eco / RF.80



6 buttons
Controls 2 actuators

● RF-Liteline



7 buttons
Controls 2 actuators
Blue backlight
Optionals: Flashlight

● RF-Flashline / RF.34



3 / 5 / 7 / 9 buttons
Controls 1-4 actuators
Blue / White backlight
Optionals: Flashlight, UBL,
Child safety lock, Pair button

● RF.28



7 / 9 buttons
Controls 2-4 actuators
Blue backlight
Optionals: Flashlight, UBL,
Child safety lock

● RF.29



11 buttons
Controls 2-5 actuators
No backlight
Optionals: Flashlight, UBL,
Child safety lock,
Pair button, Massage

● RF-Style



12 buttons
Controls 2-5 actuators
Blue backlight
Optionals: Child safety lock,
Flashlight

● RF-Topline



11 / 15 buttons
Controls 2-5 actuators
Blue backlight
Optionals: Flashlight

● RF-Touchline



21 buttons
Controls 2-5 actuators
White backlight
Optionals: Flashlight, Massage

Wireless Handsets

● RF.51



- 11 / 19 / 21 buttons, controls 2-5 actuators
- White backlight
- One-touch Flat and Zero-G position buttons
- Preset memory positions: 1-6
- Optionals: Flashlight, UBL, Child safety lock, Pair button, Massage

● RF.67



- 7 / 9 / 19 / 21 buttons, controls 2-5 actuators
- White backlight
- One-touch Flat and Zero-G position buttons
- Preset memory positions: 1-6
- Optionals: Flashlight, UBL, Child safety lock, Pair button, Massage

Wired Handsets

Tried and tested easy-to-use handsets with a wired connection. OKIN wired handsets have a robust housing and are designed for high reliability and precise inputs. Equipped with a reset function, the ForelinePro and Topline handsets can be used for controlling both movements at the same time. Furthermore, both handsets are equipped with a hook on the back side. In addition, the ForelinePro has an integrated flashlight.

● Baseline



- 2 / 6 buttons
- Controls 1-2 actuators

● HS-ForelinePro



- 2 / 3 / 4 / 5 / 6 / 7 buttons
- Controls 1-3 actuators
- Optionals: Flashlight

● Deluxe



- 6 buttons, controls 2 actuators

CONTROL UNITS

For Box-Spring Beds or Slatted Frames

OKIN RF receivers have a bi-directional 2.4 GHz technology which is completely interference-free. The compact design of our receiver units enables them to be used in space-critical products directly tacked on the OKIMAT 4. This is perfect for electrically adjustable bed systems that have very low construction heights.

RF eco basic

Control Units



2.4 GHz technology
Controls 2 actuators

RF ECO BT MEMO

Control Units



2.4 GHz technology
Bluetooth®
Underbed light
Timer memory integrated
Controls 2 acutators

HE 150



2.4 GHz technology
Bluetooth®
Underbed light
Memory integrated
MFP Socket for external LED, USB and massage motors
Optional: Socket for 3rd and 4th motor

CB.37



Controls 2-6 actuators, 6 preset memory positions
Wired synchronization
RF&BT dual-mode communication, Built-in Bluetooth®
Reserved MFP port
Optionals: UBL, RGB UBL, Motion sensor light, Single hall sensor actuator, Massage, USB charger, Voice control, Smart anti-snore, Sleep sense, Sonic massage.



USB-A-C charger



Power down box for emergency lowering



Alphadrive 5



RF Handsets



Massage motor



LED Light Strips

ACCESSORIES

On OKIMAT 4+2 EPS RF-BT Memory Massage

OKIN offers a wide range of optional components for adjustable beds. Many of these improve comfort, for example, massage motors, LED lights or USB sockets for charging mobile phones or tablets.

USB Charger Sockets

● PO.11.01/02



USB-A + USB-C 20W/10W
 USB Input: 29V
 USB Output: 5V/2.5A, 9V/2A, 12V/1.5A

● PO.04.02/03



USB-A + USB-C 18W/10W
 USB Input: 29V
 USB Output: 5V/3A, 9V/2A, 12V/1.5A

● PO.13.01/02



USB-A + USB-C 18W/10W
 USB Input: 29V
 USB Output: 5V/3A, 9V/2A, 12V/1.5A

Underbed LED Light Strips

● 92644



Input: 29V DC
 Aluminium housing
 Connecting cables for up to 3 light strips

● R5.113



Input: 29V DC
 2.1DC Plug / 2*24AWG or 4-pin Plug
 Light Color: Warm White
 (2800-3200k color temperature)
 RGB LED Strip (Optional)

● FP.07.03



Easy to install, can be placed on the bed side or the bed leg.
 Activated by human movement in a dark environment,
 automatically turns the underbed light on/off.
 Infrared detection sensor.

Massage Motor Kits

● MM.01.01



Input: 24-29V DC
 Speed: 2200RPM
 Works with control box

Wall plug SMPS PW.10

Power Supplies



Input: 100-240V AC 50Hz~60Hz 2.5A
 Output: 29V DC 1.5A / 1.8A / 2.0A
 Overvoltage, overcurrent, overheating and short circuit protection

Desktop SMPS PW.20



Input: 100-240V AC 50Hz~60Hz 2.5A
 Output: 29V DC 1.8A / 2.0A / 3.0A
 Overvoltage, overcurrent, overheating and short circuit protection

Desktop SMPS PW.30



Input: 100-240V AC 50Hz~60Hz 2.5A
 Output: 29V DC 1.8A / 2.0A
 Overvoltage, overcurrent, overheating and short circuit protection
 Back up battery compartment (2*9V batteries)



OKIN BED MECHANISM

High Quality Integrated Actuator System


The mechanism is ideal for bedding applications with 1-motor systems or 2-motor systems. It is suitable for all standard box spring beds and continental beds. Thanks to separated mechanisms for the head and foot section adjustment as well as a particularly low installation height, the mechanism offers maximum flexibility in the design of motor-driven box spring beds. The complete system is suitable for all common bed widths and lengths. A convenient emergency lowering function via remote control provides additional safety. The OKIN Bed Mechanism is also compatible with a wide range of OKIN control units and remotes and is characterized by particularly simple assembly.

OBM100

OKIN Bed Mechanism



OBM105



with synchronised backrest and neckrest

Weight capacity	200 kg
Installation height	10.6 cm
Actuator	Alphadrive 5
Switch	Compatible with all OKIN control units and remotes
Power supply	PW.30_100 – 240V/AC

Operate your electrically adjustable premium bed with your smartphone or tablet. The app FurniMove was designed to work in perfect sync with your applications. OKIN offers standard IOS and Android Apps for your individual requirements that are easy to install and use.



Personalized custom interface



App Store



Google Play

- Invisible Aesthetics**
 Ultra-slim design, can be perfectly hidden under the bed, delivering sound right by your pillow. Ideal even for space-limited foldable beds.
- Powerful Sound Field**
 Dual 20W stereo speakers with professional audio units, offering powerful sound in a small package—rich bass and clear highs.
- Smart Control Convenience**
 Instant Bluetooth® connection to smartphones or TVs, transforming your bedroom into a private cinema in seconds, perfect for entertainment and promoting better sleep.
- Safety and Durability**
 Low-voltage DC power supply ensures safety and reliability, providing long-lasting performance.



Germany

DewertOkin GmbH
Weststrasse 1
32278 Kirchleugern
Deutschland / Germany
Tel: +49 5223 979 0
Fax: +49 5223 751 82
E-mail: info@dewertokin.de
Web: www.dewertokin.com

China Jiaxing

Add: No.1507 Taoyuan Road, Gaozhao Subdistrict, Xiuzhou Development Zone, Jiaxing, Zhejiang, China 314031
Service Hotline: +86-400-887-8573
Tel: +86-(0)573-8228-1028
E-mail: info@dewertokin.com
Web: www.dewertokin.com

China Huizhou

Add: Building C6, Zhantao Industrial Zone, Weibu Village, Qiuchang Town, Huiyang District, Huizhou, Guangdong, China
E-mail: info@dewertokin.com

China Taiwan

Phoenix Mecano Hong Kong Limited Taiwan Branch
Add: Room 4E-12, No.5, Hsin-Yi Road, Sec. 5, 11011 Taipei, Taiwan, China
Contact: Allen Wang
Phone: +886 2 27252582
E-mail: allen@pmtwn.com.tw

Korea

Add: No. 506, Bomb Building, 617-3, Gajeong-dong, Seo-gu, Incheon, Korea.
Zip Code: 22731
Contact: Amos An
Mobile: +82-10-6865-0599
E-mail: amos.an@dewertokin.com

Japan

Add: 52 Saiwai-Cho 420-0067 Shizuoka-City
Contact: JR Piao
Mobile: +81-90-6507-0205
E-mail: jr.piao@dewertokin.com
Web: www.dewertokin.com/ja/

Australia


Add: 64 Butler Way, Tullamarine, Victoria, Australia, 3043
Tel: +61 (3) 9338 56 99
Fax: +61 (3) 9338 53 99
E-mail: info@phoenix-mecano.com.au
Web: www.phoenix-mecano.com.au

Vietnam

Lo H5-2(khu B1), duong D9, khu cong nghiep rach bap, xa an dien, thi xa ben cat, tinh binh duong, Vietnam
Contact: Josiah Xia
Mobile: +84 0913922780
Email: Josiah.Xia@dewertokin.com

Malaysia / India Singapore / Thailand Indonesia

Add: No. 22A-1, Blok 22A, Level1, Empire Galleri, Jalan Empayar/KU1 off Persiaran Sultan Ibrahim, 41150 Klang, Selangor, Malaysia
Zip Code: 41150
Contact: Ngkian Seng
Mobile: +60 193150628
E-mail: ngks@dewertokin.com



United States

Okin America Inc.
Add: 291 CDF Blvd Shannon, MS 38868
Tel: +1 662-566-1000
E-mail: orders.okin@okinamerica.com
Web: www.okinamerica.com

Brazil

DewertOkin Latin America
Add: Av. Prof. Alceu Maynard de Araujo, 185, São Paulo, SP
Zip Code: 04626-160
Contact: Adriana Shinzato
E-mail: vendas@dewertokin.com.br
Tel: +55.11.56434190
Web: www.dewertokin.com.br

Over 40 years of experience.



Follow us: DewertOkin 

