

# 30" Series 7 Classic 4 Burner Gas Range

Series 7 | Classic



Create a striking classic kitchen. Your freestanding range has a spacious oven capacity and four gas burners for precise control.


- Four burner gas cooktop with two dual wok burners
- Gas oven with 3.5 cu ft total capacity
- Three oven functions: Bake, Convection Bake and Maxi Broil

## DIMENSIONS

Height 35 3/4 - 37 5/8 "

Width 29 7/8 "

Depth 25 1/4 "



## FEATURES & BENEFITS

### Design quality

This range has been carefully crafted in every detail from performance to durability using quality materials including the balanced soft-close door and rounded hob rail.

### Large Capacity Oven

The generous 3.5 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once, with enough room to fit a 26 lb turkey.

### Performance power

Precise cooktop controls let you sear or stir fry over instant, powerful heat. Use the high burner power or simmer a delicate sauce using the gentlest of heats.

### Easy Cleaning

With its durable surface, your cooktop simply needs a quick wipe after cooking to keep it looking good as new for years to come.

## SPECIFICATIONS

### Accessories (included)

2-pc grill system (Broil pan and Grill rack)	•
Broil pan	•
Chromed shelf runners	1 set
Full extension telescopic shelves	2 sets (part 578776)
Small pot support	1 (part 533981 cast)

### Accessories (sold separately)

Hob rear trim	3 1/8" (part 81657)
Kick strip, black (optional)	KICKOR30B1
Kick strip, red (optional)	KICKOR30R1
Kick strip, stainless steel (optional)	KICKOR90X1
Kick strip, white (optional)	KICKOR30W1

### Burner ratings

Dual wok burner inner/outer (LPG)	1000 - 18000BTU
Dual wok burner inner/outer (natural gas)	1000 - 18000BTU
Maximum burner power	18000 BTU
Semi-rapid burner (LPG)	1500 - 7600BTU
Semi-rapid burner (natural gas)	1500 - 8000BTU
Total cooktop power	52000 BTU

<b>Cleaning</b>		Bake power	14000 BTU	Non-tip shelves	•		
Acid resistant graphite enamel	•	Broil	11000 BTU	Spill containment	45.42 L		
Removable oven door	•	CoolTouch door	Triple glazed	Spill containment	1/2 gallon		
Removable shelf runners	•						
		<b>Power requirements</b>		SKU 81714			
<b>Controls</b>		Connection	3-prong grounding type [NEMA 5-15P plug]				
Laser etched graphics	•	Service	15 A				
		Supply frequency	60 Hz				
<b>Gas Requirements</b>		Supply voltage	120 V	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020			
Supply Pressure (LPG)	11" W.C.P						
Supply Pressure (natural gas)	4" W.C.P						
		<b>Product dimensions</b>		<b>Other product downloads available at <a href="#">fisherpaykel.com</a></b>			
<b>Oven features</b>		Depth	25 1/4 "				
Auto re-ignition system	•	Height	35 3/4 - 37 5/8 "				
Concealed element	•	Width	29 7/8 "				
Convection	•						
Electronic ignition	•	<b>Rangetop features</b>					
Full extension telescopic sliding shelves	•	Hob rail	•				
Soft open/close door	•	LPG / Natural Gas compatible	•				
Storage drawer	•	Sealed range top	•				
<b>Oven functions</b>		<b>Safety</b>					
Convection bake	•	ADA compliant	•				
Number of functions	3	Advanced cooling system	•				
		Anti-tilt bracket	•				
<b>Oven performance</b>		Balanced oven door	•				
		Full extension telescopic sliding shelves	•				

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- 2D-DWG Gas Range
- 2D-DXF Gas Range
- Data Sheet Gas Range
- Installation Guide EN
- Guide d'installation FR
- Revit Gas Cooktop
- Rhino Gas Cooktop
- Sketchup Gas Cooktop
- User Guide Freestanding Range EN
- Guide d'utilisation FR

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



**A PEACE OF MIND SALE**  
24 Hours 7 Days a Week Customer Support  
T 1.888.936.7872 W [www.fisherpaykel.com](http://www.fisherpaykel.com)