QUICK REFERENCE GUIDE > OR36SCG6X1 Date: 17.12.2024 > 1

36" Series 9 Classic 5 Burner Dual Fuel Self-Cleaning Range

Series 9 | Classic

Stainless Steel




Get the best of both worlds with dual fuel. A gas cooktop is paired with a large, nine function convection oven.

- Five burner gas cooktop, including one dual ring and two triple ring wok burners
- Convection oven with 4.9 cu.ft total capacity and nine oven functions including Roast, Aero Pastry™ with pizza mode and rapid proof for baking bread

- Non-tip full-extension shelves for safe removal of hot dishes
- High-temperature self-cleaning function breaks down food residue for an easy clean

DIMENSIONS

Height	35 3/4 - 37 1/4 "
Width	35 7/8 "
Depth	25 1/4 "



FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech $^{\text{TM}}$ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

Quality and durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop grates and glowing halo dials all add up to an exceptional, premium range.

Easy to clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The self-clean function breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Burner power & control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Large Capacity Oven

The generous 4.9 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once, with enough room to fit a 32 lb turkey.

Precise control

Accurate electronically-controlled oven heat gives you better results in the kitchen.

SPECIFICATIONS

Accessories (included)

2-pc grill system (Broil pan and Grill rack)

Broil pan

•

Full extension telescopic shelves 2 sets (part 578744)

Grill rack true

Small pot support 1 (part 533981)

Accessories (sold separately)

Kick strip, black (optional)	KICKOR36B1	Removable oven door	•	Automatic rapid pre-heat	•
Kick strip, red (optional)	KICKOR36R1	Removable shelf runners	•	Bright chromed, cast zinc dials with	•
Kick strip, stainless steel (optional)	KICKOR36X1			illuminated halos	
Kick strip, white (optional)	KICKOR36W1			Concealed element	•
Wok grate included	Yes	Controls		Electronic oven control	•
		Audio feedback	•	Full extension telescopic sliding shelves	•
		Automatic cooking/minute timer	•	Internal light	4 x 25W halogen (2 side & 2 top)
Burner ratings		Automatic pre-set temperatures	•	Soft open/close door	•
Dual wok burner inner/outer (LPG)	1000 - 18000BTU	Celsius/Fahrenheit temperature	•	True convection	•
Dual wok burner inner/outer (natural gas)	1000 - 18000BTU	Electronic capacitive touch controls	•	Turned stainless steel clock dial	
Maximum burner power	18000 BTU	Electronic clock	•	Twin cavity fans	
Semi-rapid burner (LPG)	7600BTU	High resolution display	•	Warming drawer	•
Semi-rapid burner (natural gas)	8000BTU	Laser etched graphics	•		
Total cooktop power	62000 BTU	Precise electronic temperature control	•		
Triple ring wok burner (LPG) x2	6100 - 12000BTU	Sabbath mode	•	Oven functions	
Triple ring wok burner (natural gas) x2	6100 - 14000 BTU	Turned stainless steel clock buttons	•	Aero Broil	•
		Turned stainless steel clock crown (dial)	•	Aero™ Bake	•
				Aero™ Pastry with Pizza mode	•
Capacity			_	Bake	•
Shelf positions	7	Gas Requirements		Broil	•
Total capacity	4.9 cu ft	Supply Pressure (LPG)	11" W.C.P	Number of functions	9
Usable capacity	4.3 cu ft	Supply Pressure (natural gas)	4" W.C.P	Rapid proof	•
				Roast	•
				Self-clean function	•
Cleaning		Main oven functions		True Aero	•
Acid resistant graphite enamel	•	Warm	•	True convection	•
Drop down broil element	•				
Drop down grill element	•				
Flat easy clean glass surface	•	Oven features		Oven performance	
Pyrolytic proof shelf runners	•	AeroTech™ technology	•	Broil power	4300 W
Pyrolytic self-clean	•	Auto re-ignition system	•	CoolTouch door	Quadruple glazed

QUICK REFERENCE GUIDE > OR36SCG6X1 Date: 17.12.2024 > 3

Warming drawer power	220 W
Power Requirements	
Amperage	30 A
Supply frequency	60 Hz
Product Dimensions	
Depth	25 1/4 "
Height	35 3/4 - 37 1/4 "
Width	35 7/8 "
Rangetop features	
Brass burner spreader (power burner)	•
Embossed brass burner cap (power burner)	•
Hob rail	•
LPG / Natural Gas compatible	•
Sealed range top	•
Rangetop Performance	
Number of burners	5
Safety	
ADA compliant	•
Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•

Catalytic venting system	•
Full extension telescopic shelves	2 sets (part 578744)
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Spill containment	219.53 L
Spill containment	5/8 gallon

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

\underline{ullet}	Service & Warranty
$\underline{\downarrow}$	Installation Guide EN
$\underline{\downarrow}$	Guide d'installation FR
$\overline{\underline{\downarrow}}$	Revit Dual Fuel Range
$\underline{\downarrow}$	Rhino Dual Fuel Range
$\underline{\downarrow}$	Sketchup Dual Fuel Range
$\overline{\underline{\downarrow}}$	User Guide Freestanding Range EN

User Guide Freestanding Range EN

Where applicable:

SKU

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



81706

A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com