# B06T1Q1 user manual

## **Technology Specification**

Mode:	B06T1
Bluetooth Ver.	Bluetooth 5.3
Working Distance	RX:100ft (NO obstacle) 50ft(Have Obstacle)
Working Distance:	TX:50ft (NO obstacle) 30ft (Have Obstacle)
TX support 2 bluetooth	YES
RX support 2 bluetooth	YES
RX Audio Code:	SBC/MP3/AAC/aptX/aptX-HD/aptX-Adaptive
TX Audio Code:	SBC/MP3/AAC/aptX/aptX-LL/aptX-HD/aptX-Adaptive
RX Working Time:	20h
TX Working Time:	22h
Working Temp:	-10 to +50℃
Store Temp:	-20 to 60℃
Packing information	
Product Size:	80.2*48*14mm
Package Size:	130*100*17mm
Product Weight:	32.5g
Net Weight:	73.5g
Battery Specifications	
Battery Type	Polymer lithium battery
Battery Capacity	400mAh
Charge Time	2H
Charge Port	Type-C
Charging Voltage	5V
Charging Voltage	230mA
IN the box	
User manual	1pcs

#### TYPEC TO USB cable 1pcs

3.5mm male to male cable 1pcs				
B06T1Q1	1pcs			

Airplane Adapter 1pcs(Gift,Maybe there is, maybe not)

#### Working Instruction

### **TX Mode**

Bluetooth Connection: speaker/Airpods(airpods only,DO NOT work with

airpods pro/airpods gen/max)

3.5mm connection: TV/PC/Smartphone/Tablet/MP3 Player/Plane

Working Distance: TX:50ft (NO obstacle) 30ft (Have Obstacle)

TX support 2 bluetooth YES

TX Working Time: 22h

TX Audio Code: SBC/MP3/AAC/aptX/aptX-LL/aptX-HD/aptX-Adaptive

Audio Delay

But,if your bluetooth headphone support Aptx low latency, the delay will be less than 40ms

#### **RX Mode**

Bluetooth Connection:	iPhone/iPad/Smartphone/Tablet/PC/Laptop

	3.5mm	connection:	Aux support speake	er
--	-------	-------------	--------------------	----

Working Distance: 100ft (NO obstacle) 50ft (Have Obstacle)

RX support 2 bluetooth YES

RX Working Time: 20h

TX Audio Code: SBC/MP3/AAC/aptX/aptX-HD/aptX-Adaptive

Audio Delay Normally, will be 150ms + delay