

Product Statement



40V Max LED Flashlight

The 40V Max XGT LED Flashlight (ML001G) delivers bright illumination, versatility, and convenience. The high-luminance 4 L.E.D. flashlight provides 160 lumens.

It delivers up to 55 hours of continuous illumination on a single charge (when using the 40V max XGT 4.0Ah Battery, sold separately). The 12-position pivoting head provides a range of light direction, and a metal hang-hook is included for added convenience.



Product Overview





Product Specifications





Continuous runtime	34 hours (2.5Ah) 55 hours (4.0Ah)
Luminous flux	160lm
Illuminance	3,000lx (at 1m)
Overall length	281mm
Skin weight	0.28kg
Weight (with battery)	1.3kg (BL4040)
Voltage	40V Max

- **Compact Design** with a short overall length of 272mm and width of 79mm, it is ideal for use in tight and narrow working spaces, additionally at just 1.3kg with a 4.0Ah battery, it's lightweight for comfortable handheld use.
- Bright White LED's 4x 0.5W LEDs are used, providing wide and bright illumination with a brightness of 160lm.
- **12 pivot positions** 12 position pivoting head swivels with a range of 0 to 170° allowing the user to position the head in the most suitable position for the application.
- **Ergonomic Handle** ergonomically designed handle with rubberized soft grip providing the user with greater comfort during handheld use.
- **Strap hook** strap hook provided as a standard accessory, enabling the flashlight to be suspended illuminating the workpiece hands-free.

Advantages



Illumination



4x 0.5W LEDs provide wide and bright illumination of 160lm

Compact



Ergonomically designed handle with compact design

Versatility



12 pivot positions ranging from 0° to 170°

Convenience



Standard strap hook allows light to be suspended for hands free use

Our Range



	ML001G	ML002G	ML003G
	The state of the s		Tracing Control of the Control of th
ontinuous runtime	34 hours (2.5Ah) 55 hours (4.0Ah)	High Mode: 10 hours (2.5Ah) 16 hours (4.0Ah)	High Mode: 10 hours (4.0Ah)
uminous flux	160lm	710lm	High: 1,100lm Low: 450lm
luminance	3,000lx (at 1m)	340lx (at 50cm)	High: 1,900lx Low: 800lx (at 50cm)
verall length	281mm	425mm	249mm
kin weight	0.28kg	0.46kg	3.4kg
Veight (with battery)	1.3kg (BL4040)	1.5kg (BL4040)	4.3kg (BL4040)
oltage	40V Max	40V Max	40V Max / 18V

Accessories



Standard Accessories				
	GM00002280	Hook Band Set		



Optional Accessories				
	BL4025 BL4040 BL4050F	2.5Ah Battery 4.0Ah Battery 5.0Ah Battery		
THE PARTY OF THE P	DC40RA DC40RB	40V Max XGT Chargers Rapid Charger Dual Port Rapid Charger		
makith	ADP10	Adaptor Allows charging of 18V batteries on XGT chargers		