




ITEM	REGION	STANDARD OFFERING (SEE BELOW)	X	TO CUSTOMIZE PROVIDE INSTRUCTION BELOW	NOTES
1	FACE / TOE STAMP	CHARLESTON COORD.	☒		0.6" X 0.9" MAX
2	FACE / HEEL STAMP	M-WHEEL LOGO	☐		0.4" X 0.8" MAX
3	CAVITY GRAPHICS	FULL MERIDIAN LOGO	☐		0.38" X 1.75" MAX
4	SOLE GRAPHICS	LOGO / USA MADE / INFO	☐		1" X 4" MAX
5	BUMPER / HEEL	BLANK	☐		5 TO 6 CHAR.
6	BUMPER / TOE	BLANK	☐		5 TO 6 CHAR.
7	FLANGE	THREE LINE	☐		1, 2, OR 3 LINE
8	TOP LINE	BLANK	☐		DOT, 1 LINE







CHARACTERS

ABCDEFGHIJKLMN**OPQRSTUVWXYZ**
1234567890.

NOTES
1) 100% CNC MILLED FROM SOLID STEEL
2) BEAD BLAST AFTER MACHINING

ITEM	REGION	STANDARD OFFERING (SEE BELOW)	X	TO CUSTOMIZE PROVIDE INSTRUCTION BELOW	NOTES
1	FACE / TOE STAMP	OKATIE COORD.	☒		0.6" X 0.9" MAX
2	FACE / HEEL STAMP	M-WHEEL LOGO	☐		0.5" X 0.5" MAX
3	BACK OF FACE	USA MADE	☐		8 TO 10 CHAR.
4	SOLE GRAPHICS	LOGO / INFO	☐		0.8" X 2.8" MAX
5	TOP LINE	1 LINE	☐		DOT, 1 LINE




CHARACTERS

ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890.


NOTES
1) 100% CNC MILLED FROM SOLID STEEL
2) BEAD BLAST AFTER MACHINING

ITEM	REGION	STANDARD OFFERING (SEE BELOW)	X	TO CUSTOMIZE PROVIDE INSTRUCTION BELOW	NOTES
1	FACE 1 / TOE STAMP	EDISTO COORD.	☒		0.6" X 0.9" MAX
2	FACE 1 / HEEL STAMP	M-WHEEL LOGO	☐		0.6" X 0.9" MAX
3	FACE 2 / TOE STAMP	EDISTO	☐		0.6" X 0.9" MAX
4	FACE 2 / HEEL STAMP	M-WHEEL LOGO	☐		0.6" X 0.9" MAX
5	SOLE	LOGO / USA MADE	☐		0.4" X 3.2" MAX
6	TOP LINE	1 LINE	☐		DOT, 1 LINE






CHARACTERS

ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890.




NOTES
1) 100% CNC MILLED FROM SOLID STEEL
2) BEAD BLAST AFTER MACHINING

ITEM	REGION	STANDARD OFFERING (SEE BELOW)	X	TO CUSTOMIZE PROVIDE INSTRUCTION BELOW	NOTES
1	FACE / TOE STAMP	TYBEE COORD.	☒		0.6" X 0.9" MAX
2	FACE / HEEL STAMP	M-WHEEL LOGO	☐		0.6" X 0.9" MAX
3	CAVITY GRAPHICS	M-WHEEL LOGO	☐		0.38" X 1.2" MAX
4	SOLE GRAPHICS	LOGO / USA MADE / INFO	☐		1.1" X 3.2" MAX
5	FLANGE	1 LINE	☐		1, 2, OR 3 LINE
6	TOP LINE	BLANK	☐		DOT, 1 LINE



CHARACTERS
**ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890.**



NOTES
1) 100% CNC MILLED FROM SOLID STEEL
2) BEAD BLAST AFTER MACHINING