
# **Smart Switch Gen3 Starter Kit** Matter supported via Smart Bridege MZ1










# **Contents**

Product Overview	01
What's in the Box	01
Smart Bridge LED Status	02
Smart Switch Gen3 LED Status	02
Setting up the Smart Switch Gen3	03
Factory Reset	06
Setup with 3R-Installer	06
Setup with Apple Home	10
Setup with Google Home	15
Setup with Alexa	20
Setup with SmartThings	25
FCC Regulatory Conformance	31
RF Exposure	32
Limited Warranty	32


### **Product Overview**


Elevate your smart home with the Smart Switch Gen3 Matter Kit. With the Matter protocol, it offers effortless integration with leading smart home platforms. The 3R-Installer App ensures a smooth setup and easy device management. Whether you're at home or on-the-go, you can control your devices remotely or with simple voice commands.

### What's in the Box




# **Smart Bridge LED Status**





LED Status	Device Status
Zigbee LED On	Zigbee idle
Zigbee LED slow blinking	Zigbee ready for pairing
Wi-Fi LED fast blinking	Wi-Fi Idle/Ready for setup/Wi-Fi Matter reset
Wi-Fi LED Off	Wi-Fi connection 15 min timeout
<b>Wi-Fi LED</b> On	Wi-Fi connected
Wi-Fi LED slow blinking	Wi-Fi connection lost/resuming
Power LED On	Power on
Power LED slow blinking	Device OTA in progress
Power LED fast blinking	Device/Module self test fault
All 3 LED fast blinking	Factory reset

### **Smart Switch Gen3 LED Status**




Device Status	LED Status
Low battery	LED double blinking
Pairing	LED fast blinking
Offline	LED slow blinking


# **Setting up the Smart Switch Gen3**

Works with both toggle and rocker style switches.


1. Remove screws from faceplate.




2. For rocker switch, please select the fasteners and spacers as shown below. Start with the appropriate spacers. When you get to Step7, you may need to adjust the spacers accordingly.




3. Insert two AAAbatteries and replace cover.




4. Make sure Smart Switch actuator is in the up positon by pressing the button.




5. Turn your rocker or toggle switch ON positon, as shown.



6. Place Smart Switch over existing switch. Test the switch by pressing the button to turn on and off. Adjust the spacers to ensure proper engagement between the Smart Switch and wall switch.



Optional-For rocker switch, place protective film over paddle.



### **Factory Reset**

Long press the reset button of the bridge through the pinhole until all three LED turn fast blinking.

Long press the button of the switch for 30 seconds until the LED turns fast blinking.

### Setup with 3R-Installer

This Matter certified bridge can be paired to any Matter certified ecosystems.




### Compatibility:


iOS system: Version 1.0.2 or later.


- 1. Download and install the 3R-Installer App(iOS/Android) on your phone.
- 2. Turn on Bluetooth on your phone, and make sure your phone is connected to a stable internet access through a 2.4GHz Wi-Fi network.
- 3. Power on the Smart Bridge with the power adaptor, the Wi-Fi LED indicator is in blue blinking, indicating it is ready for Wi-Fi setup.
- 4. Open the 3R-Installer App on your phone and tap + in the upper right corner.


- 5. Scan the Matter QR Code on the Smart bridge and follow the on-screen instructions to configure the Wi-Fi network.
- 6. After the Wi-Fi network configuration is completed and the Zigbee end device is powered up, you can find the Smart bridge and pre-connected Zigbee devices on the device page.
- 7. Open the 3R-Installer App, swipe to the right to check the devices connected to the bridge, tab the device icon to enter the device page, you can Check Updates for firmware OTA for the device.
- 8. Tab Link With Matter Enabled Services, copy the Manual Setup Code or Scan the QR Code within 3 min, then you can add the bridge to other Matter supported ecosystems through multi-admin.



















### **Setup with Apple Home**



Compatibility:


iOS system: Version 16.6 or later.


Matter-supported Controller: Home Pod, Home Pod mini, or Apple TV.


Note: It is highly recommended to download and install 3R-Installer app on your phone first, follow the instructions below to setup the bridge in the 3R-Installer app, then get the setup code and add the bridge to your Apple Home through multi-admin. You can also Scan the QR code to add the bridge to your Apple Home directly.


- 1. Setup the Smart Bridge with 3R-Installer App, copy the Setup code of the Smart bridge in 3R-Installer App.(Code effective duration: 3 min)
- 2. Make sure your Apple Home Controller is connected to the same Wi-Fi network, launch your Home App. Tap + and then tap Add or Scan Accessory to add a new device. Tab More Options, Select the Smart Bridge MZ1 to Add device, paste the Setup Code copied from 3R-Installer App to Continue, set the location and name for the bridge, the bridge will be added to My Home.
- 3. Pre-connected accessories attached to the Smart Bridge will be automatically updated.


- 4. Set location and name for the accessories, then create automation for the accessories.
- 5. To connect the device to another Matter certified ecosystem app, long press any attached accessories and tab Accessory Settings to enter accessory page, tab Bridge to enter the Smart Bridge MZ1 device page, tab Turn On Pairing Mode to generate and copy a new setup code. Launch the app of another Matter certified ecosystem, follow the setup instruction to paste the setup code and follow the app instructions to complete the setup.






































# **Setup with Google Home**



Compatibility

Google Home App version:


Android: 3.3.1.4 or later

IOS: 3.3.104 or later

Note: It is highly recommended to download and install 3R-Installer app on your phone first, follow the instructions below to setup the bridge in the 3R-Installer app, then get the setup code and add the bridge to your Apple Home through multi-admin. You can also Scan the QR code to add the bridge to your Apple Home directly.

- Setup the Smart Bridge with 3R-Installer App, copy the Setup code of the Smart bridge in 3R-Installer App.(Code effective duration: 3 min)
- 2. Make sure your Google Home speaker is connected to the same Wi-Fi network, launch your Google Home App. Tap + and then tap New device. Choose a home and tab Next, choose the Smart bridge then tab Next, Continue without scanning, paste the Setup Code to Continue, create a name for the bridge, the bridge will be added.

- 3. Pre-connected devices attached to the Smart Bridge will be automatically updated.
- 4. Create names and add the devices to Google Home, then create automation for the devices.
- 5. To connect the device to another Matter certified ecosystem app, long press any attached accessories and tab Accessory Settings to enter accessory page, tab Bridge to enter the Smart Bridge MZ1 device page, tab Turn On Pairing Mode to generate and copy a new setup code. Launch the app of another Matter certified ecosystem, follow the setup instruction to paste the setup code and follow the app instructions to complete the setup.



### Set up a device

Set up a new device or add an existing device or service to your home



#### New device

Add a Chromecast, Google Nest speaker or display, Nest Wifi, a Matter-enabled device, or a partner device, including those labeled "Seamless Setup with the Google Home App."



#### Works with Google

Link one of your existing devices or services, like connected light bulbs or plugs.

### Nearby devices

Choose the device you would like to set up



Nest Hub Max
Basement display













**Not Now** 

Next

# Connect this device to your Google Account

This lets you control your device with Google Assistant or the Google Home app.


The device shares information with Google, like its current state (on or off, for example).


Google may make firmware updates available when firmware updates are provided by your device manufacturer. For debugging and product improvement, Google may share aggregate device usage data and deidentified diagnostic data with the device manufacturer.


Information shared with Google will be processed in accordance with Google's Privacy Policy. You can remove this connection anytime in Settings.


Cancel


l agree




















### **Setup with Alexa**



### Alexa App version:

Android: 2.2.521848.0 or later for build version, and 2023.15 or later for APP version


IOS: 2.2.548660 or later for build version, and 2023.15 or later for APP version


Note: It is highly recommended to download and install 3R-Installer app on your phone first, follow the instructions below to setup the bridge in the 3R-Installer app, then get the setup code and add the bridge to your Alexa through multi-admin. You can also Scan the QR code to add the bridge to your Alexa directly.


- 1. Setup the Smart Bridge with 3R-Installer App, copy the Setup code of the Smart bridge in 3R-Installer App. (Code effective duration: 3 min)
- 2. Make sure your Alexa speaker is connected to the same Wi-Fi network, launch your Amazon Alexa App, tab + in the up right on the device page to Add Device, scroll down the list and tab Other, choose matter, TRY MUMERIC CODE INSTEAD to ENTER CODE, and follow the instructions to add the bridge and pre-connected devices.
- 3. Create routines with the devices.


4. To connect the device to another Matter certified ecosystem app, go to the app of the first ecosystem to generate a new setup code. Go to the Device Settings page, tap Other assistants and apps and Add another, then copy the setup code. Launch the app of another Matter certified ecosystem, follow the setup instruction to enter the setup code and follow the app instructions to complete the setup.































**OnOff Light** 


<




0









# **Setup with SmartThings**




### Compatibility:


SmartThings App version 1.8.01.22 or higher. iOS SmartThings App version 1.7.02.16


Matter-supported Controller: SmartThings Hub V2& V3, Aeotec Smart Home Hub

- Setup the Smart Bridge with 3R-Installer App, copy the Setup code of the Smart bridge in 3R-Installer App. (Code effective duration: 3 min)
   Make sure your SmartThings hub is connected to the same Wi-Fi net-
- work, launch your SmartThings App. Tap + to add Partner device, choose Matter, then Add without QR code, enter the numeric code copied from 3R-Installer app, tab Next and follow the on-screen instructions to add the bridge and pre-paired devices.
- 3. Create routine with the Zigbee devices added through the Smart bridge.
- 4. Press the reset button through the pinhole with a pin to enable Zigbee pairing, the Zigbee LED indicator of the Smart bridge truns into blue blinking, put THIRDREALITY Zigbee devices into pairing mode to add devices.


5. To connect the device to another Matter certified ecosystem app, go to the app of the first ecosystem to generate a new setup code. Go to the Device Settings page, tab Share with other services then Share device, there will be QR code and a numeric code. Launch the app of another Matter certified ecosystem, follow the setup instruction to enter the setup code and follow the app instructions to complete the setup.




































# **FCC Regulatory Conformance**

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help important announcement.

NOTE: The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

### **RF Exposure**

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

## **Limited Warranty**

For limited warranty, please visit www.3reality.com/devicesupport For customer support, please contact us at info@3reality.com or visit www.3reality.com

For help and troubleshooting related to Amazon Alexa, visit the Alexa app.