



Certified for

Microsoft Teams

HA64 Pro Mono & HA64 Pro Dual

DECT Wireless Headset



Quick Start Guide V1.0



Please update the headset to the latest version via Yealink USB Connect (PC) before using.

Table of Contents

English	4
Deutsch	12
Français	20
Español	28

1 Package List

• Standard




WHD642 Headset

or




WHM641 Headset




WHB640P Base



USB 2.0 Cable
(USB-A to USB-C)



USB 2.0 Cable
(Micro USB to USB-A)



Power Adapter




Quick Start Guide


• Optional



Replacement
Ear Cushions





EHS62 Wireless
Headset Adapter




Telephone Cable for
HA64/WH65/WH68

Note: We recommend that you use the included accessories, as other accessories may have compatibility issues that prevent them from working properly.


2 Overview





Touch Screen

- Display the battery status, headset connection status, etc.
- Select items and navigate menus.
- Display call status and perform call control.



Power Port

Busylight BLT60


Mini USB Port

Micro USB Port

Type-C USB Port

3 Pairing and Connecting Device


• Headset Bluetooth Mode



• Dect Mode

Using the diagram, connect the base to your PC, power outlet and desk phone's headset port, if available.

For the initial use, the headset is successfully paired with the base when you dock it in the base.



Note:


For more information about the Telephone Cable & EHS62, please refer to the user guide.

4 Charging

USB Charging




Charging Stand



Note: We recommend to fully charge the headset when using it for the first time.


LED Indicator Status

Charging



Breathing green LED indicator


Fully Charged



Solid green LED indicator


Note: It takes 1.5 hours to fully charge the headset.

5 Power on/off



Power Button	LED Indicator	Prompt Sound
  →   Power on	Solid green for 2 seconds	 "power on, battery low/medium/high"
  →   Power off	Solid red for 2 seconds	 "power off"


6 Call Control




Item	Headset Action
Mute/unmute call	Press 1 .
Volume up/down	Press 4 / 5 .
Answer call	Press 2 .
End call	Press 2 .
Reject call	Double-press 2 .
Hold/unhold call	- Press 2 for 2 sec to hold call. - Press 2 for 2 sec or press once to unhold call.
Redial	Double-press 2 .

7 Fit Headset


Support dual-sided wearing.



8 Replace Ear Cushions



9 Software Management



Download Yealink USB Connect from the Yealink website <https://www.yealink.com/product/yuc>.

1 Verpackungsinhalt

• Standard




WHD642-Headset



oder



WHM641 Headset



WHB640P-Basis


USB-2.0-Kabel
(USB-A auf USB-C)

USB-2.0-Kabel
(Micro USB zu
USB-A)


Netzteil





Kurzanleitung

• Optional






Ersatz-Ohrpolster


EHS62 Kabelloser
Headset-Adapter

Telefonkabel für HA64/
WH65/WH68

Hinweis: Wir empfehlen, die mitgelieferten Zubehörteile zu verwenden, da andere Zubehörteile Kompatibilitätsprobleme haben könnten, die ihre ordnungsgemäße Funktion beeinträchtigen.


2 Überblick





Touch Screen

- Anzeige des Akkustands, Headset-Verbindungsstatus usw.
- Auswahl von Menüpunkten und Navigieren in Menüs.
- Anzeige des Anrufstatus und Anrufsteuerung.



Stromanschluss

Busylight BLT60


Mini-USB-Anschluss

Micro-USB-Anschluss

USB-Typ-C-Anschluss

3 Gerät koppeln und verbinden


• Bluetooth-Headset-Modus



• Dect-Modus

Verwenden Sie das Diagramm, um die Basisstation mit Ihrem PC, der Steckdose und, falls verfügbar, dem Headset-Anschluss des Tischtelefons zu verbinden.

Beim erstmaligen Einsatz wird das Headset beim Anschließen an die Basisstation richtig mit dieser gekoppelt.



Hinweis:


Für weitere Informationen über das Telefonkabel und EHS62 lesen Sie bitte die Bedienungsanleitung.

4 Laden

Laden per USB




Ladestation



Hinweis: Wir empfehlen, das Headset vor der ersten Benutzung vollständig zu laden.


LED-Anzeigestatus

Laden



Atmender grüner LED-Indikator


Vollständig geladen



Ständige grüne LED-Anzeige


Hinweis: Das vollständige Aufladen des Headsets dauert ca. 1,5 Stunden.

5 An-/Ausschalten



Ein-/Ausschaltknopf	LED-Anzeige	Signalton
  Einschalten	Durchgehend grün für 2 Sekunden	 "power on, battery low/medium/high"
  Ausschalten	Durchgehend rot für 2 Sekunden	 "power off"



6 Anrufsteuerung




Artikel	Durchführen
Stummschalten/Stummschalten	Taste drücken 1 .
Lautstärke erhöhen/verringern	Taste drücken 4 / 5 .
Anruf beantworten	Taste drücken 2 .
Anruf beenden	Taste drücken 2 .
Anrufe ablehnen	Doppelklicken 2 .
Hold/Unhold Anruf	- Drücken Sie für 2 Sekunden, um den Anruf zu halten. - Drücken Sie für 2 Sekunden oder drücken Sie einmal, um den Anruf nicht zu halten.
Neuzugang	Doppelklicken 2 .

7 Passendes Headset


Unterstützt beidseitiges Tragen.



8 Austauschen der Ohrpolster



9 Software-Verwaltung



Download über die Yealink-Homepage: <https://www.yealink.com/product/yuc>.

1 Contenu de l'emballage

• Standard



WHD642 Casque

ou




WHM641 Casque




Base WHB640P



Câble USB 2.0
(USB-A vers USB-C)



Câble USB 2.0
(Micro USB vers
USB-A)



Adaptateur
secteur




Guide de
démarrage rapide


• Optionnel



Coussinets d'oreille
de remplacement



Adaptateur de casque
sans fil EHS62



Câble téléphonique pour
HA64/WH65/WH68

Remarque : Nous vous recommandons d'utiliser les accessoires inclus, car d'autres accessoires peuvent présenter des problèmes de compatibilité qui les empêchent de fonctionner correctement.

2 Vue d'ensemble

 Microphone


 Bouton Teams

 Bouton Assistant vocal

 Contrôle d'appel

 Busylight

 Port Type-C



Volume + (2 s) 

Piste suivante 


Muet 

Volume - (2 s) 

Piste précédente 


Allumer/Éteindre 

Bluetooth 



Écran tactile

- Affichez l'état de la batterie, l'état de connexion du casque, etc.
- Sélectionnez des éléments et naviguez dans les menus.
- Affichez l'état d'appel et effectuez un contrôle d'appel.



Port d'alimentation

Busylight BLT60


Port USB mini

Port micro USB

Port USB Type-C

3 Apparier et connecter l'appareil


• Mode casque Bluetooth



• Mode DECT

À l'aide du diagramme, connectez la base à votre PC, à la prise électrique et au port du casque de votre téléphone de bureau, si disponible.

Pour l'utilisation initiale, le casque est associé correctement à la base lorsque vous le placez dans la base.



Remarque :


Pour plus d'informations sur le câble téléphonique et l'EHS62, veuillez consulter le guide de l'utilisateur.

4 Recharge

Charge USB




Support de charge



Remarque : Nous recommandons de recharger complètement le casque avant de l'utiliser pour la première fois.


État du voyant LED

Recharge



Indicateur LED vert de respiration


Complètement chargé



Indicateur LED vert solide


Remarque : La recharge complète du casque prend environ 1,5 heures.

5 Allumer/Éteindre



Bouton d'alimentation	Voyant LED	Son de notification
 →  Allumer	Vert fixe pendant 2 secondes	 "power on, battery low/medium/high"
 →  Éteindre	Solid red for 2 seconds	 "power off"


6 Contrôle des appels




Élément	Effectuer
Appels muets / non muets	Appuyez sur ❶ .
Volume haut/bas	Appuyez sur ❹ / ❺ .
Répondre à un appel	Appuyez sur ❷ .
Fin de l'appel	Appuyez sur ❷ .
Rejeter un appel	Appuyez deux fois sur ❷ .
Appel de maintien / déblocage	- Appuyez pendant ❷ secondes pour maintenir l'appel. - Appuyez pendant ❷ secondes ou appuyez une fois pour débloquer l'appel.
Recomposer	Appuyez deux fois sur ❷ .

7 Casque ajusté


Supporte le port double face.



8 Coussinets d'oreille de remplacement



9 Gestion du logiciel



Téléchargez-le sur le site Web de Yealink à l'adresse <https://www.yealink.com/product/yuc>.

1 Lista de paquetes

• Estándar



Auriculares WHD642


O




Auriculares WHM641




Base WHB640P



Cable USB 2.0
(USB-A a USB-C)



Cable USB 2.0
(Micro USB a USB-A)



Adaptador de
corriente




Guía de inicio
rápido


• Opcional



Almohadillas de
repuesto para los
oídos





EHS62 Adaptador de
auriculares inalámbricos




Cable de teléfono para
HA64/WH65/WH68

Nota: Recomendamos que utilice los accesorios incluidos, ya que otros accesorios pueden tener problemas de compatibilidad que impidan que funcionen correctamente.


2 Resumen





Pantalla táctil

- Muestra el estado de la batería, el estado de la conexión de los auriculares, etc.
- Seleccione los ítems y navegue por los menús.
- Muestra el estado de la llamada y realiza el control de la llamada.



Puerto de Alimentación

Luz de ocupado BLT60


Puerto Mini USB

Puerto Micro USB

Puerto USB tipo C

3 Emparejamiento y conexión de dispositivo


• Modo de auriculares Bluetooth



• Modo Dect

Usando el diagrama, conecte la base a su PC, toma de corriente y puerto de auriculares del teléfono de escritorio, si está disponible.

Para el uso inicial, el auricular se emparejará correctamente con la base cuando lo acople en la base.



Nota:


Para obtener más información sobre el Cable Telefónico y el EHS62, consulte la guía del usuario.

4 Cargando

Cargando USB




Base de carga



Nota: Recomendamos cargar completamente el auricular cuando lo use por primera vez.


Estado del indicador LED

Cargando



Indicador LED verde de respiración


Carga completa



Indicador LED verde


Nota: Se necesitan 1,5 horas para cargar completamente los auriculares.

5 Encender/Apagar



Botón de encendido	Indicador LED	Sonido de aviso
  → Encendido	Verde fijo durante 2 segundos	 "power on, battery low/medium/high"
  → Apagar	Rojo sólido durante 2 segundos	 "power off"

6 Control de llamadas



Artículo	Realizar
Silenciar/dessilenciar llamada	Presione 1 .
Volumen arriba/abajo	Presione 4 / 5 .
Responder llamada	Presione 2 .
Fin de la llamada	Presione 2 .
Rechazar llamada	Doble-prensa 2 .
Llamada de espera/desespera	- Presione durante 2 segundos para mantener la llamada. - Presione durante 2 seg o presione una vez para desbloquear la llamada.
Re llamada	Doble-prensa 2 .



Declaration of Conformity

We,

YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD

Address: No.666 Hu'an Rd. Huli District Xiamen City, Fujian, P.R. China

Manufacturer: YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD

Address: No.666 Hu'an Rd. Huli District Xiamen City, Fujian, P.R. China

CE DATE: 15 /April/2024

declare that the product

Type: DECT Wireless Headset

Model: WH64 Dual(WHD642)

meets the essential requirements and other relevant provisions according to the following EC directive

Directive: 2014/30/EU, 2014/35/EU, **RED 2014/53/EU**;

The presumption of conformity with the essential requirement is ensure according to :

Article 3.1 a : (protection of the health & the safety of the user)

Safety: **EN 62368-1:2020+A11:2020**

SAR: EN 50663:2017, EN 62479:2010, EN IEC 62311:2020,

Article 3.1 b : (protection requirement with respect to electromagnetic compatibility)

EMC: EN55032:2015+A1:2020, EN55035:2017+A11:2020,

EN IEC 61000-3-2:2019+A1:2021, EN 61000-3-3:2013+A2:2021,

EN301489-6 V2.2.1, EN301489-1 V2.2.3

ETSI EN 301 489-17 V3.2.4 For WHD642

Article 3.2 (effective use of the radio spectrum)

Radio: ETSI EN 301406 V2.2.2

ETSI EN300 328 V2.2.2 For WHD642

Harmonized: UN-EN62321

Directive 2011/65/EU and (EU)2015/863 of the European Parliament and of the Council of 8 June 2011 and 4 June 2015 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2.0)

Directive 2012/19/EU of the European Parliament and of the Council of 4 July 2012 on Waste electrical and electronic equipment (WEEE)

Regulation (EC) No.1907/2006 of the European Parliament and of the Council of 18 December 2006 on Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH)

The declaration of conformity is issued under the sole responsibility of the manufacturer

NAME: Huahu Wang

DATE:

TITLE: Manager



Declaration of Conformity

We,

YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD

Address: No.666 Hu'an Rd. Huli District Xiamen City, Fujian, P.R. China

Manufacturer: YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD

Address: No.666 Hu'an Rd. Huli District Xiamen City, Fujian, P.R. China

CE DATE: 15 /April/2024

declare that the product

Type: DECT Wireless Headset

Model: WH64 Mono(WHM641)

meets the essential requirements and other relevant provisions according to the following EC directive

Directive: 2014/30/EU, 2014/35/EU, **RED 2014/53/EU**;

The presumption of conformity with the essential requirement is ensure according to 10

Article 3.1 a : (protection of the health & the safety of the user)

Safety: **EN 62368-1:2020+A11:2020**

SAR: EN 50663:2017, EN 62479:2010, EN IEC 62311:2020,

Article 3.1 b : (protection requirement with respect to electromagnetic compatibility)

EMC: EN55032:2015+A1:2020, EN55035:2017+A11:2020,

EN IEC 61000-3-2:2019+A1:2021, EN 61000-3-3:2013+A2:2021,

EN301489-6 V2.2.1, EN301489-1 V2.2.3

ETSI EN 301 489-17 V3.2.4 For WHM641

Article 3.2 (effective use of the radio spectrum)

Radio: ETSI EN 301406 V2.2.2

ETSI EN300 328 V2.2.2 For WHM641

Harmonized: UN-EN62321

Directive 2011/65/EU and (EU)2015/863 of the European Parliament and of the Council of 8 June 2011 and 4 June 2015 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2.0)

Directive 2012/19/EU of the European Parliament and of the Council of 4 July 2012 on Waste electrical and electronic equipment (WEEE)

Regulation (EC) No.1907/2006 of the European Parliament and of the Council of 18 December 2006 on Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH)

The declaration of conformity is issued under the sole responsibility of the manufacturer

NAME: Huahu Wang

DATE:

TITLE: Manager

Huahu Wang
15/APR/2024



Declaration of Conformity

We,

YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD

Address: No.666 Hu'an Rd. Huli District Xiamen City, Fujian, P.R. China

Manufacturer: YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD

Address: No.666 Hu'an Rd. Huli District Xiamen City, Fujian, P.R. China

CE DATE: 25th /September/2024

declare that the product

Type: DECT Wireless Headset

Model: WHB64P

meets the essential requirements and other relevant provisions according to the following EC directive

Directive: 2014/30/EU, 2014/35/EU, **RED 2014/53/EU**;

The presumption of conformity with the essential requirement is ensure according to :

Article 3.1 a : (protection of the health & the safety of the user)

Safety: **EN 62368-1:2020+A11:2020**

SAR: EN 50663:2017, EN 62479:2010

Article 3.1 b : (protection requirement with respect to electromagnetic compatibility)

EMC: EN55032:2015+A1:2020, EN55035:2017+A11:2020,

EN IEC 61000-3-2:2019+A1:2021, EN 61000-3-3:2013+A2:2021,

EN301489-6 V2.2.1, EN301489-1 V2.2.3

Article 3.2 (effective use of the radio spectrum)

Radio: ETSI EN 301406 V2.2.2

Harmonized: UN-EN62321

Directive 2011/65/EU and (EU)2015/863 of the European Parliament and of the Council of 8 June 2011 and 4 June 2015 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS 2.0)

Directive 2012/19/EU of the European Parliament and of the Council of 4 July 2012 on Waste electrical and electronic equipment (WEEE)

Regulation (EC) No.1907/2006 of the European Parliament and of the Council of 18 December 2006 on Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH)

The declaration of conformity is issued under the sole responsibility of the manufacturer

NAME: Huahu Wang

DATE:

TITLE: Manager

Huahu Wang

25 / Sep / 2024

About Yealink

Yealink (Stock Code: 300628) is a global-leading provider of Unified Communication & Collaboration Solutions specialized in video conferencing, voice communications, and collaboration, dedicated to helping every person and organization embrace the power of "Easy Collaboration, High Productivity".

With best-in-class quality, innovative technology, and user-friendly experiences, Yealink is one of the best providers in more than 140 countries and regions, ranks No.1 in the global market share of IP Phone, and is the Top 5 leader in the video conferencing market (Frost & Sullivan, 2021).

Copyright

Copyright © 2024 YEALINK(XIAMEN) NETWORK TECHNOLOGY CO., LTD.

All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of Yealink(Xiamen) Network Technology CO., LTD.



Please scan the QR code to see the User Guide



430104002771

YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD.
Web: www.yealink.com
Copyright©2024YEALINK(XIAMEN) NETWORK
TECHNOLOGY CO.,LTD. All rights reserved.