



"IEC" (DC) domestic amplifier 3 outputs (2+TV): VHF/UHF – LTE700 Ready

Domestic amplifier with 3 outputs (2+TV) to extend the terrestrial television domestic network. The TV output provides a lower gain for direct connection to the television set (no outlet installation).

Equipped with LTE700/5G filtering and input power supply for pre-amplifier and BOSS system feeding.

Ref.	545720
EAN13	8424450188873

Packaging info

Blister	1 pcs.
Box	8 pcs.

Physical data

Net weight	220.00 g
Gross weight	220.00 g
Width	146.00 mm
Height	53.00 mm
Depth	35.00 mm

Highlights

- Low-impact visual design and limited size
- Integrated high-performance switched-mode power supply (40% less than a standard amplifier)
- Fully automated manufacturing subject to the most stringent quality controls

- Manual gain control, protected by a folding cover
- ON/OFF DC pass switch, for pre-amplifier or BOSS system powering
- Can be wall-mounted using screws
- "IEC" connectors

Technical specifications : Ref. 545720

Number of outputs		3
TV output		Yes
Frequency range	MHz	47 ... 694
Gain	dB	20
Gain @TV	dB	12
Gain adjustment range	dB	0 ... 15
Output level DIN45004B	dBmV	> 50
Output level EN50083 IMD3 2tones -60dB	dBmV	> 57
Noise figure	dB	6
Powering per inputs	Vdc	12
Max current input	mA	100
Input voltage	Vac	196 ... 253
Mains frequency		50 Hz / 60 Hz
Max. current	mA	34
Max. power consumption	W	3.6
Operating temperature	°F	23 ... 113
Protection index (IP)		20