

FABRIC CARE

PLANNING GUIDE

Series 11 Fabric Care Cabinet | FC1260H2 FC1260HG2

Series 11 Front Loader Washer | WH1260H5 WH1260HG5

Series 11 Heat Pump Dryer | DH1060H5 DH1060HG5

Series 11 Display-free Heat Pump Dryer | DH1060HL5 DH1060HLG5

Series 11 Storage Plinth | FM2060S2 FM2060SG2

Stacking Kit with Tray | ASKS60W5 ASKS60G5

FISHER & PAYKEL

INTRODUCTION

This comprehensive planning guide provides you with the framework and tools to achieve your desired design outcome with Fisher & Paykel appliances. In this guide, you will find a range of conceptual, detailed, and dimensional product information to bring your ideas to life and create spaces that truly reflect your vision.

SUPPORT

For additional design planning and installation support please contact the Fisher & Paykel design support team.
designsupport@fisherpaykel.com

NOTES

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. For the latest version of this document, please visit our website at fisherpaykel.com. Product specifications may vary from those shown.

This Planning Guide is not intended to be used as installation guidance for any product. Detailed installation instructions are available on our website.


CONTENTS

CONCEPT DESIGN	PAGE
PRODUCT OVERVIEW	
Product Overview	4
Product Configurations	5
SPECIFICATION GUIDE	
Fabric Care - All Models	7
Fabric Care - Cabinet	8
Front Loader Washer Specification	9
Display-free Heat Pump Dryer Specification	10
Heat Pump Dryer Specification	11
Fabric Care Cabinet Specification	12
CONFIGURATIONS	
Stacked with Plinth and Fabric Care Cabinet	14
Stacked with Plinth and 2x Fabric Care Cabinets	15

DEVELOPED AND DETAILED DESIGN

DEVELOPED AND DETAILED DESIGN

PRODUCT OVERVIEW




PRODUCT OVERVIEW

- 1** **WH1260H5**
12kg Series 11 Front Loader Washer, White
WH1260HG5
12kg Series 11 Front Loader Washer, Graphite
- 2** **DH1060H5**
10kg Series 11 Heat Pump Dryer, White
DH1060HG5
10kg Series 11 Heat Pump Dryer, Graphite
- 3** **DH1060HL5**
10kg Series 11 Display-free Heat Pump Dryer, White
DH1060HLG5
10kg Series 11 Display-free Heat Pump Dryer, Graphite
- 4** **FC1260H2**
60cm Series 11 Fabric Care Cabinet, White
FC1260HG2
60cm Series 11 Fabric Care Cabinet, Graphite

ACCESSORIES OVERVIEW

- 5** **ASKS60W5**
Stacking Kit with Tray, White
ASKS60G5
Stacking Kit with Tray, Graphite
- 6** **FM2060S2**
18L Series 11 Storage Plinth, White,
FM2060SG2
18L Series 11 Storage Plinth, Graphite

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. For the latest version of this document, please visit our website at fisherpaykel.com. Product specifications may vary from those shown. The Planning Guide is not intended to be used as installation guidance for any product. Detailed installation instructions are available on our website.



	MODEL CODE	COLOUR	MODEL CODE	COLOUR	PRODUCT DESCRIPTION	HINGE LOCATION
①	FC1260H2	White	FC1260HG2	Graphite	Fabric Care Cabinet	Right Hand Hinge
②	WH1260H5	White	WH1260HG5	Graphite	Front Loader Washer	Left Hand Hinge
③	DH1060HL5	White	DH1060HLG5	Graphite	Display-free Heat Pump Dryer	Left Hand Hinge, Reversible Hinge
④	DH1060H5	White	DH1060HG5	Graphite	Heat Pump Dryer	Right Hand Hinge, Reversible Hinge
⑤	ASKS60W5	White	ASKS60G5	Graphite	Stacking Kit with Tray	-
⑥	FM2060S2	White	FM2060SG2	Graphite	18L Series 11 Storage Plinth	-

* Other product configuration possible

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. For the latest version of this document, please visit our website at fisherpaykel.com. Product specifications may vary from those shown. The Planning Guide is not intended to be used as installation guidance for any product. Detailed installation instructions are available on our website.

SPECIFICATION GUIDE



OVERVIEW

Care for every corner of the wardrobe with an ecosystem of fabric care products that combine diverse functions to deliver exceptional results. From precision sensing to autonomous technologies, the fabric care suite removes the guesswork, delivering the perfect balance across each product to ensure optimal care for every garment.

PRODUCTS | SERIES 11

FC1260H2 | FC1260HG2
60cm Fabric Care Cabinet, White | Graphite

WH1260H5 | WH1260HG5
12kg Front Loader Washer, White | Graphite

DH1060HL5 | DH1060HLG5
10kg Display-free Heat Pump Dryer, White

DH1060H5 | DH1060HG5
10kg Heat Pump Dryer, White | Graphite

ACCESSORIES | SERIES 11

ASKS60W5 | ASKS60G5
Stacking Kit with Tray, White | Graphite

FM2060H2 | FM2060HG2
18L Storage Plinth, White | Graphite

FEATURES

- ① With multiple configurations from compact to large, this modular fabric care solution is designed to work for every space of the evolving home.
- ② From delicates to durables, and everyday to occasional, there is a specialist cycle that ensures optimal care for a wide range of garments.
- ③ A range of specialised environments and cycles extends the life of your garments while caring for them with minimal environmental impact.
- ④ Timeless in design, the fabric care suite is engineered with premium materials and precise manufacturing, enabling long-lasting care for both product and garment.

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. For the latest version of this document, please visit our website at fisherpaykel.com. Product specifications may vary from those shown. The Planning Guide is not intended to be used as installation guidance for any product. Detailed installation instructions are available on our website.



OVERVIEW

Enjoy the luxury of ready-to-wear convenience with the Fabric Care Cabinet, thoughtfully designed to bring tailored care to your wardrobe. Gentle features like refreshing, deodorising, sanitising, and drying help keep your delicate fabrics, from silk to wool and leather, looking their best.

PRODUCTS | SERIES 11

FC1260H2 | FC1260HG2
60cm Fabric Care Cabinet, White | Graphite

FEATURES

- ① Experience effortless garment care with treatments like refreshing, drying, deodorising, and sanitising, all tailored for different fabric types in a convenient cabinet.
- ② Create a complete fabric care ecosystem by pairing with our Front Loader Washing Machine and Heat Pump Dryer.
- ③ Choose from sleek Graphite Steel Finish or classic White Steel finish for a clean, considered laundry.
- ④ Connected Home and Wi-Fi enabled. The cabinet connects with the Fisher & Paykel SmartHQ™ app for seamless control.
- ⑤ The non-plumbed design provides flexibility, making it suitable for any area in your home.
- ⑥ Customised care for a wide range of garment types, from leather, wool and silk to outdoor gear, with treatments tailored to varying durability levels. Conveniently treat up to 12 garments at a time.
- ⑦ Preserve the quality of delicate silks, woollens, and cottons by reducing the need for frequent washing.
- ⑧ Spacious capacity with multiple loading configurations, and four adjustable folding racks.
- ⑨ Keep footwear fresh and hygienic with a dedicated shoe care cycle, complete with a specialised shoe rack.
- ⑩ Designed to minimise energy and water usage by reducing the reliance on traditional washing methods.

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. For the latest version of this document, please visit our website at fisherpaykel.com. Product specifications may vary from those shown. The Planning Guide is not intended to be used as installation guidance for any product. Detailed installation instructions are available on our website.

SPECIFICATIONS

Model Number

WH1260H5*	Front Loader Washer, White
WH1260HG5*	Front Loader Washer, Graphite

*Left Hand Hinge

Product Dimensions

H 850mm W 602mm D 661mm


Electrical

Supply	220-240 V, 50 Hz
Service	10 A
Connection	3-prong grounding-type

Plumbing

Supply	Hose set provided
Service	Max. 1MPa (15Opsi); Min. 50KPa (7psi); Min 6 litres/min


PRODUCT DIMENSIONS



FRONT VIEW

PROFILE VIEW

CAVITY DIMENSIONS



ISOMETRIC VIEW

	mm		mm
(A) Overall height	850	(A) Minimum height	865
Height of adjustable mounted feet	max +10	(B) Minimum width	622
(B) Overall width	602	(C) Minimum depth	668
(C) Overall depth*	661	Minimum gap to adjacent product and cabinetry	10
(D) Depth with the door open	1146	Minimum visual gap to adjacent product and cabinetry* **	15
(E) Door clearance to adjacent wall	267		
*Includes door when closed		* Visual gap is different from the gap between products due to the angled front on the product	
		**Applies to sides and top	

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. For the latest version of this document, please visit our website at fisherpaykel.com. Product specifications may vary from those shown. The Planning Guide is not intended to be used as installation guidance for any product. Detailed installation instructions are available on our website.

SPECIFICATIONS

Model Number

DH1060HL5* ** Display-free Heat Pump Dryer, White

DH1060HLG5* ** Display-free Heat Pump Dryer, Graphite

* Inter-Product communication cable is included

** Left Hand Hinge, Reversible Hinge

Product Dimensions

H 850mm W 602mm D 682mm

Electrical

Supply 220-240 V, 50 Hz

Service 10 A


Connection 3-prong grounding-type

Plumbing

Supply Hose set provided

Service Max. 1MPa (150psi); Min. 50KPa (7psi);
Min 6 litres/min


PRODUCT DIMENSIONS



FRONT VIEW

PROFILE VIEW

CAVITY DIMENSIONS



ISOMETRIC VIEW

	mm		mm
Ⓐ Overall height	850	Ⓐ Minimum height	865
Height of adjustable mounted feet	min -5 max +5	Ⓑ Minimum width	622
Ⓑ Overall width	602	Ⓒ Minimum depth	688
Ⓒ Overall depth*	682	Minimum gap to adjacent product and cabinetry	10
Ⓓ Depth with the door open	1167	Minimum visual gap to adjacent product and cabinetry* **	15
Ⓔ Door clearance to adjacent wall	267		
*Includes door when closed		* Visual gap is different from the gap between products due to the angled front on the product	
		**Applies to sides and top	

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. For the latest version of this document, please visit our website at fisherpaykel.com. Product specifications may vary from those shown. The Planning Guide is not intended to be used as installation guidance for any product. Detailed installation instructions are available on our website.

SPECIFICATIONS

Model Number

DH1060H5*	Heat Pump Dryer, White
DH1060HG5*	Heat Pump Dryer, Graphite

* Right Hand Hinge, Reversible Hinge

Product Dimensions

H 850mm W 602mm D 682mm


Electrical

Supply	220-240 V, 50 Hz
Service	10 A
Connection	3-prong grounding-type

Plumbing

Supply	Hose set provided
Service	Max. 1MPa (150psi); Min. 50KPa (7psi); Min 6 litres/min


PRODUCT DIMENSIONS



FRONT VIEW

PROFILE VIEW

CAVITY DIMENSIONS



ISOMETRIC VIEW

	mm		mm
(A) Overall height	850	(A) Minimum height	865
Height of adjustable mounted feet	min -5 max +5	(B) Minimum width	622
(B) Overall width	602	(C) Minimum depth	688
(C) Overall depth*	682	Minimum gap to adjacent product and cabinetry	10
(D) Depth with the door open	1167	Minimum visual gap to adjacent product and cabinetry* **	15
(E) Door clearance to adjacent wall	267		
*Includes door when closed		* Visual gap is different from the gap between products due to the angled front on the product	
		**Applies to sides and top	

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. For the latest version of this document, please visit our website at fisherpaykel.com. Product specifications may vary from those shown. The Planning Guide is not intended to be used as installation guidance for any product. Detailed installation instructions are available on our website.

SPECIFICATIONS

Model Number

FC1260H2*	Fabric Care Cabinet, White
FC1260HG2*	Fabric Care Cabinet, Graphite
* Right Hand Hinge	


Product Dimensions

H 1900mm W 600mm D 660mm

Electrical

Supply	220-240 V, 50 Hz
Service	10 A
Connection	3-prong grounding-type

PRODUCT DIMENSIONS




ISOMETRIC VIEW

	mm
Ⓐ Overall height	1900
Height of adjustable mounted feet	max +12
Ⓑ Overall width	600
Ⓒ Overall depth*	666
Ⓓ Depth with the door open	1285
Ⓔ Door clearance to adjacent wall	min 235

*With door closed

CAVITY DIMENSIONS



ISOMETRIC VIEW

	mm
Ⓐ Minimum height	1915
Ⓑ Minimum width	630
Ⓒ Minimum depth	700
Minimum visual gap to adjacent cabinetry and product*	15

*Applies to sides and top

CONFIGURATIONS

**STACKED WITH PLINTH AND
FABRIC CARE CABINET**

Washing Machine

WH1260H5*	White
WH1260HG5*	Graphite

Display-free Heat Pump Dryer

DH1060HL5** ****	White
DH1060HLG5** ****	Graphite

Fabric Care Cabinet

FC1260H2***	White
FC1260HG2***	Graphite


Stacking Kit with Tray

ASKS60W5	White
ASKS60G5	Graphite

Storage Plinth

FM2060S2	White
FM2060SG2	Graphite

*Left Hand Hinge
**Left Hand Hinge, Reversible Hinge
***Right Hand Hinge
****Inter-Product communication cable is included




INSTALLATION DIMENSION

Product Dimensions

	mm
(A) Overall products width Washer, Dryer, Plinth, Stacking Kit and Fabric Care Cabinet	1212
(B) Overall product height Washer, Dryer, Plinth, Stacking Kit and Fabric Care Cabinet	1900
(C) Overall product depth Washer, Dryer, Plinth, Stacking Kit and Fabric Care Cabinet	682

Cavity Dimensions

(D) Overall cavity width	1237
(E) Overall cavity height	1915
(F) Overall cavity depth	700



INSTALLATION DIMENSION

	mm
(A) Horizontal gaps (visual gap 15mm)	10
(B) Vertical gaps (visual gap 15mm)	10

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

STACKED WITH PLINTH AND
2X FABRIC CARE CABINETS

Washing Machine

WH1260H5*	White
WH1260HG5*	Graphite

Display-free Heat Pump Dryer

DH1060HL5** ****	White
DH1060HLG5** ****	Graphite

Fabric Care Cabinet

FC1260H2***	White
FC1260HG2***	Graphite



Stacking Kit with Tray

ASKS60W5	White
ASKS60G5	Graphite

Storage Plinth

FM2060S2	White
FM2060SG2	Graphite

*Left Hand Hinge
**Left Hand Hinge, Reversible Hinge
***Right Hand Hinge
****Inter-Product communication cable is included



INSTALLATION DIMENSION

Product Dimensions

	mm
(A) Overall products width Washer, Dryer, Plinth, Stacking Kit and Fabric Care Cabinet	1827
(B) Overall product height Washer, Dryer, Plinth, Stacking Kit and Fabric Care Cabinet	1900
(C) Overall product depth Washer, Dryer, Plinth, Stacking Kit and Fabric Care Cabinet	682

Cavity Dimensions

(D) Overall cavity width	1852
(E) Overall cavity height	1915
(F) Overall cavity depth	700

INSTALLATION DIMENSION

	mm
(A) Horizontal gaps (visual gap 15mm)	10
(B) Vertical gaps (visual gap 15mm)	10

The models shown in this Planning Guide may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This Planning Guide should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website fisherpaykel.com

