





Tell your friends and family



Share your exprience



Let more people know

Our friendly customer service team will work hard to put a smile back on your face. Please contact us .

Warning:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- --Reorient or relocate the receiving antenna.
- --Increase the separation between the equipment and receiver.
- --Connect the equipment into an outlet on a circuit different.


from that to which the receiver is connected.

--Consult the dealer or an experienced radio/TV technician for help.


RF Exposure Statement


To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance of 20cm the radiator your body. This device and its antenna(s) must not be co-located or operation in conjunction with any other antenna or transmitter


MIRROR





Installation Instruction












































NO.	CORNER	PRODUCT MODLE	SIZE	BASE SCREWS	LED BULBS	USB	TYPE-C	MAGNIFIER	INPUT VOLTAGE	OUTPUT VOLTAGE	WORKING HOURS	CRI
1		KM-HLW1-R7050UL	700*500mm	4	14	√	√	√	100 ~240Vac	DC5V 1.1A	10000H	80
2		KM-HLW1-R7050UL-BS	700*500mm	4	14	√	√	√	100 ~240Vac	DC5V 1.1A	10000H	80
3		KM-HLW1-R8055UL	800*550mm	4	15	√	√	√	100 ~240Vac	DC5V 1.1A	10000H	80
4		KM-HLW1-R8055UL- BS	800*550mm	4	15	√	√	√	100 ~240Vac	DC5V 1.1A	10000H	80
5		KM-HLW1-R9060UL	900*600mm	5	16	√	√	√	100 ~240Vac	DC5V 1.1A	10000H	80
6	ROUND	KM-HLW1-R9060UL- BS	900*600mm	5	16	√	√	√	100 ~240Vac	DC5V 1.1A	10000H	80
7	KOUND	KM-HLW1-R10073UL	1000*730mm	5	21	√	√	√	100 ~240Vac	DC5V 1.1A	10000H	80
8		KM-HLW1-R10073UL-BS	1000*730mm	5	21	√	√	√	100 ~240Vac	DC5V 1.1A	10000H	80
9		KM-HLW1-R10575UL	1050*750mm	5	21	√	√	√	100 ~240Vac	DC5V 1.1A	10000H	80
10		KM-HLW1-R10575UL- BS	1050*750mm	5	21	√	√	√	100 ~240Vac	DC5V 1.1A	10000H	80
11		KM-HLW1-R12090UL	1200*900mm	6	24	√	√	√	100 ~240Vac	DC5V 1.1A	10000H	80
12		KM-HLW1-R12090UL- BS	1200*900mm	6	24	√	√	√	100 ~240Vac	DC5V 1.1A	10000H	80
13	- SQUARE	KM-HLW1-R7050UL-L	700*500mm	4	14	√	√	√	100 ~240Vac	DC5V 1.1A	10000H	80
14		KM-HLW1-R7050UL- BS -L	700*500mm	4	14	√	√	√	100 ~240Vac	DC5V 1.1A	10000H	80
15		KM-HLW1-R8055UL-L	800*550mm	4	15	√	√	√	100 ~240Vac	DC5V 1.1A	10000H	80
16		KM-HLW1-R8055UL- BS -L	800*550mm	4	15	√	√	√	100 ~240Vac	DC5V 1.1A	10000H	80
17		KM-HLW1-R9060UL-L	900*600mm	5	16	√	√	√	100 ~240Vac	DC5V 1.1A	10000H	80
18		KM-HLW1-R9060UL- BS -L	900*600mm	5	16	√	√	√	100 ~240Vac	DC5V 1.1A	10000H	80
19		KM-HLW1-R10073UL-L	1000*730mm	5	21	√	√	√	100 ~240Vac	DC5V 1.1A	10000H	80
20		KM-HLW1-R10073UL-BS-L	1000*730mm	5	21	√	√	√	100 ~240Vac	DC5V 1.1A	10000H	80
21		KM-HLW1-R10575UL-L	1050*750mm	5	21	√	√	√	100 ~240Vac	DC5V 1.1A	10000H	80
22		KM-HLW1-R10575UL- BS -L	1050*750mm	5	21	√	√	√	100 ~240Vac	DC5V 1.1A	10000H	80
23		KM-HLW1-R12090UL-L	1200*900mm	6	24	√	√	√	100 ~240Vac	DC5V 1.1A	10000H	80
24		KM-HLW1-R12090UL- BS -L	1200*900mm	6	24	√	√	√	100 ~240Vac	DC5V 1.1A	10000H	80