

Commercial Catalog

July 2010





A Commitment To Conservation and Sustainability

Sustainability and social responsibility are closely interrelated and are important subjects for us. Chicago Faucets has shown that economic success, acting in an environmentally friendly manner and social balance are not mutually exclusive. On the contrary, we regard sustainability as an opportunity to travel down new roads. Our goal is to be a role model for the industry in sustainability and conservation through ongoing environmental initiatives throughout our company.

Our efforts include the implementation of permanent mold casting that dramatically reduces landfill waste associated with traditional sand cast manufacturing. We utilize recycled brass in the casting of all of our faucet bodies and recycle all of our scrap brass, as well as corrugated packaging and other paper at our factories. The ecological wastewater system designed for our finishing line was recognized by the City of Milwaukee for outstanding implementation and overall environmental effectiveness.



We are a member of the U.S. Green Building Council and support the Leadership in Energy and Environmental Design (LEED) Green Building Rating System™, to measure the efficiency and sustainability of buildings in the U.S. and Canada.



We are proud to be a partner with WaterSense, sponsored by the EPA and designed to protect the future of our nation's water supply by promoting efficiency and enhancing the market for water efficient products, programs and practices.



We are a charter sponsor of the Alliance for Water Efficiency, a non-profit organization that is dedicated to the efficient and sustainable use of water. It brings together a diverse range of stakeholders to advocate water efficiency and conservation.



The Chicago Faucets Difference	4-5
New Products & Programs	6-7
ECAST®	8-12
Lead Times	13
Prefix / Suffix Definitions and Finish Codes	166
Glossary of Terms	167
Compliance	168
Product Index	169-175
Warranty	176-177

Be sure to visit us on the web at www.chicagofaucets.com for the most current product information and our new online Product Configurator.

PRODUCT CONFIGURATIONS 14-35

MANUAL	36-86
Deck Mounted	37-65
Wall Mounted	66-72
Bubblers	73
Stops & Supplies	74-77
In-Wall Valves	77
Pedal Valves	78
Bed Pan Cleaners & Specialty	79
Tub & Shower Valves	80-85
Urinal Valves	85-86

ELECTRONIC	87-92
Deck Mounted	88-91
Wall Mounted	90-91
Accessories	92

FOOD SERVICE	93-102
Pre-Rinse	94-96
Hose Reels	97
Fillers	98
Adapta Faucet	99
Faucets	99-102
Drains	102

LABORATORY	103-132
Satin Antimicrobial Products	105-109
Combination Fittings	109-110
Water Fittings	110-117
Remote Controlled Fittings	117-119
Turrets	119-124
Valves & Flanges	124-127
Accessories	128-129
Safety	130-132

COMPONENTS/ PARTS	133-165
Manual	134-138
Electronic	138-139
Food Service	140-141
Laboratory	141
Spouts	141-147
Aerators/Outlets/Vacuum Breakers	148-152
Handles	153-155
Cartridges	156-159
Supply Arms/Shanks	160-161
Repair Parts	162-165

CHICAGO FAUCETS

The Chicago Faucets Difference



Market Leader

Since 1901, leading the industry in quality and innovation.



Made in the U.S.A.

With manufacturing and assembly centrally located in the midwest.



Designed for Commercial Use

Products designed and built to last for commercial applications.



Water Conservation

A wide selection of products designed to limit flow rate and operating time.



Committed to Innovation

With a team of 21 manufacturing and product engineers on staff in the U.S.




Ultra Low-Lead Casting Process

Consistent quality and control in our wholly-owned casting facility.



Quick Delivery

Standard products in 10 days or less, popular items available in 24 hours.




Personal Service

You can count on the industry's most knowledgeable customer service.



Interchangeability

Unsurpassed interchangeability for easy product updates and repair.



New Products, New Programs for 2010

At Chicago Faucets, we are committed to quality without compromise for our products, and new programs to support our customers. Every area of our company is dedicated to this mission, from the product designers to our shipping department. This year, we are proud to introduce exciting new products and program enhancements to support our position as the leading name in commercial faucets.

Leading The Way To New Standards



ECAST®, from Chicago Faucets, is the line of durable, high-quality brass faucets and fixtures that are designed to meet the requirements of new state laws regarding lead content.




When You Need Your Faucets Fast

CFNow!™ allows you to receive our most popular faucets right when you need them. With a choice of 5-day shipping - and now, **next day shipping**, you can count on getting the industry's best products faster than ever before.



Over 1,800 Buy American Act Compliant Products

The American Recovery and Reinvestment Act ("*stimulus package*") signed into law in 2009, included a Buy American provision favoring domestic sources. Selecting products that meet the requirements of this Act can help support jobs across the USA and assist in our economic recovery. We are proud that over 95% of Chicago Faucets products meet these requirements.



Pg 88

34 new ECAST® products have been added to our electronic line to meet new state laws.



Pg 90

6 new electronic faucets featuring gooseneck laminar spouts and water conserving internal flow control.



Pg 88

The E-Tronic® 40 electronic lavatory faucet is a new option for light retail, restaurants, gas stations and more.



Pg 37

The new 420-CP is a durable option for installations that require a single control lavatory faucet.



Pg 80

22 new tub/shower products for virtually any pressure balance or thermostatic application.




Pg 94

The Triple Force™ pre-rinse spray offers 3 spray patterns with water-conserving, low flow performance.



Pg 104

34 new laboratory products with a chemical resistant, satin antimicrobial coating.



Pg 153

4 new antimicrobial handles inhibit the growth of odor and stain-causing bacteria, molds, mildews and fungi.



Pg 92

4 new thermostatic mixing valves monitor water temperature before it reaches the faucet.



Leading The Way To New Standards

New laws regarding lead content in plumbing products that deliver water for human consumption are taking effect in multiple states. Once again, Chicago Faucets is leading the way to respond to these new low lead initiatives with ECAST®.

ECAST, from Chicago Faucets, is the line of durable, high-quality brass faucets and fixtures that are designed and manufactured with less than one quarter of one percent (0.25%) total lead content by weighted average. ECAST faucets are certified by an ANSI-approved, third party testing facility. These products are intended for installation in locations where state laws and local codes mandate lead content levels or where lead content is a concern. We control the entire manufacturing process including casting; ensuring that all laws are followed.



With a wide selection of ECAST faucets and fixtures, you can bring heavy duty commercial performance with enhanced water quality to:

- **Schools and Universities**
- **Food Service Facilities**
- **Restaurants**
- **Nursing Care Facilities**
- **Hospitals**
- **Assisted Living Facilities**

420-CP	
-	Lavatory Faucet
-	4 5/8" Integral Spout
-	E37 1.5 GPM Pressure Compensating Laminar Outlet
-	Ceramic Mixing Cartridge
-	Temperature Limit Stop
-	Volume Control
-	1/2" NPSM Supply Inlets
ECAST: 420-ABCP	ECAST

For your convenience, we have also included a complete ECAST product listing on the following pages. Throughout the catalog, products that are available as an ECAST product are identified with the ECAST logo and a unique model number that features "AB" before the finish code.

We are proud to continually take a leadership position on product quality, innovation, conservation and safety. ECAST - combined with our water conservation and sustainability initiatives - will allow you to specify, install and use the highest quality commercial grade products that meet or exceed the latest laws, codes and environmental initiatives.

Manual

Model Number	ECAST Equivalent Standard Model #	Page #
Deck Mounted: Single Control		
420-ABCP	420-CP	37
2200-4ABCP	2200-4CP	37
2200-4E2805ABCP	2200-4E2805CP	37
2200-ABCP	2200-CP	37
2201-4ABCP	2201-4CP	37
2302-ABCP	2302-CP	38
2304-ABCP	2304-CP	38
Deck Mounted: Single Hole		
50-317ABCP	50-317CP	39
50-ABCP	50-CP	39
50-E2805-5ABCP	50-E2805-5CP	39
50-GN2FC317ABCP	50-GN2FC317CP	39
50-TABCP	50-TCP	39
50-VPAABCP	50-VPACP	39
51-ABCP	51-CP	39
333-336COLDABCP	333-336COLDCP	40
333-336PSHABCP	333-336PSHCP	40
333-336PSHVPABCP	333-336PSHVPACP	40
333-665PSHABCP	333-665PSHCP	40
333-665PSHVPABCP	333-665PSHVPACP	40
333-E12PSHABCP	333-E12PSHCP	40
333-E2805-665PSHABCP	333-E2805-665PSHCP	40
333-SLOE12COLDABCP	333-SLOE12COLDCP	40
333-SLOE12PSHABCP	333-SLOE12PSHCP	40
335-E12COLDABCP	335-E12COLDCP	41
335-E12PSHABCP	335-E12PSHCP	41
349-ABCP	349-CP	41
350-317ABCP	350-317CP	41
350-317VPAABCP	350-317VPACP	41
350-ABCP	350-CP	41
350-GN8AE3ABCP	350-GN8AE3CP	41
350-VPAABCP	350-VPACP	42
350-VPCABCP	350-VPCCP	42
626-ABCP	626-CP	42
626-E29ABCP	626-E29CP	42
626-E29VPABCP	626-E29VPCP	42
626-E3ABCP	626-E3CP	42
626-FCABCP	626-FCCP	43
626-GN8AE3ABCP	626-GN8AE3CP	43
626-GN8AFCABCP	626-GN8AFCCP	43
626-GN8FCABCP	626-GN8FCCP	43
700-COLDABCP	700-COLDCP	43
700-HOTABCP	700-HOTCP	43
701-COLDABCP	701-COLDCP	43
701-HOTABCP	701-HOTCP	44
730-COLDABCP	730-COLDCP	44
807-665PSHABCP	807-665PSHCP	44
807-E12-665PSHABCP	807-E12-665PSHCP	44
Deck Mounted: 3 3/8" Centers		
772-ABCP	772-CP	44

Model Number	ECAST Equivalent Standard Model #	Page #
Deck Mounted: 4" Centers		
526-ABCP	526-CP	45
797-1000ABCP	797-1000CP	45
797-317ABCP	797-317CP	45
797-ABCP	797-CP	45
797-V317ABCP	797-V317CP	45
797-V1000ABCP	797-V1000CP	45
797-VABCP	797-VCP	46
802-317ABCP	802-317CP	46
802-317XKABCP	802-317XKCP	46
802-336ABCP	802-336CP	46
802-665ABCP	802-665CP	46
802-1000ABCP	802-1000CP	46
802-ABCP	802-CP	46
802-V317ABCP	802-V317CP	47
802-V317XKABCP	802-V317XKCP	47
802-V335ABCP	802-V335CP	47
802-V336ABCP	802-V336CP	47
802-V665ABCP	802-V665CP	47
802-V1000ABCP	802-V1000CP	47
802-VABCP	802-VCP	47
802-VE2805-317ABCP	802-VE2805-317CP	47
802-VE2805-336ABCP	802-VE2805-336CP	48
802-VE2805-665ABCP	802-VE2805-665CP	48
802-VE2805ABCP	802-VE2805CP	48
802-VXKABCP	802-VXKCP	48
802-XKABCP	802-XKCP	48
857-665PSHABCP	857-665PSHCP	49
857-E12-665PSHABCP	857-E12-665PSHCP	49
857-E12-665PSHVPABCP	857-E12-665PSHVPACP	49
857-E2805-665PSHABCP	857-E2805-665PSHCP	49
891-ABCP	891-CP	49
894-317ABCP	894-317CP	49
895-317ABCP	895-317CP	49
895-317E29ABCP	895-317E29CP	50
895-317E29VPABCP	895-317E29VPCP	50
895-317E2805-5ABCP	895-317E2805-5CP	50
895-317FCABCP	895-317FCCP	50
895-317FCXKABCP	895-317FCXKCP	50
895-317GN2AABCP	895-317GN2ACP	50
895-317GN2AE3ABCP	895-317GN2AE3CP	50
895-317GN2AE29ABCP	895-317GN2AE29CP	51
895-317GN2AFCABCP	895-317GN2AFCCP	51
895-317GN2FCABCP	895-317GN2FCCP	51
895-317GN8AE3ABCP	895-317GN8AE3CP	51
895-317RGD1ABCP	895-317RGD1CP	51
895-317XKABCP	895-317XKCP	51
895-665ABCP	895-665CP	52
895-ABCP	895-CP	52
895-GN2AE3ABCP	895-GN2AE3CP	52
895-XKABCP	895-XKCP	52
1895-ABCP	1895-CP	52
3300-ABCP	3300-CP	52
3400-ABCP	3400-CP	52

Manual

Model Number	ECAST Equivalent Standard Model #	Page #
Deck Mounted: 8" Centers		
200-AABCP	200-ACP	53
200-AGN8AE3-317ABCP	200-AGN8AE3-317CP	53
200-AGN8AE3-317XKABCP	200-AGN8AE3-317XKCP	53
201-A317ABCP	201-A317CP	53
201-AABCP	201-ACP	53
201-AGN8AE3-317ABCP	201-AGN8AE3-317CP	53
201-AGN8AE3-317VPAABCP	201-AGN8AE3-317VPACP	54
201-AGN8AE3-317XKABCP	201-AGN8AE3-317XKCP	54
201-AGN8AE3-319ABCP	201-AGN8AE3-319CP	54
201-AGN8AE3ABCP	201-AGN8AE3CP	54
201-AGN8AE3VPAABCP	201-AGN8AE3VPACP	54
201-AGN8AE29-317ABCP	201-AGN8AE29-317CP	54
201-AGN8AE2805-5-317ABCP	201-AGN8AE2805-5-317CP	55
201-AGN8AE2805-5ABCP	201-AGN8AE2805-5CP	55
201-AGN8AFC317ABCP	201-AGN8AFC317CP	55
201-AHA8ABCP	201-AHA8CP	55
403-ABCP	403-CP	55
404-317ABCP	404-317CP	55
404-317SWABCP	404-317SWCP	55
404-636ABCP	404-636CP	56
404-665ABCP	404-665CP	56
404-950ABCP	404-950CP	56
404-1000ABCP	404-1000CP	56
404-ABCP	404-CP	56
404-V317ABCP	404-V317CP	56
404-V665ABCP	404-V665CP	57
404-V950ABCP	404-V950CP	57
404-V1000ABCP	404-V1000CP	57
404-VABCP	404-VCP	57
404-VE2805-665ABCP	404-VE2805-665CP	57
404-VE2805ABCP	404-VE2805CP	57
527-ABCP	527-CP	58
746-317ABCP	746-317CP	58
785-665ABCP	785-665CP	58
785-ABCP	785-CP	58
785-GN1FCABCP	785-GN1FCCP	58
785-XKABCP	785-XKCP	59
786-ABCP	786-CP	59
786-E3-319ABCP	786-E3-319CP	59
786-E3-369ABCP	786-E3-369CP	59
786-E3-665ABCP	786-E3-665CP	59
786-E3ABCP	786-E3CP	59
786-E3VPCABCP	786-E3VPCCP	59
786-E3XKABCP	786-E3XKCP	59
786-E29ABCP	786-E29CP	60
786-E29VPABCP	786-E29VPCP	60
786-E29XKABCP	786-E29XKCP	60
786-GN2AFCABCP	786-GN2AFCCP	61
786-GN2FCABCP	786-GN2FCCP	61
786-GN2FCXKABCP	786-GN2FCXKCP	61

Model Number	ECAST Equivalent Standard Model #	Page #
Deck Mounted: 8" Centers Cont.		
786-GN8AE3ABCP	786-GN8AE3CP	61
786-GN8AE29ABCP	786-GN8AE29CP	61
786-GN8FCABCP	786-GN8FCCP	62
786-SWE3ABCP	786-SWE3CP	62
786-SWGN2FCABCP	786-SWGN2FCCP	62
786-TWGN2AE3ABCP	786-TWGN2AE3CP	62
794-317ABCP	794-317CP	63
1100-317ABCP	1100-317CP	63
1100-ABCP	1100-CP	63
1100-GN2AE3-317ABCP	1100-GN2AE3-317CP	63
1100-GN8AE3-317ABCP	1100-GN8AE3-317CP	64
1100-HA8-317ABCP	1100-HA8-317CP	64
1100-HA8ABCP	1100-HA8CP	64
1100-XKABCP	1100-XKCP	64
1102-ABCP	1102-CP	64
1200-AABCP	1200-ACP	64
1201-AABCP	1201-ACP	65
Deck Mounted: 12" Centers		
786-WCABCP	786-WCCP	65
786-WCE3ABCP	786-WCE3CP	65
Wall Mounted: Single Hole		
332-ABCP	332-CP	66
Wall Mounted: Adjustable 4" - 8 3/8" Centers		
445-ABCP	445-CP	69
445-E1ABCP	445-E1CP	69
445-L8ABCP	445-L8CP	69
445-L9ABCP	445-L9CP	69
445-L9E1ABCP	445-L9E1CP	70
445-L12ABCP	445-L12CP	70
445-L12E1ABCP	445-L12E1CP	70
Wall Mounted: Adjustable 7 1/4" - 8 3/4" Centers		
540-LDABCP	540-LDCP	71
540-LDL8ABCP	540-LDL8CP	71
540-LDL9ABCP	540-LDL9CP	71
540-LDL12ABCP	540-LDL12CP	71
540-LDL12E1WXFABCP	540-LDL12E1WXFCP	71
631-ABCP	631-CP	71
Specialty Fittings: Bubblers		
748-665ABCP	748-665CP	73
748-665FHABCP	748-665FHCP	73

Manual

Model Number	ECAST Equivalent Standard Model #	Page #
Specialty Fittings: Stops/Supplies		
45-ABCP	45-CP	74
45-LKABCP	45-LKCP	74
375-LKABCP	375-LKCP	74
442-ABCP	442-CP	74
442-LKABCP	442-LKCP	74
698-ABCP	698-CP	74
699-ABCP	699-CP	75
995-ABCP	995-CP	75
1005-ABCP	1005-CP	75
1006-ABCP	1006-CP	75
1012-ABCP	1012-CP	75
1013-ABCP	1013-CP	75
1015-ABCP	1015-CP	76
1016-ABCP	1016-CP	76
1017-ABCP	1017-CP	76
1017-MMABCP	1017-MMCP	76
1019-ABCP	1019-CP	76
1023-ABCP	1023-CP	76
1025-ABCP	1025-CP	76
1027-ABCP	1027-CP	76
Specialty Fittings: Pedal Valves		
625-ABCP	625-CP	78
625-ABRCF	625-RCF	78
625-LPABCP	625-LPCP	78
625-LPSLOABCP	625-LPSLOCP	78
625-SLOABCP	625-SLOCP	78
628-ABCP	628-CP	78
834-EPABCP	834-EPCP	78
834-EPSLOABCP	834-EPSLOCP	78

Electronic

Model Number	ECAST Equivalent Standard Model #	Page #
Deck Mounted: HyTronic® Traditional		
116.101.AB.1	116.101.21.1	88
116.111.AB.1	116.111.21.1	88
116.121.AB.1	116.121.21.1	88
116.201.AB.1	116.201.21.1	89
116.211.AB.1	116.211.21.1	89
116.221.AB.1	116.221.21.1	89
Deck Mounted: HyTronic® Contemporary		
116.102.AB.1	116.102.21.1	88
116.112.AB.1	116.112.21.1	88
116.122.AB.1	116.122.21.1	88
116.202.AB.1	116.202.21.1	89
116.212.AB.1	116.212.21.1	89
116.222.AB.1	116.222.21.1	89
Deck Mounted: HyTronic® Gooseneck		
116.103.AB.1	116.103.21.1	90
116.113.AB.1	116.113.21.1	90
116.123.AB.1	116.123.21.1	90

Model Number	ECAST Equivalent Standard Model #	Page #
Deck Mounted: HyTronic® Gooseneck Cont.		
116.203.AB.1	116.203.21.1	91
116.213.AB.1	116.213.21.1	91
116.223.AB.1	116.223.21.1	91
116.427.AB.1	ECAST Only	90
116.428.AB.1	ECAST Only	90
116.429.AB.1	ECAST Only	90
116.430.AB.1	ECAST Only	91
116.431.AB.1	ECAST Only	91
116.432.AB.1	ECAST Only	91
Deck Mounted: E-Tronic® 40		
116.606.AB.1	116.606.21.1	89
116.706.AB.1	116.706.21.1	88
Wall Mounted: HyTronic® Gooseneck		
116.104.AB.1	ECAST Only	90
116.114.AB.1	ECAST Only	90
116.124.AB.1	ECAST Only	90
116.204.AB.1	ECAST Only	91
116.214.AB.1	ECAST Only	91
116.224.AB.1	ECAST Only	91
Thermostatic Mixing Valves		
121-ABNF	121-NF	92
122-ABNF	122-NF	92

Food Service

Model Number	ECAST Equivalent Standard Model #	Page #
Pot Filler: Single Hole		
334-ABCP	334-CP	98

Components

Model Number	ECAST Equivalent Standard Model #	Page #
Manual		
116.304.AB.1	ECAST Only	138
116.314.AB.1	ECAST Only	139
116.324.AB.1	ECAST Only	139
116.404.AB.1	ECAST Only	139
116.414.AB.1	ECAST Only	139
116.424.AB.1	ECAST Only	139
404-LESSHDLABCP	404-LESSHDLCP	135
802-VLESSHDLABCP	802-VLESSHDLCP	137
GN2AJKABCP	GN2AJKCP	144
GN2BJKABCP	GN2BJKCP	144



Replacement Cartridges for Existing ECAST® Installations

Chicago Faucets has a line of cartridges that should be used to repair or update any existing ECAST product installation.

These cartridges are designed and manufactured to the exact specifications to maintain the certified status of your existing ECAST product installations.

All replacement cartridges for existing ECAST products feature distinctive markings to make them easier to identify on the job site.

Replacement Cartridges for Existing ECAST Products	
Cartridges	
1-099XKBL12JKABNF	333-XSLOCOLDJKABNF
1-099XKJKABNF	333-XSLOPSHJKABNF
1-099XTBL12JKABNF	335-XJKABNF
1-099XTJKABNF	377-XKLHBL12JKABNF
1-100XKBL12JKABNF	377-XKLHJKABNF
1-100XKJKABNF	377-XKRHBL12JKABNF
1-100XTBL12JKABNF	377-XKRHJKABNF
1-100XTJKABNF	377-XTLHBL12JKABNF
217-XTLHBL12JKABNF	377-XTLHJKABNF
217-XTLHJKABNF	377-XTRHBL12JKABNF
217-XTRHBL12JKABNF	377-XTRHJKABNF
217-XTRHJKABNF	628-XJKABNF
333-XPSHJKABNF	628-XSLOJKABNF



Replacement cartridges for existing ECAST installations feature two engraved rings around the top of the cartridge sleeve.



Shipping Options for Products Featured In Our Catalog and Website

Chicago Faucets is committed to providing the highest quality commercial products backed by the customer support you need to complete your projects on-time and on-budget. If you cannot find the exact product you need through our catalog and non-catalog offering, special order products are available with a lead time based specifically on your order.

Shipping Options

Products featured in this catalog, as well as non-catalog items featured on our website, will ship within 10 days of receipt of your order.



CFNow! Shipping

CFNow!™ allows us to ship our most popular faucets to you within 5 days of receipt of your order. Look for the CFNow! logo throughout the catalog, indicating products currently available for 5-day shipping,



CFNow! Express Shipping

With our latest program, CFNow!™ Express, you can have your faucets shipped within 24 hours of your order! Any product that features the CFNow! logo is eligible for this shipping option.



Chicago Faucets Product Configurations

With unsurpassed product interchangeability, Chicago Faucets provides the most comprehensive line of commercial faucets and fixtures in the plumbing industry.


While the remainder of the catalog provides a comprehensive presentation of the Chicago Faucets product line, the charts on the following pages provide a quick overview of the configurations of our products. This reference guide allows you to quickly see the main component options within product categories. Using these charts, you can quickly see your options for cartridges, spouts, handles and more for all of our faucet bodies.

The charts allow you to quickly review your options for any product installation. For instance, the above product is an 1100-GN2AE3-317CP. Our configuration charts present 12 additional options for this product.

Deck Mounted



Body	Cartridge	Handle	Spout	Outlet	Cover Plate	Model
Single Control						
420	Ceramic Mixing	Single	4 5/8" Integral	E37	–	420-CP
2200	Ceramic Mixing	Single	4 3/4" Integral	E12	–	2200-CP
	Ceramic Mixing	Single	4 3/4" Integral	E12	4"	2200-4CP
	Ceramic Mixing	Single	4 3/4" Integral	E2805	4"	2200-4E2805CP
	Ceramic Mixing	Single	4 3/4" Integral	E2805	–	2200-E2805CP
2201 (with pop-up)	Ceramic Mixing	Single	4 3/4" Integral	E12	–	2201-CP
	Ceramic Mixing	Single	4 3/4" Integral	E12	4"	2201-4CP
2300	Ceramic Mixing	Single	10" Integral	E12	–	2300-CP
	Ceramic Mixing	Single	10" Integral	E12	8"	2300-8CP
2301 (with spray)	Ceramic Mixing	Single	10" Integral	E12	–	2301-CP
	Ceramic Mixing	Single	10" Integral	E12	8"	2301-8CP
2302 (with spray)	Ceramic Mixing	Single	GN2A	E3	–	2302-CP
	Ceramic Mixing	Single	GN8A	E3	–	2302-GN8AE3CP
2303	Ceramic Mixing	Single	–	–	–	2303-CP
2304	Ceramic Mixing	Single	GN8A	E3	–	2304-CP



Body	Cartridge	Handle	Spout	Outlet	Model
Single Hole					
50	Quatum™	317	GN2A	E3	50-317CP
	Quatum™	317	GN2FC	Plain End	50-GN2FC317CP
	Quatum™	369	GN2A	E3	50-CP
	Quatum™	369	GN2A	E3	50-TCP ¹
	Quatum™	369	GN2A	E3VP	50-VPACP
	Quatum™	369	GN2A	E35	50-E35CP
	Quatum™	369	GN2A	E2805-5	50-E2805-5CP
51	Ceramic	369	GN2A	E3	50-XKCP
	Quatum™	369	S6	E3	51-CP
333	MVP™	665 "PUSH"	3 3/8" Integral	E12	333-665PSHCP
	MVP™	665 "PUSH"	3 3/8" Integral	E12VP	333-665PSHVPACP
	MVP™	665 "PUSH"	3 3/8" Integral	E2805	333-E2805-665PSHCP
	NAIAD™	333 "COLD"	3 3/8" Integral	E12	333-SLOE12COLDCP
	NAIAD™	333 "PUSH"	3 3/8" Integral	E12	333-SLOE12PSHCP
	NAIAD™	336 "COLD"	3 3/8" Integral	E12	333-336COLDCP
	NAIAD™	336 "PUSH"	3 3/8" Integral	E12	333-336PSHCP
335	NAIAD™	336 "PUSH"	3 3/8" Integral	E12VP	333-336PSHVPACP
	NAIAD™	335 "COLD"	3 3/8" Integral	E12	335-E12COLDCP
	NAIAD™	335 "HOT"	3 3/8" Integral	E12	335-E12HOTCP
	NAIAD™	335 "PUSH"	3 3/8" Integral	E12	335-E12PSHCP
349	Quatum™	369	S6	E3	349-CP
350	Quatum™	317	GN2A	E3	350-317CP
	Quatum™	317	GN2A	E3VP	350-317VPACP
	Quatum™	369	GN2A	E3	350-CP
	Quatum™	369	GN2A	E35	350-E35CP
	Quatum™	369	GN2A	E3VP	350-VPACP
	Quatum™	369	GN2A	E3VP	350-VPCCP ²
	Quatum™	369	GN2A	E3VP	350-VPCCP ³
	Quatum™	369	GN8A	E3	350-GN8AE3CP
	Ceramic	369	GN2A	E3	350-XKCP
	Ceramic	369	GN2A	E3VP	350-VPAXKCP
	Klo-Self	369	GN2A	E3	350-244CP
626	–	–	GN2	Plain End	626-CP
	–	–	GN2A	E3	626-E3CP
	–	–	GN2A	E29	626-E29CP
	–	–	GN2A	E29VP	626-E29VPCP
	–	–	GN2FC	Plain End	626-FCCP
	–	–	GN8A	E3	626-GN8AE3CP
	–	–	GN8AFC	Exposed Threads	626-GN8AFCCP
	–	–	GN8FC	Plain End	626-GN8FCCP

1 = With 3-1/2" inlet connection tee

2 = Vandal resistant complete

3 = Anti-rotational body deck pin

Deck Mounted


Body	Cartridge	Handle	Spout	Outlet	Model
Single Hole cont.					
627	—	—	5"	E12	627-CP
700	Quaturn™	633 "COLD"	3 3/8" Integral	E12	700-COLDCP
	Quaturn™	633 "HOT"	3 3/8" Integral	E12	700-HOTCP
	Ceramic	633 "HOT"	3 3/8" Integral	E12	700-HOTXKCP
701	Klo-Self	633 "COLD"	3 3/8" Integral	E12	701-COLDCP
	Klo-Self	633 "HOT"	3 3/8" Integral	E12	701-HOTCP
730	Quaturn™	369 "COLD"	3 3/8" Integral	E12	730-COLDCP
	Quaturn™	369 "PLAIN"	3 3/8" Integral	E12	730-PLCP
807	MVP™	665 "PUSH"	4 1/8" Integral	E12	807-E12-665PSHCP
	MVP™	665 "PUSH"	4 1/8" Integral	E12VP	807-E12-665PSHVPACP
	MVP™	665 "PUSH"	4 1/8" Integral	E15	807-665PSHCP
	MVP™	665 "PUSH"	4 1/8" Integral	E2805	807-E2805-665PSHCP
3 3/8" Centers					
686	Quaturn™	369	S6	E2	686-RCF
772	Quaturn™	369	S6	E3	772-CP
4" Centers					
404	Quaturn™	390	5"	E12	404-CWCP
	MVP™	665	5"	E12	404-665CWCP
526	Quaturn™	369	DB6A	E1	526-CP
797 (with pop-up)	Quaturn™	317	4" Integral	E12	797-317CP
	Quaturn™	317	4" Integral	E12VP	797-V317CP
	Quaturn™	390	4" Integral	E12	797-CP
	Quaturn™	390	4" Integral	E12VP	797-VCP
	Quaturn™	1000	4" Integral	E12	797-1000CP
	Quaturn™	1000	4" Integral	E12VP	797-V1000CP
	Ceramic	390	4" Integral	E12	797-XKCP
802	Quaturn™	317	4" Integral	E12	802-317CP
	Quaturn™	317	4" Integral	E12VP	802-V317CP
	Quaturn™	317	4" Integral	E34	802-E34-317CP
	Quaturn™	317	4" Integral	E34VP	802-VE34VP317CP
	Quaturn™	317	4" Integral	E2805	802-VE2805-317CP
	Quaturn™	390	4" Integral	E12	802-CP
	Quaturn™	390	4" Integral	E12VP	802-VCP
	Quaturn™	390	4" Integral	E34VP	802-VE34VP317CP
	Quaturn™	390	4" Integral	E2805	802-VE2805CP
	Quaturn™	1000	4" Integral	E12	802-1000CP
	Quaturn™	1000	4" Integral	E12VP	802-V1000CP
	Ceramic	317	4" Integral	E12	802-317XKCP
	Ceramic	317	4" Integral	E12VP	802-V317XKCP
	Ceramic	390	4" Integral	E12	802-XKCP
	Ceramic	390	4" Integral	E12VP	802-VXKCP
	Ceramic	1000	4" Integral	E12	802-1000XKCP
	MVP™	665	4" Integral	E12	802-665CP
	MVP™	665	4" Integral	E12VP	802-V665CP
	MVP™	665	4" Integral	E2805	802-VE2805-665CP
	NAIAD™	335	4" Integral	E12VP	802-V335CP
	NAIAD™	336	4" Integral	E12	802-336CP
	NAIAD™	336	4" Integral	E12VP	802-V336CP
	NAIAD™	336	4" Integral	E2805	802-VE2805-336CP
844	MVP™	665	4 1/8" Integral	E12	844-E12-665PSHCP
	MVP™	665	4 1/8" Integral	E15	844-665PSHCP
857	MVP™	665	4 1/8" Integral	E12	857-E12-665PSHCP
	MVP™	665	4 1/8" Integral	E12VP	857-E12-665PSHVPACP
	MVP™	665	4 1/8" Integral	E15	857-665PSHCP
	MVP™	665	4 1/8" Integral	E2805	857-E2805-665PSHCP



700




807



686



772



404



526



797



802




844



857


Deck Mounted



891



894



895




1895



3300




3400



797



802



200



201





Body	Cartridge	Handle	Spout	Outlet	Model
4" Centers Cont.					
891	Quaturn™	369	S6	E3	891-CP
	Ceramic	369	S6	E3	891-XKCP
894	Quaturn™	317	GN1A	E3	894-317CP
	Quaturn™	369	GN1A	E3	894-CP
895	Quaturn™	317	GN1A	E3	895-317CP
	Quaturn™	317	GN1A	E29	895-317E29CP
	Quaturn™	317	GN1A	E29VP	895-317E29VPCP
	Quaturn™	317	GN1A	E35	895-E35-317CP
	Quaturn™	317	GN1A	E2805-5	895-317E2805-5CP
	Quaturn™	317	GN1FC	Plain End	895-317FCCP
	Quaturn™	317	GN2A	Exposed Threads	895-317GN2ACP
	Quaturn™	317	GN2A	E3	895-317GN2AE3CP
	Quaturn™	317	GN2A	E29	895-317GN2AE29CP
	Quaturn™	317	GN2AFC	Exposed Threads	895-317GN2AFCCP
	Quaturn™	317	GN2FC	Plain End	895-317GN2FCCP
	Quaturn™	317	GN8A	E3	895-317GN8AE3CP
	Quaturn™	317	GNRGD1	E3	895-317RGD1CP
	Quaturn™	317	GN1A	E3VP	895-317VPCCP
	Quaturn™	369	GN1A	E3	895-CP
	Quaturn™	369	GN2A	E3	895-GN2AE3CP
	Ceramic	317	GN1A	E3	895-317XKCP
	Ceramic	317	GN1A	E3VP	895-317XKVPACP
	Ceramic	317	GN1A	E29	895-317E29XKCP
	Ceramic	317	GN1FC	Plain End	895-317FCXKCP
	Ceramic	317	GN2A	E3	895-317GN2AE3XKCP
	Ceramic	369	GN1A	E3	895-XKCP
	MVP™	665	GN1A	E3	895-665CP
1895	Quaturn™	1000	GN1A	E3	1895-CP
3300	MVP™	Metal with VR Screw	4 3/4" Integral	E2805	3300-CP
3400	MVP™	Metal with VR Screw	4 3/4" Integral	E2805	3400-CP
	MVP™	Metal with VR Screw	4 3/4" Integral	E2805	3400-TCP ¹
8" Centers					
200	Quaturn™	317	GN8A	E3	200-AGN8AE3-317CP
	Quaturn™	369	L9	E3	200-ACP
	Quaturn™	369	GN8A	E3	200-AGN8AE3CP
	Ceramic	317	GN8A	E3	200-AGN8AE3-317XKCP
201	Quaturn™	317	GN2A	E3	201-AGN2AE3-317CP
	Quaturn™	317	GN8A	E3	201-AGN8AE3-317CP
	Quaturn™	317	GN8A	E3VP	201-AGN8AE3-317VPACP
	Quaturn™	317	GN8A	E3VP	201-AGN8AE3-317VPCCP ²
	Quaturn™	317	GN8A	E29	201-AGN8AE29-317CP
	Quaturn™	317	GN8A	E35	201-AGN8AE35-317CP
	Quaturn™	317	GN8A	E2805-5	201-AGN8AE2805-5-317CP
	Quaturn™	317	GN8AFC	Exposed Threads	201-AGN8AFC317CP
	Quaturn™	317	HA8A	E3	201-AHA8-317CP
	Quaturn™	317	L9	E3	201-A317CP
	Quaturn™	319	GN8A	E3	201-AGN8AE3-319CP
	Quaturn™	369	GN8A	E3	201-AGN8AE3CP
	Quaturn™	369	GN8A	E3VP	201-AGN8AE3VPACP
	Quaturn™	369	GN8A	E2805-5	201-AGN8AE2805-5CP
	Quaturn™	369	HA8A	E3	201-AHA8CP
	Quaturn™	369	L9	E3	201-ACP

1 = With 3-1/2" inlet connection tee

2 = Vandal resistant handle screws

Deck Mounted

Body	Cartridge	Handle	Spout	Outlet	Model
8" Centers cont.					
201	Ceramic	317	L9	E3	201-A317XKCP
	Ceramic	317	GN8A	E3	201-AGN8AE3-317XKCP
403	Quaturn™	634	4 3/4"	E12	403-CP
404	Quaturn™	317	5"	E12	404-317CP
	Quaturn™	317	5"	E12	404-317SWCP ¹
	Quaturn™	317	5"	E12VP	404-V317CP
	Quaturn™	317	5"	E34VP	404-VE34VP-317CP
	Quaturn™	317	5"	E2805	404-VE2805-317CP
	Quaturn™	1000	5"	E2805	404-VE2805-1000CP
	Quaturn™	390	5"	E12	404-CP
	Quaturn™	390	5"	E12VP	404-VCP
	Quaturn™	390	5"	E2805	404-VE2805CP
	Quaturn™	636	5"	E12	404-636CP
	Quaturn™	636	5"	E12VP	404-V636CP
	Quaturn™	950	5"	E12	404-950CP
	Quaturn™	950	5"	E12VP	404-V950CP
	Quaturn™	1000	5"	E12	404-1000CP
	Quaturn™	1000	5"	E12VP	404-V1000CP
	Ceramic	317	5"	E12	404-317XKCP
	Ceramic	317	5"	E12VP	404-V317XKCP
	Ceramic	390	5"	E12	404-XKCP
	MVP™	665	5"	E12	404-665CP
	MVP™	665	5"	E12	404-665SWCP ¹
	MVP™	665	5"	E12VP	404-V665CP
	MVP™	665	5"	E2805	404-VE2805-665CP
527	Quaturn™	369	DB6A	E1	527-CP
746	Quaturn™	317	5"	E12	746-317CP
	Quaturn™	390	5"	E12	746-CP
	Quaturn™	390	5"	E12VP	746-VCP
785	Quaturn™	317	GN1A	E3	785-CP
	Quaturn™	317	GN1FC	Plain End	785-GN1FCCP ³
	Quaturn™	317	GN1FC	Plain End	785-SWGN1FCCP ^{1,3}
	Ceramic	317	GN1A	E3	785-XKCP
	MVP™	665	GN1A	E3	785-665CP
786	Quaturn™	317	GN2A	E3	786-E3CP
	Quaturn™	317	GN2A	E3	786-SWE3CP ¹
	Quaturn™	317	GN2A	E3	786-TWGN2AE3CP ²
	Quaturn™	317	GN2A	E3VP	786-E3VPCCP ⁴
	Quaturn™	317	GN2A	E29	786-E29CP ³
	Quaturn™	317	GN2A	E29	786-SWE29CP ¹
	Quaturn™	317	GN2A	E29VP	786-E29VPCCP ^{3,4}
	Quaturn™	317	GN2A	E29VP	786-E29VPCCP ³
	Quaturn™	317	GN2A	E35	786-E35CP
	Quaturn™	317	GN2A	E35VP	786-E35VPCP
	Quaturn™	317	GN2A	E2805-5	786-E2805-5CP
	Quaturn™	317	GN2A	E2805-5	786-E2805-5VPCCP ⁴
	Quaturn™	317	GN2AFC	Exposed Threads	786-GN2AFCCP ³
	Quaturn™	317	GN2AFC	E1	786-GN2AFCE1CP
	Quaturn™	317	GN2B	E4	786-CP
	Quaturn™	317	GN2B	E4	786-TWCP ²
	Quaturn™	317	GN2FC	Plain End	786-GN2FCCP ³
	Quaturn™	317	GN2FC	Plain End	786-SWGN2FCCP ^{1,3}
	Quaturn™	317	GN8A	E3	786-GN8AE3CP
	Quaturn™	317	GN8A	E29	786-GN8AE29CP
	Quaturn™	317	GN8AFC	Exposed Threads	786-GN8AFCCP ³




1 = Swivel connection

2 = For use with pedal valves

3 = Laminar flow

4 = Vandal resistant screws

Deck Mounted



Body	Cartridge	Handle	Spout	Outlet	Model
8" Centers Cont.					
786	Quaturn™	317	GN8FC	Plain End	786-GN8FCCP ³
	Quaturn™	319	GN2A	E3	786-E3-319CP
	Quaturn™	369	GN2FC	Plain End	786-GN2FC369CP
	Quaturn™	369	GN2A	E3	786-E3-369CP
	Control-A-Flow Quaturn™	317	GN2A	E3	786-E3-245CP
	Ceramic	317	GN2A	E3	786-E3XKCP
	Ceramic	317	GN2A	E3	786-SWE3XKCP ¹
	Ceramic	317	GN2A	E29	786-E29XKCP ³
	Ceramic	317	GN2A	E29VP	786-E29VPXKCP ³
	Ceramic	317	GN2B	E4	786-XKCP
	Ceramic	317	GN2FC	Plain End	786-GN2FCXKCP ³
	Ceramic	317	GN8A	E3	786-GN8AE3XKCP
	Ceramic	317	GN8A	E29	786-GN8AE29XKCP ³
	Ceramic	317	GN8FC	Plain End	786-GN8FCXKCP ³
794	MVP™	665	GN2A	E3	786-E3-665CP
	Quaturn™	317	GN1A	E3	794-317CP
1100	Quaturn™	317	GN2A	E3	1100-GN2AE3-317CP
	Quaturn™	317	GN8A	E3	1100-GN8AE3-317CP
	Quaturn™	317	HA8A	E3	1100-HA8-317CP
	Quaturn™	317	L8	E3	1100-317CP
	Quaturn™	1000	L8	E3	1100-CP
	Quaturn™	1000	L8	E35	1100-E35CP
	Quaturn™	1000	HA8A	E3	1100-HA8CP
	Ceramic	317	HA8A	E3	1100-HA8-317XKCP
	Ceramic	317	L8	E3	1100-317XKCP
	Ceramic	317	L8	E3VP	1100-317XKVPCCP
	Ceramic	317	L9	E3	1100-L9-317XKCP
	Ceramic	1000	GN2A	E3VP	1100-GN2AE3VPAXKCP
	Ceramic	1000	L8	E3	1100-XKCP
	Ceramic	1000	L9	E3VP	1100-L9VPAXKCP
1102	Quaturn™	1000	L8	E3	1102-CP
1200 (with spray)	Quaturn™	1000	L9	E3	1200-ACP
1201	Quaturn™	1000	HA8A	E3	1201-AHA8CP
	Quaturn™	1000	L9	E3	1201-ACP
1888 (with spray)	Quaturn™	369	1888-001K	E3	1888-369CP
	Quaturn™	1000	1888-001K	E3	1888-CP
12" Centers					
786	Quaturn™	317	GN2A	E3	786-WCE3CP
	Quaturn™	317	GN2B	E4	786-WCCP

1 = Swivel connection

2 = For use with pedal valves

3 = Laminar flow

Wall Mounted




Body	Cartridge	Handle	Spout	Outlet	Inlet	Model
Single Hole						
293	Slow Compression	293-6	—	3/4" Male	1/2" NPT Female	293-CP
	Slow Compression	293-6	—	3/4" Male & E27	1/2" NPT Female	293-E27CP
	Slow Compression	293-6	—	3/4" Male	1/2" NPT Female	293-RCF ¹
332	Quaturn™	369	S6	E3	1/2" NPT Female	332-CP
387	Slow Compression	293-6	E27	3/4" Male	3/4" NPT Female	387-E27CP
	Slow Compression	293-6	N/A	3/4" Male	3/4" NPT Female	387-CP
	Slow Compression	293-6	N/A	3/4" Male	3/4" NPT Female	387-RCF ¹
389	MVP™	665	—	1/2" Female	1/2" NPT Female	389-665PSHCP
629	—	—	GN1	Plain End	1/2" NPT Flanged Female	629-CP
	—	—	GN1A	E3	1/2" NPT Flanged Female	629-E3CP
952	Slow Compression	293-6	Vacuum Breaker	3/4" Male	1/2" NPT Female	952-1/2CP
	Slow Compression	293-6	Vacuum Breaker	3/4" Male	3/4" NPT Female	952-CP
998	Slow Compression	293-6	Vacuum Breaker	3/4" Male	3/4" NPT Female	998-RCF ¹


1 = Rough chrome finish

Wall Mount

Body	Cartridge	Arm	Handle	Spout	Outlet	Inlet	Model
3" Vertical Centers							
225	Quaturn™	—	369	3 3/8" Gooseneck	E4F	1/2"	225-261CP
	Quaturn™	—	369	3 3/8" Gooseneck	E4F	3/4"	225-CP
3 3/8" Centers							
65	Quaturn™	—	369	E1M	1/2" NPT Female		65-261CP
	Quaturn™	—	369	E1M	1/2" NPT Female		65-261RCF ¹
4" Centers							
521	Quaturn™	—	369	DB6A	E1		521-CP
Adjustable 4" - 8 3/8" Centers							
305	Quaturn™	"H"	369	Short with Pail Hook	3/4" Male Hose		305-CP
	Quaturn™	"H"	369	Short with Pail Hook	3/4" Male Hose		305-RCF ¹
	Quaturn™	"H"	369	305-SVB	3/4" Male Hose		305-VBCP
	Quaturn™	"H"	369	305-SVB	3/4" Male Hose		305-VBRCF ¹
	Quaturn™	"R"	369	Short with Pail Hook	3/4" Male Hose		305-RCP
	Quaturn™	"R"	369	Short with Pail Hook	3/4" Male Hose		305-RRCF ¹
	Quaturn™	"R"	369	305-SVB	3/4" Male Hose		305-VBRCP
	Quaturn™	"R"	369	305-SVB	3/4" Male Hose		305-VBRRCF ¹
	Ceramic	"R"	369	305-SVB	3/4" Male Hose		305-VBRXKCP
445	Ceramic	"R"	369	305-SVB	3/4" Male Hose		305-VBRXKRCF ¹
	Quaturn™	"H"	369	DJ13	E3		445-DJ13CP
	Quaturn™	"H"	369	DJ18	E3		445-DJ18CP
	Quaturn™	"H"	369	S6	E1		445-E1CP
	Quaturn™	"H"	369	S6	E3		445-CP
	Quaturn™	"H"	369	L8	E3		445-L8CP
	Quaturn™	"H"	369	L9	E1		445-L9E1CP
	Quaturn™	"H"	369	L9	E3		445-L9CP
	Quaturn™	"H"	369	L12	E1		445-L12E1CP
	Quaturn™	"H"	369	L12	E3		445-L12CP
	Quaturn™	"HC"	369	S6	E3		445-HCCP
	Quaturn™	"RC"	369	Pressure Vacuum Breaker with Wall Brace	3/4" Male Hose		445-PVBCP
737	Ceramic	"RC"	369	Vacuum Breaker with Wall Brace	3/4" Male Hose		445-897SRCXKCP
737	Quaturn™	"H"	369	S6	E2		737-RCF ¹
886	Quaturn™	"H"	369	L5VB	3/4" Male Hose		886-CP
917	Quaturn™	"H"	369	Vacuum Breaker	3/4" Male Hose		917-RCF ¹
956	Quaturn™	"R"	369	Vacuum Breaker	5' White Vinyl Hose with Plain End		956-RCP
6" Centers							
835 (with Pail Hook)	Quaturn™	—	633	Vacuum Breaker with Wall Brace	3/4" Male Hose		835-CP
	Quaturn™	—	633	Vacuum Breaker with Wall Brace	3/4" Male Hose		835-RCF ¹
Adjustable 7 1/4" - 8 3/4" Centers							
540	Quaturn™	—	369	S6 with soap dish	E3		540-CP
	Quaturn™	—	369	S6	E3		540-LDCP
	Quaturn™	—	369	L8	E3		540-LDL8CP
	Quaturn™	—	369	L9	E3		540-LDL9CP
	Quaturn™	—	369	L12	E3		540-LDL12CP
631	Quaturn™	—	317	L15	E3		540-LDL15CP
	Quaturn™	—	317	GN1A	E3		631-CP
Adjustable 7 5/8" - 8 3/8" Centers							
897	Quaturn™	—	369	Vacuum Breaker with Wall Brace	3/4" Male Hose		897-CP
	Quaturn™	—	369	Vacuum Breaker with Wall Brace	3/4" Male Hose		897-RCF ¹

¹ = Rough chrome finish


225




65




521




305




445



737




886



917



956



835



631



897

Manual Product Configuration

Wall Mount





Body	Cartridge	Arm	Handle	Spout	Outlet	Model
8" Centers						
540 (with Pail Hook)	Quaturn™	—	369	897S with Wall Brace	3/4" Male Hose	540-LD897SWXFCP
782 (with Pail Hook)	Slow Compression	—	633	Vacuum Breaker with Wall Brace	3/4" Male Hose	782-VBCP
8" - 13" Centers						
631	Quaturn™	"R"	317	GN1A	E3	631-RCP
814	Quaturn™	N/A	319	Plain with Pail Hook	Plain	814-CP
	Quaturn™	N/A	319	Vacuum Breaker	3/4" Male	814-VBCP
815	Quaturn™	N/A	319	Plain with Pail Hook	Plain	815-CP
	Quaturn™	N/A	319	Vacuum Breaker	3/4" Male	815-VBCP

Specialty Fittings



Body	Cartridge	Handle	Projector	Model
Bubblers				
748	MVP™	665	Metal Projector Head	748-665CP ¹
	MVP™	665	Anti-microbial Flexible Head	748-665FHCP ¹
	MVP™	665	Metal Projector Head	748-665TBCP


¹ = With anti-rotational pins


Body	Cartridge	Handle	Inlet	Outlet	Model
Stop/Supplies					
45	Slow Compression	633	1/2" NPT Female	1/2" NPT Female	45-CP
	Slow Compression With Check	293-6	1/2" NPT Female	1/2" NPT Female	45-LKCCP
	Slow Compression	293-6	1/2" NPT Female	1/2" NPT Female	45-LKCP
375	Slow Compression	633	3/4" NPT Female	3/4" NPT Female	375-CP
	Slow Compression	293-6	3/4" NPT Female	3/4" NPT Female	375-LKCP
442	Slow Compression	633	1/2" NPT Female	1/2" NPT Female	442-CP
	Slow Compression	293-6	1/2" NPT Female	1/2" NPT Female	442-LKCP
	Slow Compression With Check	293-6	1/2" NPT Female	1/2" NPT Female	442-LKCCP
698	Slow Compression	293-6	1/2" NPT Female	1/2" NPT Male Union	698-CP
699	Slow Compression	293-6	1/2" NPT Female	1/2" NPT Male Union	699-CP
995	Slow Compression	293-6	1/2" NPT Female	1/2" O.D. Compression	995-CP
1004	Slow Compression	318	1/2" NPT Female	1/2" O.D. Riser	1004-CP
1005	Slow Compression	293-6	3/8" NPT Female	1/2" O.D. Riser	1005-CP
1006	Slow Compression	293-6	1/2" NPT Female	1/2" O.D. Riser	1006-CP
	Metal to Metal Slow Compression	293-6	1/2" NPT Female	1/2" O.D. Riser	1006-MMCP
1010	Slow Compression	293-6	3/8" NPT Female	1/4" NPT Female	1010-1003-3CP
1012	Slow Compression	293-6	3/8" NPT Female	3/8" O.D. Compression	1012-CP
1013	Slow Compression	293-6	1/2" NPT Female	3/8" O.D. Compression	1013-CP
1015	Slow Compression	318	1/2" NPT Female	3/8" O.D. Compression	1015-CP
1016	Slow Compression	293-6	3/8" NPT Female	3/8" O.D. Riser	1016-CP
1017	Slow Compression	293-6	1/2" NPT Female	3/8" O.D. Riser	1017-CP
	Metal to Metal Slow Compression	293-6	1/2" NPT Female	3/8" O.D. Riser	1017-MMCP
1018	Slow Compression	318	3/8" NPT Female	3/8" O.D. Riser	1018-CP
1019	Slow Compression	318	1/2" NPT Female	3/8" O.D. Riser	1019-CP
1023	Slow Compression	293-6	5/8" O.D. Compression	1/2" O.D. Compression	1023-CP
1025	Slow Compression	293-6	5/8" O.D. Compression	3/8" O.D. Compression	1025-CP
1027	Slow Compression	293-6	5/8" O.D. Compression	1/2" O.D. Riser	1027-CP
1028	Slow Compression	318	5/8" O.D. Compression	3/8" O.D. x 12" Riser	1028-CP

Specialty Fittings

Body	Cartridge	Handle	Spout	Inlet	Outlet	Model
In Wall Valves						
769	Slow Compression	633	—	1/2" NPT Female	1/2" NPT Female	769-COLDCP
770	Slow Compression	317	—	1/2" NPT Female	1/2" NPT Female	770-317PLCP
782	Slow Compression	633	Concealed Fitting with Pail Hook and Wall Brace	1/2" NPT Female	3/4" Male	782-ISCP
911	Slow Compression	633	5 3/4" with Pail Hook and Wall Brace	1/2" NPT Female	3/4" Male	911-CP
	Slow Compression	633	5 3/4" with Pail Hook and Wall Brace	1/2" NPT Female	3/4" Male	911-ISCP ¹
1771	Slow Compression	293-6	—	1/2" NPT Female	1/2" NPT Female	1771-CP
	Slow Compression with Check	293-6	—	1/2" NPT Female	1/2" NPT Female	1771-CCP


¹ = With integral service stops



Body	Cartridge	Handle	Pedal	Spout	Inlet	Outlet	Model
Pedal Valves							
625	NAIAD™	—	Double Short	—	1/2" NPT Female	3/8" NPT Female	625-CP
	NAIAD™	—	Double Short	—	1/2" NPT Female	3/8" NPT Female	625-RCF ²
	NAIAD™	—	Double Long	—	1/2" NPT Female	3/8" NPT Female	625-LPCP
	NAIAD™ SLO	—	Double Short	—	1/2" NPT Female	3/8" NPT Female	625-SLOCP
	NAIAD™ SLO	—	Double Long	—	1/2" NPT Female	3/8" NPT Female	625-LPSLOCP
628	NAIAD™	—	Single Short	—	1/2" NPT Female	1/2" NPT Female	628-CP
806	NAIAD™	—	Single Extended	—	1/2" NPT Female	1/2" NPT Female	806-CP
834	NAIAD™	—	Double Extended	—	1/2" NPT Female	3/8" NPT Female	834-EPCP
	NAIAD™ SLO	—	Double Extended	—	1/2" NPT Female	3/8" NPT Female	834-EPSLOCP
910 (with Vinyl Hose)	NAIAD™	—	Double Extended	892G	1/2" NPT Female	E21	910-GCP
	NAIAD™	—	Double Extended	892G	1/2" NPT Female	Angle Spray	910-G777-19KCP
	NAIAD™	—	Double Extended	892G	1/2" NPT Female	Short Spray	910-G777-16KCP
Knee Valve							
745	NAIAD™	—	Knee Bracket	—	1/2" NPT Female	3/8" NPT Female	745-VOCP
Bed Pan Cleaners							
778	Slow Compression	633	—	892G	—	E21	778-SCP
809	Slow Compression	633	—	893	—	E21	809-CP
	Slow Compression	633	—	893	—	E21	809-777-21KCP ¹




¹ = Angle spray nozzle with valve

² = Rough chrome finish



Manual Product Configuration

Tub & Shower Valves



Body	Spray	Inlet	Flow Rate	Model
Shower Heads				
600	Adjustable / Swivel Head	1/2" NPT Female	2.5 MAX GPM @ 80 PSI	600-CP
620 (vandal resistant)	Swivel Head	1/2" NPT Female	2.5 MAX GPM @ 80 PSI	620-CP
	Swivel Head	1/2" NPT	2.5 MAX GPM @ 80 PSI	620-VPCP
	Swivel Head, Arm and Flange	1/2" NPT Male	2.5 MAX GPM @ 80 PSI	620-AVPCP
621	Wall Mounted / Adjustable for Spray Angle / Pressure Compensating	1/2" NPT Female	2.0 MAX GPM @ 80 PSI	621-CP



Body	Cartridge	Handle	Inlet	Outlet	Model
Single Control					
770	MVP™	665 "PUSH"	1/2" NPT Female	1/2" NPT Female	770-665PSHCP
	Slow Compression	633 "COLD"	1/2" NPT Female	1/2" NPT Female	770-COLD CP
	Slow Compression	633 "PLAIN"	1/2" NPT Female	1/2" NPT Female	770-PLCP
1900	Pressure Balancing	Lever	1/2" Nominal Copper Sweat	Diverter Tub Spout/ 600-A Shower Head	1900-600CP
	Pressure Balancing	Lever	1/2" Nominal Copper Sweat	Diverter Tub Spout/ 620-A Shower Head	1900-CP
	Pressure Balancing	—	1/2" Nominal Copper Sweat	—	1900-VOCP
	—	Lever	1/2" Nominal Copper Sweat	Diverter Tub Spout/ 600-A Shower Head	1900-TK600CP
	—	Lever	1/2" Nominal Copper Sweat	Diverter Tub Spout/ 620-A Shower Head	1900-TKCP
	—	—	—	—	—
1902	Pressure Balancing	Lever	1/2" Nominal Copper Sweat	600-A	1902-600CP
	Pressure Balancing	Lever	1/2" Nominal Copper Sweat	620-A	1902-CP
	Pressure Balancing	Lever	—	620-A	1902-TKCP
	Pressure Balancing	Lever	—	600-A	1902-TK600CP
	Pressure Balancing	Lever	1/2" Nominal Copper Sweat	621	1902-621CP
	Pressure Balancing	Lever	1/2" Nominal Copper Sweat	—	1900-VOCCP
1905	Thermostatic/ Pressure Balancing	Lever	1/2" Nominal Copper Sweat	Diverter Tub Spout/ 600-A Shower Head	1905-600CP
	Thermostatic/ Pressure Balancing	Lever	1/2" Nominal Copper Sweat	Diverter Tub Spout/ 620-A Shower Head	1905-CP
	Thermostatic/ Pressure Balancing	Lever	1/2" Nominal Copper Sweat	—	1905-VOCCP
	Thermostatic/ Pressure Balancing	—	1/2" Nominal Copper Sweat	—	1905-VONF
	—	Lever	1/2" Nominal Copper Sweat	Diverter Tub Spout/ 600-A Shower Head	1905-TK600CP
	—	Lever	1/2" Nominal Copper Sweat	Diverter Tub Spout/ 620-A Shower Head	1905-TKCP
1907	Thermostatic/ Pressure Balancing	Lever	1/2" Nominal Copper Sweat	600-A	1907-600CP
	Thermostatic/ Pressure Balancing	Lever	1/2" Nominal Copper Sweat	620-A	1907-CP
	Thermostatic/ Pressure Balancing	Lever	1/2" Nominal Copper Sweat	621	1907-621CP
	Thermostatic/ Pressure Balancing	Lever	—	600-A	1907-TK600CP
2500	Thermostatic/ Pressure Balancing	Shower Valve	1/2" NPT Female	Diverter Tub Spout/ 620-A Shower Head	2500-CP
	Quatum™/Thermostatic/ Pressure Balancing	Shower Valve	1/2" NPT Female	—	2500-VOCCP
	Ceramic	Shower Valve	1/2" NPT Female	—	2500-VOCXKCP
2502	Quatum™/Thermostatic/ Pressure Balancing	Shower Valve	1/2" NPT Female	600-A	2502-600CP

Tub & Shower Valves

Body	Cartridge	Handle	Shower Head	Riser	Model
Two Handle					
752	Slow Compression	633	620	25 1/2"	752-CP
	Slow Compression	633	620	25 1/2"	752-RCF
756	Quatern™	369	620	27 3/8"	756-CP



Body	Outlet	Hose	Attachment	Model
Hand Held				
150	Hand Spray	60" Chrome Plated Stainless Steel	Wall Hook	150-CP
	Hand Spray	60" White Vinyl	Wall Hook	150-WVCP
151	Hand Spray	60" Chrome Plated Stainless Steel Hose	24" Spray Adjustable Wall Bar	151-CP
	Hand Spray	60" White Vinyl	24" Spray Adjustable Wall Bar	151-WVCP
153	Hand Spray	69" Chrome Plated Stainless Steel Hose	48" Spray Adjustable Wall Bar	153-CP
	Hand Spray	69" White Vinyl Hose	48" Spray Adjustable Wall Bar	153-WVCP



Body	Cartridge	Handle	Inlet	Outlet	Model
Urinal Valves					
339	MVP™	665	1/2" NPT Female	1/2" NPT Female	339-665PSHCP
732	MVP™	665	1/2" NPT Female	3/4" O.D. x 7" Tailpiece	732-665PSHCP
	MVP™	665	1/2" NPT Female	3/4" O.D. x 9 7/8" Vacuum Breaker Tailpiece	732-VB665PSHCP
	NAIAD™	333	1/2" NPT Female	3/4" O.D. x 7" Tailpiece	732-CP
	NAIAD™	333	1/2" NPT Female	3/4" O.D. x 9 7/8" Vacuum Breaker Tailpiece	732-VBCP
	NAIAD™	Long Bonnet Non-Sag Oscillating	1/2" NPT Female	3/4" O.D. x 7" Tailpiece	732-OHCP
	NAIAD™	Long Bonnet Non-Sag Oscillating	1/2" NPT Female	3/4" O.D. x 9 7/8" Vacuum Breaker Tailpiece	732-OHVBCP
733	MVP™	665	1/2" NPT Female	3/4" O.D. x 7" Tailpiece	733-665PSHCP
	MVP™	665	1/2" NPT Female	3/4" O.D. x 9 7/8" Vacuum Breaker Tailpiece	733-VB665PSHCP
	NAIAD™	Long Bonnet Non-Sag Oscillating	1/2" NPT Female	3/4" O.D. x 7" Tailpiece	733-OHCP
	NAIAD™	Long Bonnet Non-Sag Oscillating Breaker Tailpiece	1/2" NPT Female	3/4" O.D. x 9 7/8" Vacuum	733-OHVBCP



Electronic Product Configuration

Deck Mount



116.101.21.1



116.102.21.1



116.103.21.1

Power Source	Spout	Outlet	Supply/Mixer	Model
HyTronic® Traditional Lavatory				
AC	5-1/2"	E2805	Single Supply	116.101.21.1
AC	5-1/2"	E2805	Internal Mixer	116.111.21.1
AC	5-1/2"	E2805	External Mixer	116.121.21.1
DC	5-1/2"	E2805	Single Supply	116.201.21.1
DC	5-1/2"	E2805	Internal Mixer	116.211.21.1
DC	5-1/2"	E2805	External Mixer	116.221.21.1
HyTronic® Contemporary Lavatory				
AC	5-1/8"	E2805	Single Supply	116.102.21.1
AC	5-1/8"	E2805	Internal Mixer	116.112.21.1
AC	5-1/8"	E2805	External Mixer	116.122.21.1
DC	5-1/8"	E2805	Single Supply	116.202.21.1
DC	5-1/8"	E2805	Internal Mixer	116.212.21.1
DC	5-1/8"	E2805	External Mixer	116.222.21.1
E-Tronic® 40 Lavatory				
AC	4"	E2805	Single Supply	116.706.21.1
AC	4"	E2805	Single Supply	116.706.AB.1
DC	4"	E2805	Single Supply	116.606.21.1
DC	4"	E2805	Single Supply	116.606.AB.1
HyTronic® Gooseneck				
AC	GN2AH8	E2805-5	Internal Mixer	116.113.21.1
AC	GN2AH8	E2805-5	External Mixer	116.123.21.1
AC	GN2H8FC	Plain End	Single Supply	116.427.AB.1
AC	GN2H8FC	Plain End	Internal Mixer	116.428.AB.1
AC	GN2H8FC	Plain End	External Mixer	116.429.AB.1
DC	GN2AH8	E2805-5	Single Supply	116.203.21.1
DC	GN2AH8	E2805-5	Internal Mixer	116.213.21.1
DC	GN2AH8	E2805-5	External Mixer	116.223.21.1
DC	GN2H8FC	Plain End	Single Supply	116.430.AB.1
DC	GN2H8FC	Plain End	Internal Mixer	116.431.AB.1
DC	GN2H8FC	Plain End	External Mixer	116.432.AB.1

Wall Mount



116.104.AB.1


Power Source	Spout	Outlet	Supply/Mixer	Model
HyTronic® Gooseneck				
AC	GN2AH8	E2805-5	Single Supply	116.104.AB.1
AC	GN2AH8	E2805-5	Internal Mixer	116.114.AB.1
AC	GN2AH8	E2805-5	External Mixer	116.124.AB.1
DC	GN2AH8	E2805-5	Single Supply	116.204.AB.1
DC	GN2AH8	E2805-5	Internal Mixer	116.214.AB.1
DC	GN2AH8	E2805-5	External Mixer	116.224.AB.1

Accessories

Power Source	Input Voltage	Output Voltage	Model
Transformers			
Plug-in	120VAC 60 Hz	12VAC	240.630.00.1
Hardwire	120VAC 60 Hz	12VAC	240.631.00.1



240.630.00.1




240.631.00.1


Description	Model
Cover Plates	
4" Cover Plate with Locating Pin and Mounting Hardware for HyTronic	240.627.21.1
8" Cover Plate with Locating Pin and Mounting Hardware for HyTronic	240.628.21.1
8" Cover Plate with Locating Pins for E-Tronic 40	242.164.21.1
Copper Tube Inlet	
Copper Tube Supply Inlet for HyTronic	240.632.00.1
Mixing Valves	
Thermostatic Mixing Valve - 3/8" Male Compression Inlets and Outlets	121-NF
Thermostatic Mixing Valve - 1/2" NPT Female Inlets and Outlet	122-NF
Concealed Mixing Valve for E-Tronic 40	242.165.00.1



240.627.21.1



240.628.21.1




240.632.00.1



121





122



242.165.00.1

Food Service Product Configuration


Pre-Rinse



Body	Cartridge	Handle	Spout	Outlet	Hand Spray	Arms	Model
Deck Mount: Single Hole							
919	Quaturn™	369	–	–	80L	–	919-LCP
	Quaturn™	369	–	–	99TF	–	919-TFCP
	Quaturn™	369	–	–	80L	–	919-L613ACP
	Quaturn™	369	–	–	99TF	–	919-TF613ACP
920	Quaturn™	369	–	–	80L	–	920-LCP
	Quaturn™	369	–	–	80L	–	920-TFCP
Deck Mount: 4" Centers							
526	Quaturn™	369	–	–	99TF	–	526-919SLCP
	Quaturn™	369	–	–	99TF	–	526-919STFCP
Deck Mount: 8" Centers							
527	Quaturn™	369	–	–	99TF	–	527-919SLCP
	Quaturn™	369	–	–	99TF	–	527-919STFCP
Wall Mount: 4" - 8 3/8" Adjustable Centers							
923	Quaturn™	369	–	–	80L	"HC"	923-HCLCP
	Quaturn™	369	–	–	99TF	"HC"	923-HCTFCP
	Quaturn™	369	–	–	80L	"H"	923-LCP
	Quaturn™	369	–	–	99TF	"H"	923-TFCP
	Quaturn™	369	–	–	80L	"H"	923-LWSLCP ¹
	Quaturn™	369	–	–	99TF	"H"	923-TFWSLCP ¹
	Quaturn™	369	–	–	80L	"H"	923-LHC613ACP
	Quaturn™	369	–	–	99TF	"HC"	923-TFHC613ACP
Wall Mount: 7 1/4" - 8 3/4" Adjustable Centers							
509	Quaturn™	369	L9	E1	81L	"GC"	509-GCLCP
	Quaturn™	369	L9	E1	99TF	"GC"	509-GCTFCP
510	Quaturn™	369	–	–	80L	"GC"	510-GCLCP
	Quaturn™	369	–	–	99TF	"GC"	510-GCTFCP
	Quaturn™	369	–	–	80L	"GC"	510-GCLWSLCP ¹
	Quaturn™	369	–	–	80L	"GC"	510-GCLWSTFCP ¹


¹ = 932-001K shipped loose

Hand Sprays



Body	Spout	GPM	Inlet	Outlet	Model
80	–	1.42 @ 60 PSI	3/4" - 14 UNS Male	919-225K	80-LCP
	–	1.42 @ 60 PSI	3/4" - 14 UNS Male	919-225K	81-LCP
	–	2.5 @ 60 PSI	3/4" - 14 UNS Male	919-225K	80-HCP
84	Gooseneck	Quick Fill	3/4" - 14 UNS Male	E1	84-CP
99	–	.91 @ 60 PSI	3/4" - 14 UNS Male	Triple Force	99TF

Hose and Handle



Body	Hose Length	Inlet	Outlet	Model
83	29"	3/8" - NPT Male	3/4" - 14 UNS Female	83-29NF
	44"	3/8" - NPT Male	3/4" - 14 UNS Female	83-44NF
	58"	3/8" - NPT Male	3/4" - 14 UNS Female	83-58NF
	77"	3/8" - NPT Male	3/4" - 14 UNS Female	83-77NF

Spray Assembly


Body	Cartridge	Handle	Outlet	Inlet	Hand Spray	Model
919	–	–	–	1-1/16"-18 UNE F Female	80L	919-SLCP




919

Hose Reels

Body	Handle	Spout	Hand Spray	Outlet	Inlet	Model
Exposed Valve						
535	633	893	80H	E7FC	–	535-NF
Concealed Valve						
536	633	893	80H	E7FC	–	536-NF
Wall or Ceiling Mount						
537	–	–	80H	–	3/8" NPT	537-NF
	–	–	80H	–	3/8" NPT	537-WCNF ¹



535



537

Fillers

Body	Cartridge	Handle	Spout	Outlet	Inlet	Hand Spray	Model
Glass Fillers							
313	NAIAD™	–	–	–	1/2" Female	–	313-CP
324	NAIAD™	–	–	–	1/2" Female	–	324-CP
709	NAIAD™	–	–	–	1/2" Female	–	709-CP
Pot Fillers							
334	Quaturn™	369	L12	E1	–	–	334-CP
512	Quaturn™	369	Vacuum Breaker	E1	–	84	512-GCCP
515	Quaturn™	269/369	DJ18	E31	–	–	515-CP



324



515



Adapta Faucets

Body	Cartridge	Handle	Spout	Outlet	Model
613	Quaturn™	369	L9	E1	613-ACP
	Quaturn™	369	L12	E1	613-AL12E1CP
	Quaturn™	369	L15	E1	613-AL15E1CP



613


Faucets



Body	Cartridge	Handle	Spout	Outlet	Inlet	Model
Deck Mount: Single Hole						
50	Quaturn™	369	GN2A	E1	N/A	50-E1CP
350	Quaturn™	369	GN2A	E1	N/A	350-E1CP
Deck Mount: 4" Centers						
526	Quaturn™	369	GN2A	E1	N/A	526-GN2AE1CP
895	Quaturn™	369	GNRGD1	E1	N/A	895-RGD1E1CP
	Quaturn™	369	GNRGD2	E1	N/A	895-RGD2E1CP
Deck Mount: 8" Centers						
527	Quaturn™	369	GN2A	E1	N/A	527-GN2AE1CP
	Quaturn™	369	S6	E1	N/A	527-S6E1CP
Wall Mount: 4" Centers						
521	Quaturn™	369	GN2A	E1	N/A	521-GN2AE1CP
Wall Mount: 4" Centers						
540	Quaturn™	369	L12	Plain End	3/4" NPT Female	540-LDL12-1-159-3/4CP
	Quaturn™	369	L12	E1	3/4" NPT WXF	540-LDL12E1WXFCP
Wall Mount: 4" - 8 3/8" Adjustable Centers						
445	Quaturn™	369	DJ13	E1	N/A	445-DJ13E1CP
	Quaturn™	369	DJ18	E1	N/A	445-DJ18E1CP
	Quaturn™	369	L8	E1	N/A	445-L8E1CP
	Quaturn™	369	L9	E1	N/A	445-L9E1CP
	Quaturn™	369	L12	E1	N/A	445-L12E1CP
	Quaturn™	369	S6	E1	N/A	445-E1CP
Wall Mount: 7 1/4" - 8 3/4" Adjustable Centers						
540	Quaturn™	369	L8	E1	N/A	540-LDL8E1CP
	Quaturn™	369	L9	E1	N/A	540-LDL9E1CP
	Quaturn™	369	S6	E1	N/A	540-LDE1CP

Multiple Service Fittings

Body	Cartridge	Handle	Spout	Outlet	Finish	Model
1301	Quaturn™ and Ball Valve	369 and Lever	GN2BVB	E7	CP	1301-GN2BVBE7-369CP
	Slow Compression and Ball Valve	204 and Lever	GN2B	E7	CP	1301-CP
	Slow Compression and Ball Valve	204 and Lever	GN2BVB	E7	CP	1301-GN2BVBE7CP
	Slow Compression and Ball Valve	204 and Lever	GN2BVB	E7	SAM	1301-WSVGN2BVBE7SAM
	Slow Compression and Ball Valve	204 and Lever	GN2B	E7	SAM	1301-WSVSAM



1301

Dual Service Fittings

Body	Cartridge	Handle	Spout	Outlet	Finish	Model
1332	Slow Compression and Ball Valve	205 and Lever	Integral	E7	CP	1332-CP
	Slow Compression and Ball Valve	205 and Lever	Integral	E7T	CP	1332-E22E7CP
	Slow Compression and Ball Valve	205 and Lever	Integral	E7T	SAM	1332-E22E7SAM
	Slow Compression and Ball Valve	205 and Lever	Integral	E7	SAM	1332-SAM




1332

Water Fittings

Body	Cartridge	Handle	Spout	Outlet	Finish	Model
Deck Mount						
927	Quaturn™	317	GN2B	E7	CP	927-317CP
	Slow Compression	204	GN2B	E7	CP	927-CP
	Slow Compression	204	GN2B	E7	SAM	927-SAM
	Slow Compression	204	GN2B	E7	CP	927-VPPCP
928	Quaturn™	317	GN2BVB	E7	CP	928-317CP
	Quaturn™	317	GN2BVB	E7	SAM	928-317SAM
	Quaturn™	317	Rigid	E7	CP	928-VR317CP
	Quaturn™	369	GN2BVB	E7	CP	928-369CP
	Quaturn™	369	Rigid	E7	CP	928-VR369CP
	Slow Compression	204	GN2BVB	E7	CP	928-CP
	Slow Compression	204	Rigid	E3-2	CP	928-VRE3-2CP
	Slow Compression	204	Rigid	E7	CP	928-VRCP
	Slow Compression	204	Rigid	E7	SAM	928-VRSAM
	Slow Compression	204	Rigid	E7	CP	928-VRLHCP ¹
	Slow Compression	204	GN8BVB	E7	CP	928-GN8BVBE7CP
929	Quaturn™	317	GN2B	E7	CP	929-317
	Slow Compression	204	GN2B	E7	CP	929-CP
	Slow Compression	204	GN2B	E7	SAM	929-SAM
930	Quaturn™	317	GN2BVB	E7	CP	930-317CP
	Quaturn™	317	GN2BVB	E7	SAM	930-317SAM
	Quaturn™	317	Rigid	E7	CP	930-VR317CP
	Quaturn™	317	Rigid	E7	SAM	930-VR317SAM
	Quaturn™	317	GN8BVB	E7	CP	930-GN8BVBE7-317CP
	Quaturn™	369	GN2BVB	E7	CP	930-369CP
	Quaturn™	369	Rigid	E7	CP	930-VR369CP
	Slow Compression	204	GN2BVB	E7	CP	930-CP
	Slow Compression	204	GN2BVB	E7	SAM	930-SAM
	Slow Compression	204	Rigid	E7	CP	930-VRCP
	Slow Compression	204	Rigid	E7	SAM	930-VRSAM
	Slow Compression	204	GN8BVB	E7	CP	930-GN8BVBE7CP
	Ceramic	204	GN2BVB	E7	CP	930-XKCP



927



930



946



1334

¹ = Left hand operation

Laboratory Product Configuration

Water Fittings



Body	Cartridge	Handle	Spout	Outlet	Finish	Model
Deck Mount						
931	Slow Compression	204	L8BVB	E3-2	CP	931-VBE3-2CP
	Slow Compression	204	L8BVB	E7	CP	931-VBE7CP
	Slow Compression	204	L12	E3	CP	931-L12CP
941	Slow Compression	204	GN2B	E7	CP	941-CP
	Slow Compression	204	L8BVB	E7	CP	941-VBE7CP
946	Slow Compression	204	GN2B	E7	CP	946-CP
947	Quatern™	317	GN2BVB	E7	CP	947-317CP
	Quatern™	369	GN2BVB	E7	CP	947-369CP
	Slow Compression	204	GN2BVB	E7	CP	947-CP
1334	Slow Compression	205	Integral	E7	CP	1334-CP
Wall Mount						
932	Slow Compression	204	L8BVB	E7	CP	932-VBE7WSCP
	Slow Compression	204	S6	E3	CP	932-WSCP
933	Slow Compression	204	GN2B	E7	CP	933-CP
	Slow Compression	204	GN2B	E7	CP	933-WSCP ¹
934	Slow Compression	204	GN2BVB	E7	CP	934-CP
	Slow Compression	204	GN2BVB	E7	CP	934-WSCP ¹
938	Slow Compression	204	Integral	E7	CP	938-CP
	Slow Compression	204	Integral	E7	CP	938-WSCP ¹
940	Slow Compression	204	L8BVB	E7	CP	940-VBE7WSLCP ¹
	Slow Compression	204	S6	E3	CP	940-CP
	Slow Compression	204	S6	E3	CP	940-WSLCP ¹
942	Slow Compression	204	GN2B	E7	CP	942-CP
	Slow Compression	204	GN2B	E7	CP	942-WSLCP ¹
943	Quatern™	317	GN2BVB	E7	CP	943-317CP
	Slow Compression	204	GN2BVB	E7	CP	943-CP
	Slow Compression	204	GN2BVB	E7	CP	943-WSLCP ¹
1300	Slow Compression	204	Vacuum Breaker	E7XT	CP	1300-CP
	Slow Compression	204	Vacuum Breaker	E7XT	CP	1300-MCP ²
Deck or Wall Mount						
1305	Slow Compression	204 "COLD"	1/2" NPSM Male	1/2" NPT Female	CP	1305-CP
	Slow Compression	204 "PLAIN"	1/2" NPSM Male	1/2" NPT Female	CP	1305-PLCP

1 = 932-001K Assembled to body

2 = Male inlet

Pure Water Fittings





Body	Valve/Cartridge	Handle	Spout	Outlet	Finish	Model
828	Polypropylene Valve	3-Arm	Polypropylene	Serrated Nozzle	CP	828-ACP
	Polypropylene Valve	3-Arm	Polypropylene	Serrated Nozzle	SAM	828-ASAM
829	Polypropylene Valve	3-Arm	Polypropylene	Serrated Nozzle	CP	829-ACP
	Celcon® Valve	Self Closing Push/Pull	Chrome Plated w/Tygon Lining	Integral	CP	838-CP
839	Celcon® Valve	Self Closing Push/Pull	Chrome Plated w/Tygon Lining	Serrated Nozzle	CP	839-CP
	PVC Needle Valve	3-Arm Unit	PVC Rigid Gooseneck	Integral	PVC	869-BPVC
869	PVC Needle Valve	3-Arm Unit	PVC Rigid Gooseneck	Serrated Nozzle	PVC	869-BLHPVC ¹
	PVC Needle Valve	3-Arm Unit	PVC Rigid Gooseneck	Integral	PVC	870-BPVC
969	PVC Needle Valve	3-Arm Unit	PVC Rigid Gooseneck	Serrated Nozzle	PVC	870-BPVC
	Slow Compression (Tin Lined)	204 "DW"	GN2B (Tin Lined)	E7 (Tin Lined)	Tin	969-217XLHCTF
	Self-Closing (Tin Lined)	204 "DW"	GN2B (Tin Lined)	E7 (Tin Lined)	Tin	969-CTF
970	Self-Closing (Tin Lined)	204 "DW"	GN2B (Tin Lined)	E7 (Tin Lined)	SAM	969-SAM
	Self-Closing (Tin Lined)	204 "DW"	GN2B (Tin Lined)	E7 (Tin Lined)	Tin	970-CTF
971	Self-Closing (Tin Lined)	204 "DW"	—	E7 (Tin Lined)	Tin	971-CTF
972	Self-Closing (Tin Lined)	204 "DW"	—	E7 (Tin Lined)	Tin	972-CTF

1 = Left hand operation

Remote Controlled Fittings

Body	Cartridge	Handle	Spout	Inlet	Outlet	Finish	Model
Wall / Panel Mount							
913	Needle Valve	204	–	3/8" NPT	3/8" NPT	CP	913-AGVCP
	Needle Valve	204	–	3/8" NPT	3/8" NPT	SAM	913-AGVSAM
	Needle Valve	204	–	3/8" NPT	3/8" NPT	SAM	913-LHAGVSAM ³
914	Slow Compression	204	–	3/8" NPT	3/8" NPT	CP	914-CP
	Slow Compression	204	–	3/8" NPT	3/8" NPT	SAM	914-SAM
915	Slow Compression	204	–	3/8" NPT	3/8" NPT	CP	915-CP
962	Slow Compression	204	–	3/8" NPT	3/8" NPT	CP	962-VOCP
	Slow Compression	204	–	3/8" NPT	3/8" NPT	SAM	962-VOSAM
	Slow Compression	204	–	3/8" NPT	3/8" NPT	CP	962-VOACP ¹
	Slow Compression Steam	204	–	3/8" NPT	3/8" NPT	CP	962-VOSCP
	Needle Valve	204	–	3/8" NPT	3/8" NPT	CP	962-VOGAGVCP
	Needle Valve	204	–	3/8" NPT	3/8" NPT	CP	962-VOGAAGVCP ¹
986	–	N/A	–	3/8" NPT	E7T	CP	986-E7TCP
	–	N/A	–	3/8" NPT	E7XT	CP	986-E7XTCP
	–	N/A	–	3/8" NPT	E7XT	CP	986-FE7XTCP ²
988	Wall Flange	N/A	GN2BVB	3/8" NPT	E7	CP	988-WSGN2BVBE7CP
1322	Needle Valve	205	–	3/8" NPT	3/8" NPT	CP	1322-205AGVCP
	Needle Valve	204	–	3/8" NPT	3/8" NPT	CP	1322-AGVCP
	Needle Valve	204	–	3/8" NPT	3/8" NPT	SAM	1322-AGVSAM
	Slow Compression	204	–	3/8" NPT	3/8" NPT	CP	1323-CP
	Slow Compression	204	–	3/8" NPT	3/8" NPT	SAM	1323-SAM


1 = For 45 degree angle panels 2 = Female inlet thread 3 = Left hand operation



Turrets

Body	Description	Inlet	Outlet	Finish	Model
Turrets					
980	Turret with One Side Outlet	3/8" NPT	3/8" NPT	CP	980-CP
	Vandal Resistant Turret with Single Ball Valve	3/8" NPT	E7TC	SAM	980-VR909CAGSAM ¹
	Turret with One Side Outlet	3/8" NPT	3/8" NPT	CP	980-WSCP ¹
	Turret with Single Serrated Hose Nozzle	3/8" NPT	3/8" NPT	CP	980-WSE7TCP ¹
	Turret with Single Ball Valve	3/8" NPT	E7TC	SAM	980-WSV909AGVSAM ¹
	Turret with Single Ball Valve	3/8" NPT	E7TC	SAM	980-WSV909CAGSAM ¹
	Turret with Single Needle Valve	3/8" NPT	3/8" NPT	SAM	980-WSV937CHAGVSAM ¹
981	Turret with Two Side Outlets @ 180°	3/8" NPT	3/8" NPT	CP	981-CP
	Vandal Resistant Turret with Two Ball Valves @ 180°	3/8" NPT	E7TC	SAM	981-VR909CAGSAM ¹
	Turret with Two Side Outlets @ 180° and Inlet Shank	3/8" NPT	3/8" NPT	CP	981-WSCP ¹
	Turret with Two Ball Valves @ 180°	3/8" NPT	E7TC	SAM	981-WSV909AGVSAM ¹
982	Turret with Two Side Outlets @ 90°	3/8" NPT	3/8" NPT	CP	982-CP
	Turret with Two Side Outlets @ 90° and Vandal Resistant Pin	3/8" NPT	3/8" NPT	CP	982-VPCP
	Turret with Two Side Outlets @ 90°	3/8" NPT	3/8" NPT	CP	982-WSCP ¹
983	Turret with Three Side Outlets @ 90°	3/8" NPT	3/8" NPT	CP	983-WSCP ¹
984	Turret with Four Side Outlets @ 90°	3/8" NPT	3/8" NPT	CP	984-CP
	Turret with Four Side Outlets @ 90°	3/8" NPT	3/8" NPT	CP	984-WSCP ¹

1 = 957-003K Assembled to turret



Laboratory Product Configuration

Combo Valve & Turret




Body	Description	Inlet	Outlet	Finish	Model
980	Turret with Single Ball Valve	3/8" NPT	E7T	CP	980-909AGVCP
	Turret with Single Ball Valve	3/8" NPT	E7T	CP	980-WS909AGVCP ²
	Turret with Single Ball Valve	3/8" NPT	E7T	CP	980-909-957-3KAGVCP ¹
	Turret with Single Ball Valve	3/8" NPT	E7TC	CP	980-909CAGCP
	Turret with Single Ball Valve	3/8" NPT	E7TC	CP	980-WS909CAGCP ²
	Turret with Single Needle Valve	3/8" NPT	E7	CP	980-937CHAGVCP
	Vandal Resistant Turret with Single Ball Valve	3/8" NPT	E7TC	CP	980-VR909CAGCP
981	Turret with Two Needle Valves @ 180°	3/8" NPT	Serrated Nozzle	CP	981-901B957-3KAGVCP
	Turret with Two Needle Valves @ 180°	3/8" NPT	E7	CP	981-937CHAGVCP
	Turret with Two Needle Valves @ 180°	3/8" NPT	E7	CP	981-WS937CHAGVCP ²
	Turret with Two Ball Valves @ 180°	3/8" NPT	E7T	CP	981-909AGVCP
	Turret with Two Ball Valves @ 180°	3/8" NPT	E7T	CP	981-WS909AGVCP ²
	Turret with Two Ball Valves @ 180°	3/8" NPT	E7T	CP	981-909-957-3KAGVCP ¹
	Turret with Two Ball Valves @ 180°	3/8" NPT	E7TC	CP	981-909CAGCP
	Turret with Two Ball Valves @ 180°	3/8" NPT	E7TC	CP	981-WS909CAGCP ²
	Vandal Resistant Turret with Two Ball Valves @ 180°	3/8" NPT	E7T	CP	981-VR909AGVCP
	Vandal Resistant Turret with Two Ball Valves @ 180°	3/8" NPT	E7TC	CP	981-VR909CAGCP
982	Turret with Two Ball Valves @ 90°	3/8" NPT	E7T	CP	982-909AGVCP
	Turret with Two Ball Valves @ 90°	3/8" NPT	E7T	CP	982-909-957-3KAGVCP ¹
	Turret with Two Ball Valves @ 90°	3/8" NPT	E7T	CP	982-WS909AGVCP ²
	Turret with Two Ball Valves @ 90°	3/8" NPT	E7TC	CP	982-909CAGCP
	Turret with Two Ball Valves @ 90°	3/8" NPT	E7TC	CP	982-WS909CAGCP ²
	Turret with Two Needle Valves @ 90°	3/8" NPT	E7	CP	982-937CHAGVCP
	Double Service Turret with Two Ball Valves @ 90°	3/8" NPT	E7T	CP	982-DS909AGVCP
	Vandal Resistant Double Service Turret with Two Ball Valves @ 90°	3/8" NPT	E7TC	CP	982-DSVR909CAGCP
	Turret with Two Ball Valves @ 90° and Vandal Resistant Pin	3/8" NPT	E7TC	CP	982-VP909CAGCP
	Vandal Resistant Turret with Two Ball Valves @ 90°	3/8" NPT	E7TC	SAM	982-VR909CAGSAM ²
	Vandal Resistant Turret with Two Ball Valves @ 90°	3/8" NPT	E7T	CP	982-VR909AGVCP
	Vandal Resistant Turret with Two Ball Valves @ 90°	3/8" NPT	E7TC	CP	982-VR909CAGCP
	Turret with Two Ball Valves @ 90°	3/8" NPT	E7T	SAM	982-WSV909AGVSAM ²
983	Turret with Three Ball Valves @ 90°	3/8" NPT	E7T	CP	983-909AGVCP
984	Vandal Resistant Turret with Four Ball Valves @ 90°	3/8" NPT	E7TC	CP	984-VR909CAGCP
997	Three Water Control Valves	3/8" NPT	E7	CP	997-CP

1 = 957-003K shipped loose

2 = 957-003K assembled to turret

Combo Turret & Spout



Body	Description	Handle	Spout	Outlet	Finish	Model
980	Turret with Spout	—	GN2BVB	E7	CP	980-WSGN2BVB E7CP
	Turret with Spout	—	GN2BVB	E7	SAM	980-WSGN2BVB E7SAM ²
	Turret with Spout	—	GN2B	E7	SAM	980-WSGN2BE7SAM ²
985	Turret with Spout	—	GN2BVB	E7	CP	985-AWSGN2BVB E7CP ¹
	Turret with Spout and Water Control Valve	204 "CW"	GN2B	E7	CP	985-BCP
	Turret with Spout	—	L12	E3	CP	985-HRCP



1 = Slow compression operating cartridge

2 = 957-003K Assembled to turret

Valves & Flanges



Body	Description/Cartridge	Handle	Inlet	Outlet	Button	Model
Multiple Service Valves						
937	Needle Valve	204	–	E7	–	937-CHAGVCP
	Needle Valve	945	–	E7	–	937-WHAGVCP
Needle Valves						
901	Needle Valve	945	–	Serrated Nozzle	–	901-BAGVCP
954	Needle Valve	204	–	E7T	–	954-CHAGVCP
	Slow Compression	204	–	E7T	–	954-CP
Ball Valves						
909	Ball Valve	Lever	–	E7T	A, G, V	909-AGVCP
	Ball Valve	Lever	–	E7T	A	909-AIRCP
	Ball Valve	Lever	–	E7T	G	909-GASCP
	Ball Valve	Lever	–	E7T	V	909-VACCP
	Ball Valve	Lever	–	E7TC	A, G	909-CAGCP
	Ball Valve	Lever	–	E7TC	G	909-CGASCP
Water Valves						
937	Slow Compression	204	–	E7	–	937-CP
	Slow Compression Steam	205	–	E7XT	–	937-STCP
Flanges						
986	Wall Flange	–	3/8" NPT Male	3/8" NPT Female	–	986-CP
	Wall Flange	–	3/8" NPT Female	3/8" NPT Female	–	986-FCP ¹
	"Y" Pattern Wall Flange with Two Outlets @ 90°	–	3/8" NPT Male	3/8" NPT Female	–	987-CP
	"Y" Pattern Wall Flange with Two Outlets @ 90°	–	3/8" NPT Female	3/8" NPT Female	–	987-FCP ¹
Flange & Outlet						
988-LWS	Angled Wall Flange with Serrated Hose Nozzle	–	3/8" NPT Male	E7T	–	988-LWSCP
988-WS	Angled Wall Flange with Serrated Hose Nozzle	–	3/8" NPT Female	E7	–	988-WSCP

1 = Female inlet



Combo Valve & Flange

Body	Cartridge	Handle	Inlet	Outlet	Finish	Model
986	Ball Valve	Lever	3/8" NPT Male	E7T	CP	986-909AGVCP
	Ball Valve	–	3/8" NPT Male	E7XT	SAM	986-WSE7XTSAM ¹
	Ball Valve	Lever	3/8" NPT Male	E7T	CP	986-WSV909AGVCP ¹
	Ball Valve	Lever	3/8" NPT Male	E7T	SAM	986-WSV909AGVSAM ¹
	Needle Valve	204	3/8" NPT Male	E7	CP	986-937CHAGVCP
	Needle Valve	204	3/8" NPT Male	E7	CP	986-WSV937CHAGVCP ¹
	Needle Valve	204	3/8" NPT Male	E7	SAM	986-WSV937CHAGVSAM ¹
987	Ball Valve	Lever	3/8" NPT Male	E7T	CP	987-909AGVCP
	Ball Valve	Lever	3/8" NPT Male	E7TC	CP	987-909CAGCP
	Needle Valve	204	3/8" NPT Male	E7	CP	987-937CHAGVCP
	Ball Valve	Lever	3/8" NPT Male	E7T	SAM	987-WSV909AGVSAM ¹



1 = 979-001K Assembled to flange

Accessories



1311



9901

Body	Description	Face	Model
Electrical Pedestal Assemblies			
1310	Electrical Outlet Box	Single Gang - Single Face	1310-ABAF
1311	Electrical Outlet Box	Single Gang - Double Face	1311-ABAF
1312	Electrical Outlet Box	Double Gang - Single Face	1312-ABAF
1313	Electrical Outlet Box	Double Gang - Double Face	1313-ABAF
Aluminum Apparatus Fittings			
9901	Aluminum Burette Rod Socket 3/4" Recessed Mount	—	9901-NF
9902	Aluminum Upright Rod 3/4" x 36"	—	9902-NF
9903	Aluminum Crossbar Rod 3/4" x 36"	—	9903-NF
9904	Aluminum Adjustable Clamp 3/4"	—	9904-NF
9905	Aluminum Crossbar Rod 3/4" x 39"	—	9905-NF
9906	Aluminum Crossbar Rod 3/4" x 24"	—	9906-NF
9907	Aluminum Crossbar Rod 3/4" x 48"	—	9907-NF
9911	Aluminum Upright Rod 3/4" x 24"	—	9911-NF
9912	Aluminum Upright Rod 3/4" x 48"	—	9912-NF
9913	Aluminum Burette Rod Socket 3/4" Countertop Mount	—	9913-NF

Be sure to visit us on the web at www.chicagofaucets.com for the most current product information and our new online Product Configurator.



Manual Faucets

Chicago Faucets started making commercial faucets over 100 years ago. In a short period of time, we introduced fifty patented advancements to faucet technology. From the first self-closing faucet to the automatic bath drain, we helped to revolutionize the plumbing industry. However, our most important contribution to faucet design was the interchangeable faucet cartridge. The Quatern™ remains the standard for durability and performance and is at the heart of many of our faucets.

With Chicago Faucets, you can count on products that are made with an unwavering commitment to quality backed by know-how and determination that is uniquely American. Our own foundry, manufacturing, assembly, and distribution facilities are located within a 350-mile radius of our corporate office. We can provide unparalleled control of product quality and an ability to effectively deliver products to any point in the United States.



Water Conservation

Chicago Faucets is dedicated to water conservation with a wide selection of low-flow outlets and metering products. Our line of metering faucets offers one of the most effective ways to improve water conservation in any facility. Our time-tested MVP™ cartridge allows you to easily adjust the run-time of the water flow for years of significant water savings.

Durable Construction

Chicago Faucets utilizes a permanent mold brass manufacturing process to deliver the industry's most complete line of commercial faucets that are backed by some of the strongest warranties. Our patented ultra-low lead Brass 1294™ is used in every one of our permanent cast faucets and consistently meets NSF/ANSI 61, Section 9 standards.

Unparalleled Interchangeability

With component interchangeability, Chicago Faucets can provide unsurpassed flexibility that enables our products to meet the requirements for any job. Chicago Faucets spouts, outlets, and handles are interchangeable, allowing for easy product updates and modifications.

**420-CP**

- Lavatory Faucet
- 4 5/8" Integral Spout
- E37 1.5 GPM Pressure Compensating Laminar Outlet
- Ceramic Mixing Cartridge
- Temperature Limit Stop
- Volume Control
- 1/2" NPSM Supply Inlets

ECAST: 420-ABCP**ECAST****2200-CP**

- Marathon™ Lavatory Faucet
- 4 3/4" Cast Brass Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- Ceramic Mixing Cartridge
- Temperature Limit Stop
- Volume Control
- 3/8" O.D. Copper Supply Tubes

ECAST: 2200-ABCP**ECAST****2200-4CP**

- Marathon™ Lavatory Faucet
- 4 3/4" Cast Brass Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- Ceramic Mixing Cartridge
- Temperature Limit Stop
- 4" C-C Deck Cover Plate
- Volume Control
- 3/8" O.D. Copper Supply Tubes

ECAST: 2200-4ABCP**ECAST****2200-4E2805CP**

- Marathon™ Lavatory Faucet
- 4 3/4" Cast Brass Spout
- E2805 Vandal Resistant .5 GPM Econo-Flo Spray Outlet
- Ceramic Mixing Cartridge
- Temperature Limit Stop
- 4" C-C Deck Cover Plate
- Volume Control
- 3/8" O.D. Copper Supply Tubes

ECAST: 2200-4E2805ABCP**ECAST****2200-E2805CP**

- Marathon™ Lavatory Faucet
- 4 3/4" Cast Brass Spout
- E2805 Vandal Resistant .5 GPM Econo-Flo Spray Outlet
- Ceramic Mixing Cartridge
- Temperature Limit Stop
- Volume Control
- 3/8" O.D. Copper Supply Tubes

**2201-CP**

- Marathon™ Lavatory Faucet with Pop-Up
- 4 3/4" Cast Brass Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- Ceramic Mixing Cartridge
- Temperature Limit Stop
- Volume Control
- 3/8" O.D. Copper Supply Tubes

**2201-4CP**

- Marathon™ Lavatory Faucet with Pop-Up
- 4 3/4" Cast Brass Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- Ceramic Mixing Cartridge
- Temperature Limit Stop
- 4" C-C Deck Cover Plate
- Volume Control
- 3/8" O.D. Copper Supply Tubes


ECAST: 2201-4ABCP**ECAST****2300-CP**

- Marathon™ Kitchen Faucet
- 10" Cast Brass Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- Ceramic Mixing Cartridge
- Temperature Limit Stop
- Volume Control
- 3/8" O.D. Copper Supply Tubes

**2300-8CP**

- Marathon™ Kitchen Faucet
- 10" Cast Brass Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- Ceramic Mixing Cartridge
- Temperature Limit Stop
- 8" C-C Deck Cover Plate
- Volume Control
- 3/8" O.D. Copper Supply Tubes





2301-CP

- Marathon™ Faucet
- 10" Cast Brass Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- Ceramic Mixing Cartridge
- Side Hose and Spray
- Temperature Limit Stop
- Volume Control
- 3/8" O.D. Copper Supply Tubes



2301-8CP

- Marathon™ Faucet
- 10" Cast Brass Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- Ceramic Mixing Cartridge
- Side Hose and Spray
- Temperature Limit Stop
- 8" C-C Deck Cover Plate
- Volume Control
- 3/8" O.D. Copper Supply Tubes



2302-CP

- Marathon™ Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- Ceramic Mixing Cartridge
- Temperature Limit Stop
- Volume Control
- 3/8" O.D. Copper Supply Tubes

ECAST: 2302-ABCP

ECAST



2302-GN8AE3CP

- Marathon™ Faucet
- GN8A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- Ceramic Mixing Cartridge
- Temperature Limit Stop
- Volume Control
- 3/8" O.D. Copper Supply Tubes



2303-CP

- Marathon™ Side Valve Fitting
- Ceramic Mixing Cartridge
- Temperature Limit Stop
- Volume Control
- 3/8" O.D. Copper Supply Tubes



2304-CP

- Marathon™ Faucet
- GN8A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- Ceramic Mixing Cartridge
- Side Hose and Spray
- Temperature Limit Stop
- Volume Control
- 3/8" O.D. Copper Supply Tubes

ECAST: 2304-ABCP

ECAST



**50-317CP**

- Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 3/8" O.D. Copper Supply Tubes

ECAST: 50-317ABCP**ECAST****50-CP**

- Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 3/8" O.D. Copper Supply Tubes

ECAST: 50-ABCP**ECAST****50-E35CP**

- Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E35 1.5 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 3/8" O.D. Copper Supply Tubes

**50-E2805-5CP**

- Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E2805-5 Vandal Resistant .5 GPM Econo-Flo Spray Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 3/8" O.D. Copper Supply Tubes

ECAST: 50-E2805-5ABCP**ECAST****50-GN2FC317CP**

- Sink Faucet
- GN2FC Rigid/Swing Plain End Gooseneck Spout
- 1.5 GPM Laminar Flow Control Device in Spout
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 3/8" O.D. Copper Supply Tubes

ECAST: 50-GN2FC317ABCP**ECAST****50-TCP**

- Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 3 1/2" Inlet Connection Tee
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 50-TABCP**ECAST****50-VPACP**

- Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E3VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 3/8" O.D. Copper Supply Tubes

ECAST: 50-VPAABCP**ECAST****50-XKCP**

- Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Ceramic Disc Operating Cartridges
- 3/8" O.D. Copper Supply Tubes

**51-CP**

- Sink Faucet
- S6 Cast Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 3/8" O.D. Copper Supply Tubes

ECAST: 51-ABCP**ECAST**



333-336COLD

- Single Water Inlet Fitting
- 3 3/8" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 336 Push-Tilt Cold Handle
- NAIAD™ Adjustable Self Closing Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 333-336COLDABCP **ECAST**



333-336PSH

- Lavatory Metering Faucet
- 3 3/8" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 336 Push-Tilt Handle
- NAIAD™ Adjustable Self Closing Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 333-336PSHABCP **ECAST**



333-336PSHVP

- Lavatory Metering Faucet
- 3 3/8" Integral Spout
- E12VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 336 Push-Tilt Handle
- NAIAD™ Adjustable Self Closing Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 333-336PSHVPABCP **ECAST**



333-665PSH

- Lavatory Metering Faucet
- 3 3/8" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 665 MVP™ Metering Valve and Push Handle
- MVP™ Metering Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 333-665PSHABCP **ECAST**



333-665PSHVP

- Lavatory Metering Faucet
- 3 3/8" Integral Spout
- E12VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 665 MVP™ Metering Valve and Push Handle
- MVP™ Metering Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 333-665PSHVPABCP **ECAST**



333-E2805-665PSH

- Lavatory Metering Faucet
- 3 3/8" Integral Spout
- E2805 Vandal Resistant .5 GPM Econo-Flo Spray Outlet
- 665 MVP™ Metering Valve and Push Handle
- MVP™ Metering Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 333-E2805-665PSHABCP **ECAST**



333-SLOE12COLD

- Lavatory Metering Faucet
- 3 3/8" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 333 NAIAD™ SLO Closing Cartridge Valve and Cold Handle
- NAIAD™ Adjustable Self Closing Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 333-SLOE12COLDABCP **ECAST**



333-SLOE12HOT

- Lavatory Metering Faucet
- 3 3/8" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 333 NAIAD™ SLO Closing Cartridge Valve and Hot Handle
- NAIAD™ Adjustable Self Closing Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 333-SLOE12HOTABCP **ECAST**



333-SLOE12PSH

- Lavatory Metering Faucet
- 3 3/8" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 333 NAIAD™ SLO Closing Cartridge Valve and Push Handle
- NAIAD™ Adjustable Self Closing Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 333-SLOE12PSHABCP **ECAST**



**335-E12COLD**

- Lavatory Metering Faucet
- 3 3/8" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 335 Push-Tilt Cold Handle
- NAIAD™ Adjustable Self Closing Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 335-E12COLDABCP**ECAST****335-E12PSH**

- Lavatory Metering Faucet
- 3 3/8" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 335 Push-Tilt Handle
- NAIAD™ Adjustable Self Closing Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 335-E12PSHABCP**ECAST****349-CP**

- Single Water Inlet Fitting
- S6 Cast Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Cold Indexed Lever Handle
- Quatum™ Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 349-ABCP**ECAST****350-244**

- Single Water Inlet Fitting
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Cold Indexed Lever Handle
- Klo-Self Self Closing Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**350-317**

- Single Water Inlet Fitting
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Cold Indexed Wristblade Handle
- Quatum™ Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 350-317ABCP**ECAST****350-317VP**

- Single Water Inlet Fitting
- GN2A Rigid/Swing Gooseneck Spout
- E3VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Cold Indexed Wristblade Handle
- Quatum™ Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 350-317VPAABCP**ECAST****350-CP**

- Single Water Inlet Fitting
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Cold Indexed Lever Handle
- Quatum™ Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 350-ABCP**ECAST****350-E35**

- Single Water Inlet Fitting
- GN2A Rigid/Swing Gooseneck Spout
- E35 1.5 GPM Pressure Compensating Softflo® Aerator
- 369 Cold Indexed Lever Handle
- Quatum™ Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**350-GN8AE3**

- Single Water Inlet Fitting
- GN8A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Cold Indexed Lever Handle
- Quatum™ Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 350-GN8AE3ABCP**ECAST**



350-VPACP

- Single Water Inlet Fitting
- GN2A Rigid/Swing Gooseneck Spout
- E3VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Cold Indexed Lever Handle
- Quatern™ Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 350-VPAABCP



350-VPAXKCP

- Single Water Inlet Fitting
- GN2A Rigid/Swing Gooseneck Spout
- E3VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Cold Indexed Lever Handle
- Ceramic Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



350-VPCCP

- Single Water Inlet Fitting
- GN2A Rigid/Swing Gooseneck Spout
- E3VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Cold Indexed Lever Handle
- Quatern™ Operating Cartridge
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 350-VPCABCP



350-VPPCP

- Single Water Inlet Fitting
- GN2A Rigid/Swing Gooseneck Spout
- E3VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Cold Indexed Lever Handle
- Quatern™ Operating Cartridge
- Anti-Rotational Body Deck Pin
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



350-XKCP

- Single Water Inlet Fitting
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Cold Indexed Lever Handle
- Ceramic Disc Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



626-CP

- Single Water Inlet Fitting
- GN2 Rigid/Swing Plain End Gooseneck Spout
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 626-ABCP



626-E3CP

- Single Water Inlet Fitting
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 626-E3ABCP



626-E29CP

- Single Water Inlet Fitting
- GN2A Rigid/Swing Gooseneck Spout
- E29 2.2 GPM Pressure Compensating Laminar Flow Outlet
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



ECAST: 626-E29ABCP



626-E29VPCP

- Single Water Inlet Fitting
- GN2A Rigid/Swing Gooseneck Spout
- E29VP Vandal Resistant 2.2 GPM Pressure Compensating Laminar Flow Outlet
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 626-E29VPABCP



**626-FCCP**

- Single Water Inlet Fitting
- GN2FC Rigid/Swing Plain End Gooseneck Spout
- 1.5 GPM Laminar Flow Control Device in Spout
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 626-FCABCP**ECAST****626-GN8AE3CP**

- Single Water Inlet Fitting
- GN8A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 626-GN8AE3ABCP**ECAST****626-GN8AFCCP**

- Single Water Inlet Fitting
- GN8AFC Rigid/Swing Gooseneck Spout
- 1.5 GPM Laminar Flow Control Device in Spout
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 626-GN8AFCABCP**ECAST****626-GN8FCCP**

- Single Water Inlet Fitting
- GN8FC Rigid/Swing Plain End Gooseneck Spout
- 1.5 GPM Laminar Flow Control Device in Spout
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 626-GN8FCABCP**ECAST****627-CP**

- Single Inlet Water Fitting
- 5" Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 1/4" NPT Tailpiece

**700-COLD**

- Single Basin Faucet
- 3 3/8" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 633 Cross Handle Indexed Cold
- Quatern™ Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 700-COLDABCP**ECAST****700-HOT**

- Single Basin Faucet
- 3 3/8" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 633 Cross Handle Indexed Hot
- Quatern™ Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 700-HOTABCP**ECAST****700-HOTXKCP**

- Single Basin Faucet
- 3 3/8" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 633 Cross Handle Indexed Hot
- Ceramic Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**701-COLD**

- Single Basin Faucet
- 3 3/8" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 633 Cross Handle Indexed Cold
- Klo-Self Self Closing Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 701-COLDABCP**ECAST**




701-HOTCP

- Single Basin Faucet
- 3 3/8" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 633 Cross Handle Indexed Hot
- Klo-Self Self Closing Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 701-HOTABCP

ECAST



730-COLDPC

- Single Basin Faucet
- 3 3/8" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Lever Handle Indexed Cold
- Quatern™ Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 730-COLDABCP

ECAST



730-PLCP

- Single Basin Faucet
- 3 3/8" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Lever Handle Indexed Plain
- Quatern™ Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



807-665PSHCP

- Lavatory Metering Faucet
- 4 1/8" Integral Spout
- E15 2.0 GPM Spray Outlet
- 665 MVP™ Metering Valve and Push Handle
- MVP™ Metering Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 807-665PSHABCP

ECAST



807-E12-665PSHCP

- Lavatory Metering Faucet
- 4 1/8" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 665 MVP™ Metering Valve and Push Handle
- MVP™ Metering Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 807-E12-665PSHABCP

ECAST




807-E12-665PSHVPACP

- Lavatory Metering Faucet
- 4 1/8" Integral Spout
- E12VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 665 MVP™ Metering Valve and Push Handle
- MVP™ Metering Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



807-E2805-665PSHCP

- Lavatory Metering Faucet
- 4 1/8" Integral Spout
- E2805 Vandal Resistant .5 GPM Econo-Flo Spray Outlet
- 665 MVP™ Metering Valve and Push Handle
- MVP™ Metering Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



686-RCF

- Laundry Tray Fitting on 3 3/8" Centers
- S6 Cast Swing Spout
- E2 3/4" Male Hose Thread Outlet
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- Mounting Clamps
- Rough Chrome Finish



772-CP

- Deck Mounted Exposed Fitting on 3 3/8" Centers
- S6 Cast Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- "W" Straight Inlet Arms


ECAST: 772-ABCP

ECAST



**404-665CWCP**


- Concealed Lavatory Metering Faucet Cold Water Only
- 5" Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 665 MVP™ Metering Valve and Handle
- MVP™ Metering Cartridge
- Swivel Connection Faucet
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**404-CWCP**

- Concealed Lavatory Faucet Cold Water Only
- 5" Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 390 Indexed Curved Lever Handle
- Quatum™ Operating Cartridge
- Swivel Connection Faucet
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**526-CP**


- Sink Faucet
- DB6A Rigid/Swing Double Bend Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 526-ABCP**797-317CP**


- Lavatory Faucet with Pop-Up
- 4" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 797-317ABCP**797-1000CP**


- Lavatory Faucet with Pop-Up
- 4" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 1000 Indexed Single Wing Canopy Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 797-1000ABCP**797-CP**

- Lavatory Faucet with Pop-Up
- 4" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 390 Indexed Curved Lever Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser


ECAST: 797-ABCP**797-V317CP**

- Lavatory Faucet with Pop-Up
- 4" Integral Spout
- E12VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 797-V317ABCP**797-V1000CP**

- Lavatory Faucet with Pop-Up
- 4" Integral Spout
- E12VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 1000 Indexed Single Wing Canopy Handles
- Quatum™ Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 797-V1000ABCP




797-VCB

- Lavatory Faucet with Pop-Up
- 4" Integral Spout
- E12VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 390 Indexed Curved Lever Handles
- Quaturn™ Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 797-VABCP

ECAST



797-XKCP

- Lavatory Faucet with Pop-Up
- 4" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 390 Indexed Curved Lever Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser




802-317CP

- Lavatory Faucet
- 4" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quaturn™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 802-317ABCP

ECAST



802-317XKCP

- Lavatory Faucet
- 4" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 802-317XKABCP

ECAST



802-336CP

- Lavatory Metering Faucet
- 4" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 336 - Push-Tilt Handles
- NAIAD™ Adjustable Self Closing Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser




802-665CP

- Lavatory Faucet
- 4" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 665 MVP™ Metering Valve and Handles
- MVP™ Metering Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 802-665ABCP

ECAST




802-1000CP

- Lavatory Faucet
- 4" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 1000 Indexed Single Wing Canopy Handles
- Quaturn™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 802-1000ABCP

ECAST



802-1000XKCP

- Lavatory Faucet
- 4" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 1000 Indexed Single Wing Canopy Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser




802-CP

- Lavatory Faucet
- 4" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 390 Indexed Curved Lever Handles
- Quaturn™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser


ECAST: 802-ABCP

ECAST




**802-E34-317CP**

- Lavatory Faucet
- 4" Integral Spout
- E34 1.5 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**802-V317CP**

- Lavatory Faucet
- 4" Integral Spout
- E12VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 802-V317ABCP**802-V317XKCP**


- Lavatory Faucet
- 4" Integral Spout
- E12VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 802-V317XKABCP**802-V335CP**

- Lavatory Metering Faucet
- 4" Integral Spout
- E12VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 335 Indexed Push-Tilt Handles
- NAIAD™ Adjustable Self Closing Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 802-V335ABCP**802-V336CP**

- Lavatory Metering Faucet
- 4" Integral Spout
- E12VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 336 Indexed Push-Tilt Handles
- NAIAD™ Adjustable Self Closing Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 802-V336ABCP**802-V665CP**


- Lavatory Metering Faucet
- 4" Integral Spout
- E12VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 665 MVP™ Metering Valve and Handles
- MVP™ Metering Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 802-V665ABCP**802-V1000CP**

- Lavatory Faucet
- 4" Integral Spout
- E12VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 1000 Indexed Single Wing Canopy Handles
- Quatern™ Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 802-V1000ABCP**802-VCP**

- Lavatory Faucet
- 4" Integral Spout
- E12VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 390 Indexed Curved Lever Handles
- Quatern™ Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 802-VABCP**802-VE2805-317CP**

- Lavatory Faucet
- 4" Integral Spout
- E2805 Vandal Resistant .5 GPM Econo-Flo Spray Outlet
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser


ECAST: 802-VE2805-317ABCP



802-VE2805-336CP

- Lavatory Metering Faucet
- 4" Integral Spout
- E2805 Vandal Resistant .5 GPM Econo-Flo Spray Outlet
- 336 Indexed Push-Tilt Handles
- NAIAD™ Adjustable Self Closing Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser


ECAST: 802-VE2805-336ABCP **ECAST**



802-VE2805-665CP

- Lavatory Metering Faucet
- 4" Integral Spout
- E2805 Vandal Resistant .5 GPM Econo-Flo Spray Outlet
- 665 MVP™ Metering Valve and Handles
- MVP™ Metering Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser


ECAST: 802-VE2805-665ABCP **ECAST**



802-VE2805CP

- Lavatory Faucet
- 4" Integral Spout
- E2805 Vandal Resistant .5 GPM Econo-Flo Spray Outlet
- 390 Indexed Curved Lever Handles
- Quatum™ Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 802-VE2805ABCP **ECAST**



802-VE34VP317CP

- Lavatory Faucet
- 4" Integral Spout
- E34VP Vandal Resistant 1.5 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



802-VE34VPCP

- Lavatory Faucet
- 4" Integral Spout
- E34VP Vandal Resistant 1.5 GPM Pressure Compensating Softflo® Aerator
- 390 Indexed Curved Lever Handles
- Quatum™ Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



802-VXKCP

- Lavatory Faucet
- 4" Integral Spout
- E12VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 390 Indexed Curved Lever Handles
- Ceramic Disc Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 802-VXKABCP **ECAST**



802-XKCP

- Lavatory Faucet
- 4" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 390 Indexed Curved Lever Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 802-XKABCP **ECAST**



844-665PSHCP


- Lavatory Metering Faucet
- 4 1/8" Integral Spout
- E15 2.0 GPM Spray Outlet
- 665 MVP™ Metering Valve and Handle
- MVP™ Metering Cartridge
- Single Supply Line with Inlet Tee Connection with 1/4" NPT Check Stop Tailpieces
- 4" C-C Deck Cover Plate
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



844-E12-665PSHCP

- Lavatory Metering Faucet
- 4 1/8" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 665 MVP™ Metering Valve and Handle
- MVP™ Metering Cartridge
- Single Supply Line with Inlet Tee Connection with 1/4" NPT Check Stop Tailpieces
- 4" C-C Deck Cover Plate
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



**857-665PSHCP**


- Lavatory Metering Faucet
- 4 1/8" Integral Spout
- E15 2.0 GPM Spray Outlet
- 665 MVP™ Metering Valve and Handle
- MVP™ Metering Cartridge
- 4" C-C Deck Cover Plate
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 857-665PSHABCP**ECAST****857-E2805-665PSHCP**

- Lavatory Metering Faucet
- 4 1/8" Integral Spout
- E2805 Vandal Resistant .5 GPM Econo-Flo Spray Outlet
- 665 MVP™ Metering Valve and Push Handle
- MVP™ Metering Cartridge
- 4" C-C Deck Cover Plate
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 857-E2805-665PSHABCP**ECAST****857-E12-665PSHCP**

- Lavatory Metering Faucet
- 4 1/8" Integral Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 665 MVP™ Metering Valve and Handle
- MVP™ Metering Cartridge
- 4" C-C Deck Cover Plate
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 857-E12-665PSHABCP**ECAST****891-CP**

- Sink Faucet
- S6 Cast Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 891-ABCP**ECAST****857-E12-665PSHVACP**


- Lavatory Metering Faucet
- 4 1/8" Integral Spout
- E12VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 665 MVP™ Metering Valve and Push Handle
- MVP™ Metering Cartridge
- 4" C-C Deck Cover Plate
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 857-E12-665PSHVPAABCP**ECAST****891-XKCP**

- Sink Faucet
- S6 Cast Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**894-317CP**

- Deck Mounted Fitting with Pop-Up
- GN1A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 894-317ABCP**ECAST****894-CP**

- Deck Mounted Fitting with Pop-Up
- GN1A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**895-317CP**

- Sink Faucet
- GN1A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 895-317ABCP**ECAST**



895-317E29CP

- Sink Faucet
- GN1A Rigid/Swing Gooseneck Spout
- E29 2.2 GPM Pressure Compensating Laminar Flow Outlet
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 895-317E29ABCP



895-317E29VPCP

- Sink Faucet
- GN1A Rigid/Swing Gooseneck Spout
- E29VP Vandal Resistant 2.2 GPM Pressure Compensating Laminar Flow Outlet
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 895-317E29VPABCP



895-317E29XKCP

- Sink Faucet
- GN1A Rigid/Swing Gooseneck Spout
- E29 2.2 GPM Pressure Compensating Laminar Flow Outlet
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



895-317E2805-5CP

- Sink Faucet
- GN1A Rigid/Swing Gooseneck Spout
- E2805-5 Vandal Resistant .5 GPM Econo-Flo Spray Outlet
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 895-317E2805-5ABCP



895-317FCCP

- Sink Faucet
- GN1FC Rigid/Swing Plain End Gooseneck Spout
- 1.5 GPM Laminar Flow Control Device in Spout
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 895-317FCABCP



895-317FCXKCP

- Sink Faucet
- GN1FC Rigid/Swing Plain End Gooseneck Spout
- 1.5 GPM Laminar Flow Control Device in Spout
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 895-317FCXKABCP



895-317GN2ACP

- Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 895-317GN2AABCP



895-317GN2AE3CP

- Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 895-317GN2AE3ABCP



895-317GN2AE3XKCP

- Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



**895-317GN2AE29CP**

- Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E29 2.2 GPM Pressure Compensating Laminar Flow Outlet
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 895-317GN2AE29ABCP **ECAST****895-317GN2AFCCP**

- Sink Faucet
- GN2AFC Rigid/Swing Gooseneck Spout
- 1.5 GPM Laminar Flow Control Device in Spout
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 895-317GN2AFCABCP **ECAST****895-317GN2FCCP**

- Sink Faucet
- GN2FC Rigid/Swing Plain End Gooseneck Spout
- 1.5 GPM Laminar Flow Control Device in Spout
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 895-317GN2FCABCP **ECAST****895-317GN8AE3CP**

- Sink Faucet
- GN8A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 895-317GN8AE3ABCP **ECAST****895-317RGD1CP**

- Sink Faucet
- GNRGD1 Rigid Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 895-317RGD1ABCP **ECAST****895-317RGD2CP**

- Sink Faucet
- GNRGD2 Rigid Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 895-317RGD2ABCP **ECAST****895-317VPCCP**

- Sink Faucet
- GN1A Rigid/Swing Gooseneck Spout
- E3VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**895-317XKCP**

- Sink Faucet
- GN1A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 895-317XKABCP **ECAST****895-317XKVPACP**

- Sink Faucet
- GN1A Rigid/Swing Gooseneck Spout
- E3VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser





895-665CP

- Sink Faucet
- GN1A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 665 MVP™ Metering Valve and Push Handle
- MVP™ Metering Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 895-665ABCP

ECAST



895-CP

- Sink Faucet
- GN1A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 895-ABCP

ECAST



895-E35-317CP

- Sink Faucet
- GN1A Rigid/Swing Gooseneck Spout
- E35 1.5 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



895-GN2AE3CP

- Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 895-GN2AE3ABCP

ECAST



895-XKCP

- Sink Faucet
- GN1A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 895-XKABCP

ECAST



1895-CP

- Sink Faucet
- GN1A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 1000 Indexed Single Wing Canopy Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 1895-ABCP

ECAST



3300-CP

- MeterMix® Lavatory Metering Faucet
- 4 3/4" Integral Cast Spout
- E2805 Vandal Resistant .5 GPM Spray Outlet
- Metal Handle with Vandal Resistant Screw
- MVP™ Metering Cartridge
- Integral Check Valves and Filter Screens
- Integral Temperature Control
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 3300-ABCP

ECAST



3400-CP

- Lavatory Metering Faucet
- 4 3/4" Integral Cast Spout
- E2805 Vandal Resistant .5 GPM Spray Outlet
- Metal Handle with Vandal Resistant Screw
- MVP™ Metering Cartridge
- Single Supply Line
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 3400-ABCP


ECAST




3400-TCP

- Lavatory Metering Faucet
- 4 3/4" Integral Cast Spout
- E2805 Vandal Resistant .5 GPM Spray Outlet
- Metal Handle with Vandal Resistant Screw
- MVP™ Metering Cartridge
- Single Supply Line with Inlet Tee Connection with 1/4" NPT Check Stop Tailpieces




**200-ACP**

- Concealed Kitchen Faucet with Side Spray
- L9 Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2"

ECAST: 200-AABCP**ECAST****200-AGN8AE3CP**

- Concealed Kitchen Faucet with Side Spray
- GN8A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**200-AGN8AE3-317CP**

- Concealed Kitchen Faucet with Side Spray
- GN8A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 200-AGN8AE3-317ABCP**ECAST****200-AGN8AE3-317XKCP**

- Concealed Kitchen Faucet with Side Spray
- GN8A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 200-AGN8AE3-317XKABCP**ECAST****201-A317CP**


- Concealed Kitchen Sink Faucet
- L9 Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 201-A317ABCP**ECAST****201-ACP**

- Concealed Kitchen Sink Faucet
- L9 Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 201-AABCP**ECAST****201-A317XKCP**

- Concealed Kitchen Sink Faucet
- L9 Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**201-AGN2AE3-317CP**

- Concealed Kitchen Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**201-AGN8AE3-317CP**

- Concealed Kitchen Sink Faucet
- GN8A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 201-AGN8AE3-317ABCP**ECAST**



201-AGN8AE3-317VPACP

- Concealed Kitchen Sink Faucet
- GN8A Rigid/Swing Gooseneck Spout
- E3VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 201-AGN8AE3-317VPAABCP **ECAST**



201-AGN8AE3-317VPCCP

- Concealed Kitchen Sink Faucet
- GN8A Rigid/Swing Gooseneck Spout
- E3VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser
- Vandal Resistant Handle Screws



201-AGN8AE3-317XKCP

- Concealed Kitchen Sink Faucet
- GN8A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 201-AGN8AE3-317XKABCP **ECAST**



201-AGN8AE3-319CP

- Concealed Kitchen Sink Faucet
- GN8A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 319 Indexed Elbow Blade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 201-AGN8AE3-319ABCP **ECAST**



201-AGN8AE3CP

- Concealed Kitchen Sink Faucet
- GN8A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 201-AGN8AE3ABCP **ECAST**



201-AGN8AE3VPACP

- Concealed Kitchen Sink Faucet
- GN8A Rigid/Swing Gooseneck Spout
- E3VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 201-AGN8AE3VPAABCP **ECAST**



201-AGN8AE29-317CP

- Concealed Kitchen Sink Faucet
- GN8A Rigid/Swing Gooseneck Spout
- E29 2.2 GPM Pressure Compensating Laminar Flow Outlet
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 201-AGN8AE29-317ABCP **ECAST**



201-AGN8AE29-317XKCP

- Concealed Kitchen Sink Faucet
- GN8A Rigid/Swing Gooseneck Spout
- E29 2.2 GPM Pressure Compensating Laminar Flow Outlet
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



201-AGN8AE35-317CP

- Concealed Kitchen Sink Faucet
- GN8A Rigid/Swing Gooseneck Spout
- E35 1.5 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



**201-AGN8AE2805-5-317CP**

- Concealed Kitchen Sink Faucet
- GN8A Rigid/Swing Gooseneck Spout
- E2805-5 Vandal Resistant .5 GPM Econo-Flo Spray Outlet
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 201-AGN8AE2805-5-317ABCP **ECAST****201-AGN8AE2805-5CP**

- Concealed Kitchen Sink Faucet
- GN8A Rigid/Swing Gooseneck Spout
- E2805-5 Vandal Resistant .5 GPM Econo-Flo Spray Outlet
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 201-AGN8AE2805-5ABCP **ECAST****201-AGN8AFC317CP**


- Concealed Kitchen Sink Faucet
- GN8AFC Rigid/Swing Gooseneck Spout
- 1.5 GPM Laminar Flow Control Device in Spout
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 201-AGN8AFC317ABCP **ECAST****201-AHA8-317CP**

- Concealed Kitchen Sink Faucet
- HA8A High Arc Rigid/Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**201-AHA8CP**


- Concealed Kitchen Sink Faucet
- HA8A High Arc Rigid/Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 201-AHA8ABCP **ECAST****403-CP**


- Concealed Lavatory Faucet
- 4 3/4" Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 634 Indexed Cross Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 403-ABCP **ECAST****404-317CP**

- Concealed Lavatory Faucet
- 5" Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 404-317ABCP **ECAST****404-317SWCP**

- Concealed Lavatory Faucet
- 5" Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- Swivel Connection Faucet
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 404-317SWABCP **ECAST****404-317XKCP**

- Concealed Lavatory Faucet
- 5" Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser






404-636CP

- Concealed Lavatory Faucet
- 5" Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 636 Indexed Metal Canopy Handle
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 404-636ABCP

ECAST



404-665CP

- Concealed Lavatory Metering Faucet
- 5" Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 665 MVP™ Metering Valve and Handles
- MVP™ Metering Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser


ECAST: 404-665ABCP

ECAST



404-665SWCP

- Concealed Lavatory Metering Faucet
- 5" Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 665 MVP™ Metering Valve and Handles
- MVP™ Metering Cartridges
- Swivel Connection Faucet
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



404-950CP

- Concealed Lavatory Faucet
- 5" Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 950 Indexed Three Wing Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 404-950ABCP

ECAST



404-1000CP

- Concealed Lavatory Faucet
- 5" Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 1000 Indexed Single Wing Canopy Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 404-1000ABCP

ECAST



404-CP

- Concealed Lavatory Faucet
- 5" Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 390 Indexed Curved Lever Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 404-ABCP

ECAST



404-V317CP

- Concealed Lavatory Faucet
- 5" Spout
- E12VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 404-V317ABCP

ECAST



404-V317XKCP

- Concealed Lavatory Faucet
- 5" Spout
- E12VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser




404-V636CP

- Concealed Lavatory Faucet
- 5" Spout
- E12VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 636 Indexed Metal Canopy Handles
- Quatern™ Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



**404-V665CP**

- Concealed Lavatory Metering Faucet
- 5" Spout
- E12VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 665 MVP™ Metering Valve and Handles
- MVP™ Metering Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 404-V665ABCP**ECAST****404-V950CP**

- Concealed Lavatory Faucet
- 5" Spout
- E12VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 950 Indexed Three Wing Handles
- Quatum™ Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 404-V950ABCP**ECAST****404-V1000CP**

- Concealed Lavatory Faucet
- 5" Spout
- E12VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 1000 Indexed Single Wing Canopy Handles
- Quatum™ Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 404-V1000ABCP**ECAST****404-VCP**

- Concealed Lavatory Faucet
- 5" Spout
- E12VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 390 Indexed Curved Lever Handles
- Quatum™ Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 404-VABCP**ECAST****404-VE34VP-317CP**

- Concealed Lavatory Faucet
- 5" Spout
- E34VP Vandal Resistant 1.5 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**404-VE2805-317CP**

- Concealed Lavatory Faucet
- 5" Spout
- E2805 Vandal Resistant .5 GPM Econo-Flo Spray Outlet
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**404-VE2805-665CP**

- Concealed Lavatory Metering Faucet
- 5" Spout
- E2805 Vandal Resistant .5 GPM Econo-Flo Spray Outlet
- 665 MVP™ Metering Valve and Handles
- MVP™ Metering Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser


ECAST: 404-VE2805-665ABCP**ECAST****404-VE2805-1000CP**

- Concealed Lavatory Faucet
- 5" Spout
- E2805 Vandal Resistant .5 GPM Econo-Flo Spray Outlet
- 1000 Indexed Single Wing Canopy Handles
- Quatum™ Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**404-VE2805CP**

- Concealed Lavatory Faucet
- 5" Spout
- E2805 Vandal Resistant .5 GPM Econo-Flo Spray Outlet
- 390 Indexed Curved Lever Handles
- Quatum™ Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 404-VE2805ABCP**ECAST**



404-XKCP

- Concealed Lavatory Faucet
- 5" Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 390 Indexed Curved Lever Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser




527-CP

- Sink Faucet
- DB6A Rigid/Swing Double Bend Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nuts for 3/8" or 1/2" Flexible Riser

ECAST: 527-ABCP

ECAST




746-317CP

- Lavatory Faucet with Pop-Up
- 5" Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser


ECAST: 746-317ABCP

ECAST



746-CP

- Lavatory Faucet with Pop-Up
- 5" Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- 390 Indexed Curved Lever Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



746-VCP

- Lavatory Faucet with Pop-Up
- 5" Spout
- E12VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 390 Indexed Curved Lever Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



785-665CP

- Concealed Kitchen Sink Faucet
- GN1A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 665 MVP™ Metering Valve and Handles
- MVP™ Metering Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 785-665ABCP

ECAST



785-CP

- Concealed Kitchen Sink Faucet
- GN1A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 785-ABCP

ECAST



785-GN1FCCP

- Concealed Kitchen Sink Faucet
- GN1FC Rigid/Swing Plain End Gooseneck Spout
- 1.5 GPM Laminar Flow Control Device in Spout
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 785-GN1FCABCP

ECAST



785-SWGN1FCCP

- Concealed Kitchen Sink Faucet
- GN1FC Rigid/Swing Plain End Gooseneck Spout
- 1.5 GPM Laminar Flow Control Device in Spout
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- Swivel Connection Faucet
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



**785-XKCP**

- Concealed Kitchen Sink Faucet
- GN1A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 785-XKABCP**ECAST****786-CP**

- Concealed Kitchen Sink Faucet
- GN2B Rigid/Swing Gooseneck Spout
- E4 2.0 GPM Rose Spray Outlet
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 786-ABCP**ECAST****786-E3-245CP**

- Concealed Kitchen Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Control-A-Flow Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**786-E3-319CP**

- Concealed Kitchen Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 319 Indexed Elbow Blade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 786-E3-319ABCP**ECAST****786-E3-369CP**

- Concealed Kitchen Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 786-E3-369ABCP**ECAST****786-E3-665CP**

- Concealed Metering Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 665 MVP™ Metering Valve and Handles
- MVP™ Metering Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 786-E3-665ABCP**ECAST****786-E3CP**

- Concealed Kitchen Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 786-E3ABCP**ECAST****786-E3VPCCP**

- Concealed Kitchen Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E3VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 786-E3VPCABCP**ECAST****786-E3XKCP**

- Concealed Kitchen Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 786-E3XKABCP**ECAST**



786-E29CP

- Concealed Kitchen Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E29 2.2 GPM Pressure Compensating Laminar Flow Outlet
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 786-E29ABCP

ECAST



786-E29VPCCP

- Concealed Kitchen Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E29VP Vandal Resistant 2.2 GPM Pressure Compensating Laminar Flow Outlet
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



786-E29VPCP

- Concealed Kitchen Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E29VP Vandal Resistant 2.2 GPM Pressure Compensating Laminar Flow Outlet
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 786-E29VPABCP

ECAST



786-E29VPXKCP

- Concealed Kitchen Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E29VP Vandal Resistant 2.2 GPM Pressure Compensating Laminar Flow Outlet
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



786-E29XKCP

- Concealed Kitchen Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E29 2.2 GPM Pressure Compensating Laminar Flow Outlet
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 786-E29XKABCP

ECAST



786-E35CP

- Concealed Kitchen Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E35 1.5 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



786-E35VPCP

- Concealed Kitchen Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E35VP Vandal Resistant 1.5 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



786-E2805-5CP


- Concealed Kitchen Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E2805-5 Vandal Resistant .5 GPM Econo-Flo Spray Outlet
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser




786-E2805-5VPCCP

- Concealed Kitchen Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E2805-5 Vandal Resistant .5 GPM Econo-Flo Spray Outlet
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser
- Vandal Resistant Complete



**786-GN2AFCCP**


- Concealed Kitchen Sink Faucet
- GN2AFC Rigid/Swing Gooseneck Spout
- 1.5 GPM Laminar Flow Control Device in Spout
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 786-GN2AFCABCP **ECAST****786-GN2AFCE1CP**

- Concealed Kitchen Sink Faucet
- GN2AFC Rigid/Swing Gooseneck Spout
- E1 Quixtop Screen Outlet
- 1.5 GPM Laminar Flow Control Device in Spout
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**786-GN2FCCP**

- Concealed Kitchen Sink Faucet
- GN2FC Rigid/Swing Plain End Gooseneck Spout
- 1.5 GPM Laminar Flow Control Device in Spout
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 786-GN2FCABCP **ECAST****786-GN2FCXKCP**

- Concealed Kitchen Sink Faucet
- GN2FC Rigid/Swing Plain End Gooseneck Spout
- 1.5 GPM Laminar Flow Control Device in Spout
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 786-GN2FCXKABCP **ECAST****786-GN2FC369CP**

- Concealed Kitchen Sink Faucet
- GN2FC Rigid/Swing Plain End Gooseneck Spout
- 1.5 GPM Laminar Flow Control Device in Spout
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**786-GN8AE3CP**

- Concealed Kitchen Sink Faucet
- GN8A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 786-GN8AE3ABCP **ECAST****786-GN8AE3XKCP**

- Concealed Kitchen Sink Faucet
- GN8A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser


**786-GN8AE29CP**

- Concealed Kitchen Sink Faucet
- GN8A Rigid/Swing Gooseneck Spout
- E29 2.2 GPM Pressure Compensating Laminar Flow Outlet
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 786-GN8AE29ABCP **ECAST****786-GN8AE29XKCP**

- Concealed Kitchen Sink Faucet
- GN8A Rigid/Swing Gooseneck Spout
- E29 2.2 GPM Pressure Compensating Laminar Flow Outlet
- 317 Indexed Wristblade Handles
- Ceramic Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser





786-GN8AFCCP

- Concealed Kitchen Sink Faucet
- GN8AFC Rigid/Swing Gooseneck Spout
- 1.5 GPM Laminar Flow Control Device in Spout
- 317 Indexed Wristblade Handles
- Quaturn™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



786-GN8FCCP

- Concealed Kitchen Sink Faucet
- GN8FC Rigid/Swing Plain End Gooseneck Spout
- 1.5 GPM Laminar Flow Control Device in Spout
- 317 Indexed Wristblade Handles
- Quaturn™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 786-GN8FCABCP



786-GN8FCXKCP

- Concealed Kitchen Sink Faucet
- GN8FC Rigid/Swing Plain End Gooseneck Spout
- 1.5 GPM Laminar Flow Control Device in Spout
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



786-SWE3CP

- Concealed Kitchen Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quaturn™ Operating Cartridges
- Swivel Connection Faucet
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 786-SWE3ABCP



786-SWE3XKCP

- Concealed Kitchen Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- Swivel Connection Faucet
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



786-SWE29CP

- Concealed Kitchen Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E29 2.2 GPM Pressure Compensating Laminar Flow Outlet
- 317 Indexed Wristblade Handles
- Quaturn™ Operating Cartridges
- Swivel Connection Faucet
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



786-SWGN2FCCP

- Concealed Kitchen Sink Faucet
- GN2FC Rigid/Swing Plain End Gooseneck Spout
- 1.5 GPM Laminar Flow Control Device in Spout
- 317 Indexed Wristblade Handles
- Quaturn™ Operating Cartridges
- Swivel Connection Faucet
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 786-SWGN2FCABCP



786-TWCP

- Deck Mounted Third Water Inlet Connection Faucet
- GN2B Rigid/Swing Gooseneck Spout
- E4 2.0 GPM Rose Spray Outlet
- 317 Indexed Wristblade Handles
- Quaturn™ Operating Cartridges
- For Use With Pedal Valves
- 3/8" NPT Female Third Water Inlet
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



786-TWGN2AE3CP

- Deck Mounted Third Water Inlet Connection Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quaturn™ Operating Cartridges
- For Use With Pedal Valves
- 3/8" NPT Female Third Water Inlet
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 786-TWGN2AE3ABCP



**786-XKCP**

- Concealed Kitchen Sink Faucet
- GN2B Rigid/Swing Gooseneck Spout
- E4 2.0 GPM Rose Spray Outlet
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**794-317CP**

- Lavatory Faucet with Pop-Up
- GN1A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 794-317ABCP**ECAST****1100-317CP**

- Kitchen Sink Faucet
- L8 Cast Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 1100-317ABCP**ECAST****1100-317XKCP**

- Kitchen Sink Faucet
- L8 Cast Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**1100-317XKVPCCP**

- Kitchen Sink Faucet
- L8 Cast Swing Spout
- E3VP 2.2 GPM Vandal Resistant Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser
- Vandal Resistant Complete

**1100-CP**

- Kitchen Sink Faucet
- L8 Cast Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 1000 Indexed Single Wing Canopy Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 1100-ABCP**ECAST****1100-E35CP**

- Kitchen Sink Faucet
- L8 Cast Swing Spout
- E35 1.5 GPM Pressure Compensating Softflo® Aerator
- 1000 Indexed Single Wing Canopy Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**1100-GN2AE3-317CP**

- Kitchen Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 1100-GN2AE3-317ABCP**ECAST****1100-GN2AE3VPAXKCP**

- Kitchen Sink Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E3VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 1000 Indexed Single Wing Canopy Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser





1100-GN8AE3-317CP

- Kitchen Sink Faucet
- GN8A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 1100-GN8AE3-317ABCP **ECAST**



1100-HA8-317CP

- Kitchen Sink Faucet
- HA8A High Arc Rigid/Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 1100-HA8-317ABCP **ECAST**



1100-HA8-317XKCP

- Kitchen Sink Faucet
- HA8A High Arc Rigid/Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



1100-HA8CP

- Kitchen Sink Faucet
- HA8A High Arc Rigid/Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 1000 Indexed Single Wing Canopy Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 1100-HA8ABCP **ECAST**



1100-L9-317XKCP

- Kitchen Sink Faucet
- L9 Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



1100-L9VPAXKCP


- Kitchen Sink Faucet
- L9 Swing Spout
- E3VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- 1000 Indexed Single Wing Canopy Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



1100-XKCP


- Kitchen Sink Faucet
- L8 Cast Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 1000 Indexed Single Wing Canopy Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 1100-XKABCP **ECAST**



1102-CP

- Kitchen Sink Faucet with Side Spray
- L8 Cast Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 1000 Indexed Single Wing Canopy Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



1200-ACP

- Concealed Kitchen Faucet with Side Spray
- L9 Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 1000 Indexed Single Wing Canopy Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 1200-AABCP **ECAST**



**1201-ACP**

- Concealed Kitchen Faucet
- L9 Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 1000 Indexed Single Wing Canopy Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 1201-AABCP**ECAST****1201-AHA8CP**

- Concealed Kitchen Faucet
- HA8A High Arc Rigid/Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 1000 Indexed Single Wing Canopy Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**1888-CP**

- Kitchen Faucet for Stainless Steel Mounting
- 1888-001K Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 1000 Indexed Single Wing Canopy Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**1888-369CP**

- Kitchen Faucet for Stainless Steel Mounting
- 1888-001K Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**786-WCCP**

- Deck Mounted Wheel Chair Connection Faucet
- GN2B Rigid/Swing Gooseneck Spout
- E4 2.0 GPM Rose Spray Outlet
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- Swivel Connection Faucet
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 786-WCABCP**ECAST****786-WCE3CP**

- Deck Mounted Wheel Chair Connection Faucet
- GN2A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- Swivel Connection Faucet
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 786-WCE3ABCP**ECAST**



293-CP

- Inside Sill Fitting
- 3/4" Male Hose Thread Outlet
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- Loose Wall Flange
- 1/2" NPT Female Inlet

BUY
AMERICAN
ACT
COMPLIANT



293-E27CP

- Inside Sill Fitting
- 3/4" Male Hose Thread Outlet
- E27 Inline Atmospheric Vacuum Breaker
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- Loose Wall Flange
- 1/2" NPT Female Inlet

BUY
AMERICAN
ACT
COMPLIANT



293-RCF

- Inside Sill Fitting
- 3/4" Male Hose Thread Outlet
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- Loose Wall Flange
- 1/2" NPT Female Inlet
- Rough Chrome Finish

BUY
AMERICAN
ACT
COMPLIANT



332-CP

- Single Water Inlet Faucet
- S6 Cast Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handle
- Quatern™ Operating Cartridge
- Integral Wall Flange

ECAST: 332-ABCP

ECAST

BUY
AMERICAN
ACT
COMPLIANT



387-CP

- Inside Sill Fitting
- 3/4" Male Hose Thread Outlet
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- Loose Wall Flange
- 3/4" NPT Female Inlet

BUY
AMERICAN
ACT
COMPLIANT



387-E27CP

- Inside Sill Fitting
- 3/4" Male Hose Thread Outlet
- E27 Vacuum Breaker Outlet
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- Loose Wall Flange
- 3/4" NPT Female Inlet

BUY
AMERICAN
ACT
COMPLIANT



387-RCF

- Inside Sill Fitting
- 3/4" Male Hose Thread Outlet
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- Loose Wall Flange
- 3/4" NPT Female Inlet
- Rough Chrome Finish

BUY
AMERICAN
ACT
COMPLIANT



389-665PSHCP

- Single Water Inlet
- 665 MVP™ Valve and Handle
- MVP™ Cartridge
- 1/2" NPT Female Inlet

BUY
AMERICAN
ACT
COMPLIANT



629-CP

- Single Water Inlet Fitting
- GN1 Rigid/Swing Plain End Gooseneck Spout
- 1/2" NPT Flanged Female Inlet

BUY
AMERICAN
ACT
COMPLIANT



629-E3CP

- Single Water Inlet Fitting
- GN1A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 1/2" NPT Flanged Female Inlet



952-1/2CP

- Inside Sill Fitting
- Atmospheric Vacuum Breaker Spout*
- 3/4" Male Hose Thread Outlet
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- 1/2" NPT Female Thread Inlet



952-CP

- Inside Sill Fitting
- Atmospheric Vacuum Breaker Spout*
- 3/4" Male Hose Thread Outlet
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- 3/4" NPT Female Thread Inlet



998-RCF

- Inside Sill Fitting
- Atmospheric Vacuum Breaker Spout*
- 3/4" Male Hose Thread Outlet
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- Drain Plug
- 3/4" NPT Female Inlet
- Rough Chrome Finish



225-261CP

- Service Sink Faucet
- 3 3/8" Rigid Gooseneck Spout
- E4F 2.0 GPM Rose Spray Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 261 - 1/2" Flanged Female Inlet Shanks



225-CP

- Service Sink Faucet
- 3 3/8" Rigid Gooseneck Spout
- E4F 2.0 GPM Rose Spray Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 3/4" NPT Male Inlets



65-261CP

- E1M Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 1/2" NPT Flanged Female Inlets



65-261RCF

- E1M Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 1/2" NPT Flanged Female Inlets
- Rough Chrome Finish



521-CP

- Sink Faucet
- DB6A Rigid/Swing Double Bend Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 1/2" - 14 NPT Male Threaded Inlets





305-CP

- Service Sink Faucet
- Short Spout with Pail Hook
- 3/4" Male Hose Thread Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- "H" Adjustable 1/2" NPT Female Supply Arms



305-RCF

- Service Sink Faucet
- Short Spout with Pail Hook
- 3/4" Male Hose Thread Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- "H" Adjustable 1/2" NPT Female Supply Arms
- Rough Chrome Finish



305-RCP

- Service Sink Faucet
- Short Spout with Pail Hook
- 3/4" Male Hose Thread Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- "R" Adjustable 1/2" NPT Female Supply Arms with Integral Service Stop



305-RRCF

- Service Sink Faucet
- Short Spout with Pail Hook
- 3/4" Male Hose Thread Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- "R" Adjustable 1/2" NPT Female Supply Arms with Integral Service Stop
- Rough Chrome Finish



305-VBCF

- Service Sink Faucet
- Atmospheric Vacuum Breaker Short Spout with Pail Hook*
- 3/4" Male Hose Thread Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- "H" Adjustable 1/2" NPT Female Supply Arms



305-VBRCF

- Service Sink Faucet
- Atmospheric Vacuum Breaker Short Spout with Pail Hook*
- 3/4" Male Hose Thread Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- "H" Adjustable 1/2" NPT Female Supply Arms
- Rough Chrome Finish



305-VBRCP

- Service Sink Faucet
- Atmospheric Vacuum Breaker Short Spout with Pail Hook*
- 3/4" Male Hose Thread Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- "R" Adjustable 1/2" NPT Female Supply Arms with Integral Service Stop



305-VBRRCF

- Service Sink Faucet
- Atmospheric Vacuum Breaker Short Spout with Pail Hook*
- 3/4" Male Hose Thread Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- "R" Adjustable 1/2" NPT Female Supply Arms with Integral Service Stop
- Rough Chrome Finish



305-VBRXKCP

- Service Sink Faucet
- Atmospheric Vacuum Breaker Short Spout with Pail Hook*
- 3/4" Male Hose Thread Outlet
- 369 Indexed Lever Handles
- Ceramic Disc Operating Cartridges
- "R" Adjustable 1/2" NPT Female Supply Arms with Integral Service Stop



**305-VBRXKRCF**

- Service Sink Faucet
- Atmospheric Vacuum Breaker Short Spout with Pail Hook*
- 3/4" Male Hose Thread Outlet
- 369 Indexed Lever Handles
- Ceramic Disc Operating Cartridges
- "R" Adjustable 1/2" NPT Female Supply Arms with Integral Service Stop
- Rough Chrome Finish

**445-897SRCXKCP**


- Service Sink Faucet
- Atmospheric Vacuum Breaker Spout with 3/4" Male Hose Thread Outlet*
- Wall Brace and Pail Hook
- 369 Indexed Lever Handles
- Ceramic Disc Operating Cartridges
- "RC" Adjustable 1/2" NPT Female Supply Arms with Integral Shut-off and Check Stops

**445-CP**

- Service Sink Faucet
- S6 Cast Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- "H" Adjustable 1/2" NPT Female Supply Arms

ECAST: 445-ABCP**445-DJ13CP**

- Service Sink Faucet
- DJ13 Double Jointed Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- "H" Adjustable 1/2" NPT Female Supply Arms

**445-DJ18CP**

- Service Sink Faucet
- DJ18 Double Jointed Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- "H" Adjustable 1/2" NPT Female Supply Arms

**445-E1CP**

- Service Sink Faucet
- S6 Cast Swing Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- "H" Adjustable 1/2" NPT Female Supply Arms

ECAST: 445-E1ABCP**445-HCCP**

- Service Sink Faucet
- S6 Cast Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- "HC" Adjustable 1/2" NPT Female Supply Arms with Check Stops

**445-L8CP**

- Service Sink Faucet
- L8 Cast Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- "H" Adjustable 1/2" NPT Female Supply Arms

ECAST: 445-L8ABCP**445-L9CP**

- Service Sink Faucet
- L9 Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- "H" Adjustable 1/2" NPT Female Supply Arms

ECAST: 445-L9ABCP



445-L9E1CP

- Service Sink Faucet
- L9 Swing Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- "H" Adjustable 1/2" NPT Female Supply Arms



445-L12CP

- Service Sink Faucet
- L12 Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- "H" Adjustable 1/2" NPT Female Supply Arms



445-L12E1CP

- Service Sink Faucet
- L12 Swing Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- "H" Adjustable 1/2" NPT Female Supply Arms

ECAS: 445-L9E1ABCP



445-PVBCP

- Service Sink Faucet
- Pressure Vacuum Breaker Spout with 3/4" Male Hose Thread Outlet
- Wall Brace and Pail Hook
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- "RC" Adjustable 1/2" NPT Female Supply Arms with Integral Shut-off and Check Stops
- 902-M Pipe Support



ECAS: 445-L12ABCP



737-RCF

- Service Sink Faucet
- S6 Cast Swing Spout
- E2 3/4" Male Hose Thread Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- "H" Adjustable 1/2" NPT Female Supply Arms
- Rough Chrome Finish



ECAS: 445-L12E1ABCP




886-CP

- Service Sink Faucet
- L5VB Atmospheric Vacuum Breaker Cast Swing Spout*
- 3/4" Male Hose Thread Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- "H" Adjustable 1/2" NPT Female Supply Arms



917-RCF

- Service Sink Faucet
- Atmospheric Vacuum Breaker Spout*
- 3/4" Male Hose Thread Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- Less Risers
- (2) 902DK Double Pipe Supports
- Rough Chrome Finish



956-RCF

- Service Sink Faucet
- Atmospheric Vacuum Breaker Spout*
- 5' White Vinyl Hose with Plain End
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- "R" Adjustable 1/2" NPT Female Supply Arms with Integral Service Stop



**835-CP**

- Exposed Fitting with Ceiling Supplies
- 6" Centers
- Atmospheric Vacuum Breaker Spout with Pail Hook and Wall Brace*
- 633 Indexed Cross Handles
- Quatern™ Operating Cartridge
- 3/4" Male Hose Thread Outlet
- Body Support Plate
- 1/2" NPT Female Inlets

**835-RCF**

- Exposed Fitting with Ceiling Supplies
- 6" Centers
- Atmospheric Vacuum Breaker Spout with Pail Hook and Wall Brace*
- 633 Indexed Cross Handles
- Quatern™ Operating Cartridge
- 3/4" Male Hose Thread Outlet
- Body Support Plate
- 1/2" NPT Female Inlets
- Rough Chrome Finish

**540-CP**

- Service Sink Faucet
- Adjustable 7 1/4" to 8 3/4" Centers
- S6 Cast Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- Soap Dish
- "G" Adjustable 1/2" NPT Female Supply Arms

**540-LDCP**

- Sink Faucet
- Adjustable 7 1/4" to 8 3/4" Centers
- S6 Cast Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- "G" Adjustable 1/2" NPT Female Supply Arms

ECAST: 540-LDABCP**540-LDL8CP**

- Sink Faucet
- Adjustable 7 1/4" to 8 3/4" Centers
- L8 Cast Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- "G" Adjustable 1/2" NPT Female Supply Arms

ECAST: 540-LDL8ABCP**540-LDL9CP**

- Sink Faucet
- Adjustable 7 1/4" to 8 3/4" Centers
- L9 Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- "G" Adjustable 1/2" NPT Female Supply Arms

ECAST: 540-LDL9ABCP**540-LDL12CP**

- Sink Faucet
- Adjustable 7 1/4" to 8 3/4" Centers
- L12 Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- "G" Adjustable 1/2" NPT Female Supply Arms

ECAST: 540-LDL12ABCP**540-LDL15CP**

- Sink Faucet
- Adjustable 7 1/4" to 8 3/4" Centers
- L15 Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- "G" Adjustable 1/2" NPT Female Supply Arms

**631-CP**

- Flushing Rim Sink Fitting
- Adjustable 7 1/4" to 8 3/4" Centers
- GN1A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- "G" Adjustable 1/2" NPT Female Supply Arms

ECAST: 631-ABCP



897-CP

- Service Sink Faucet
- Adjustable 7 5/8" to 8 3/8" centers
- Atmospheric Vacuum Breaker Spout with Pail Hook and Wall Brace*
- 3/4" Male Hose Thread Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 1/2" NPT Adjustable Female Supply Arms



897-RCF

- Service Sink Faucet
- Adjustable 7 5/8" to 8 3/8" centers
- Atmospheric Vacuum Breaker Spout with Pail Hook and Wall Brace*
- 3/4" Male Hose Thread Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 1/2" NPT Adjustable Female Supply Arms
- Rough Chrome Finish



540-LD897SWXFCP

- Service Sink Faucet
- 8" Centers
- 897S Atmospheric Vacuum Breaker Spout with Pail Hook and Wall Brace*
- 3/4" Male Hose Thread Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- "WXF" 1/2" NPT Female Straight Supply Arms




782-VBCP

- Wall Mounted Concealed Fitting
- 8" Centers
- Vacuum Breaker Spout with Pail Hook and Wall Brace*
- 3/4" Male Hose Thread Outlet
- 633 Indexed Cross Handles
- Slow Compression Cartridges
- 1/2" NPT Female Union Inlets



631-RCP

- Flushing Rim Sink Fitting
- Adjustable 8" to 13" Centers
- GN1A Rigid/Swing Gooseneck Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- "R" Adjustable 1/2" NPT Female Supply Arms with Integral Service Stop



814-CP

- Flushing Rim Sink Fitting
- Adjustable 8" to 13" Centers
- Plain Outlet Spout with Pail Hook
- 319 Indexed Elbow Blade Handles
- Quatum™ Operating Cartridges
- EX2 Inlet Extensions
- "R" Adjustable 1/2" NPT Female Supply Arms with Integral Service Stop
- Flush Valve Pipe Support




814-VBCP

- Flushing Rim Sink Fitting
- Adjustable 8" to 13" Centers
- Atmospheric Vacuum Breaker Spout*
- 3/4" Male Hose Thread Outlet
- 319 Indexed Elbow Blade Handles
- Quatum™ Operating Cartridges
- EX2 Inlet Extensions
- "R" Adjustable 1/2" NPT Female Supply Arms with Integral Service Stop
- Flush Valve Pipe Support



815-CP


- Flushing Rim Sink Fitting
- Adjustable 8" to 13" Centers
- Plain Outlet Spout with Pail Hook
- 319 Indexed Elbow Blade Handles
- Quatum™ Operating Cartridges
- EX5 Inlet Extensions
- "R" Adjustable 1/2" NPT Female Supply Arms with Integral Service Stop
- Flush Valve Pipe Support



815-VBCP

- Flushing Rim Sink Fitting
- Adjustable 8" to 13" Centers
- Atmospheric Vacuum Breaker Spout*
- 3/4" Male Hose Thread Outlet
- 319 Indexed Elbow Blade Handles
- Quatum™ Operating Cartridges
- EX5 Inlet Extensions
- "R" Adjustable 1/2" NPT Female Supply Arms with Integral Service Stop
- Flush Valve Pipe Support





Bubblers designed with kids in mind.

Chicago Faucet bubblers have been designed with a focus on added durability and safety. Choose from three models with all-metal or flexible heads. Our flexible head helps protect against injury by flexing on impact. The bubbler's plastic mouth guard features antimicrobial properties that inhibit disease-causing organisms, reducing the spread of germs. Of course, kids can be pretty tough on a bubbler, so we also incorporated vandal-resistant features specifically for classroom applications. The Chicago Faucet family of bubblers features a clean, sleek design that blends in nicely on various applications.



748-665CP

- Drinking Fountain
- All Metal Projector Head
- 665 MVP™ Valve and Handle
- MVP™ Cartridge
- Vandal Resistant Recessed Manual Volume Control
- Anti-Rotational Pins for Optional Field Installation
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 748-665ABCP

ECAST



748-665FHCP

- Drinking Fountain
- Anti-Microbial Flexible Projector Head
- 665 MVP™ Valve and Handle
- MVP™ Cartridge
- Vandal Resistant Recessed Manual Volume Control
- Anti-Rotational Pins for Optional Field Installation
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 748-665FHBCP

ECAST



748-665TBCP

- Drinking Fountain
- All Metal Projector Head
- 665 MVP™ Valve and Handle
- MVP™ Cartridge
- Vandal Resistant Recessed Manual Volume Control
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser






45-CP

- Straight Stop Fitting
- 633 Indexed Cross Handle
- Slow Compression Operating Cartridge
- 1/2" NPT Female Inlet
- 1/2" NPT Female Outlet

ECAST: 45-ABCP

ECAST


BUY
AMERICAN
ACT
COMPLIANT



45-LKCCP

- Straight Stop Fitting
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge with Built-In Integral Check
- 1/2" NPT Female Inlet
- 1/2" NPT Female Outlet

BUY
AMERICAN
ACT
COMPLIANT



45-LKCP

- Straight Stop Fitting
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- 1/2" NPT Female Inlet
- 1/2" NPT Female Outlet

ECAST: 45-LKABCP

ECAST

BUY
AMERICAN
ACT
COMPLIANT



375-CP

- Straight Stop Fitting
- 633 Indexed Cross Handle
- Slow Compression Operating Cartridge
- 3/4" NPT Female Inlet
- 3/4" NPT Female Outlet

BUY
AMERICAN
ACT
COMPLIANT



375-LKCP

- Straight Stop Fitting
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- 3/4" NPT Female Inlet
- 3/4" NPT Female Outlet

ECAST: 375-LKABCP

ECAST

BUY
AMERICAN
ACT
COMPLIANT



442-CP

- Angle Stop Fitting
- 633 Indexed Cross Handle
- Slow Compression Operating Cartridge
- 1/2" NPT Female Inlet
- 1/2" NPT Female Outlet

ECAST: 442-ABCP

ECAST

BUY
AMERICAN
ACT
COMPLIANT



442-LKCP

- Angle Stop Fitting
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- 1/2" NPT Female Inlet
- 1/2" NPT Female Outlet

ECAST: 442-LKABCP

ECAST

BUY
AMERICAN
ACT
COMPLIANT



442-LKCCP

- Angle Stop Fitting
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge with Built-In Integral Check
- 1/2" NPT Female Inlet
- 1/2" NPT Female Outlet

BUY
AMERICAN
ACT
COMPLIANT




698-CP

- Angle Stop Fitting
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- 1/2" NPT Female Inlet
- 1/2" NPT Male Union Outlet

ECAST: 698-ABCP

ECAST


BUY
AMERICAN
ACT
COMPLIANT

**699-CP**

- Straight Stop Fitting
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- 1/2" NPT Female Inlet
- 1/2" NPT Male Union Outlet

ECAST: 699-ABCP**ECAST**

BUY
AMERICAN
ACT
COMPLIANT

**995-CP**

- Angle Stop Fitting
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- 1/2" NPT Female Inlet
- 1/2" O.D. Compression Outlet

ECAST: 995-ABCP**ECAST**

BUY
AMERICAN
ACT
COMPLIANT

**1004-CP**

- Angle Stop Fitting with Supply Tube
- 318 Wheel Handle
- Slow Compression Operating Cartridge
- 1/2" NPT Female Inlet
- 1/2" O.D. x 12" Flexible Supply Riser
- Loose Wall Flange

BUY
AMERICAN
ACT
COMPLIANT

**1005-CP**

- Angle Stop Fitting with Supply Tube
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- 3/8" NPT Female Inlet
- 1/2" O.D. x 12" Flexible Supply Riser
- Loose Wall Flange

ECAST: 1005-ABCP**ECAST**

BUY
AMERICAN
ACT
COMPLIANT

**1006-CP**

- Angle Stop Fitting with Supply Tube
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- 1/2" NPT Female Inlet
- 1/2" O.D. x 12" Flexible Supply Riser
- Loose Wall Flange

ECAST: 1006-ABCP**ECAST**

BUY
AMERICAN
ACT
COMPLIANT

CF
NOW!

**1006-MMCP**


- Angle Stop Fitting with Supply Tube
- 293-6 Loose Key Handle
- Slow Compression Metal to Metal Cartridge
- 1/2" NPT Female Inlet
- 1/2" O.D. x 12" Flexible Supply Riser
- Loose Wall Flange

BUY
AMERICAN
ACT
COMPLIANT

**1010-1003-3CP**

- Angle Stop Fitting with Supply Tube
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- 3/8" NPT Female Inlet
- 1/4" NPT Female Threaded Outlet
- 1003-3 Flange with Set Screw


BUY
AMERICAN
ACT
COMPLIANT

**1012-CP**

- Angle Stop Fitting
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- 3/8" NPT Female Inlet
- 3/8" O.D. Compression Outlet

ECAST: 1012-ABCP**ECAST**

BUY
AMERICAN
ACT
COMPLIANT

**1013-CP**

- Angle Stop Fitting
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- 1/2" NPT Female Inlet
- 3/8" O.D. Compression Outlet

ECAST: 1013-ABCP**ECAST**

BUY
AMERICAN
ACT
COMPLIANT

CF
NOW!



1015-CP

- Angle Stop Fitting
- 318 Wheel Handle
- Slow Compression Operating Cartridge
- 1/2" NPT Female Inlet
- 3/8" O.D. Compression Outlet

ECAST: 1015-ABCP

ECAST

BUY
AMERICAN
ACT
COMPLIANT



1016-CP

- Angle Stop Fitting with Supply Tube
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- 3/8" NPT Female Inlet
- 3/8" O.D. x 12" Flexible Supply Riser

ECAST: 1016-ABCP

ECAST

BUY
AMERICAN
ACT
COMPLIANT



1017-CP

- Angle Stop Fitting with Supply Tube
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- 1/2" NPT Flanged Female Inlet
- 3/8" O.D. x 12" Flexible Supply Riser

ECAST: 1017-ABCP

ECAST

BUY
AMERICAN
ACT
COMPLIANT

CF
NOW!



1017-MMCP

- Angle Stop Fitting with Supply Tube
- 293-6 Loose Key Handle
- Slow Compression Metal to Metal Cartridge
- 1/2" NPT Flanged Female Inlet
- 3/8" O.D. x 12" Flexible Supply Riser

ECAST: 1017-MMABCP

ECAST

BUY
AMERICAN
ACT
COMPLIANT



1018-CP

- Angle Stop Fitting with Supply Tube
- 318 Wheel Handle
- Slow Compression Operating Cartridge
- 3/8" NPT Female Inlet
- 3/8" O.D. x 12" Flexible Supply Riser
- Loose Wall Flange

BUY
AMERICAN
ACT
COMPLIANT




1019-CP

- Angle Stop Fitting with Supply Tube
- 318 Wheel Handle
- Slow Compression Operating Cartridge
- 1/2" NPT Flanged Female Inlet
- 3/8" O.D. x 12" Flexible Supply Riser

ECAST: 1019-ABCP

ECAST

BUY
AMERICAN
ACT
COMPLIANT




1023-CP

- Angle Stop Fitting
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- 5/8" O.D. Compression Inlet
- 1/2" O.D. Compression Outlet

ECAST: 1023-ABCP

ECAST

BUY
AMERICAN
ACT
COMPLIANT



1025-CP

- Angle Stop Fitting
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- 5/8" O.D. Compression Inlet
- 3/8" O.D. Compression Outlet

ECAST: 1025-ABCP

ECAST

BUY
AMERICAN
ACT
COMPLIANT



1027-CP

- Angle Stop Fitting with Supply Tube
- 293-6 Loose Key Handle
- Slow Compression Operating Cartridge
- 5/8" O.D. Compression Inlet
- 1/2" O.D. x 12" Flexible Supply Riser

ECAST: 1027-ABCP


ECAST

BUY
AMERICAN
ACT
COMPLIANT

1028-CP

- Angle Stop Fitting with Supply Tube
- 318 Metal Wheel Handle
- Slow Compression Operating Cartridge
- 5/8" O.D. Compression Inlet
- 3/8" O.D x 12" Flexible Supply Riser

BUY
AMERICAN
ACT
COMPLIANT

769-COLD CP

- Concealed Angle Bypass Valve
- 633 Cold Indexed Cross Handle
- Slow Compression Operating Cartridge
- 1/2" NPT Female Inlet and Outlet

BUY
AMERICAN
ACT
COMPLIANT

770-317PLCP


- Concealed Straight Valve
- 317 Plain Indexed Wristblade Handle
- Slow Compression Operating Cartridge
- 1/2" NPT Female Inlet and Outlet

BUY
AMERICAN
ACT
COMPLIANT

**782-ISCP**

- Wall Mounted Concealed Fitting Spout with Pail Hook and Wall Brace
- 3/4" Male Hose Thread Outlet
- 633 Indexed Cross Handles
- Slow Compression Operating Cartridges
- 1/2" NPT Female Integral Service Stops
- Tear Drop Escutcheons

BUY
AMERICAN
ACT
COMPLIANT

911-CP

- Wall Mounted Concealed Fitting
- 5 3/4" Spout with Pail Hook and Wall Brace
- 3/4" Male Hose Thread Outlet
- 633 Indexed Cross Handles
- Slow Compression Operating Cartridges
- 892-G - Elevated Atmospheric Vacuum Breaker*
- 1/2" NPT Female Inlets
- Round Escutcheons

BUY
AMERICAN
ACT
COMPLIANT

911-ISCP

- Wall Mounted Concealed Fitting
- 5 3/4" Spout with Pail Hook and Wall Brace
- 3/4" Male Hose Thread Outlet
- 633 Indexed Cross Handles
- Slow Compression Operating Cartridges
- 892-G - Elevated Atmospheric Vacuum Breaker*
- Integral Service Stops
- 1/2" NPT Female Integral Service Stops
- Tear Drop Escutcheons

BUY
AMERICAN
ACT
COMPLIANT

1771-CCP


- Concealed Straight Valve
- 293-6 Loose Key Tee Handle
- Slow Compression Cartridge with Integral Check Valve
- 1/2" NPT Female Inlet and Outlet

BUY
AMERICAN
ACT
COMPLIANT

1771-CP

- Concealed Straight Valve
- 293-6 Loose Key Tee Handle
- Slow Compression Operating Cartridge
- 1/2" NPT Female Inlet and Outlet

BUY
AMERICAN
ACT
COMPLIANT



625-CP

- Combination Pedal Box
- Short Pedals
- NAIAD™ Self Closing Cartridges
- Two 1/2" NPT Female Back Inlets
- One 3/8" NPT Female Back Outlet

ECAST: 625-ABCP

ECAST




625-RCF

- Combination Pedal Box
- Short Pedals
- NAIAD™ Self Closing Cartridges
- Two 1/2" NPT Female Back Inlets
- One 3/8" NPT Female Back Outlet
- Rough Chrome Finish

ECAST: 625-ABRCF

ECAST



625-SLOCP

- Combination Pedal Box
- Short Pedals
- NAIAD™ Adjustable SLO Closing Cartridges
- Two 1/2" NPT Female Back Inlets
- One 3/8" NPT Female Back Outlet

ECAST: 625-SLOABCP

ECAST



628-CP

- Single Water Pedal Box
- Short Pedal
- NAIAD™ Self Closing Cartridge
- 1/2" NPT Female Back Inlet
- One 1/2" NPT Female Top Outlet

ECAST: 628-ABCP

ECAST



625-LPSLOCP

- Combination Pedal Box
- Long Pedals
- NAIAD™ Adjustable SLO Closing Cartridges
- Double Pedal Valve for Mounting on Base of Cabinet 5 1/2" Above Floor
- Two 1/2" NPT Female Back Inlets
- One 3/8" NPT Female Back Outlet

ECAST: 625-LPSLOABCP

ECAST




625-LPCP

- Combination Pedal Box
- Long Pedals
- NAIAD™ Self Closing Cartridges
- Double Pedal Valve for Mounting on Base of Cabinet 5 1/2" Above Floor
- Two 1/2" NPT Female Back Inlets
- One 3/8" NPT Female Back Outlet

ECAST: 625-LPABCP

ECAST




834-EPKP

- Combination Pedal Box
- Extended Pedals
- NAIAD™ Self Closing Cartridges
- Loose Key Angle Inlet Service Stops
- 1/2" NPT Female Back Inlets
- 3/8" NPT Female Top Outlet

ECAST: 834-EPABCP

ECAST



834-EPSLOCP

- Combination Pedal Box
- Extended Pedals
- NAIAD™ Adjustable SLO Closing Cartridges
- Loose Key Angle Inlet Service Stops
- 1/2" NPT Female Back Inlets
- 3/8" NPT Female Top Outlet

ECAST: 834-EPSLOABCP


ECAST



806-CP

- Single Water Pedal Box
- Extended Pedal
- NAIAD™ Self Closing Cartridge
- Loose Key Angle Inlet Service Stop
- 1/2" NPT Female Back Inlet
- 1/2" NPT Female Side Outlet



**745-VOCF**

- Knee Actuated Valve Assembly
- Knee Actuated Bracket
- NAIAD™ Self Closing Cartridges
- Straight 1/2" NPT Female Inlet Service Stops
- White Enameled Aluminum Wall Bracket

BUY
AMERICAN
ACT
COMPLIANT

910-G777-16KCP


- Wall Mounted Pedal Valve Bed Pan Cleaner
- 892G Elevated Atmospheric Vacuum Breaker*
- Short Spray Nozzle without Valve
- 834-EP Wall Mounted Pedal Valve
- NAIAD™ Self Closing Cartridges
- White Vinyl Hose with Hook

BUY
AMERICAN
ACT
COMPLIANT

910-G777-19KCP

- Wall Mounted Pedal Valve Bed Pan Cleaner
- 892G Elevated Atmospheric Vacuum Breaker*
- Angle Spray Nozzle without Valve
- 834-EP Wall Mounted Pedal Valve
- NAIAD™ Self Closing Cartridges
- White Vinyl Hose with Hook

BUY
AMERICAN
ACT
COMPLIANT

**910-GCP**

- Wall Mounted Pedal Valve Bed Pan Cleaner
- 892G Elevated Atmospheric Vacuum Breaker*
- E21 4' White Vinyl Hose with Rubber Bound Spray Outlet
- 834-EP Wall Mounted Pedal Valve
- NAIAD™ Self Closing Cartridges
- Vandal Resistant Mounting

BUY
AMERICAN
ACT
COMPLIANT

**778-SCP**

- Bed Pan Cleaner
- Wall Mounted Outlet with Spray
- E21 4' White Vinyl Hose with Rubber Bound Spray Outlet
- Hose Hook
- 1/2" NPT Female Inlet

BUY
AMERICAN
ACT
COMPLIANT

**809-777-21KCP**

- Bed Pan Cleaner
- Atmospheric Vacuum Breaker*
- 777-021K Angle Spray Nozzle with Valve
- Slow Compression Operating Cartridge
- Rubber Bound Spray Outlet
- Separate Loose Key Service Stop

BUY
AMERICAN
ACT
COMPLIANT

**809-CP**

- Bed Pan Cleaner
- Atmospheric Vacuum Breaker*
- 777-019K Angle Spray Nozzle without Valve
- Slow Compression Operating Cartridge
- Rubber Bound Spray Outlet
- Separate Loose Key Service Stop

BUY
AMERICAN
ACT
COMPLIANT

**442-83044CP**

- Wall Mounted Bidet Fitting
- Hand Spray with Stainless Steel Hose
- Slow Compression Operating Cartridge
- Integral Backflow Preventer
- 2.4 GPM Pressure Compensating Flow Regulator

BUY
AMERICAN
ACT
COMPLIANT

**349-80102CP**

- Mortuary Fitting
- Atmospheric Vacuum Breaker*
- Aspirator with Open Sight Drain
- 319 Indexed Elbow Blade Handle
- Quatern™ Operating Cartridge
- Quick Disconnect Socket and Plug

BUY
AMERICAN
ACT
COMPLIANT

Pressure Balance Tub/Shower Products

Our pressure balance tub/shower products provide near instantaneous response to changes in both hot and cold supply line pressure and feature:

- An adjustable temperature-limit stop
- Dirt/lime resistant internal Celcon components to reduce the chance of "sticking" in harsh water conditions

Products are available as **complete systems** or can be ordered in **valve only** configurations for the rough-in stage of your project with **trim kits** delivered at the finish stage of the project.



Complete System **1900-CP**

- Pressure Balance Tub & Shower Complete System
- Diverter Tub Spout
- 620-A Shower Head, Arm and Flange
- Lever Handle
- Pressure Balancing Cartridge
- Integral Check Stops
- Temperature Limit Stop
- 1/2" Nominal Copper Sweat Hot and Cold Supply Inlets and Outlets



Complete System **1900-600CP**

- Pressure Balance Tub & Shower Complete System
- Diverter Tub Spout
- 600-A Shower Head, Arm and Flange
- Lever Handle
- Pressure Balancing Cartridge
- Integral Check Stops
- Temperature Limit Stop
- 1/2" Nominal Copper Sweat Hot and Cold Supply Inlets and Outlets



Complete System **1902-CP**

- Pressure Balance Shower Complete System
- 620-A Shower Head, Arm and Flange
- Lever Handle
- Pressure Balancing Cartridge
- Integral Check Stops
- Temperature Limit Stop
- 1/2" Nominal Copper Sweat Hot and Cold Supply Inlets and Outlets



Complete System **1902-600CP**

- Pressure Balance Shower Complete System
- 600-A Shower Head, Arm and Flange
- Lever Handle
- Pressure Balancing Cartridge
- Integral Check Stops
- Temperature Limit Stop
- 1/2" Nominal Copper Sweat Hot and Cold Supply Inlets and Outlets



Complete System **1902-621CP**

- Pressure Balance Shower Complete System
- 621 Shower Head
- Lever Handle
- Pressure Balancing Cartridge
- Integral Check Stops
- Temperature Limit Stop
- 1/2" Nominal Copper Sweat Hot and Cold Supply Inlets and Outlets





Valve Only
1900-VONF

- Pressure Balance 3 or 4 Port Valve Only
- Plaster Shield
- Pressure Balancing Cartridge
- Integral Check Stops
- Temperature Limit Stop
- 1/2" Nominal Copper Sweat Hot and Cold Supply Inlets and Outlets

BUY
AMERICAN
ACT
COMPLIANT



Valve with Trim
1900-VOCCP

- Pressure Balance 3 or 4 Port Valve With Trim
- Lever Handle
- Pressure Balancing Cartridge
- Integral Check Stops
- Temperature Limit Stop
- 1/2" Nominal Copper Sweat Hot and Cold Supply Inlets and Outlets

BUY
AMERICAN
ACT
COMPLIANT



Trim Kit
1900-TKCP

- Pressure Balance Tub & Shower Trim Kit
- Diverter Tub Spout
- 620-A Shower Head, Arm and Flange
- Lever Handle
- Wall Trim

BUY
AMERICAN
ACT
COMPLIANT



Trim Kit
1900-TK600CP

- Pressure Balance Tub & Shower Trim Kit
- Diverter Tub Spout
- 600-A Shower Head, Arm and Flange
- Lever Handle
- Wall Trim

BUY
AMERICAN
ACT
COMPLIANT



Trim Kit
1902-TKCP

- Pressure Balance Shower Trim Kit
- 620-A Shower Head, Arm and Flange
- Lever Handle
- Wall Trim

BUY
AMERICAN
ACT
COMPLIANT



Trim Kit
1902-TK600CP

- Pressure Balance Shower Trim Kit
- 600-A Shower Head, Arm and Flange
- Lever Handle
- Wall Trim

BUY
AMERICAN
ACT
COMPLIANT

Thermostatic/Pressure Balance Tub/Shower Products

An advanced thermal actuator allows Chicago Faucets thermostatic products to deliver blended water within a specified range.

- Valves quickly compensate for temperature fluctuations induced by water temperature and pressure changes
- In the event of cold water failure, thermostatic motor virtually shuts off the flow of hot water

Products are available as **complete systems** or can be ordered in **valve only** configurations for the rough-in stage of your project with **trim kits** delivered at the finish stage of the project.



Complete System 1905-CP

- T/P Tub & Shower Complete System
- Diverter Tub Spout
- 620-A Shower Head, Arm and Flange
- Lever Handle
- Thermostatic/Pressure Balancing Cartridge
- Integral Check Stops
- Temperature Limit Stop
- 1/2" Nominal Copper Sweat Hot and Cold Supply Inlets and Outlets



Complete System 1905-600CP

- T/P Tub & Shower Complete System
- Diverter Tub Spout
- 600-A Shower Head, Arm and Flange
- Lever Handle
- Thermostatic/Pressure Balancing Cartridge
- Integral Check Stops
- Temperature Limit Stop
- 1/2" Nominal Copper Sweat Hot and Cold Supply Inlets and Outlets



Complete System 2500-CP

- TempShield™ T/P Tub & Shower Complete System
- 620-A Shower Head, Arm and Flange
- Diverter Tub Spout
- Thermostatic/Pressure Balancing Cartridge
- Integral Check Stops
- Hot Water Limit Stop 112° F Factory Setting
- 1/2" NPT Female Inlets and Outlets



Complete System 1907-CP

- T/P Shower Complete System
- 620-A Shower Head, Arm and Flange
- Lever Handle
- Thermostatic/Pressure Balancing Cartridge
- Integral Check Stops
- Temperature Limit Stop
- 1/2" Nominal Copper Sweat Hot and Cold Supply Inlets and Outlets



Complete System 1907-600CP

- T/P Shower Complete System
- 600-A Shower Head, Arm and Flange
- Lever Handle
- Thermostatic/Pressure Balancing Cartridge
- Integral Check Stops
- Temperature Limit Stop
- 1/2" Nominal Copper Sweat Hot and Cold Supply Inlets and Outlets



Complete System 1907-621CP

- T/P Shower Complete System
- 621 Shower Head
- Lever Handle
- Thermostatic/Pressure Balancing Cartridge
- Integral Check Stops
- Temperature Limit Stop
- 1/2" Nominal Copper Sweat Hot and Cold Supply Inlets and Outlets



Complete System 2502-600CP


- TempShield™ T/P Shower Complete System
- 600-A Shower Head, Arm and Flange
- Thermostatic/Pressure Balancing Cartridge
- Quatum™ Operating Cartridge
- Integral Check Stops
- Hot Water Limit Stop 112° F Factory Setting
- 1/2" NPT Female Inlets and Outlets





Valve Only
1905-VONF

- T/P Shower 3 or 4 Port Valve Only
- Plaster Shield
- Thermostatic/Pressure Balancing Cartridge
- Integral Check Stops
- Temperature Limit Stop
- 1/2" Nominal Copper Sweat Hot and Cold Supply Inlets and Outlets



Valve with Trim
1905-VOCCP

- T/P Shower 3 or 4 Port Valve With Trim
- Lever Handle
- Thermostatic/Pressure Balancing Cartridge
- Integral Check Stops
- Temperature Limit Stop
- 1/2" Nominal Copper Sweat Hot and Cold Supply Inlets and Outlets



Valve with Trim
2500-VOCCP

- TempShield™ T/P Shower Valve Only
- Lever Control Handles
- Thermostatic/Pressure Balancing Cartridge
- Quatern™ Operating Cartridge
- Integral Check Stops
- Hot Water Limit Stop 112° F Factory Setting
- 1/2" NPT Female Inlets and Outlets



Valve with Trim
2500-VOCXKCP

- TempShield™ T/P Shower Valve Only
- Lever Control Handles
- Thermostatic/Pressure Balancing Cartridge
- Ceramic Disc Operating Cartridge
- Integral Check Stops
- Hot Water Limit Stop 112° F Factory Setting
- 1/2" NPT Female Inlets and Outlets



Trim Kit
1905-TKCP

- T/P Shower Tub & Shower Trim Kit
- Diverter Tub Spout
- 620-A Shower Head, Arm and Flange
- Lever Handle
- Wall Trim



Trim Kit
1905-TK600CP

- T/P Shower Tub & Shower Trim Kit
- Diverter Tub Spout
- 600-A Shower Head, Arm and Flange
- Lever Handle
- Wall Trim



Trim Kit
1907-TKCP

- T/P Shower Trim Kit
- 620-A Shower Head, Arm and Flange
- Lever Handle
- Wall Trim



Trim Kit
1907-TK600CP

- T/P Shower Trim Kit
- 600-A Shower Head, Arm and Flange
- Lever Handle
- Wall Trim





600-CP

- Shower Head
- Adjustable Spray Pattern
- Adjustable Swivel Joint Head
- 2.5 GPM MAX Flow Rate @ 80 PSI
- 1/2" NPT Female Inlet



620-CP

- Shower Head with Ball Joint
- Pressure Compensating Flow Control
- Integral Flow Control
- 2.5 GPM MAX Flow Rate @ 80 PSI
- 1/2" NPT Female Inlet



620-VPCP

- Vandal Resistant Shower Head with Ball Joint
- Pressure Compensating Flow Control
- Integral Flow Control
- 2.5 GPM MAX Flow Rate @ 80 PSI
- 1/2" NPT Female Inlet



620-AVPCP

- Vandal Resistant Shower Head with Arm, Flange and Ball Joint
- Pressure Compensating Flow Control
- Integral Flow Control
- 2.5 GPM MAX Flow Rate @ 80 PSI
- 1/2" NPT Male Inlet



621-CP

- Wall Mounted Institutional Shower Head
- Vandal Resistant Mounting
- Pressure Compensating Flow Control
- Field Adjustable for 20° or 30° Spray Angle
- Tamper Resistant for Institutional Use
- 2.0 GPM Flow Rate @ 80 PSI
- 1/2" NPT Female Inlet



749-SJKCP

- Diverter Tub Spout
- 1/2" NPT Female Inlet



415-021JKCP

- 1/2" NPT Shower Arm
- 7" Overall Length



749-016JKCP

- 1/2" NPT Shower Arm Wall Flange
- 2 1/2" Diameter Round



770-665PSHCP

- Concealed Straight Metering Fitting
- 665 MVP™ Metering Valve and Handle
- MVP™ Metering Cartridge
- 1/2" NPT Female Inlet and Outlet




770-COLDP

- Concealed Straight Valve
- 633 Cold Indexed Cross Handle
- Slow Compression Operating Cartridge
- 1/2" NPT Female Inlet and Outlet



770-PLCP

- Concealed Straight Valve
- 633 Plain Indexed Cross Handle
- Slow Compression Operating Cartridge
- 1/2" NPT Female Inlet and Outlet

**752-CP**

- Exposed Two Valve Shower Fitting
- 25 1/2" Shower Riser with Wall Support
- 620 Shower Head
- 633 Indexed Cross Handles
- Slow Compression Cartridges
- 1/2" NPT Female Union Inlets

BUY
AMERICAN
ACT
COMPLIANT

**752-RCF**

- Exposed Two Valve Shower Fitting
- 25 1/2" Shower Riser with Wall Support
- 620 Shower Head
- 633 Indexed Cross Handles
- Slow Compression Cartridges
- 1/2" NPT Female Union Inlets
- Rough Chrome Finish

BUY
AMERICAN
ACT
COMPLIANT

**756-CP**

- Exposed Wall Mount Two Valve Shower Fitting
- 27 3/8" Shower Riser with Wall Support
- 620 Shower Head
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- H Adjustable Supply Arms
- 1/2" NPT Female Inlets

BUY
AMERICAN
ACT
COMPLIANT

**150-CP**

- Hand and Wall Shower Fitting
- 2.5 GPM Hand Spray
- Wall Hook
- 60" Chrome Plated Stainless Steel Hose

With 60" White Vinyl Hose: 150-WVCP

**151-CP**

- Hand and Wall Shower Fitting
- 2.5 GPM Hand Spray
- 24" Spray Adjustable Wall Bar
- 60" Chrome Plated Stainless Steel Hose

With 60" White Vinyl Hose: 151-WVCP

**153-CP**

- Hand and Wall Shower Fitting
- 2.5 GPM Hand Spray
- 48" Spray Adjustable Wall Bar
- 69" Chrome Plated Stainless Steel Hose

With 69" White Vinyl Hose: 153-WVCP

**449-950CP**

- Concealed Valve Fitting
- 8" Centers
- 950 Indexed Three Wing Handles
- 620 Flow Control Shower Head
- Lift Type Diverter Tub Spout

BUY
AMERICAN
ACT
COMPLIANT

**339-665PSHCP**

- Angle Valve Metering Fitting
- 665 MVP™ Metering Valve and Handle
- MVP™ Metering Cartridge
- 1/2" NPT Female Inlet and Outlet

BUY
AMERICAN
ACT
COMPLIANT

**732-665PSHCP**

- Angle Valve Metering Fitting
- 665 MVP™ Metering Valve and Handle
- MVP™ Metering Cartridge
- 1/2" NPT Female Inlet
- 3/4" O.D. x 7" Tailpiece with Escutcheon
- Loose Key Flange

BUY
AMERICAN
ACT
COMPLIANT





732-CP

- Angle Valve
- 333 NAIAD™ Self Closing Cartridge Valve and Handle
- NAIAD™ Adjustable Self Closing Cartridge
- 1/2" NPT Female Inlet
- 3/4" O.D. x 7" Tailpiece with Escutcheon
- Loose Key Flange



732-OHCP

- Angle Valve
- Long Bonnet Non-Sag Oscillating Handle
- NAIAD™ Adjustable Self Closing Cartridge
- 1/2" NPT Female Inlet
- 3/4" O.D. x 7" Tailpiece with Escutcheon
- Loose Key Flange



732-OHVBCP

- Angle Valve with Loose Wall Flange
- Long Bonnet Non-Sag Oscillating Handle
- NAIAD™ Adjustable Self Closing Cartridge
- 3/4" O.D. x 9 7/8" Vacuum Breaker Tail Piece with Escutcheon
- Loose Key Flange



732-VB665PSHCP

- Angle Valve Metering Fitting
- 665 MVP™ Metering Valve and Handle
- MVP™ Metering Cartridge
- 3/4" O.D. x 9 7/8" Vacuum Breaker Tail Piece with Escutcheon
- Loose Key Flange



732-VBCP

- Angle Valve
- 333 NAIAD™ Self Closing Cartridge Valve and Handle
- NAIAD™ Adjustable Self Closing Cartridge
- 3/4" O.D. x 9 7/8" Vacuum Breaker Tail Piece with Escutcheon
- Loose Key Flange



733-665PSHCP

- Straight Metering Fitting
- 665 MVP™ Metering Valve and Handle
- MVP™ Metering Cartridge
- 1/2" NPT Female Inlet
- 3/4" O.D. x 7" Tailpiece with Escutcheon



733-OHCP

- Straight Valve
- Long Bonnet Non-Sag Oscillating Handle
- NAIAD™ Adjustable Self Closing Cartridge
- 1/2" NPT Female Inlet
- 3/4" O.D. x 7" Tailpiece with Escutcheon



733-OHVBCP

- Straight Valve
- Long Bonnet Non-Sag Oscillating Handle
- NAIAD™ Adjustable Self Closing Cartridge
- 3/4" O.D. x 9 7/8" Vacuum Breaker Tail Piece with Escutcheon



733-VB665PSHCP

- Straight Metering Fitting
- 665 MVP™ Metering Valve and Handle
- MVP™ Metering Cartridge
- 3/4" O.D. x 9 7/8" Vacuum Breaker Tailpiece with Escutcheon





Above deck design, rugged durability and unparalleled reliability

Reliable and Smart — HyTronic® and E-Tronic® 40

A new generation of sensor-operated faucets: HyTronic and E-Tronic 40 represent a new generation of sensor-operated faucets for deck and wall-mounted installations. Extensive, ongoing testing proves the reliability of our electronic line. In our test environment, over 4 million faultless operations demonstrates their robustness. Water tight electronics and vandal resistant features, combined with a long-life lithium battery equips these faucets for years of intense, trouble-free operation.

The twin-beam infrared system responds quickly, adjusts to changes in its environment and minimizes false activations. In addition, above deck components and remote diagnostic technology allow for fast, trouble-free installation, and easy maintenance.



Easy to install Above deck design and pre-installed free spinning hoses for a 'plug-and-play' installation that is fast and straight forward. Chicago Faucets legendary modular design provides additional flexibility for easy product modifications.



Easy to adjust Remote control technology puts you in charge. With our exclusive Commander® software and a Palm® enabled device you can switch modes, monitor battery level and even troubleshoot with the touch of a button.



Easy to service Components are located above deck, logically placed and easily accessible - while retaining water-tight, anti-vandalism features.



116.101.21.1

- Dual Beam Infrared Sensor
- 5 1/2" C-C Spout
- 12 Volt AC Transformer Required (Order Separately)
- Single Supply for Tempered Water
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- E2805 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes Optional 2.2 GPM (8.3 L/min) Aerator Insert
- Geberit Commander Software Compatible

ECASST: 116.101.AB.1



116.111.21.1

- Dual Beam Infrared Sensor
- 5 1/2" C-C Spout
- 12 Volt AC Transformer Required (Order Separately)
- Concealed Internal Temperature Control Mixer
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- E2805 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes Optional 2.2 GPM (8.3 L/min) Aerator Insert
- Geberit Commander Software Compatible

ECASST: 116.111.AB.1



116.121.21.1

- Dual Beam Infrared Sensor
- 5 1/2" C-C Spout
- 12 Volt AC Transformer Required (Order Separately)
- User Adjustable Temperature Control Mixer
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- E2805 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes Optional 2.2 GPM (8.3 L/min) Aerator Insert
- Geberit Commander Software Compatible

ECASST: 116.121.AB.1



116.102.21.1

- Dual Beam Infrared Sensor
- 5 1/8" C-C Spout
- 12 Volt AC Transformer Required (Order Separately)
- Single Supply for Tempered Water
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- E2805 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes Optional 2.2 GPM (8.3 L/min) Aerator Insert
- Geberit Commander Software Compatible

ECASST: 116.102.AB.1



116.112.21.1

- Dual Beam Infrared Sensor
- 5 1/8" C-C Spout
- 12 Volt AC Transformer Required (Order Separately)
- Concealed Internal Temperature Control Mixer
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- E2805 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes Optional 2.2 GPM (8.3 L/min) Aerator Insert
- Geberit Commander Software Compatible

ECASST: 116.112.AB.1



116.122.21.1

- Dual Beam Infrared Sensor
- 5 1/8" C-C Spout
- 12 Volt AC Transformer Required (Order Separately)
- User Adjustable Temperature Control Mixer
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- E2805 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes Optional 2.2 GPM (8.3 L/min) Aerator Insert
- Geberit Commander Software Compatible

ECASST: 116.122.AB.1



116.706.21.1

- Dual Beam Infrared Sensor
- Body Designed for Single Hole or 4" C-C Mounting
- 4" C-C Spout
- 12 Volt AC Transformer Required (Order Separately)
- Single Supply for Tempered Water
- Limited Field Adjustable Modes and Ranges
- E2805 Vandal Resistant .5 GPM (1.9 L/min) Spray Outlet
- Geberit Commander Software Compatible

ECASST: 116.706.AB.1



**116.201.21.1**

- Dual Beam Infrared Sensor
- 5 1/2" C-C Spout
- 6 Volt Lithium CRP2 Battery (Included)
- Single Supply for Tempered Water
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- E2805 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes Optional 2.2 GPM (8.3 L/min) Aerator Insert
- Geberit Commander Software Compatible

ECAST: 116.201.AB.1**ECAST****116.211.21.1**

- Dual Beam Infrared Sensor
- 5 1/2" C-C Spout
- 6 Volt Lithium CRP2 Battery (Included)
- Concealed Internal Temperature Control Mixer
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- E2805 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes Optional 2.2 GPM (8.3 L/min) Aerator Insert
- Geberit Commander Software Compatible

ECAST: 116.211.AB.1**ECAST****116.221.21.1**

- Dual Beam Infrared Sensor
- 5 1/2" C-C Spout
- 6 Volt Lithium CRP2 Battery (Included)
- User Adjustable Temperature Control Mixer
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- E2805 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes Optional 2.2 GPM (8.3 L/min) Aerator Insert
- Geberit Commander Software Compatible

ECAST: 116.221.AB.1**ECAST****116.202.21.1**

- Dual Beam Infrared Sensor
- 5 1/8" C-C Spout
- 6 Volt Lithium CRP2 Battery (Included)
- Single Supply for Tempered Water
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- E2805 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes Optional 2.2 GPM (8.3 L/min) Aerator Insert
- Geberit Commander Software Compatible

ECAST: 116.202.AB.1**ECAST****116.212.21.1**

- Dual Beam Infrared Sensor
- 5 1/8" C-C Spout
- 6 Volt Lithium CRP2 Battery (Included)
- Concealed Internal Temperature Control Mixer
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- E2805 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes Optional 2.2 GPM (8.3 L/min) Aerator Insert
- Geberit Commander Software Compatible

ECAST: 116.212.AB.1**ECAST****116.222.21.1**

- Dual Beam Infrared Sensor
- 5 1/8" C-C Spout
- 6 Volt Lithium CRP2 Battery (Included)
- User Adjustable Temperature Control Mixer
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- E2805 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes Optional 2.2 GPM (8.3 L/min) Aerator Insert
- Geberit Commander Software Compatible

ECAST: 116.222.AB.1**ECAST****116.606.21.1**

- Dual Beam Infrared Sensor
- Body Designed for Single Hole or 4" C-C Mounting
- 4" C-C Spout
- 6 Volt Lithium CRP2 Battery (Included)
- Single Supply for Tempered Water
- Limited Field Adjustable Modes and Ranges
- E2805 Vandal Resistant .5 GPM (1.9 L/min) Spray Outlet
- Geberit Commander Software Compatible

ECAST: 116.606.AB.1**ECAST**

**116.103.21.1**

- Dual Beam Infrared Sensor
- GN2AH8 Gooseneck Spout
- 12 Volt AC Transformer Required (Order Separately)
- Single Supply for Tempered Water
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- E2805-5 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes Optional 2.2 GPM (8.3 L/min) Aerator Insert
- Geberit Commander Software Compatible

ECAST: 116.103.AB.1**ECAST****116.113.21.1**

- Dual Beam Infrared Sensor
- GN2AH8 Gooseneck Spout
- 12 Volt AC Transformer Required (Order Separately)
- Concealed Internal Temperature Control Mixer
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- E2805-5 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes Optional 2.2 GPM (8.3 L/min) Aerator Insert
- Geberit Commander Software Compatible

ECAST: 116.113.AB.1**ECAST****116.123.21.1**

- Dual Beam Infrared Sensor
- GN2AH8 Gooseneck Spout
- 12 Volt AC Transformer Required (Order Separately)
- User Adjustable Temperature Control Mixer
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- E2805-5 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes Optional 2.2 GPM (8.3 L/min) Aerator Insert
- Geberit Commander Software Compatible

ECAST: 116.123.AB.1**ECAST****116.427.AB.1**

- Dual Beam Infrared Sensor
- GN2H8FC Gooseneck Spout
- 12 Volt AC Transformer Required (Order Separately)
- Single Supply for Tempered Water
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- 1.5 GPM (6.1 L/min) Laminar Flow Control Device At Spout Inlet
- Geberit Commander Software Compatible

ECAST ONLY**ECAST****116.428.AB.1**

- Dual Beam Infrared Sensor
- GN2H8FC Gooseneck Spout
- 12 Volt AC Transformer Required (Order Separately)
- Concealed Internal Temperature Control Mixer
- Dual Supply for Hot and Cold Water Service
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- 1.5 GPM (6.1 L/min) Laminar Flow Control Device At Spout Inlet
- Geberit Commander Software Compatible

ECAST ONLY**ECAST****116.429.AB.1**

- Dual Beam Infrared Sensor
- GN2H8FC Gooseneck Spout
- 12 Volt AC Transformer Required (Order Separately)
- User Adjustable Temperature Control Mixer
- Dual Supply for Hot and Cold Water Service
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- 1.5 GPM (6.1 L/min) Laminar Flow Control Device At Spout Inlet
- Geberit Commander Software Compatible

ECAST ONLY**ECAST****116.104.AB.1**

- Dual Beam Infrared Sensor
- GN2AH8 Gooseneck Spout
- 12 Volt AC Transformer Required (Order Separately)
- Single Supply for Tempered Water
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- E2805-5 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes Optional 2.2 GPM (8.3 L/min) Aerator Insert
- Geberit Commander Software Compatible

ECAST ONLY**ECAST****116.114.21.1**

- Dual Beam Infrared Sensor
- GN2AH8 Gooseneck Spout
- 12 Volt AC Transformer Required (Order Separately)
- Concealed Internal Temperature Control Mixer
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- E2805-5 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes Optional 2.2 GPM (8.3 L/min) Aerator Insert
- Geberit Commander Software Compatible

ECAST: 116.114.AB.1**ECAST****116.124.21.1**

- Dual Beam Infrared Sensor
- GN2AH8 Gooseneck Spout
- 12 Volt AC Transformer Required (Order Separately)
- User Adjustable Temperature Control Mixer
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- E2805-5 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes Optional 2.2 GPM (8.3 L/min) Aerator Insert
- Geberit Commander Software Compatible

ECAST: 116.124.AB.1**ECAST**

**116.203.21.1**

- Dual Beam Infrared Sensor
- GN2AH8 Gooseneck Spout
- 6 Volt Lithium CRP2 Battery (Included)
- Single Supply for Tempered Water
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- E2805-5 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes Optional 2.2 GPM (8.3 L/min) Aerator Insert
- Geberit Commander Software Compatible

ECAST: 116.203.AB.1**ECAST****116.213.21.1**

- Dual Beam Infrared Sensor
- GN2AH8 Gooseneck Spout
- 6 Volt Lithium CRP2 Battery (Included)
- Concealed Internal Temperature Control Mixer
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- E2805-5 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes Optional 2.2 GPM (8.3 L/min) Aerator Insert
- Geberit Commander Software Compatible

ECAST: 116.213.AB.1**ECAST****116.223.21.1**

- Dual Beam Infrared Sensor
- GN2AH8 Gooseneck Spout
- 6 Volt Lithium CRP2 Battery (Included)
- User Adjustable Temperature Control Mixer
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- E2805-5 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes Optional 2.2 GPM (8.3 L/min) Aerator Insert
- Geberit Commander Software Compatible

ECAST: 116.223.AB.1**ECAST****116.430.AB.1**

- Dual Beam Infrared Sensor
- GN2H8FC Gooseneck Spout
- 6 Volt Lithium CRP2 Battery (Included)
- Single Supply For Tempered Water
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- 1.5 GPM (6.1 L/min) Laminar Flow Control Device At Spout Inlet
- Geberit Commander Software Compatible

ECAST ONLY**ECAST****116.431.AB.1**

- Dual Beam Infrared Sensor
- GN2H8FC Gooseneck Spout
- 6 Volt Lithium CRP2 Battery (Included)
- Concealed Internal Temperature Control Mixer
- Dual Supply for Hot and Cold Water Service
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- 1.5 GPM (6.1 L/min) Laminar Flow Control Device At Spout Inlet
- Geberit Commander Software Compatible

ECAST ONLY**ECAST****116.432.AB.1**

- Dual Beam Infrared Sensor
- GN2H8FC Gooseneck Spout
- 6 Volt Lithium CRP2 Battery (Included)
- User Adjustable Temperature Control Mixer
- Dual Supply for Hot and Cold Water Service
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- 1.5 GPM (6.1 L/min) Laminar Flow Control Device At Spout Inlet
- Geberit Commander Software Compatible

ECAST ONLY**ECAST****116.204.AB.1**

- Dual Beam Infrared Sensor
- GN2AH8 Gooseneck Spout
- 6 Volt Lithium CRP2 Battery (Included)
- Single Supply for Tempered Water
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- E2805-5 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes Optional 2.2 GPM (8.3 L/min) Aerator Insert
- Geberit Commander Software Compatible

ECAST ONLY**ECAST****116.214.21.1**

- Dual Beam Infrared Sensor
- GN2AH8 Gooseneck Spout
- 6 Volt Lithium CRP2 Battery (Included)
- Concealed Internal Temperature Control Mixer
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- E2805-5 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes Optional 2.2 GPM (8.3 L/min) Aerator Insert
- Geberit Commander Software Compatible

ECAST: 116.214.AB.1**ECAST****116.224.21.1**

- Dual Beam Infrared Sensor
- GN2AH8 Gooseneck Spout
- 6 Volt Lithium CRP2 Battery (Included)
- User Adjustable Temperature Control Mixer
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- E2805-5 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes Optional 2.2 GPM (8.3 L/min) Aerator Insert
- Geberit Commander Software Compatible

ECAST: 116.224.AB.1**ECAST**



240.627.21.1

- 4" Cover Plate with Locating Pin and Mounting Hardware



240.628.21.1

- 8" Cover Plate with Locating Pin and Mounting Hardware



242.164.21.1

- 8" Cover Plate with Locating Pins and Mounting Hardware for E-Tronic® 40



240.630.00.1

- Plug-in Transformer - Single Use
- Class 2A Transformer
- Standard 2 Prong 115V Outlet
- Input Voltage 120VAC 60Hz
- Output Voltage 12VAC
- Output Current 50mA
- Short Circuit (Thermal Cutout) Protection




240.631.00.1

- Hardwire Transformer - Multi Use
- Class 2A Transformer
- Hardwired with Standard 4" Mounting Plate
- Input Voltage 120VAC 60Hz
- Output Voltage 12VAC
- Output Current 300mA
- Short Circuit (Thermal Cutout) Protection
- Maximum 8 Faucet Installation



240.632.00.1

- 3/8" O.D. Copper Supply Tube for HyTronic®



121-NF

- Thermostatic Mixing Valve
- 3/8" Male Compression Inlets and Outlets
- Dual Check Valves
- Integral Filter Washers and Check Valves
- Tamper Resistant Locking Cap
- Minimum Supply Pressure: 30psi (207 kPa)
- Maximum Pressure: 150psi (10.3 bar)
- Minimum Flow Rate .5 GPM

ECAST: 121-ABNF



122-NF

- Thermostatic Mixing Valve
- 1/2" NPT Female Inlets and Outlet
- Includes 1/2" Copper Supply Adapters
- Integral Filter Washers and Check Valves
- Tamper Resistant Locking Cap
- Minimum Supply Pressure: 30psi (207 kPa)
- Maximum Pressure: 150psi (10.3 bar)
- Minimum Flow Rate .5 GPM

ECAST: 122-ABNF



242.165.00.1

- External Temperature Control Mixer
- Temperature Adjusting Screw
- Inlet Check Valves
- Inlet Filter Screens
- Single Use
- Minimum Flow Rate 2.5 GPM



Quality & performance.

Food Service Products

Chicago Faucets offers a full assortment of food service fittings. Everything from glass fillers to pedal valves is available and manufactured to our high standards. To ensure reliable performance, each and every fitting is tested before it leaves our factory.

Like the rest of our product line, the Chicago Faucets line of food service products features complete parts interchangeability. This feature not only provides unmatched flexibility for product configuration, it also provides additional assurance that parts will always be available at a moments notice.



Pre-Rinse

With 21 new products added to our catalog, Chicago Faucets offers one of the largest selections of pre-rinse products available. Our revolutionary new Triple Force™ spray head is available on all of our pre-rinse configurations.

Hose Reels

Our retractable hose reels are a durable, convenient addition to any food service application. Available with valving and a choice of reel housing to meet any installation need.

Pot and Glass Fillers


With three new glass fillers to complement our existing assortment of pot fillers, you can bring Chicago Faucets quality to any restaurant, bar, or food service area.

Faucets and Pedal Valves

Chicago Faucets offers the industry's largest selection of commercial faucets for food service and restaurant kitchens. From the bar to the service sink, we offer a faucet to meet virtually any application.

Drains

Chicago Faucets commercial drains add convenience and durability to your stainless steel sinks. Choose from twist and rotary operated models.




A revolutionary new instrument for the kitchen.

The Triple Force™ Low-Flow Pre-Rinse

Our new Triple Force™ low-flow pre-rinse is one of the most durable, flexible, and time-saving tools for the commercial food service market. The Triple Force™ is a patented low flow, high efficiency nozzle that features the choice of three spray patterns to help reduce cleaning time, energy costs, and water consumption. A simple twist of the nozzle allows the Triple Force™ to blast off baked on foods or gently rinse fine stemware. Best of all, the Triple Force™ uses a lot less water than traditional pre-rinse sprays – as low as 0.91 gallons per minute.*

The Triple Force™ nozzle can be purchased separately to install on your existing Chicago Faucets pre-rinse products or is available as an alternative spray on all complete pre-rinse fittings. Just look for the Triple Force below our standard pre-rinse products and a unique model number that features a “TF” before the finish code.



Fan Spray

15° fan spray for general cleaning applications.
0.99 gpm flow rate at 60 PSI.



Solid Stream

Solid spray pattern with high impact for tough cleaning applications. 0.99 gpm flow rate @ 60 PSI.



Triple Action

Ultra low-flow pattern for superior water conservation.
0.91 gpm flow rate @ 60 PSI.

919-LCP

- Deck Mount
- Single Hole
- 23" Riser with Spring
- 80L Self Closing Spray Valve
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 44" Flexible Stainless Steel Hose with Insulated Handle
- 1/4" NPT Male Check Tailpiece Inlets


With Triple Force: 919-TFCP

 BUY
AMERICAN
ACT
CORPORATION

New for 2010!
920-LCP

- Deck Mount
- Single Hole
- 23" Riser with Spring
- 80L Self Closing Spray Valve
- 369 Indexed Lever Handle
- Quatum™ Operating Cartridges
- 44" Flexible Stainless Steel Hose with Insulated Handle
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

With Triple Force: 920-TFCP

 BUY
AMERICAN
ACT
CORPORATION

New for 2010!
919-L613ACP

- Deck Mount
- Single Hole
- Adapta Faucet with 369 Handle
- 23" Riser with Spring
- 80L Self Closing Spray Valve
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 44" Flexible Stainless Steel Hose with Insulated Handle
- 1/4" NPT Male Check Tailpiece Inlets


With Triple Force: 919-TF613ACP

 BUY
AMERICAN
ACT
CORPORATION

New for 2010!
526-919SLCP


- Deck Mount
- 4" Centers
- 23" Riser with Spring
- 80L Self Closing Spray Valve
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 44" Flexible Stainless Steel Hose with Insulated Handle
- 1/4" NPT Male Check Tailpiece Inlets

With Triple Force: 526-919STFCP

 BUY
AMERICAN
ACT
CORPORATION

New for 2010!
527-919SLCP

- Deck Mount
- 8" Centers
- 23" Riser with Spring
- 80L Self Closing Spray Valve
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 44" Flexible Stainless Steel Hose with Insulated Handle
- 1/4" NPT Male Check Tailpiece Inlets

With Triple Force: 527-919STFCP

 BUY
AMERICAN
ACT
CORPORATION
**923-HCLCP**

- Wall Mount
- Adjustable 4" - 8 3/8" Centers
- 23" Riser with Spring
- 80L Self Closing Spray Valve
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 44" Flexible Stainless Steel Hose with Insulated Handle
- "HC" Adjustable 1/2" NPT Female Supply Arms with Integral Checks

With Triple Force: 923-HCTFCP

 BUY
AMERICAN
ACT
CORPORATION
**923-LCP**


- Wall Mount
- Adjustable 4" - 8 3/8" Centers
- 23" Riser with Spring
- 80L Self Closing Spray Valve
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 44" Flexible Stainless Steel Hose with Insulated Handle
- "H" Adjustable 1/2" NPT Female Supply Arms

With Triple Force: 923-TFCP

 BUY
AMERICAN
ACT
CORPORATION
**923-LWSLCP**

- Wall Mount
- Adjustable 4" - 8 3/8" Centers
- 23" Riser with Spring
- 80L Self Closing Spray Valve
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 44" Flexible Stainless Steel Hose with Insulated Handle
- "H" Adjustable 1/2" NPT Female Supply Arms
- 932-001K Inlet Shank Assembly (Shipped Loose)


With Triple Force: 923-TFWSLCP

 BUY
AMERICAN
ACT
CORPORATION

New for 2010!
923-LHC613ACP

- Wall Mount
- Adjustable 4" - 8 3/8" Centers
- Adapta Faucet with 369 Handle
- 23" Riser with Spring
- 80L Self Closing Spray Valve
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 44" Flexible Stainless Steel Hose with Insulated Handle
- "HC" Adjustable 1/2" NPT Female Supply Arms

With Triple Force: 923-TFHC613ACP

 BUY
AMERICAN
ACT
CORPORATION

509-GCLCP

- Wall Mount
- Adjustable 7 1/4" - 8 3/4" Centers
- L9 Swing Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 81L Self Closing Angled Spray Valve
- 5' Flexible Stainless Steel Hose with Insulated Handle
- "GC" Adjustable 1/2" NPT Female Supply Arms with Integrated Checks

With Triple Force: 509-GCTFCP



510-GCLCP

- Wall Mount
- Adjustable 7 1/4" - 8 3/4" Centers
- 23" Riser with Spring
- 80L Self Closing Spray Valve
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 44" Flexible Stainless Steel Hose with Insulated Handle
- "GC" Adjustable 1/2" NPT Female Supply Arms with Integrated Checks

With Triple Force: 510-GCTFCP



510-GCLWSLCP

- Wall Mount
- Adjustable 7 1/4" - 8 3/4" Centers
- 23" Riser with Spring
- 80L Self Closing Spray Valve
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- "GC" Adjustable 1/2" NPT Female Supply Arms with Integrated Checks
- 44" Flexible Stainless Steel Hose with Insulated Handle
- 932-001K Inlet Shank Assembly (Shipped Loose)

With Triple Force: 510-GCTFWSLCP



919-SLCP

- Pre-Rinse Assembly
- 23" Riser with Spring
- 80L Self Closing Spray Valve
- Fits 1 1/16" - 18 UNEF Female Body Outlet

With Triple Force: 919-STFCP



New for 2010! 99TF

- Pre-Rinse Hose Spray
- 0.91 - 1.2 GPM @ 60 PSI
- Stainless Steel Nozzle Body
- Rubber Coated Stainless Steel Handle
- Rotating Rubber Nose Cone For Choice of Three Spray Patterns
- Three Stainless Steel Tips
- 3/4" - 14 UNS Male Inlet
- Compatible with Fisher and T&S Hoses



80-HCP

- Hose Reel Spray Valve
- 2.5 GPM @ 60 PSI
- Rubber Bound Spray Head
- Ergonomic Actuator Handle with Hold Down Ring
- Spring Cam Valve
- 3/4" - 14 UNS Male Inlet
- Compatible with Fisher and T&S Hoses



80-LCP

- Water Conserving Pre-Rinse Spray Valve
- 1.42 GPM @ 60 PSI
- Rubber Bound Spray Head
- Ergonomic Actuator Handle with Hold Down Ring
- Spring Cam Valve
- 3/4" - 14 UNS Male Inlet
- Compatible with Fisher and T&S Hoses



81-LCP

- Water Conserving 45° Angle Pre-Rinse Spray Valve
- 1.42 GPM @ 60 PSI
- Rubber Bound Spray Head
- Ergonomic Actuator Handle with Hold Down Ring
- Spring Cam Valve
- 3/4" - 14 UNS Male Inlet
- Compatible with Fisher and T&S Hoses




84-CP

- Filler Valve with Gooseneck Spout and E1 Single Screen Non-Aerating Outlet for Quick Fill or High Water Volume Applications
- Tube Spout
- Ergonomic Handle
- Hold Down Ring




**83-29NF**

- 29" Stainless Steel Hose/Handle Assembly
- T&S and Fisher Adapters Supplied
- Insulated Handle
- 3/8" - NPT Male Inlet
- 3/4" - 14 UNS Female Outlet

44" Length: 83-44NF**58" Length: 83-58NF****77" Length: 83-77NF****535-NF**

- Hose Reel Assembly
- 893 Atmospheric Vacuum Breaker*
- 80H Self Closing Spray Valve
- 376 Shut Off Valve
- 885VOC Exposed Two-Valve Fitting
- 45LKC Loose Key Check Valves
- Retractable 35' x 3/8" I.D. Rubber Hose
- E7FC Removable Serrated Hose Nozzle with Flow Control

**536-NF**

- Hose Reel Assembly
- 893 Atmospheric Vacuum Breaker*
- 80H Self Closing Spray Valve
- 770 Shut Off Valve
- 449VOC Concealed Two-Valve Fitting
- 1771C Loose Key Check Valves
- Retractable 35' x 3/8" I.D. Rubber Hose
- E7FC Removable Serrated Hose Nozzle with Flow Control

**537-NF**

- Hose Reel Assembly
- 80H Self Closing Spray Valve
- 3/8" NPT Female Inlet
- Retractable 35' x 3/8" I.D. Rubber Hose

**537-WCNF**

- Hose Reel Assembly with Cover
- 80H Self Closing Spray Valve
- 3/8" NPT Female Inlet
- Retractable 35' x 3/8" I.D. Rubber Hose





New for 2010!
313-CP

- Glass Filler
- Wall Mount
- 1/2" Flanged Female Inlet
- Rubber Bumper
- 1.5 GPM @ 80 PSI



New for 2010!
324-CP

- Glass filler
- Spout with Integral Stream Straightener
- 333 NAIAD™ SLO Closing Cartridge Valve and Push Handle
- NAIAD™ Self Closing Cartridge
- 1/2" NPT Flanged Female Inlet



324-665PSHCP

- Glass Filler
- Spout with Integral Stream Straightener
- 665 MVP™ Metering Valve and Handle
- MVP™ Metering Cartridge
- 1/2" NPT Flanged Female Inlet



New for 2010!
709-CP

- Glass Filler
- Deck Mount
- 7" Overall Outlet Height
- 1/2" Flanged Female Inlet
- Rubber Bumper
- 1.5 GPM @ 80 PSI



334-CP

- Pot Filler
- L12 Swing Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handle
- Quatum™ Operating Cartridge
- 20" Overall Length
- 1/2" NPSM Male Inlet with Wall Flange

ECAST: 334-ABCP

ECAST



512-GCCP

- Pot Filler Faucet
- Atmospheric Vacuum Breaker Spout*
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 84 Self Closing Filler Valve with E1 Quixtop
- 58" Flexible Stainless Steel Hose with Insulated Handle
- "GC" Adjustable Supply Arms with Integral Checks



515-CP

- Pot Filler Faucet
- DJ18 Double Jointed Swing Spout
- E31 Outlet Control Valve with E1 Quixtop
- 269 Heat Resistant Lever Handle
- 369 Indexed Lever Handle
- Quatum™ Operating Cartridge
- 1/2" NPT Female Inlet with Integral Wall Flange



**613-ACP**

- Adapta Faucet
- L9 Swing Spout
- E1 Quixtop Screen Outlet
- 369 Plain Indexed Lever Handle
- Quatum™ Operating Cartridge
- 3/8" NPT Female Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet

**613-AL12E1CP**

- Adapta Faucet
- L12 Swing Spout
- E1 Quixtop Screen Outlet
- 369 Plain Indexed Lever Handle
- Quatum™ Operating Cartridge
- 3/8" NPT Female Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet

**613-AL15E1CP**

- Adapta Faucet
- L15 Swing Spout
- E1 Quixtop Screen Outlet
- 369 Plain Indexed Lever Handle
- Quatum™ Operating Cartridge
- 3/8" NPT Female Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet

**50-E1CP**

- Single Hole
- GN2A Rigid/Swing Gooseneck Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 3/8" O.D. Copper Supply Tubes

**350-E1CP**

- Single Hole
- GN2A Rigid/Swing Gooseneck Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handle
- Quatum™ Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**116.203.21.1**

- Single Hole
- Dual Beam Infrared Sensor
- GN2AH8 Gooseneck Spout
- 6 Volt Lithium CRP2 Battery (Included)
- Single Supply for Tempered Water
- Stainless Steel Hoses Included
- E2805-5 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes 2.2 GPM (8.3 L/min) Aerator Insert

More Electronic Faucets on Pages 87-92**526-GN2AE1CP**

- 4" Centers
- GN2A Rigid/Swing Gooseneck Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**895-RGD1E1CP**

- 4" Centers
- GNRGD1 Rigid Gooseneck Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

**895-RGD2E1CP**

- 4" Centers
- GNRGD2 Rigid Gooseneck Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatum™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



Deck Mount & Wall Mount Faucets



527-GN2AE1CP

- 8" Centers
- GN2A Rigid/Swing Gooseneck Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



527-S6E1CP

- 8" Centers
- S6 Cast Swing Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



116.204.AB.1

- Dual Beam Infrared Sensor
- GN2AH8 Gooseneck Spout
- 6 Volt Lithium CRP2 Battery (Included)
- Single Supply for Tempered Water
- Stainless Steel Hoses Included
- E2805-5 .5 GPM (1.9 L/min) Vandal Resistant Spray Outlet
- Includes 2.2 GPM (8.3 L/min) Aerator Insert

More Electronic Faucets on Page 87 - 92

ECAST ONLY

ECAST



521-GN2AE1CP

- 4" Centers
- GN2A Rigid/Swing Gooseneck Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- 1/2" - 14 NPT Male Threaded Inlets



540-LDL12-1-159-3/4CP

- 8" Centers
- L12 Swing Spout
- 1-159 Plain End Spout Ring
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- 3/4" NPT Female Inlets



540-LDL12E1WXFCP

- 8" Centers
- L12 Swing Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- "W XF" Straight 1/2" NPT Female Supply Arms




897-CP

- Adjustable 7 5/8" - 8 3/8" Centers
- Vacuum Breaker Spout with Pail Hook and Wall Brace*
- 3/4" Male Hose Thread Outlet
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- 1/2" NPT Adjustable Female Supply Arms



445-DJ13E1CP

- Adjustable 4" - 8 3/8" Centers
- DJ13 Double Jointed Swing Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- "H" Adjustable 1/2" NPT Female Supply Arms



445-DJ18E1CP

- Adjustable 4" - 8 3/8" Centers
- DJ18 Double Jointed Swing Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- "H" Adjustable 1/2" NPT Female Supply Arms

More Service Sink Faucets: on Page 68





445-E1CP

- Adjustable 4" - 8 3/8" Centers
- S6 Cast Swing Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- "H" Adjustable 1/2" NPT Female Supply Arms



445-L8E1CP

- Adjustable 4" - 8 3/8" Centers
- L8 Cast Swing Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- "H" Adjustable 1/2" NPT Female Supply Arms



445-L9E1CP

- Adjustable 4" - 8 3/8" Centers
- L9 Swing Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- "H" Adjustable 1/2" NPT Female Supply Arms



445-L12E1CP

- Adjustable 4" - 8 3/8" Centers
- L12 Swing Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- "H" Adjustable 1/2" NPT Female Supply Arms



540-LDE1CP

- Adjustable 7 1/4" - 8 3/4" Centers
- S6 Cast Swing Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- "G" Adjustable 1/2" NPT Female Supply Arms



540-LDL8E1CP


- Adjustable 7 1/4" - 8 3/4" Centers
- L8 Cast Swing Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- "G" Adjustable 1/2" NPT Female Supply Arms



540-LDL9E1CP

- Adjustable 7 1/4" - 8 3/4" Centers
- L9 Swing Spout
- E1 Quixtop Screen Outlet
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- "G" Adjustable 1/2" NPT Female Supply Arms





625-CP

- Combination Pedal Box
- Short Pedals
- NAIAD™ Self Closing Cartridges
- Two 1/2" NPT Female Back Inlets
- One 3/8" NPT Female Back Outlet

More Pedal Valves on Page 78



626-CP

- Deck Mount
- Single Water Inlet For Use With Pedal Box
- GN2 Rigid/Swing Plain End Gooseneck Spout
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



629-CP

- Wall Mount
- Single Water Inlet For Use With Pedal Box
- GN2 Rigid/Swing Plain End Gooseneck Spout
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



1366-NF

- Twist Drain
- For 3-1/2" Sink Opening
- Slip Nut for Overflow Outlet and Blind Cap for Non-Overflow Outlet
- For Overflow Head and Elbow Use 1344-001JKRCF and 1344-002JKRCF
- 1 1/2" NPT Female or 2" NPT Male Outlet



1367-NF

- Rotary Drain
- For 3-1/2" Sink Opening
- Slip Nut for Overflow Outlet and Blind Cap for Non-Overflow Outlet
- For Overflow Head and Elbow Use 1344-001JKRCF and 1344-002JKRCF
- 1 1/2" NPT Female or 2" NPT Male Outlet
- Internal Plug Valve



1344-001JKRCF

- Overflow Head
- For Use with 1366-NF Twist Drain or 1367-NF Rotary Drain
- Requires 2 1/8" Opening



1344-002JKRCF


- Overflow Elbow
- For Use with 1366-NF Twist Drain or 1367-NF Rotary Drain



Laboratory Equipment

Chicago Faucets offers a full assortment of laboratory faucets. From basic gooseneck faucets with vacuum breakers to our versatile combination fittings, every product is manufactured to your exact specifications and to our high standards.

Like the rest of our product line, the Chicago Faucets line of lab products features parts interchangeability. This feature not only provides unmatched flexibility for product configuration, it provides additional assurance that parts will always be available at a moments notice.



SAM - Satin Antimicrobial Products

This year, we're introducing a new line of lab products with a durable satin finish. These products feature Sureshield® Silver Ion Technology that is encapsulated in a glass matrix to form a chemical resistant, antimicrobial barrier.


Laboratory Products

Chicago Faucets lab products are designed and manufactured to the same stringent performance and quality standards of our other faucet products. The result is a line of extremely durable products for virtually any lab environment.

Safety Products

Chicago Faucets offers a complete assortment of emergency equipment for your facility. From our eye washes to drench showers, you can count on the highest level of quality and support.

New for 2010



Satin Antimicrobial, Chemical Resistant Laboratory Products


Introducing a new line of satin laboratory products from Chicago Faucets featuring **Sureshield® Silver Ion Technology**.

Sureshield utilizes a compound encapsulated in a glass matrix to form an antimicrobial barrier. When exposed to moisture, the glass “dissolves” releasing compounds that cause a repression of metabolic functions in microbes and bacterium.



A Multi-Level Approach for Increased Chemical Resistance


After the Chicago Faucet solid metal product is nickel and chrome plated, an extremely durable glass matrix coating is applied as a final step. The compounds are incorporated as an integral part of the glass matrix and provide additional heat and chemical resistance. The glass matrix also reduces the growth of odor and stain-causing bacteria, molds, mildews and fungi on the coating.



The Antimicrobial Glass Matrix Process

The antimicrobial compound glass matrix provides a consistent dissolution rate at all levels of ambient moisture. This consistent release helps to effectively maintain an antimicrobial surface that provides an additional level of protection and durability to your Chicago Faucets.

The glass matrix provides a consistent release of antimicrobial compounds, regardless of the amount of moisture present.



A Visible Difference

The antimicrobial coating inhibits the growth of odor and stain-causing bacteria, molds, mildews and fungi. In addition, the coating is designed to resist finger-prints for the life of the product.



SAM products feature a chemical resistant antimicrobial coating that inhibits the growth of odor and stain-causing bacteria, molds, mildew and fungi.

All satin antimicrobial products are fully assembled and ready for installation.

Orders for SAM products require a 45 day lead time.



New for 2010!

1301-WSVGN2BVBE7SAM

- Deck Mounted Multiple Service Fitting
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- (2) 909 Ball Valves @ 180°
- (3) 3/8" NPT Male Inlet Shanks Assembled



45-Day Lead Time



New for 2010!

1301-WSVSAM

- Deck Mounted Multiple Service Fitting
- GN2B Rigid/Swing Gooseneck Spout
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- (2) 909 Ball Valves @ 180°
- (3) 3/8" NPT Male Inlet Shanks Assembled



45-Day Lead Time



New for 2010!

1332-E22E7SAM

- One Piece Cast Brass Spout
- E22 Inline Vacuum Breaker*
- E7T Removable Serrated Hose Nozzle
- 205 Plastic Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- (2) 909C Ball Valves with Checks
- (2) 3/8" NPT Male Inlet Shank Assemblies



45-Day Lead Time



New for 2010!

1332-SAM

- One Piece Cast Brass Spout
- E7 Removable Serrated Hose Nozzle
- 205 Plastic Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- (2) 909C Ball Valves with Checks
- (2) 3/8" NPT Male Inlet Shank Assemblies



45-Day Lead Time



New for 2010!
927-SAM

- Single Inlet Water Fitting
- GN2B Rigid/Swing Gooseneck Spout
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- Cold Index
- Slow Compression Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



45-Day Lead Time



New for 2010!
928-317SAM

- Single Inlet Water Fitting
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 317 Wristblade Handle
- Cold Index
- Quatum™ Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



45-Day Lead Time



New for 2010!
928-VRSAM

- Vandal Resistant Single Inlet Water Fitting
- GN2BVB Rigid Only Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Serrated Hose Nozzle
- 204 Cross Handle
- Cold Index
- Slow Compression Operating Cartridge
- Anti-Rotational Body Deck Pin
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser
- All Threaded Connections Cemented



45-Day Lead Time



New for 2010!
929-SAM

- Combination Hot and Cold Water Fitting
- GN2B Rigid/Swing Gooseneck Spout
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handles
- Cold Index
- Slow Compression Operating Cartridges
- 3/8" O.D. Copper Supply Tubes



45-Day Lead Time



New for 2010!
930-317SAM

- Combination Hot and Cold Water Fitting
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 317 Wristblade Handles
- Hot and Cold Water Service Buttons
- Quatum™ Operating Cartridges
- 3/8" O.D. Copper Supply Tubes



45-Day Lead Time



New for 2010!
930-SAM

- Combination Hot and Cold Water Fitting
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handles
- Hot and Cold Water Service Buttons
- Slow Compression Operating Cartridges
- 3/8" O.D. Copper Supply Tubes



45-Day Lead Time



New for 2010!
930-VRSAM

- Vandal Resistant Combination Hot and Cold Water Fitting
- GN2BVB Rigid Only Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handles
- Hot and Cold Water Service Buttons
- Slow Compression Operating Cartridges
- Anti-Rotational Body Deck Pin
- 3/8" O.D. Copper Supply Tubes
- All Threaded Connections Cemented



45-Day Lead Time



New for 2010!
930-VR317SAM

- Vandal Resistant Combination Hot and Cold Water Fitting
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 317 Indexed Wristblade Handles
- Quatum™ Operating Cartridges
- Anti-Rotational Body Deck Pin
- 3/8" O.D. Copper Supply Tubes
- All Threaded Connections Cemented



45-Day Lead Time



New for 2010!
828-ASAM

- Deck Mounted Pure Water Fitting
- Polypropylene Valve Body Assembly
- PTFE Liner with Chrome Plated Brass Housing
- Serrated Hose Nozzle
- 3-Arm Polypropylene Handle
- Polypropylene Cartridge with PTFE Seat
- 3/8" NPT Polypropylene Male Inlet



45-Day Lead Time



New for 2010!
969-SAM

- Deck Mounted Distilled Water Fitting
- All Internal Surfaces Are Tin Lined
- GN2B Rigid/Swing Gooseneck Spout
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- DW Service Button
- Self-Closing Cartridge
- 1/4" NPT Male Inlet Tailpiece



45-Day Lead Time



New for 2010!
913-AGVSAM

- Right-Hand 45° Angle Control Valve
- 204 Cross Handle
- Air, Gas And Vacuum Service Buttons
- Needle Valve Cartridge
- 3/8" NPT Female Inlet and Outlet



45-Day Lead Time



New for 2010!
913-LHAGVSAM

- Left-Hand 45° Angle Control Valve
- 204 Cross Handle
- Air, Gas And Vacuum Service Buttons
- Needle Valve Cartridge
- 3/8" NPT Female Inlet and Outlet



45-Day Lead Time



New for 2010!
914-SAM

- Right-Hand 45° Angle Control Water Valve
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- 3/8" NPT Female Inlet and Outlet



45-Day Lead Time



New for 2010!
962-VOSAM

- Remote Control Water Valve for Straight Panels
- Wall Flange and Extension Rod
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- 3/8" NPT Female Inlet and Outlet



45-Day Lead Time



New for 2010!
1322-AGVSAM

- Control Valve with Threaded Flange
- 204 Cross Handle
- Air, Gas And Vacuum Service Buttons
- Needle Valve Cartridge
- 3/8" NPT Female Inlet and Outlet



45-Day Lead Time



New for 2010!
1323-SAM

- Control Valve with Threaded Flange
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- 3/8" NPT Female Inlet and Outlet



45-Day Lead Time



New for 2010!

980-VR909CAGSAM

- Vandal Resistant Turret with Single Ball Valve
- E7TC Serrated Hose Nozzle with Check
- Lever Handle
- Air and Gas Service Buttons
- Vandal Resistant Pin in Turret
- All Threaded Connections Cemented
- 3/8" NPT Inlet Shank Assembled



45-Day Lead Time



New for 2010!

980-WSV909AGVSAM

- Turret with Single Ball Valve
- E7T Removable Serrated Hose Nozzle
- Lever Handle
- Air, Gas and Vac Service Buttons
- 3/8" NPT Inlet Shank Assembled



45-Day Lead Time



New for 2010!

980-WSV909CAGSAM

- Turret with Single Ball Valve
- E7TC Removable Serrated Hose Nozzle with Check
- Lever Handle
- Air and Gas Service Buttons
- 3/8" NPT Inlet Shank Assembled



45-Day Lead Time



New for 2010!

980-WSV937CHAGVSAM

- Turret with Single Needle Valve
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- Air, Gas and Vac Service Buttons
- Needle Valve Cartridge
- 3/8" NPT Inlet Shank Assembled



45-Day Lead Time



New for 2010!

981-VR909CAGSAM

- Vandal Resistant Turret with Two Ball Valves @ 180°
- E7TC Serrated Hose Nozzle with Check
- Lever Handles
- Air and Gas Service Buttons
- Vandal Resistant Pin in Turret
- All Threaded Connections Cemented
- 3/8" NPT Inlet Shank Assembled



45-Day Lead Time




New for 2010!

981-WSV909AGVSAM

- Turret with Two Ball Valves @ 180°
- E7TC Serrated Hose Nozzle
- Lever Handles
- Air and Gas Service Buttons
- 3/8" NPT Inlet Shank Assembled



45-Day Lead Time



New for 2010!

982-VR909CAGSAM

- Vandal Resistant Turret with Two Ball Valves @ 90°
- E7TC Serrated Hose Nozzles with Check
- Lever Handles
- Air and Gas Service Buttons
- Vandal Resistant Pin in Turret
- All Threaded Connections Cemented
- 3/8" NPT Inlet Shank Assembled



45-Day Lead Time



New for 2010!

982-WSV909AGVSAM

- Turret with Two Ball Valves @ 90°
- E7T Removable Serrated Hose Nozzle
- Lever Handles
- Air, Gas and Vac Service Buttons
- 3/8" NPT Inlet Shank Assembled



45-Day Lead Time



New for 2010!

980-WSGN2BE7SAM

- Turret with Spout
- GN2B Rigid/Swing Gooseneck Spout
- E7 Removable Serrated Hose Nozzle
- 3/8" NPT Inlet Shank Assembled



New for 2010!

980-WSGN2BVE7SAM

- Turret with Spout
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 3/8" NPT Inlet Shank Assembled



New for 2010!

986-WSE7XTSAM

- Wall Flange with Serrated Hose Nozzle
- E7XT 30° Removable Angled Serrated Hose Nozzle
- 3/8" NPT Inlet Shank Assembled

BUY
AMERICAN
ACT
COMPLIANT



45-Day Lead Time

BUY
AMERICAN
ACT
COMPLIANT



45-Day Lead Time

BUY
AMERICAN
ACT
COMPLIANT



45-Day Lead Time



New for 2010!

986-WSV909AGVSAM

- Wall Flange with Ball Valve
- E7T Removable Serrated Hose Nozzle
- Lever Handle
- Air, Gas and Vac Service Buttons
- 3/8" NPT Inlet Shank Assembled



New for 2010!

986-WSV937CHAGVSAM

- Wall Flange with Needle Valve
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- Air, Gas and Vac Service Buttons
- Needle Valve Cartridge
- 3/8" NPT Inlet Shank Assembled



New for 2010!

987-WSV909AGVSAM

- "Y" Pattern Wall Flange with Two Ball Valves @ 90°
- E7T Removable Serrated Hose Nozzle
- Lever Handles
- Air, Gas and Vac Service Buttons
- 3/8" NPT Inlet Shank Assembled

BUY
AMERICAN
ACT
COMPLIANT



45-Day Lead Time

BUY
AMERICAN
ACT
COMPLIANT



45-Day Lead Time

BUY
AMERICAN
ACT
COMPLIANT



45-Day Lead Time



1301-CP

- Deck Mounted Multiple Service Fitting
- GN2B Rigid/Swing Gooseneck Spout
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- (2) 909 Ball Valves @ 180°
- 1301-SB1K Inlet Shank Assembly - Shipped Loose



1301-GN2BVE7-369CP

- Deck Mounted Multiple Service Fitting
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 369 Lever Handle
- Cold Water Service Button
- Quatum™ Operating Cartridge
- (2) 909 Ball Valves @ 180°
- 1301-SB1K Inlet Shank Assembly - Shipped Loose



1301-GN2BVE7CP

- Deck Mounted Multiple Service Fitting
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- (2) 909 Ball Valves @ 180°
- 1301-SB1K Inlet Shank Assembly - Shipped Loose

BUY
AMERICAN
ACT
COMPLIANT

BUY
AMERICAN
ACT
COMPLIANT



BUY
AMERICAN
ACT
COMPLIANT



1332-CP

- One Piece Cast Brass Spout
- E7 Removable Serrated Hose Nozzle
- 205 Plastic Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- (2) 909C Ball Valves with Checks
- (2) 3/8" NPT Male Inlet Shank Assemblies



1332-E22E7CP

- One Piece Cast Brass Spout
- E22 Inline Vacuum Breaker*
- E7T Removable Serrated Hose Nozzle
- 205 Plastic Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- (2) 909C Ball Valves with Checks
- (2) 3/8" NPT Male Inlet Shank Assemblies

BUY
AMERICAN
ACT
COMPLIANT



927-317CP

- Single Inlet Water Fitting
- GN2B Rigid/Swing Gooseneck Spout
- E7 Removable Serrated Hose Nozzle
- 317 Wristblade Handle
- Cold Index
- Quatern™ Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT



927-CP

- Single Inlet Water Fitting
- GN2B Rigid/Swing Gooseneck Spout
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



927-VPPCP

- Single Inlet Water Fitting
- GN2B Rigid/Swing Gooseneck Spout
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- Anti-Rotational Body Deck Pin
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT



928-317CP

- Single Inlet Water Fitting
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 317 Wristblade Handle
- Cold Index
- Quatern™ Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT



928-369CP

- Single Inlet Water Fitting
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 369 Lever Handle
- Cold Index
- Quatern™ Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT



928-CP

- Single Inlet Water Fitting
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT



BUY
AMERICAN
ACT
COMPLIANT



BUY
AMERICAN
ACT
COMPLIANT

**928-GN8BVBE7CP**

- Single Inlet Water Fitting
- GN8BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT

**928-VRCP**

- Vandal Resistant Single Inlet Water Fitting
- GN2BVB Rigid Only Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Serrated Hose Nozzle
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- Anti-Rotational Body Deck Pin
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser
- All Threaded Connections Cemented

BUY
AMERICAN
ACT
COMPLIANT

**929-317CP**

- Combination Hot and Cold Water Fitting
- GN2B Rigid/Swing Gooseneck Spout
- E7 Removable Serrated Hose Nozzle
- 317 Wristblade Handles
- Quatum™ Operating Cartridges
- 3/8" O.D. Copper Supply Tubes

BUY
AMERICAN
ACT
COMPLIANT

**928-VR317CP**

- Vandal Resistant Single Inlet Water Fitting
- GN2BVB Rigid Only Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Serrated Hose Nozzle
- 317 Wristblade Handle
- Cold Index
- Quatum™ Operating Cartridge
- Anti-Rotational Body Deck Pin
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser
- All Threaded Connections Cemented

BUY
AMERICAN
ACT
COMPLIANT

**928-VRE3-2CP**

- Vandal Resistant Single Inlet Water Fitting
- GN2BVB Rigid Only Atmospheric Vacuum Breaker Gooseneck Spout*
- E3-2, 2.2 GPM Pressure Compensating Softflo® Aerator
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- Anti-Rotational Body Deck Pin
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser
- All Threaded Connections Cemented

BUY
AMERICAN
ACT
COMPLIANT

**929-CP**

- Combination Hot and Cold Water Fitting
- GN2B Rigid/Swing Gooseneck Spout
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handles
- Hot and Cold Water Service Buttons
- Slow Compression Operating Cartridges
- 3/8" O.D. Copper Supply Tubes

BUY
AMERICAN
ACT
COMPLIANT

**928-VR369CP**

- Vandal Resistant Single Inlet Water Fitting
- GN2BVB Rigid Only Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Serrated Hose Nozzle
- 369 Lever Handle
- Cold Index
- Quatum™ Operating Cartridge
- Anti-Rotational Body Deck Pin
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser
- All Threaded Connections Cemented

BUY
AMERICAN
ACT
COMPLIANT

**928-VRLHCP**

- Vandal Resistant Single Inlet Water Fitting Left Hand Operation
- GN2BVB Rigid Only Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Serrated Hose Nozzle
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- Anti-Rotational Body Deck Pin
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser
- All Threaded Connections Cemented

BUY
AMERICAN
ACT
COMPLIANT

**930-317CP**

- Combination Hot and Cold Water Fitting
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 317 Wristblade Handles
- Quatum™ Operating Cartridges
- 3/8" O.D. Copper Supply Tubes

BUY
AMERICAN
ACT
COMPLIANT



930-369CP

- Combination Hot and Cold Water Fitting
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 369 Lever Handles
- Hot and Cold Water Service Buttons
- Quaturn™ Operating Cartridges
- 3/8" O.D. Copper Supply Tubes



930-CP

- Combination Hot and Cold Water Fitting
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handles
- Hot and Cold Water Service Buttons
- Slow Compression Operating Cartridges
- 3/8" O.D. Copper Supply Tubes



930-GN8BVBE7-317CP

- Combination Hot and Cold Water Fitting
- GN8BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 317 Wristblade Handles
- Quaturn™ Operating Cartridges
- 3/8" O.D. Copper Supply Tubes



New for 2010!

930-GN8BVB317CP

- Combination Hot and Cold Water Fitting
- GN8BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- 317 Wristblade Handles
- Hot and Cold Water Service Buttons
- Slow Compression Operating Cartridges
- 3/8" O.D. Copper Supply Tubes



930-GN8BVBE7CP

- Combination Hot and Cold Water Fitting
- GN8BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Serrated Hose Nozzle
- 204 Cross Handles
- Hot and Cold Water Service Buttons
- Slow Compression Operating Cartridges
- 3/8" O.D. Copper Supply Tubes



930-VR317CP

- Vandal Resistant Combination Hot and Cold Water Fitting
- GN2BVB Rigid Only Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Serrated Hose Nozzle
- 317 Wristblade Handles
- Quaturn™ Operating Cartridges
- Anti-Rotational Body Deck Pin
- 3/8" O.D. Copper Supply Tubes
- All Threaded Connections Factory Cemented



930-VR369CP

- Vandal Resistant Combination Hot and Cold Water Fitting
- GN2BVB Rigid Only Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Serrated Hose Nozzle
- 369 Lever Handles
- Hot and Cold Water Service Buttons
- Quaturn™ Operating Cartridges
- Anti-Rotational Body Deck Pin
- 3/8" O.D. Copper Supply Tubes
- All Threaded Connections Cemented



930-VRCP

- Vandal Resistant Combination Hot and Cold Water Fitting
- GN2BVB Rigid Only Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handles
- Hot and Cold Water Service Buttons
- Slow Compression Operating Cartridges
- Anti-Rotational Body Deck Pin
- 3/8" O.D. Copper Supply Tubes
- All Threaded Connections Factory Cemented



930-XKCP

- Combination Hot and Cold Water Fitting
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handles
- Hot and Cold Water Service Buttons
- Ceramic Disc Operating Cartridges
- 3/8" O.D. Copper Supply Tubes



**931-L12CP**

- Combination Hot and Cold Water Fitting
- L12 Swing Spout
- E3, 2.2 GPM Pressure Compensating Softflo® Aerator
- 204 Cross Handles
- Hot and Cold Water Service Buttons
- Slow Compression Operating Cartridges
- 3/8" O.D. Copper Supply Tubes

BUY
AMERICAN
ACT
COMPLIANT

**931-VBE3-2CP**

- Combination Hot and Cold Water Fitting
- L8BVB Atmospheric Vacuum Breaker Swing Spout*
- E3-2, 2.2 GPM Pressure Compensating Softflo® Aerator
- 204 Cross Handles
- Hot and Cold Water Service Buttons
- Slow Compression Operating Cartridges
- 3/8" O.D. Copper Supply Tubes

BUY
AMERICAN
ACT
COMPLIANT

**931-VBE7CP**

- Combination Hot and Cold Water Fitting
- L8BVB Atmospheric Vacuum Breaker Swing Spout*
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handles
- Hot and Cold Water Service Buttons
- Slow Compression Operating Cartridges
- 3/8" O.D. Copper Supply Tubes

BUY
AMERICAN
ACT
COMPLIANT

**941-CP**

- Combination Hot and Cold Water Fitting
- S6 Cast Swing Spout
- E3, 2.2 GPM Pressure Compensating Softflo® Aerator
- 204 Cross Handles
- Hot and Cold Water Service Buttons
- Slow Compression Operating Cartridges
- "LS" 1/2" NPT Female Tall Angle Supply Arms
- 748-002 1/2" NPT x NPSM Male Inlet Shank Assemblies - Shipped Loose

BUY
AMERICAN
ACT
COMPLIANT

**941-VBE7CP**

- Combination Hot and Cold Water Fitting
- L8BVB Atmospheric Vacuum Breaker Swing Spout*
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handles
- Hot and Cold Water Service Buttons
- Slow Compression Operating Cartridges
- "LS" 1/2" NPT Female Tall Angle Supply Arms
- 748-002 1/2" NPT x NPSM Male Inlet Shank Assemblies - Shipped Loose

BUY
AMERICAN
ACT
COMPLIANT

**946-CP**

- Combination Hot and Cold Water Fitting
- GN2B Rigid/Swing Gooseneck Spout
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handles
- Hot and Cold Water Service Buttons
- Slow Compression Operating Cartridges
- "SS" 1/2" NPT Female Short Angle Supply Arms
- 748-002 1/2" NPT x NPSM Male Inlet Shank Assemblies - Shipped Loose

BUY
AMERICAN
ACT
COMPLIANT

**947-317CP**

- Combination Hot and Cold Water Fitting
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 317 Wristblade Handles
- Quatern™ Operating Cartridges
- "SS" 1/2" NPT Female Short Angle Supply Arms
- 748-002 1/2" NPT x NPSM Male Inlet Shank Assemblies - Shipped Loose

BUY
AMERICAN
ACT
COMPLIANT

**947-369CP**

- Combination Hot and Cold Water Fitting
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 369 Lever Handles
- Quatern™ Operating Cartridges
- "SS" 1/2" NPT Female Short Angle Supply Arms
- 748-002 1/2" NPT x NPSM Male Inlet Shank Assemblies - Shipped Loose

BUY
AMERICAN
ACT
COMPLIANT

**947-CP**

- Combination Hot and Cold Water Fitting
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handles
- Hot and Cold Water Service Buttons
- Slow Compression Operating Cartridges
- "SS" 1/2" NPT Female Short Angle Supply Arms
- 1/2" NPT x NPSM Male Inlet Shank Assemblies - Shipped Loose

BUY
AMERICAN
ACT
COMPLIANT



1334-CP

- Dual Service One Piece Cast Brass Spout
- Gas Outlets Plugged
- E7 Removable Serrated Hose Nozzle
- 205 Plastic Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- (2) 3/8" NPT Male Inlet Shank Assemblies

BUY
AMERICAN
ACT
CONFIDENTIAL



932-VBE7WSCP

- Single Inlet Water Fitting
- L8BVB Atmospheric Vacuum Breaker Swing Spout*
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- 1/2" NPT Inlet Shank Assembled

BUY
AMERICAN
ACT
CONFIDENTIAL



932-WSCP

- Single Inlet Water Fitting
- S6 Cast Swing Spout
- E3 2.2 GPM Pressure Compensating Softflo® Aerator
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- 932-001K 1/2" NPT Inlet Shank
- Assembled to Body

BUY
AMERICAN
ACT
CONFIDENTIAL



933-CP

- Single Inlet Water Fitting
- GN2B Rigid/Swing Gooseneck Spout
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- 1/2" NPT Flanged Female Inlet

BUY
AMERICAN
ACT
CONFIDENTIAL



933-WSCP

- Single Inlet Water Fitting
- GN2B Rigid/Swing Gooseneck Spout
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- 1/2" NPT Inlet Shank Assembled

BUY
AMERICAN
ACT
CONFIDENTIAL



934-CP

- Single Inlet Water Fitting
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- 1/2" NPT Flanged Female Inlet

BUY
AMERICAN
ACT
CONFIDENTIAL



934-WSCP

- Single Inlet Water Fitting
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- 1/2" NPT Inlet Shank Assembled

BUY
AMERICAN
ACT
CONFIDENTIAL



938-CP

- Single Inlet Water Fitting
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- 1/2" NPT Female Inlet

BUY
AMERICAN
ACT
CONFIDENTIAL



938-WSCP

- Single Inlet Water Fitting
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- 1/2" NPT Inlet Shank Assembled

BUY
AMERICAN
ACT
CONFIDENTIAL

**940-CP**

- Combination Hot and Cold Water Fitting
- S6 Cast Swing Spout
- E3, 2.2 GPM Pressure Compensating Softflo® Aerator
- 204 Cross Handles
- Hot and Cold Water Service Buttons
- Slow Compression Operating Cartridges
- "G" Adjustable 1/2" NPT Female Supply Arms
- 1/2" NPT Male Inlet Shank Assemblies
- Shipped Loose

BUY
AMERICAN
ACT
COMPLIANT

**940-VBE7WSLCP**

- Combination Hot and Cold Water Fitting
- L8BVB Atmospheric Vacuum Breaker Swing Spout*
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handles
- Hot and Cold Water Service Buttons
- Slow Compression Operating Cartridges
- "G" Adjustable 1/2" NPT Female Supply Arms
- 1/2" NPT Male Inlet Shank Assemblies
- Shipped Loose

BUY
AMERICAN
ACT
COMPLIANT

**940-WSLCP**

- Combination Hot and Cold Water Fitting
- S6 Cast Swing Spout
- E3, 2.2 GPM Pressure Compensating Softflo® Aerator
- 204 Cross Handles
- Hot and Cold Water Service Buttons
- Slow Compression Operating Cartridges
- "G" Adjustable 1/2" NPT Female Supply Arms
- 1/2" NPT Male Inlet Shank Assemblies
- Shipped Loose

BUY
AMERICAN
ACT
COMPLIANT

**942-CP**

- Combination Hot and Cold Water Fitting
- GN2B Rigid/Swing Gooseneck Spout
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handles
- Hot and Cold Water Service Buttons
- Slow Compression Operating Cartridges
- "G" Adjustable 1/2" NPT Female Supply Arms
- 1/2" NPT Male Inlet Shanks
- Required for Installation (Order Separately)

BUY
AMERICAN
ACT
COMPLIANT

**942-WSLCP**

- Combination Hot and Cold Water Fitting
- GN2B Rigid/Swing Gooseneck Spout
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handles
- Hot and Cold Water Service Buttons
- Slow Compression Operating Cartridges
- "G" Adjustable 1/2" NPT Female Supply Arms
- 1/2" NPT Male Inlet Shank Assemblies
- Shipped Loose

BUY
AMERICAN
ACT
COMPLIANT

**943-317CP**

- Combination Hot and Cold Water Fitting
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 317 Wristblade Handles
- Quatum™ Operating Cartridges
- "G" Adjustable 1/2" NPT Female Supply Arms
- 1/2" NPT Male Inlet Shanks
- Required for Installation (Order Separately)

BUY
AMERICAN
ACT
COMPLIANT

**943-CP**

- Combination Hot and Cold Water Fitting
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handles
- Hot and Cold Water Service Buttons
- Slow Compression Operating Cartridges
- "G" Adjustable 1/2" NPT Female Supply Arms
- 1/2" NPT Male Inlet Shanks
- Required for Installation (Order Separately)

BUY
AMERICAN
ACT
COMPLIANT

**943-WSLCP**

- Combination Hot and Cold Water Fitting
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handles
- Hot and Cold Water Service Buttons
- Slow Compression Operating Cartridges
- "G" Adjustable 1/2" NPT Female Supply Arms
- 1/2" NPT Male Inlet Shank Assemblies
- Shipped Loose

BUY
AMERICAN
ACT
COMPLIANT

**947-GN8BVB7CP**

- Combination Hot and Cold Water Fitting
- GN8BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handles
- Hot and Cold Water Service Buttons
- Slow Compression Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser
- "SS" Short Angle Inlet Supply Arm

BUY
AMERICAN
ACT
COMPLIANT



1300-CP

- Single Inlet Water Fitting
- Atmospheric Vacuum Breaker*
- E7XT 30 Degree Angled Serrated Hose Nozzle
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- 1/2" NPT Flanged Female Inlet

BUY
AMERICAN
ACT
COMPLIANT



1300-MCP

- Single Inlet Water Fitting
- Atmospheric Vacuum Breaker*
- E7XT 30° Angled Serrated Hose Nozzle
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- 1/2" NPT Male Inlet

BUY
AMERICAN
ACT
COMPLIANT



1305-CP

- Concealed Water Valve
- 1/2" NPT Female Side Outlet
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT



1305-PLCP

- Concealed Water Valve
- 1/2" NPT Female Side Outlet
- 204 Cross Handle
- Plain Button
- Slow Compression Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT



828-ACP

- Deck Mounted Pure Water Fitting
- Polypropylene Valve Body Assembly
- PTFE Liner with Chrome Plated Brass Housing
- Removable Serrated Hose Nozzle
- 3-Arm Polypropylene Handle
- Polypropylene Cartridge with PTFE Seat
- 3/8" NPT Polypropylene Male Inlet

BUY
AMERICAN
ACT
COMPLIANT



829-ACP

- Wall Mounted Pure Water Fitting
- Polypropylene Valve Body Assembly
- PTFE Liner with Chrome Plated Brass Housing
- Removable Serrated Hose Nozzle
- 3-Arm Polypropylene Handle
- Polypropylene Cartridge with PTFE Seat
- 3/8" NPT Polypropylene Male Inlet

BUY
AMERICAN
ACT
COMPLIANT



838-CP

- Deck Mounted Pure Water Fitting
- Chrome Plated Spout with Tygon® Lining
- Integral Serrated Hose Nozzle
- Self Closing Push/Pull to Lock Handle Open
- Celcon® Valve
- 1/2" NPT Male Inlet

BUY
AMERICAN
ACT
COMPLIANT



839-CP

- Wall Mounted Pure Water Fitting
- Chrome Plated Spout with Tygon® Lining
- Integral Serrated Hose Nozzle
- Self Closing Push/Pull to Lock Handle Open
- Celcon® Valve
- 1/2" NPT Male Inlet

BUY
AMERICAN
ACT
COMPLIANT



869-BLHPVC

- Deck Mounted PVC Distilled Water Fitting
- Left Hand Operation
- PVC Rigid Gooseneck Spout
- Integral Serrated Hose Nozzle
- 3-Arm PVC Handle
- PVC Valve
- 3/8" NPT Female Inlet or 1/2" NPSM Male Inlet

BUY
AMERICAN
ACT
COMPLIANT



869-BPVC

- Deck Mounted PVC Distilled Water Fitting
- PVC Rigid Gooseneck Spout
- Integral Serrated Hose Nozzle
- 3-Arm PVC Handle
- PVC Valve
- 3/8" NPT Female Inlet or 1/2" NPSM Male Inlet

BUY
AMERICAN
ACT
CONFIDENTIAL



870-BPVC

- Wall Mounted PVC Distilled Water Fitting
- PVC Rigid Gooseneck Spout
- Integral Serrated Hose Nozzle
- 3-Arm PVC Handle
- PVC Valve
- 3/8" NPT Female Inlet or 1/2" NPSM Male Inlet

BUY
AMERICAN
ACT
CONFIDENTIAL



969-217XLHCTF

- Deck Mounted Distilled Water Fitting
- All Internal Surfaces are Tin Lined
- GN2B Rigid/Swing Gooseneck Spout
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- DW Service Button
- Slow Compression Cartridge
- 1/4" NPT Male Inlet Tailpiece

BUY
AMERICAN
ACT
CONFIDENTIAL



969-CTF

- Deck Mounted Distilled Water Fitting
- All Internal Surfaces are Tin Lined
- GN2B Rigid/Swing Gooseneck Spout
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- DW Service Button
- Self-Closing Cartridge
- 1/4" NPT Male Inlet Tailpiece

BUY
AMERICAN
ACT
CONFIDENTIAL



970-CTF

- Wall Mounted Distilled Water Fitting
- All Internal Surfaces Are Tin Lined
- GN2B Rigid/Swing Gooseneck Spout
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- DW Service Button
- Self-Closing Cartridge
- 1/2" NPT Flanged Female Inlet

BUY
AMERICAN
ACT
CONFIDENTIAL



971-CTF

- Wall Mounted Distilled Water Fitting
- All Internal Surfaces Are Tin Lined
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- DW Service Button
- Self-Closing Cartridge
- 3/8" NPT Male Inlet Thread

BUY
AMERICAN
ACT
CONFIDENTIAL



972-CTF

- Wall Mounted Distilled Water Fitting
- All Internal Surfaces Are Tin Lined
- E7 Removable Serrated Tin Lined Hose Nozzle
- 204 Cross Handle
- DW Service Button
- Tin Lined Self-Closing Cartridge
- 1/2" NPT Flanged Female Inlet

BUY
AMERICAN
ACT
CONFIDENTIAL



913-AGVCP

- Right-Hand 45° Angle Control Valve For Panel Mounting
- 204 Cross Handle
- Air, Gas and Vacuum Service Buttons
- Needle Valve Cartridge
- 3/8" NPT Female Inlet and Outlet

BUY
AMERICAN
ACT
CONFIDENTIAL



914-CP

- Right-Hand 45° Angle Control Water Valve For Panel Mounting
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- 3/8" NPT Female Inlet and Outlet

BUY
AMERICAN
ACT
CONFIDENTIAL



915-CP

- Left-Hand 45° Angle Control Steam Valve For Panel Mounting
- 204 Cross Handle
- Steam Service Button
- Slow Compression Operating Cartridge
- 3/8" NPT Female Inlet and Outlet

BUY
AMERICAN
ACT
COMPLIANT



962-VOACP

- Remote Control Water Valve for 45° Angle Panels
- Wall Flange and Extension Rod
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- 3/8" NPT Female Inlet and Outlet

BUY
AMERICAN
ACT
COMPLIANT



962-VOCPP

- Remote Control Water Valve for Straight Panels
- Wall Flange and Extension Rod
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- 3/8" NPT Female Inlet and Outlet

BUY
AMERICAN
ACT
COMPLIANT



962-VOGAAGVCP

- Remote Control Needle Valve for 45° Angle Panels
- Wall Flange and Extension Rod
- 204 Cross Handle
- Air, Gas and Vac Service Buttons
- Needle Valve Cartridge
- 3/8" NPT Female Inlet and Outlet

BUY
AMERICAN
ACT
COMPLIANT



962-VOGAGVCP

- Remote Control Needle Valve for Straight Panels
- Wall Flange and Extension Rod
- 204 Cross Handle
- Air, Gas and Vac Service Buttons
- Needle Valve Cartridge
- 3/8" NPT Female Inlet and Outlet

BUY
AMERICAN
ACT
COMPLIANT



962-VOSCP

- Remote Control Steam Valve for Straight Panels
- Wall Flange and Extension Rod
- 204 Cross Handle
- Steam Service Button
- Slow Compression Operating Cartridge
- 3/8" NPT Female Inlet and Outlet

BUY
AMERICAN
ACT
COMPLIANT



986-E7TCP

- Wall Flange with Serrated Hose Nozzle
- E7T Removable Serrated Hose Nozzle
- 3/8" NPT Inlet Shank - Shipped Loose

BUY
AMERICAN
ACT
COMPLIANT



986-E7XTCP

- Wall Flange with Serrated Hose Nozzle
- E7XT 30° Removable Angled Serrated Hose Nozzle
- 3/8" NPT Inlet Shank - Shipped Loose

BUY
AMERICAN
ACT
COMPLIANT



986-FE7XTCP

- Wall Flange with Serrated Hose Nozzle
- E7XT 30° Removable Angled Serrated Hose Nozzle
- 3/8" NPT Female Inlet Thread

BUY
AMERICAN
ACT
COMPLIANT

**988-WSGN2BVB7CP**

- Wall Flange with Spout
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 3/8" NPT Inlet Shank Assembled

BUY
AMERICAN
ACT
COMPLIANT

**1322-205AGVCP**

- Concealed Valve
- 205 Plastic Cross Handle
- Air, Gas and Vac Service Buttons
- Needle Valve Cartridge
- 3/8" NPT Female Inlet and Outlet

BUY
AMERICAN
ACT
COMPLIANT

**1322-AGVCP**

- Concealed Valve
- 204 Cross Handle
- Air, Gas and Vac Service Buttons
- Needle Valve Cartridge
- 3/8" NPT Female Inlet and Outlet

BUY
AMERICAN
ACT
COMPLIANT

**1323-CP**

- Concealed Valve
- 204 Cross Handle
- Plain Water Service Button
- Slow Compression Operating Cartridge
- 3/8" NPT Female Inlet and Outlet

BUY
AMERICAN
ACT
COMPLIANT

**980-CP**

- Turret with One Side Outlet
- 3/8" NPT Female Inlet and Outlet Thread
- 957-003K 3/8" NPT Inlet Shank
 - Required for Installation (Order Separately)

BUY
AMERICAN
ACT
COMPLIANT

**980-WSCP**

- Turret with One Side Outlet
- 3/8" NPT Female Outlet Thread
- 3/8" NPT Inlet Shank Assembled

BUY
AMERICAN
ACT
COMPLIANT

**980-WSE7TCP**

- Turret with Serrated Hose Nozzle
- E7T Removable Serrated Hose Nozzle
- 3/8" NPT Inlet Shank Assembled

BUY
AMERICAN
ACT
COMPLIANT

**981-CP**

- Turret with Two Side Outlets @ 180°
- (2) 3/8" NPT Female Outlets
- 957-003K 3/8" NPT Inlet Shank
 - Required for Installation (Order Separately)

BUY
AMERICAN
ACT
COMPLIANT

**981-WSCP**

- Turret with Two Side Outlets @ 180° and Inlet Shank
- (2) 3/8" NPT Female Outlets
- 3/8" NPT Inlet Shank Assembled

BUY
AMERICAN
ACT
COMPLIANT



982-CP

- Turret with Two Side Outlets @ 90°
- (2) 3/8" NPT Female Outlets
- 957-003K 3/8" NPT Inlet Shank
 - Required for Installation (Order Separately)

BUY
AMERICAN
ACT
COMPLIANT



982-VPCP

- Turret with Two Side Outlets @ 90° and Vandal Resistant Pin
- (2) 3/8" NPT Female Outlets
- 957-003K 3/8" NPT Inlet Shank
 - Required for Installation (Order Separately)

BUY
AMERICAN
ACT
COMPLIANT



982-WSCP

- Turret with Two Side Outlets @ 90°
- (2) 3/8" NPT Female Outlets
- 3/8" NPT Inlet Shank Assembled

BUY
AMERICAN
ACT
COMPLIANT



983-WSCP

- Turret with Three Side Outlets @ 90°
- (3) 3/8" NPT Female Outlets
- 957-003K 3/8" NPT Inlet Shank
 - Assembled to Turret

BUY
AMERICAN
ACT
COMPLIANT



984-CP

- Turret with Four Side Outlets @ 90°
- (4) 3/8" NPT Female Outlets
- 957-003K 3/8" NPT Inlet Shank
 - Required for Installation (Order Separately)

BUY
AMERICAN
ACT
COMPLIANT



984-WSCP

- Turret with Four Side Outlets @ 90°
- (4) 3/8" NPT Female Outlets
- 3/8" NPT Inlet Shank Assembled

BUY
AMERICAN
ACT
COMPLIANT



980-909-957-3KAGVCP

- Turret with Single Ball Valve
- E7T Removable Serrated Hose Nozzle
- Lever Handle
- Air, Gas and Vac Service Buttons
- 3/8" NPT Inlet Shank - Shipped Loose

BUY
AMERICAN
ACT
COMPLIANT



980-909AGVCP

- Turret with Single Ball Valve
- E7T Removable Serrated Hose Nozzle
- Lever Handle
- Air, Gas and Vac Service Buttons
- 957-003K 3/8" NPT Inlet Shank
 - Required for Installation (Order Separately)

BUY
AMERICAN
ACT
COMPLIANT



980-909CAGCP

- Turret with Single Ball Valve
- E7TC Removable Serrated Hose Nozzle with Check
- Lever Handle
- Air and Gas Service Buttons
- 957-003K 3/8" NPT Inlet Shank
 - Required for Installation (Order Separately)

BUY
AMERICAN
ACT
COMPLIANT



**980-937CHAGVCP**

- Turret with Single Needle Valve
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- Air, Gas and Vac Service Buttons
- Needle Valve Cartridge
- 957-003K 3/8" NPT Inlet Shank
- Required for Installation (Order Separately)

**980-VR909CAGCP**

- Vandal Resistant Turret with Single Ball Valve
- E7TC Serrated Hose Nozzle with Check
- Lever Handle
- Air and Gas Service Buttons
- Vandal Resistant Pin in Turret
- All Threaded Connections Cemented
- 3/8" NPT Inlet Shank Assembled

**980-WS909AGVCP**

- Turret with Single Ball Valve
- E7T Removable Serrated Hose Nozzle
- Lever Handle
- Air, Gas and Vac Service Buttons
- 3/8" NPT Inlet Shank Assembled

**980-WS909CAGCP**

- Turret with Single Ball Valve
- E7TC Removable Serrated Hose Nozzle with Check
- Lever Handle
- Air and Gas Service Buttons
- 3/8" NPT Inlet Shank Assembled

**981-901B957-3KAGVCP**

- Turret with Two Needle Valves @ 180°
- Integral Serrated Hose Nozzle
- 945 Wheel Handles
- Air, Gas and Vac Service Buttons
- Needle Valve Cartridges
- 3/8" NPT Inlet Shank - Shipped Loose

**981-909-957-3KAGVCP**

- Turret with Two Ball Valves @ 180°
- E7T Removable Serrated Hose Nozzle
- Lever Handles
- Air, Gas and Vac Service Buttons
- 3/8" NPT Inlet Shank - Shipped Loose

**981-909AGVCP**

- Turret with Two Ball Valves @ 180°
- E7T Removable Serrated Hose Nozzle
- Lever Handles
- Air, Gas and Vac Service Buttons
- 957-003K 3/8" NPT Inlet Shank
- Required for Installation (Order Separately)


**981-909CAGCP**

- Turret with Two Ball Valves @ 180°
- E7TC Removable Serrated Hose Nozzle with Check
- Lever Handles
- Air, Gas and Vac Service Buttons
- 957-003K 3/8" NPT Inlet Shank
- Required for Installation (Order Separately)

**981-937CHAGVCP**


- Turret with Two Needle Valves @ 180°
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handles
- Air, Gas and Vac Service Buttons
- Needle Valve Cartridges
- 957-003K 3/8" NPT Inlet Shank
- Required for Installation (Order Separately)






981-VR909AGVCP

- Vandal Resistant Turret with Two Ball Valves @ 180°
- E7T Removable Serrated Hose Nozzle
- Lever Handles
- Air, Gas and Vac Service Buttons
- Vandal Resistant Pin in Turret
- Completely Assembled - All Threaded Connections Cemented
- 957-003K 3/8" NPT Inlet Shank
- Assembled to Turret




981-VR909CAGCP

- Vandal Resistant Turret with Two Ball Valves @ 180°
- E7TC Serrated Hose Nozzle with Check
- Lever Handles
- Air and Gas Service Buttons
- Vandal Resistant Pin in Turret
- All Threaded Connections Cemented
- 3/8" NPT Inlet Shank Assembled



981-WS909AGVCP

- Turret with Two Ball Valves @ 180°
- E7T Removable Serrated Hose Nozzle with Check Valve
- Lever Handles
- Air, Gas and Vac Service Buttons
- 3/8" NPT Inlet Shank Assembled




981-WS909CAGCP

- Turret with Two Ball Valves @ 180°
- E7TC Removable Serrated Hose Nozzle with Check
- Lever Handles
- Air and Gas Service Buttons
- 3/8" NPT Inlet Shank Assembled



981-WS937CHAGVCP

- Turret with Two Needle Valves @ 180°
- E7 Removable Serrated Hose Nozzles
- 204 Cross Handles
- Air, Gas and Vac Service Buttons
- Needle Valve Cartridges
- 3/8" NPT Inlet Shank Assembled



982-909-957-3KAGVCP

- Turret with Two Ball Valves @ 90°
- E7T Removable Serrated Hose Nozzle
- Lever Handles
- Air, Gas and Vac Service Buttons
- 3/8" NPT Inlet Shank - Shipped Loose



982-909AGVCP

- Turret with Two Ball Valves @ 90°
- E7T Removable Serrated Hose Nozzle
- Lever Handles
- Air, Gas and Vac Service Buttons
- 957-003K 3/8" NPT Inlet Shank
- Required for Installation (Order Separately)



982-909CAGCP

- Turret with Two Ball Valves @ 90°
- E7TC Removable Serrated Hose Nozzle with Check
- Lever Handles
- Air and Gas Service Buttons
- 957-003K 3/8" NPT Inlet Shank
- Required for Installation (Order Separately)



982-937CHAGVCP

- Turret with Two Needle Valves @ 90°
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handles
- Air, Gas and Vac Service Buttons
- Needle Valve Cartridges
- 957-003K 3/8" NPT Inlet Shank
- Required for Installation (Order Separately)



**982-DS909AGVCP**

- Dual Service Turret with Two Ball Valves @ 90°
- E7T Removable Serrated Hose Nozzle
- Lever Handles
- Air, Gas and Vac Service Buttons
- (2) 3/8" NPT Inlet Shanks - Shipped Loose

**982-DSVR909CAGCP**

- Vandal Resistant Dual Service Turret with Two Ball Valves @ 90°
- E7TC Removable Serrated Hose Nozzle with Check
- Lever Handles
- Air and Gas Service Buttons
- Vandal Resistant Pin in Turret
- All Threaded Connections Cemented
- (2) 3/8" NPT Inlet Shanks Assembled

**982-VP909CAGCP**

- Turret with Two Ball Valves @ 90° and Vandal Resistant Pin
- E7TC Removable Serrated Hose Nozzles with Check
- Lever Handles
- Air and Gas Service Buttons
- Vandal Resistant Pin in Turret
- 957-003K 3/8" NPT Inlet Shank
- Required for Installation (Order Separately)

**982-VR909AGVCP**

- Vandal Resistant Turret with Two Ball Valves @ 90°
- E7T Serrated Hose Nozzles
- Lever Handles
- Air, Gas and Vac Service Buttons
- Vandal Resistant Pin in Turret
- All Threaded Connections Cemented
- 3/8" NPT Inlet Shank Assembled

**982-VR909CAGCP**

- Vandal Resistant Turret with Two Ball Valves @ 90°
- E7TC Serrated Hose Nozzles with Check
- Lever Handles
- Air and Gas Service Buttons
- Vandal Resistant Pin in Turret
- All Threaded Connections Cemented
- 3/8" NPT Inlet Shank Assembled

**982-WS909AGVCP**


- Turret with Two Ball Valves @ 90°
- E7T Removable Serrated Hose Nozzle
- Lever Handles
- Air, Gas and Vac Service Buttons
- 3/8" NPT Inlet Shank Assembled

**982-WS909CAGCP**

- Turret with Two Ball Valves @ 90°
- E7TC Removable Serrated Hose with Check
- Lever Handles
- Air and Gas Service Buttons
- 3/8" NPT Inlet Shank Assembled

**983-909AGVCP**

- Turret with Three Ball Valves @ 90°
- E7T Removable Serrated Hose Nozzle
- Lever Handles
- Air, Gas and Vac Service Buttons
- 957-003K 3/8" NPT Inlet Shank
- Required for Installation (Order Separately)

**984-VR909CAGCP**

- Vandal Resistant Turret with Four Ball Valves @ 90°
- E7TC Serrated Hose with Check
- Lever Handles
- Air and Gas Service Buttons
- Vandal Resistant Pin in Turret
- All Threaded Connections Cemented
- 3/8" NPT Inlet Shank Assembled





997-CP

- Three Water Valves
- GN2B Rigid/Swing Gooseneck Spout
- E7 Removable Serrated Hose Nozzles
- 204 Cross Handles
- Cold Water Service Buttons
- Slow Compression Operating Cartridges
- 3/8" NPT Inlet Shank Assembled

BUY
AMERICAN
ACT
COMPLIANT



980-WSGN2BVBE7CP

- Turret with Spout
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 3/8" NPT Inlet Shank Assembled

BUY
AMERICAN
ACT
COMPLIANT



985-AWSGN2BVBE7CP

- Turret with Spout
- GN2BVB Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout*
- E7 Removable Serrated Hose Nozzle
- 3/8" NPT Inlet Shank Assembled

BUY
AMERICAN
ACT
COMPLIANT



985-BCP

- Turret with Spout and Water Control Valve
- GN2B Rigid/Swing Gooseneck Spout
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- 3/8" NPT Inlet Shank - Shipped Loose

BUY
AMERICAN
ACT
COMPLIANT



985-HRCP

- Turret with Spout
- 18" Elevated High Rise Spout Assembly
- L12 Swing Spout
- E3, 2.2 GPM Pressure Compensating Softflo® Aerator
- 3/8" NPT Inlet Shank Assembled

BUY
AMERICAN
ACT
COMPLIANT



937-205CP

- Water Valve
- E7 Removable Serrated Hose Nozzle
- 205 Cross Handle
- Cold Water Index
- Slow Compression Operating Cartridge
- 3/8" - 18 NPT Male Inlet

BUY
AMERICAN
ACT
COMPLIANT



937-CHAGVCP

- Single Service Fitting
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- Air, Gas and Vac Service Buttons
- Needle Valve Cartridge
- 3/8" NPT Male Inlet
- May Be Used with Most Laboratory Gases

BUY
AMERICAN
ACT
COMPLIANT



937-WHAGVCP

- Single Service Fitting
- E7 Removable Serrated Hose Nozzle
- 945 Wheel Handle
- Air, Gas and Vac Service Buttons
- Needle Valve Cartridge
- 3/8" NPT Male Inlet
- May Be Used with Most Laboratory Gases

BUY
AMERICAN
ACT
COMPLIANT

**901-BAGVCP**

- Single Service Fitting
- Integral Serrated Hose Nozzle
- 945 Wheel Handle
- Air, Gas and Vac Service Buttons
- Needle Valve
- 3/8" NPT Male Inlet

**BUY
AMERICAN
ACT**
COMPLIANT

**954-CHAGVCP**

- Angle Valve
- E7T Removable Serrated Hose Nozzle
- 204 Cross Handle
- Air, Gas and Vac Service Buttons
- Needle Valve Cartridge
- 3/8" NPT Female Inlet

**BUY
AMERICAN
ACT**
COMPLIANT

**954-CP**

- Angle Valve
- E7T Removable Serrated Hose Nozzle
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- 3/8" NPT Female Inlet

**BUY
AMERICAN
ACT**
COMPLIANT

**909-AGVCP**

- Ball Valve
- E7T Removable Serrated Hose Nozzle
- Lever Handle
- Air, Gas and Vac Service Buttons
- 3/8" NPT Male Inlet
- May Be Used with Most Laboratory Gases

**BUY
AMERICAN
ACT**
COMPLIANT

**909-AIRCPC**

- Ball Valve
- E7T Removable Serrated Hose Nozzle
- Lever Handle
- Air Index Button
- 3/8" NPT Male Inlet

**BUY
AMERICAN
ACT**
COMPLIANT

**909-CAGCP**

- Ball Valve
- E7TC Removable Serrated Hose Nozzle with Check
- Lever Handle
- Air and Gas Button
- 3/8" NPT Male Inlet
- May Be Used with Most Laboratory Gases

**BUY
AMERICAN
ACT**
COMPLIANT

**909-CGASCP**

- Ball Valve
- E7TC Removable Serrated Hose Nozzle with Check
- Lever Handle
- Gas Index Button
- 3/8" NPT Male Inlet
- May Be Used with Most Laboratory Gases

**BUY
AMERICAN
ACT**
COMPLIANT

**909-GASCP**

- Ball Valve
- E7T Removable Serrated Hose Nozzle
- Lever Handle
- Gas Index Button
- 3/8" NPT Male Inlet
- May Be Used with Most Laboratory Gases

**BUY
AMERICAN
ACT**
COMPLIANT

**909-VACCP**

- Ball Valve
- E7T Removable Serrated Hose Nozzle
- Lever Handle
- Vac Service Button
- 3/8" NPT Male Inlet

**BUY
AMERICAN
ACT**
COMPLIANT





937-CP

- Single Water Fitting
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- Cold Water Service Button
- Slow Compression Operating Cartridge
- 3/8" NPT Male Inlet

BUY
AMERICAN
ACT
COMPLIANT



937-STCP

- Single Water Fitting
- E7XT 30° Angled Removable Serrated Hose Nozzle
- 205 Plastic Cross Handle
- Steam Service Button
- Slow Compression Steam Operating Cartridge
- 3/8" NPT Male Inlet

BUY
AMERICAN
ACT
COMPLIANT



986-CP


- Wall Flange
- 3/8" NPT Female Outlet
- 3/8" NPT Inlet Shank - Shipped Loose

BUY
AMERICAN
ACT
COMPLIANT



986-FCP

- Wall Flange
- 3/8" NPT Female Outlet
- 3/8" NPT Female Inlet



987-CP

- "Y" Pattern Wall Flange with Two Outlets @ 90°
- Two 3/8" NPT Female Outlets
- 3/8" NPT Inlet Shank - Shipped Loose

BUY
AMERICAN
ACT
COMPLIANT



987-FCP

- "Y" Pattern Wall Flange with Two Outlets @ 90°
- Two 3/8" NPT Female Outlets
- 3/8" NPT Female Inlet



988-LWSCP

- 3 5/8" Horizontal Extended Wall Flange
- E7T Removable Serrated Hose Nozzle
- 3/8" NPT Inlet Shank Assembled (Not Shown)


BUY
AMERICAN
ACT
COMPLIANT



988-WSCP

- Wall Flange with Serrated Hose Nozzle
- E7 Removable Serrated Hose Nozzle
- 3/8" NPT Inlet Shank Assembled (Not Shown)

BUY
AMERICAN
ACT
COMPLIANT

**986-909AGVCP**

- Wall Flange with Ball Valve
- E7T Removable Serrated Hose Nozzle
- Lever Handle
- Air, Gas and Vac Service Buttons
- 3/8" NPT Inlet Shank - Shipped Loose

**986-937CHAGVCP**

- Wall Flange with Needle Valve
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- Air, Gas and Vac Service Buttons
- Needle Valve Cartridge
- 3/8" NPT Inlet Shank - Shipped Loose

**986-WSV909AGVCP**

- Wall Flange with Ball Valve
- E7T Removable Serrated Hose Nozzle
- Lever Handle
- Air, Gas and Vac Service Buttons
- 3/8" NPT Inlet Shank Assembled

**986-WSV937CHAGVCP**

- Wall Flange with Needle Valve
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle
- Air, Gas and Vac Service Buttons
- Needle Valve Cartridge
- 3/8" NPT Inlet Shank - Assembled

**987-909AGVCP**

- "Y" Pattern Wall Flange with Two Ball Valves @ 90°
- E7T Removable Angled Serrated Hose Nozzle
- Lever Handles
- Air, Gas and Vac Service Buttons
- 3/8" NPT Inlet Shank - Shipped Loose

**987-909CAGCP**

- "Y" Pattern Wall Flange with Two Ball Valves @ 90°
- E7TC Removable Serrated Hose Nozzle with Check
- Lever Handles
- Air and Gas Service Buttons
- 3/8" NPT Inlet Shank - Shipped Loose

**987-937CHAGVCP**

- "Y" Pattern Wall Flange with Two Needle Valves @ 90°
- E7 Removable Angled Serrated Hose Nozzle
- 204 Cross Handles
- Air, Gas and Vac Service Buttons
- Needle Valve Cartridges
- 3/8" NPT Inlet Shank - Shipped Loose





1310-ABAF

- Electrical Outlet Box
- Single Gang - Single Face
- For 120 Volt Service
- Grounding Screw
- Brushed Aluminum Finish
- 3/4" NPSM Mounting Shank Assembly
- UL Listed

**BUY
AMERICAN
ACT**
COMPLIANT



1311-ABAF

- Electrical Outlet Box
- Single Gang - Double Face
- For 120 Volt Service
- Grounding Screw
- Brushed Aluminum Finish
- 3/4" NPSM Mounting Shank Assembly
- UL Listed

**BUY
AMERICAN
ACT**
COMPLIANT



1312-ABAF

- Electrical Outlet Box
- Double Gang - Single Face
- For 120 Volt Service
- Grounding Screw
- Brushed Aluminum Finish
- 3/4" NPSM Mounting Shank Assembly
- UL Listed

**BUY
AMERICAN
ACT**
COMPLIANT



1313-ABAF

- Electrical Outlet Box
- Double Gang - Double Face
- For 120 Volt Service
- Grounding Screw
- Brushed Aluminum Finish
- 3/4" NPSM Mounting Shank Assembly
- UL Listed

**BUY
AMERICAN
ACT**
COMPLIANT



9901-NF

- Aluminum Burette Rod Socket 3/4"
- Recessed Mount



9913-NF

- Aluminum Burette Rod Socket 3/4"
- Countertop Mount



9904-NF

- Aluminum Adjustable Clamp 3/4"



9902-NF

- Aluminum Upright Rod 3/4" x 36"



9903-NF

- Aluminum Crossbar Rod 3/4" x 36"



9905-NF

- Aluminum Crossbar Rod 3/4" x 39"



9906-NF

- Aluminum Crossbar Rod 3/4" x 24"



9907-NF

- Aluminum Crossbar Rod 3/4" x 48"



9911-NF

- Aluminum Upright Rod 3/4" x 24"



9912-NF

- Aluminum Upright Rod 3/4" x 48"



9100-HCP

- Horizontal Safety Drench Shower
- 9100-001 - 10" Stainless Steel Shower Head
- Stainless Steel Pull Rod
- 1" Ball Valve
- 1" Galvanized Piping
- 1" NPT Female Inlet

BUY
AMERICAN
ACT
COMPLIANT



9100-NF

- Horizontal or Vertical Safety Drench Shower
- 9100-002 - 10" ABS Plastic Shower Head
- Stainless Steel Pull Rod
- 1" Ball Valve
- 1" Galvanized Piping
- 1" NPT Female Inlet

BUY
AMERICAN
ACT
COMPLIANT



9101-NF

- Concealed Safety Drench Shower
- Stainless Steel Pull Rod
- 1" Ball Valve
- 1" Galvanized Piping
- 1" NPT Female Inlet

BUY
AMERICAN
ACT
COMPLIANT



9000-NF

- Deck Mounted Eye/Face Wash
- Dual High Impact ABS Plastic Feather-Flo Spray Heads with Covers
- Push Operated Stay Open Handle
- 11 1/4" Diameter Stainless Steel Receptacle
- 1 1/4" NPS Male Waste Outlet
- 1/2" NPT Female Inlet

BUY
AMERICAN
ACT
COMPLIANT



9001-NF

- Wall Mounted Eye/Face Wash
- Dual High Impact ABS Plastic Feather-Flo Spray Heads with Covers
- 90° Push Paddle Handle
- 11 1/4" Diameter Stainless Steel Receptacle
- 1 1/4" NPS Male Waste Outlet
- 1/2" NPT Female Inlet

BUY
AMERICAN
ACT
COMPLIANT



9003-NF

- Floor Mounted Pedestal Eye/Face Wash
- Dual High Impact ABS Plastic Feather-Flo Spray Heads with Covers
- 90° Push Paddle Handle
- 10" Diameter Stainless Steel Receptacle
- 1 1/4" NPS Male Waste Outlet
- 1/2" NPT Female Inlet

BUY
AMERICAN
ACT
COMPLIANT



9004-LHNF

- Left Hand Deck Mounted Swing Forward Eye/Face Wash
- Dual High Impact ABS Plastic Feather-Flo Spray Heads with Covers
- 90° Push Paddle Handle
- Valve is Fully Open when Rotated 90°
- 1/2" NPT Female Inlet

BUY
AMERICAN
ACT
COMPLIANT



9004-RHNF

- Right Hand Deck Mounted Swing Forward Eye/Face Wash
- Dual High Impact ABS Plastic Soft-Flo Spray Heads with Covers
- 90° Push Paddle Handle
- Valve is Fully Open when Rotated 90°
- 1/2" NPT Female Inlet

BUY
AMERICAN
ACT
COMPLIANT



9008-NF

- Recessed Wall Mounted Pull Down Eye/Face Wash
- Dual High Impact ABS Plastic Feather-Flo Spray Heads with Covers
- 90° Push Paddle Handle
- 1/2" NPT Female Inlet

BUY
AMERICAN
ACT
COMPLIANT






9010-NF

- Deck Mounted Swing Down Eye/Face Wash
- Dual High Impact ABS Plastic Feather-Flo Spray Heads with Covers
- Valve is Fully Open in Horizontal Position
- 1/2" O. D. Female Inlet




9011-NF

- Deck Mounted Swing Forward Eye/Face Wash
- Dual High Impact ABS Plastic Feather-Flo Spray Heads with Covers
- Valve is Fully Open when Rotated 90°
- 1/2" O. D. Female Inlet



9202-NF

- Combination Omni-Flo Eye/Face Wash and Safety Drench Shower
- 9100-002 - 10" ABS Plastic Shower Head
- Dual High Impact ABS Plastic Feather-Flo Spray Heads with Covers
- Stainless Steel Pull Rod
- 90° Push Paddle Handle
- 94" Maximum Overall Height
- Stainless Steel Eye Wash Receptor



9203-CP

- Combination Omni-Flo Eye/Face Wash and Safety Drench Shower with Hand/Foot Control
- 9100-001 - 10" Stainless Steel Shower Head
- Dual High Impact ABS Plastic Feather-Flo Spray Heads with Covers
- Stainless Steel Pull Rod
- 90° Push Paddle Handle
- 90" Maximum Overall Height
- Stainless Steel Eye Wash Receptor



9204-CP

- Wheel Chair Accessible Combination Eye/Face Wash and Safety Drench Shower
- 9100-001 - 10" Stainless Steel Shower Head
- Dual High Impact ABS Plastic Feather-Flo Spray Heads with Covers
- Stainless Steel Pull Rod
- 90° Push Paddle Handle
- 90" Maximum Overall Height
- Stainless Steel Eye Wash Receptor



9205-NF

- Wheel Chair Accessible Combination Eye/Face Wash and Safety Drench Shower
- 9100-002 - 10" ABS Plastic Shower Head
- Dual High Impact ABS Plastic Feather-Flo Spray Heads with Covers
- Stainless Steel Pull Rod
- 90" Maximum Overall Height
- Stainless Steel Eye Wash Receptor



9206-NF

- Combination Omni-Flo Eye/Face Wash and Safety Drench Shower
- 9100-002 - 10" ABS Plastic Shower Head
- Dual High Impact ABS Plastic Feather-Flo Spray Heads with Covers
- Stainless Steel Pull Rod
- 94" Maximum Overall Height
- ABS Plastic Eye Wash Receptor





9305-NF

- Deck Mounted Dual Outlet Eye/Face/Body Drench Hose
- High Impact ABS Plastic Feather-Flo Spray Heads with Covers
- Stay Open Squeeze Handle
- 8' Rubber Hose
- 1/2" NPT Male Inlet

**BUY
AMERICAN
ACT**
CORP/LLC



9310-NF

- Wall Mounted Dual Outlet Eye/Face/Body Drench Hose
- Dual High Impact ABS Plastic Feather-Flo Spray Heads with Covers
- Stay Open Squeeze Handle
- 12' Coiled Rubber Hose
- 1/2" NPT Male Inlet with Wall Flange

**BUY
AMERICAN
ACT**
CORP/LLC



9400-NF

- Continuous Pressure Vacuum Breaker
- 1/2" NPT Female Outlet
- 1/2" NPT Male Inlet

**BUY
AMERICAN
ACT**
CORP/LLC



Components and Repair Parts

Chicago Faucets components and repair parts are designed to our precise specifications. So, you can always install them with confidence. And by always using Genuine Chicago Faucets parts and components, you get the added support of toll-free technical assistance and solid product warranties.

You get so much more out of genuine Chicago Faucets parts, because we put so much more into them.



New Ceramic Cartridges

Our new ceramic cartridges feature a solid brass sleeve, nickel plated solid brass stem, water free zone to contain lubricant and high quality precision ground ceramic discs. The tight fitting stem retainer clip, precise internal stem stop and color coded seal washers make for easy identification and make our ceramic cartridges an excellent upgrade.

New Antimicrobial Handles

Our new antimicrobial handles are a great addition to your new installations or to update existing products. Available in lever and wristblade designs, these handles feature Sureshield® Silver Ion Technology that is encapsulated in a glass matrix to form a chemical resistant, antimicrobial barrier.

Replacement Cartridges for Existing ECAST® Installations

These cartridges are designed and manufactured to the exact specifications to maintain the certified status of your existing ECAST product installations.



50-LESSSPT317CP

- Sink Faucet
- Single Hole
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 3/8" O.D. Copper Supply Tubes



50-LESSSPTCP

- Sink Faucet
- Single Hole
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- 3/8" O.D. Copper Supply Tubes



50-LESSSPTXKCP

- Sink Faucet
- Single Hole
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 369 Indexed Lever Handles
- Ceramic Disc Operating Cartridges
- 3/8" O.D. Copper Supply Tubes


BUY
AMERICAN
ACT
COMPLIANT



50-TLESSSPTCP

- Sink Faucet
- Single Hole
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- 3 1/2" Inlet Connection Tee
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser


BUY
AMERICAN
ACT
COMPLIANT



200-ALESSSPTCP

- Concealed Kitchen Faucet with Side Spray
- 8" Centers
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT



201-ALESSSPT&HDLCP

- Concealed Kitchen Sink Faucet
- 8" Centers
- Less Spout
- Less Handles
- 1 1/16" - 18 UNEF Male Body Outlet
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT



201-ALESSSPT317CP

- Concealed Kitchen Sink Faucet
- 8" Centers
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 317 Indexed Wristblade Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser


BUY
AMERICAN
ACT
COMPLIANT



201-ALESSSPT317XKCP

- Concealed Kitchen Sink Faucet
- 8" Centers
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT



201-ALESSSPTCP

- Concealed Kitchen Sink Faucet
- 8" Centers
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 369 Indexed Lever Handles
- Quatern™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT

**332-LESSSPTCP**

- Single Water Inlet Fitting
- Single Hole
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 369 Indexed Lever Handle
- Quaturn™ Operating Cartridge
- 1/2" NPT Flanged Female Inlet
- Integral Wall Flange

BUY
AMERICAN
ACT
COMPLIANT

**349-LESSSPTCP**

- Single Water Inlet Fitting
- Single Hole
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 369 Indexed Lever Handle
- Quaturn™ Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT

**404-LESSHDLCF**

- Concealed Lavatory Faucet
- 8" Centers
- 5" Spout
- E12 2.2 GPM Pressure Compensating Softflo® Aerator
- Less Handles
- Quaturn™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 404-LESSHDLBCF **ECAST**

BUY
AMERICAN
ACT
COMPLIANT

**445-LESSSPTCP**

- Service Sink Faucet
- Adjustable 4" - 8 3/8" Centers
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 369 Indexed Lever Handles
- Quaturn™ Operating Cartridges
- "H" Adjustable 1/2" NPT Female Supply Arms

BUY
AMERICAN
ACT
COMPLIANT

**445-LESSSPTXKCP**

- Service Sink Faucet
- Adjustable 4" - 8 3/8" Centers
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 369 Indexed Lever Handles
- Ceramic Operating Cartridges
- "H" Adjustable 1/2" NPT Female Supply Arms

BUY
AMERICAN
ACT
COMPLIANT

**521-LESSSPTCP**


- Sink Faucet
- 4" Centers
- Less Spout
- 369 Indexed Lever Handles
- Quaturn™ Operating Cartridges
- 1/2" -14 NPT Male Threaded Inlets

BUY
AMERICAN
ACT
COMPLIANT

**527-LESSSPTCP**

- Sink Faucet
- 8" Centers
- Less Spout
- 369 - Indexed Lever Handles
- Quaturn™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT

**540-LDLESSSPT&ARMCP**

- Sink Faucet
- 8" Centers
- Less Spout
- Less Inlet Supply Arms
- 1 1/16" - 18 UNEF Male Body Outlet
- 369 Indexed Lever Handles
- Quaturn™ Operating Cartridges
- 1 1/8" - 18 UNEF Male Inlets

BUY
AMERICAN
ACT
COMPLIANT

**540-LDLESSSPT&HDLCP**


- Sink Faucet
- Adjustable 7 1/4" - 8 3/4" Centers
- Less Spout
- Less Handles
- Quaturn™ Operating Cartridges
- "G" Adjustable 1/2" NPT Supply Arms
- 1 1/16" - 18 UNEF Male Body Outlet

BUY
AMERICAN
ACT
COMPLIANT



540-LDLESSSPTCP

- Sink Faucet
- Adjustable 7 1/4" - 8 3/4" Centers
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 369 Indexed Lever Handles
- Quaturn™ Operating Cartridges
- "G" Adjustable 1/2" NPT Female Supply Arms



540-LDLESSSPTHDLARMCP

- Sink Faucet
- 8" Centers
- Less Spout
- Less Inlet Supply Arms
- 1 1/16" - 18 UNEF Male Body Outlet
- Less Handles
- Quaturn™ Operating Cartridges
- 1 1/8" - 18 UNEF Male Inlets



540-LDLESSSPTXKCP

- Sink Faucet
- Adjustable 7 1/4" - 8 3/4" Centers
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 369 Indexed Lever Handles
- Ceramic Operating Cartridges
- "G" Adjustable 1/2" NPT Female Supply Arms



540-LDRLESSSPTXKCP

- Sink Faucet
- Adjustable 7 1/4" - 8 3/4" Centers
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 369 Indexed Lever Handles
- Ceramic Operating Cartridges
- "R" Adjustable 1/2" NPT Female Supply Arms with Integral Shut-off



626-LESSSPTCP

- Single Water Inlet Fitting
- Single Hole
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



629-LESSSPTCP

- Single Water Inlet Fitting
- Single Hole
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 1/2" NPT Flanged Female Inlet



733-665PSHLESSTP&ESCCP

- Straight Metering Fitting
- 665 - MVP™ Metering Valve and Handle
- MVP™ Metering Cartridge
- 1/2" NPT Female Inlet
- 1.055" - 14 NS Male Outlet
- For 3/4" O.D. Tube Connection
- Less Tailpiece and Escutcheon



785-LESSSPTCP

- Concealed Kitchen Sink Faucet
- 8" Centers
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 317 Indexed Wristblade Handles
- Quaturn™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



785-LESSSPTLESSHDLCF

- Concealed Kitchen Sink Faucet
- 8" Centers
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- Less Handles
- Quaturn™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser



**785-LESSSPTXKCP**


- Concealed Kitchen Sink Faucet
- 8" Centers
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT

**785-SWLESSSPTCP**

- Concealed Kitchen Sink Faucet
- 8" Centers
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 317 Indexed Wristblade Handles
- Quaturn™ Operating Cartridges
- Swivel Connection Faucet
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT

**802-VLESSHDLCF**

- Lavatory Faucet
- 4" Centers
- 4" Integral Spout
- E12VP Vandal Resistant 2.2 GPM Pressure Compensating Softflo® Aerator
- Less Handles
- Quaturn™ Operating Cartridges
- Vandal Resistant Complete
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAST: 802-VLESSHDLABCP **ECAST**

BUY
AMERICAN
ACT
COMPLIANT

**895-317LESSSPTCP**


- Sink Faucet
- 4" Centers
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 317 Indexed Wristblade Handles
- Quaturn™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT

**895-317LESSSPTXKCP**


- Sink Faucet
- 4" Centers
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT

**895-LESSSPT&HDLXKCP**


- Sink Faucet
- 4" Centers
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- Less Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT

**895-LESSSPTCP**

- Sink Faucet
- 4" Centers
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 369 Indexed Lever Handles
- Quaturn™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT

**895-LESSSPTLESSHDLCF**

- Sink Faucet
- 4" Centers
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- Less Handles
- Quaturn™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT

**895-LESSSPTXKCP**

- Sink Faucet
- 4" Centers
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 369 Indexed Lever Handles
- Ceramic Disc Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT



1100-LESSSPT317CP

- Kitchen Sink Faucet
- 8" Centers
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 317 Indexed Wristblade Handles
- Quaturn™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT



1100-LESSSPT317XKCP

- Kitchen Sink Faucet
- 8" Centers
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 317 Indexed Wristblade Handles
- Ceramic Disc Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT




1100-LESSSPTCP

- Kitchen Sink Faucet
- 8" Centers
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 1000 Indexed Single Wing Handles
- Quaturn™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

ECAS: 1100-LESSSPTABCP **ECAS**

BUY
AMERICAN
ACT
COMPLIANT



1100-LESSSPTLESSHDLCF

- Kitchen Sink Faucet
- 8" Centers
- Less Spout
- Less Handles
- 1 1/16" - 18 UNEF Male Body Outlet
- Quaturn™ Operating Cartridges
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT



1100-LESSSPTXKCP

- Kitchen Sink Faucet
- 8" Centers
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 1000 Indexed Single Wing Handles
- Ceramic Disc Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT



116.303.21.1

- AC - Single Hole, Gooseneck Deck Mount, Electronic Lavatory Fitting with Dual Beam Infrared Sensor
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 12 Volt AC Transformer Required (Order Separately)
- Single Supply for Tempered Water
- Multiple Field Adjustable Modes and Ranges
- Geberit Commander Software Compatible

BUY
AMERICAN
ACT
COMPLIANT

CF
NOW



116.304.AB.1

- AC - Single Hole, Gooseneck Wall Mount, Electronic Lavatory Fitting with Dual Beam Infrared Sensor
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 12 Volt AC Transformer Required (Order Separately)
- Single Supply for Tempered Water
- Multiple Field Adjustable Modes and Ranges
- Geberit Commander Software Compatible

ECAS ONLY

ECAS

BUY
AMERICAN
ACT
COMPLIANT

CF
NOW



116.313.21.1

- AC - Single Hole, Gooseneck Deck Mount, Electronic Lavatory Fitting with Dual Beam Infrared Sensor
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 12 Volt AC Transformer Required (Order Separately)
- Concealed Internal Temperature Control Mixer
- Multiple Field Adjustable Modes and Ranges
- Geberit Commander Software Compatible

BUY
AMERICAN
ACT
COMPLIANT

CF
NOW

**116.314.AB.1**

- AC - Single Hole, Gooseneck Wall Mount, Electronic Lavatory Fitting with Dual Beam Infrared Sensor
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 12 Volt AC Transformer Required (Order Separately)
- Concealed Internal Temperature Control Mixer
- Multiple Field Adjustable Modes and Ranges
- Geberit Commander Software Compatible

ECAST ONLY**ECAST****116.323.21.1**

- AC - Single Hole, Gooseneck Deck Mount, Electronic Lavatory Fitting with Dual Beam Infrared Sensor
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 12 Volt AC Transformer Required (Order Separately)
- User Adjustable Temperature Control Mixer
- Multiple Field Adjustable Modes and Ranges
- Geberit Commander Software Compatible

**116.324.AB.1**

- AC - Single Hole, Gooseneck Wall Mount, Electronic Lavatory Fitting with Dual Beam Infrared Sensor
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 12 Volt AC Transformer Required (Order Separately)
- User Adjustable Temperature Control Mixer
- Multiple Field Adjustable Modes and Ranges
- Geberit Commander Software Compatible

ECAST ONLY**ECAST****116.403.21.1**

- DC - Single Hole, Gooseneck Deck Mount, Electronic Lavatory Fitting with Dual Beam Infrared Sensor
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 6 Volt Lithium CRP2 Battery (Included)
- Single Supply for Tempered Water
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- Geberit Commander Software Compatible

**116.404.AB.1**

- DC - Single Hole, Gooseneck Wall Mount, Electronic Lavatory Fitting with Dual Beam Infrared Sensor
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 6 Volt Lithium CRP2 Battery (Included)
- Single Supply For Tempered Water
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- Geberit Commander Software Compatible

ECAST ONLY**ECAST****116.413.21.1**

- DC - Single Hole, Gooseneck Deck Mount, Electronic Lavatory Fitting with Dual Beam Infrared Sensor
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 6 Volt Lithium CRP2 Battery (Included)
- Concealed Internal Temperature Control Mixer
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- Geberit Commander Software Compatible

**116.414.AB.1**

- DC - Single Hole, Gooseneck Wall Mount, Electronic Lavatory Fitting with Dual Beam Infrared Sensor
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 6 Volt Lithium CRP2 Battery (Included)
- Concealed Internal Temperature Control Mixer
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- Geberit Commander Software Compatible

ECAST ONLY**ECAST****116.423.21.1**

- DC - Single Hole, Gooseneck Deck Mount, Electronic Lavatory Fitting with Dual Beam Infrared Sensor
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 6 Volt Lithium CRP2 Battery (Included)
- User Adjustable Temperature Control Mixer
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- Geberit Commander Software Compatible

**116.424.AB.1**

- DC - Single Hole, Gooseneck Wall Mount, Electronic Lavatory Fitting with Dual Beam Infrared Sensor
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 6 Volt Lithium CRP2 Battery (Included)
- User Adjustable Temperature Control Mixer
- Multiple Field Adjustable Modes and Ranges
- Stainless Steel Hoses Included
- Geberit Commander Software Compatible

ECAST ONLY**ECAST**



613-ALESSSPTCP

- Adapta Faucet
- Less Spout
- 369 Plain Indexed Lever Handle
- Quatern™ Operating Cartridge
- 3/8" NPT Female Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet


BUY
AMERICAN
ACT
COMPLIANT



902-MJKCP

- Pipe Support Assembly
- Fits 3/8" NPT or 1/2" NPT Pipe Diameters
- 12" Extension Rod Can Be Cut To Desired Length
- 2 1/2" Diameter Flange with (3) Wood Screws

BUY
AMERICAN
ACT
COMPLIANT



909-LESS216-28CP

- Ball Valve
- E7T Removable Serrated Hose Nozzle
- Less Service Button
- Lever Handle
- 3/8" NPT Male Inlet
- May Be Used with Most Laboratory Gases

BUY
AMERICAN
ACT
COMPLIANT



927-LESSSPTCP

- Single Water Inlet Fitting
- Single Hole
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 204 Cross Handle with Cold Water Service Button
- Slow Compression Operating Cartridge
- 1/2" NPSM Coupling Nut for 3/8" or 1/2" Flexible Riser

BUY
AMERICAN
ACT
COMPLIANT



929-LESSSPTCP

- Combination Hot and Cold Water Fitting
- Single Hole
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 204 Cross Handle with Hot & Cold Water Service Buttons
- Slow Compression Operating Cartridges
- 3/8" O.D. Copper Supply Tubes

BUY
AMERICAN
ACT
COMPLIANT



937-CHLESS216-28CP

- Single Service Fitting
- E7 Removable Serrated Hose Nozzle
- 204 Cross Handle Less Service Button
- Needle Valve Cartridge
- 3/8" NPT Male Inlet
- May Be Used with Most Laboratory Gases

BUY
AMERICAN
ACT
COMPLIANT



937-WHLESS216-28CP

- Single Service Fitting
- E7 Removable Serrated Hose Nozzle
- 945 Wheel Handle Less Service Button
- Slow Compression Operating Cartridge
- 3/8" NPT Male Inlet
- May Be Used with Most Laboratory Gases

BUY
AMERICAN
ACT
COMPLIANT



985-ALESSSPTCP

- Turret with Spout Adapter
- Less Spout
- 1 1/16" - 18 UNEF Male Outlet
- 3/8" NPT Female Inlet

BUY
AMERICAN
ACT
COMPLIANT



988-LESSE7CP

- Wall Flange
- Less E7 Serrated Hose Nozzle
- 3/8" NPT Female Inlet
- 3/8" - 18 NPSM Female Outlet

BUY
AMERICAN
ACT
COMPLIANT



1301-LESSSPTCP

- Deck Mounted Multiple Service Fitting
- Less Spout
- 1 1/16" - 18 UNEF Male Body Outlet
- 204 Cross Handle with Cold Water Service Button
- Slow Compression Operating Cartridge
- (2) 909 Ball Valves 180 Degrees Apart
- 1301-SB1K Inlet Shank Assembly - Shipped Loose

BUY
AMERICAN
ACT
CORPORATION



226-ACP

- 1 1/4" Remote Pop-Up
- Includes Horizontal and Vertical Rods
- Available with Optional 1 1/2" Tailpiece
- Available with Optional Vandal Resistant Feature

BUY
AMERICAN
ACT
CORPORATION



327-XCP

- Grid Strainer Waste
- 1 1/4" O.D. Tailpiece



327-X1-1/2TPCP

- Grid Strainer Waste
- 1 1/2" O.D. Tailpiece



337-CP

- Grid Strainer Waste Offset
- 1 1/4" O.D. Tailpiece



305-SVBJKCP

- Rigid Atmospheric Vacuum Breaker Spout with 3/4" Hose Thread*
- Pail Hook
- 3 1/8" Height to Top of Spout
- 2 3/8" Inlet to Outlet Projection
- Fits 1 1/16" - 18 UNEF Male Body Outlet



305-SVBJKRCF

- Rigid Atmospheric Vacuum Breaker Spout with 3/4" Hose Thread*
- Pail Hook
- 3 1/8" Height to Top of Spout
- 2 3/8" Inlet to Outlet Projection
- Fits 1 1/16" - 18 UNEF Male Body Outlet
- Rough Chrome Finish



686-124KJKCP

- Double Jointed Swing Spout Extension
- 7" Inlet to Outlet Projection
- Fits 1 1/16" - 18 UNEF Male Body Outlet



686-126KJKCP

- Double Jointed Swing Spout Extension
- 11 3/4" Inlet to Outlet Projection
- Fits 1 1/16" - 18 UNEF Male Body Outlet



814-SJKCP

- Rigid Cast Spout with Pail Hook and 3/4" Hose Thread Outlet
- 7 1/8" Inlet to Outlet Projection
- Flush Valve Pipe Support with Mounting Screws
- Adjustable 11" Rod Length
- Fits 1 1/16" - 18 UNEF Male Body Outlet



814-SVBJKCP

- Rigid Atmospheric Vacuum Breaker Cast Spout with Pail Hook and 3/4" Hose Thread Outlet*
- 7 1/2" Inlet to Outlet Projection
- Flush Valve Pipe Support with Mounting Screws
- Adjustable 11" Rod Length
- Fits 1 1/16" - 18 UNEF Male Body Outlet



815-SJKCP

- Rigid Cast Spout with Pail Hook and 3/4" Hose Thread Outlet
- 7 1/8" Inlet to Outlet Projection
- Flush Valve Pipe Support with Mounting Screws
- Adjustable 15 7/8" Rod Length
- Fits 1 1/16" - 18 UNEF Male Body Outlet



815-SVBJKCP

- Rigid Atmospheric Vacuum Breaker Cast Spout with Pail Hook and 3/4" Hose Thread Outlet*
- 7 1/2" Inlet to Outlet Projection
- Flush Valve Pipe Support with Mounting Screws
- Adjustable 15 7/8" Rod Length
- Fits 1 1/16" - 18 UNEF Male Body Outlet



897-SJKCP

- Rigid Atmospheric Vacuum Breaker Spout with Brace Rod and 3/4" Hose Thread*
- 5 3/4" Inlet to Outlet Projection
- 3 1/8" Overall Height
- 1/4" Height to Outlet
- Adjustable Wall Brace
- Pail Hook
- Fits 1 1/16" - 18 UNEF Male Body Outlet



897-SJKRCF

- Rigid Atmospheric Vacuum Breaker Spout with Brace Rod and 3/4" Hose Thread*
- 5 3/4" Inlet to Outlet Projection
- 3 1/8" Overall Height
- 1/4" Height to Outlet
- Adjustable Wall Brace
- Pail Hook
- Fits 1 1/16" - 18 UNEF Male Body Outlet
- Rough Chrome Finish



BA1JKCP

- Body Outlet Adapter Assembly
- Union Type Connection with Spout Nut
- 2 3/16" Overall Height
- Fits 1 1/16" - 18 UNEF Male Body Outlet
- 1/2" - 14 NPT Female Inlet



BA2JKCP

- Body Outlet Adapter
- 1" Overall Height
- Fits 1 1/16" - 18 UNEF Male Body Outlet
- 3/8" - 18 NPT Female Outlet



BA3JKCP

- Body Outlet Adapter
- 1" Overall Height
- Fits 1 1/16" - 18 UNEF Male Body Outlet
- 1/2" - 14 NPT Female Outlet

**DB6AJKCP**

- Rigid/Swing Double Bend Spout
- 6 1/4" Inlet to Outlet Projection
- 6 3/8" Overall Height
- 3 1/8" Height to Outlet
- 13/16" - 24 Male Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet

**DJ13JKCP**

- Double Jointed Swing Spout with Aerator
- 13" Inlet to Outlet Projection
- 3 7/8" Overall Height
- 2 1/4" Height to Outlet
- E3 Pressure Compensating Softflo® Aerator
- 2.2 GPM (8.3 L/min) Max. Flow @ 60 PSI
- Fits 1 1/16" - 18 UNEF Male Body Outlet

**DJ18JKCP**

- Double Jointed Swing Spout with Aerator
- 17 3/4" Inlet to Outlet Projection
- 3 7/8" Overall Height
- 2 1/4" Height to Outlet
- E3 Pressure Compensating Softflo® Aerator
- 2.2 GPM (8.3 L/min) Max. Flow @ 60 PSI
- Fits 1 1/16" - 18 UNEF Male Body Outlet

**GN1AE3JKCP**

- Rigid/Swing Gooseneck Spout with Aerator
- E3 Pressure Compensating Softflo® Aerator
- 2.2 GPM (8.3 L/min) Max. Flow @ 60 PSI
- 8 3/8" Height to Top of Spout
- 3 1/2" Inlet to Outlet Projection
- 5 3/8" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet

**GN1AJKCP**

- Rigid/Swing Gooseneck Spout with 13/16" - 24 Male Outlet
- 8 3/8" Height to Top of Spout
- 3 1/2" Inlet to Outlet Projection
- 5 7/8" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet

**GN1FCJKCP**

- Rigid/Swing Gooseneck Spout with Plain End
- Laminar Flow Control Device at Spout Inlet
- 1.5 GPM Flow Rate @ 60 PSI
- 8 3/8" Height to Top of Spout
- 3 1/2" Inlet to Outlet Projection
- 5 7/8" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet

**GN1JKCP**

- Rigid/Swing Gooseneck Spout with Plain End
- 8 3/8" Height to Top of Spout
- 3 1/2" Inlet to Outlet Projection
- 5 7/8" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet

**GN2AE3JKCP**

- Rigid/Swing Gooseneck Spout with Aerator
- E3 Pressure Compensating Softflo® Aerator
- 2.2 GPM (8.3 L/min) Max. Flow @ 60 PSI
- 9 3/4" Height to Top of Spout
- 5 1/4" Inlet to Outlet Projection
- 5 1/2" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet

**GN2AFCJKCP**

- Rigid/Swing Gooseneck Spout with 13/16" - 24 Male Outlet
- Laminar Flow Control Device in Spout Inlet
- 1.5 GPM Flow Rate @ 60 PSI
- 9 3/4" Height to Top of Spout
- 5 1/4" Inlet to Outlet Projection
- 6 1/8" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet



GN2AH8JKCP

- Rigid/Swing Gooseneck Spout with 13/16" - 24 Male Outlet
- 8" Height to Top of Spout
- 5 1/4" Inlet to Outlet Projection
- 4 3/8" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet



GN2AH13JKCP

- Rigid/Swing Gooseneck Spout with 13/16" - 24 Male Outlet
- 13" Height to Top of Spout
- 5 1/4" Inlet to Outlet Projection
- 9 3/8" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet



GN2AH17JKCP

- Rigid/Swing Gooseneck Spout with 13/16" - 24 Male Outlet
- 17" Height to Top of Spout
- 5 1/4" Inlet to Outlet Projection
- 13 3/8" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet



GN2AJKCP

- Rigid/Swing Gooseneck Spout with 13/16" - 24 Male Outlet
- 9 3/4" Height to Top of Spout
- 5 1/4" Inlet to Outlet Projection
- 6 1/8" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet



GN2BFCJKCP

- Rigid/Swing Gooseneck Spout 3/8" - 18 NPSM Female Outlet
- Laminar Flow Control Device in Spout Inlet
- 1.5 GPM Flow Rate @ 60 PSI
- 9 3/4" Height to Top of Spout
- 5 3/8" Inlet to Outlet Projection
- 5 5/8" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet



GN2BJKCP

- Rigid/Swing Gooseneck Spout with 3/8" - 18 NPSM Female Outlet
- 9 3/4" Height to Top of Spout
- 5 3/8" Inlet to Outlet Projection
- 5 5/8" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet

ECAS: GN2AJKABCP

ECAS

ECAS: GN2BJKABCP

ECAS



GN2BVBJKCP

- Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout with 3/8" - 18 NPSM Female Outlet*
- 9 1/2" Height to Top of Spout
- 6" Inlet to Outlet Projection
- 5 3/4" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet



GN2FCJKCP

- Rigid/Swing Gooseneck Spout with Plain End
- Laminar Flow Control Device in Spout Inlet
- 1.5 GPM Flow Rate @ 60 PSI
- 9 3/4" Height to Top of Spout
- 5 3/8" Inlet to Outlet Projection
- 6 1/8" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet



GN2JKCP

- Rigid/Swing Gooseneck Spout with Plain End
- 9 3/4" Height to Top of Spout
- 5 3/8" Inlet to Outlet Projection
- 6 1/8" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet

**GN8AE3JKCP**

- Rigid/Swing Gooseneck Spout with Aerator
- E3 Pressure Compensating Softflo® Aerator
- 2.2 GPM (8.3 L/min) Max. Flow @ 60 PSI
- 11 1/4" Height to Top of Spout
- 8" Inlet to Outlet Projection
- 5 3/8" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet

**GN8AFCJKCP**

- Rigid/Swing Gooseneck Spout with 13/16" - 24 Male Outlet
- Laminar Flow Control Device in Spout Inlet
- 1.5 GPM Flow Rate @ 60 PSI
- 11 1/4" Height to Top of Spout
- 8" Inlet to Outlet Projection
- 6" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet

**GN8AJKCP**

- Rigid/Swing Gooseneck Spout with 13/16" - 24 Male Outlet
- 11 1/4" Height to Top of Spout
- 8" Inlet to Outlet Projection
- 6" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet

**GN8BJKCP**

- Rigid/Swing Gooseneck Spout with 3/8" - 18 NPSM Female Outlet
- 11 1/4" Height to Top of Spout
- 8" Inlet to Outlet Projection
- 5 1/2" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet

**GN8BVBJKCP**

- Rigid/Swing Atmospheric Vacuum Breaker Gooseneck Spout with 3/8" - 18 NPSM Female Outlet*
- 9 1/2" Height to Top of Spout
- 8" Inlet to Outlet Projection
- 5 3/4" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet

**GN8FCJKCP**

- Rigid/Swing Gooseneck Spout with Plain End
- Laminar Flow Control Device in Spout Inlet
- 1.5 GPM Flow Rate @ 60 PSI
- 11 1/4" Height to Top of Spout
- 8" Inlet to Outlet Projection
- 6" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet

**GN10ASWGJKCP**

- Swing Only Gooseneck Spout with 13/16" - 24 Male Outlet
- 13 1/2" Height to Top of Spout
- 10" Inlet to Outlet Projection
- 7" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet

**GN12ASWGJKCP**

- Swing Only Gooseneck Spout with 13/16" - 24 Male Outlet
- 14 1/2" Height to Top of Spout
- 12" Inlet to Outlet Projection
- 7" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet

**GNRGD1JKCP**

- Rigid Gooseneck Spout with 13/16" - 24 Male Outlet
- 8 1/2" Height to Top of Spout
- 3 1/2" Inlet to Outlet Projection
- 6 1/4" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet



GNRGD2JKCP

- Rigid Gooseneck Spout with 13/16" - 24 Male Outlet
- 10" Height to Top of Spout
- 5 1/4" Inlet to Outlet Projection
- 6 3/8" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet



HA8AJKCP

- High Arc Rigid/Swing Spout with 13/16" - 24 Male Outlet
- 10" Height to Top of Spout
- 2.2 GPM (8.3 L/min) Max. Flow at 60 PSI
- 8" Inlet to Outlet Projection
- 8 3/8" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet



HA8AE3JKCP

- High Arc Rigid/Swing Spout with Aerator
- 10" Height to Top of Spout
- E3 Pressure Compensating Softflo® Aerator
- 2.2 GPM (8.3 L/min) Max. Flow at 60 PSI
- 8" Inlet to Outlet Projection
- 7 3/4" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet



HA8AE3VPJKCP

- High Arc Rigid/Swing Spout with Aerator
- 10" Height to Top of Spout
- E3VP Vandal Resistant Pressure Compensating Softflo® Aerator
- 2.2 GPM (8.3 L/min) Max. Flow at 60 PSI
- 8" Inlet to Outlet Projection
- 7 5/8" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet



L5VBJKCP

- Atmospheric Vacuum Breaker Cast Swing Spout with 3/4" Hose Thread Outlet*
- 5 3/4" Inlet to Outlet Projection
- Overall Height 4"
- 1" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet



L6JKCP

- Under Mount Swing Spout
- 5" Inlet to Outlet Projection
- Overall Height 4 5/8"
- E3-2 Softflo® Pressure Compensating Aerator
- 2.2 GPM (8.3 L/min) Max. Flow @ 60 PSI
- Fits 1 1/16" - 18 UNEF Male Body Outlet



L8BVBKCP

- Atmospheric Vacuum Breaker Swing Spout*
- 8" Inlet to Outlet Projection
- Overall Height 4"
- 1/4" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet



L8JKCP

- Cast Swing Spout
- 8" Inlet to Outlet Projection
- Overall Height 4 3/8"
- 2 3/4" Height to Outlet
- E3 Pressure Compensating Softflo® Aerator
- 2.2 GPM (8.3 L/min) Max. Flow @ 60 PSI
- Fits 1 1/16" - 18 UNEF Male Body Outlet



L9JKCP

- Swing Spout
- 9 1/2" Inlet to Outlet Projection
- Overall Height 6 1/2"
- 3 5/8" Height to Outlet
- E3 Pressure Compensating Softflo® Aerator
- 2.2 GPM (8.3 L/min) Max. Flow @ 60 PSI
- Fits 1 1/16" - 18 UNEF Male Body Outlet

**L12JKCP**


- Swing Spout with Aerator
- E3 Pressure Compensating Softflo® Aerator
- 2.2 GPM (8.3 L/min) Max. Flow @ 60 PSI
- 12" Inlet to Outlet Projection
- Overall Height 4 5/8"
- 2 3/8" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet

**L15JKCP**

- Swing Spout with Aerator
- E3 Pressure Compensating Softflo® Aerator
- 2.2 GPM (8.3 L/min) Max. Flow @ 60 PSI
- 14" Inlet to Outlet Projection
- Overall Height 4 5/8"
- 2 1/4" Height to Outlet
- Fits 1 1/16" - 18 UNEF Male Body Outlet

**S6JKCP**

- Cast Swing Spout
- 6" Inlet to Outlet Projection
- Overall Height 1 3/4"
- 1/8" Height to Outlet
- E3 Pressure Compensating Softflo® Aerator
- 2.2 GPM (8.3 L/min) Max. Flow @ 60 PSI
- Fits 1 1/16" - 18 UNEF Male Body Outlet

TYPICAL
SPOUT

Spout Number	INTEGRAL OUTLETS			Rigid/Swing			Rigid Only*			Swing Only*		
	Plain	Group "A"	Group "B"	X	Y	Z	X	Y	Z	X	Y	Z
GN1	■			8 3/8	3 1/2	5 7/8						
GN1A		■		8 3/8	3 1/2	5 7/8						
GN1B			■	8 3/8	3 1/2	5 3/8						
GN2	■			9 3/4	5 3/8	6 1/8						
GN2A		■		9 3/4	5 1/4	6 1/8						
GN2B			■	9 3/4	5 3/8	5 5/8						
GN8	■			11 1/4	8	6 1/8						
GN8A		■		11 1/4	8	6 1/8						
GN8B			■	11 1/4	8	5 5/8						
GN10A		■					12 3/8	10	5 7/8	13 3/8	10	6 7/8
GN10B			■				12 3/8	10	5 7/8	13 3/8	10	6 7/8
GN12A		■					13 3/8	12	5 7/8	14 3/8	12	6 7/8
GN12B			■				13 3/8	12	5 7/8	14 3/8	12	6 7/8
GN2AH8		■		8	5 3/8	4 3/8						
GN2BH8			■	8	5 3/8	4 1/4						
GN2AH13		■		13	5 3/8	9 1/2						
GN2BH13			■	13	5 3/8	9						
GN2AH17		■		17	5 3/8	13 3/8						
GN2BH17			■	17	5 3/8	12 7/8						

* Rigid/swing field conversion not available



1-159JKCP

- Plain End Spout Ring 13/16" - 24 Female Inlet Thread
- Fits Spouts with 13/16" - 24 Male Outlet Threads



241.891.21.1

- Vandal Resistant Pressure Compensating Laminar Outlet
- 2.2 GPM Laminar Flow Outlet Assembly
- M24 x 1-6H Thread
- For E-Tronic™ 20 Electronic Faucets Only
- Vandal Outlet Key Included



241.892.21.1

- Vandal Resistant Pressure Compensating Econo-Flo Spray Outlet
- .5 GPM Econo-Flo Assembly
- M24 x 1-6H Thread
- For E-Tronic™ 20 Electronic Faucets Only
- Vandal Outlet Key Included



E1JKRCF

- Quixtop Outlet with Single Screen Design
- 13/16" - 24 NPSM Female Inlet
- Rough Chrome Finish



E1MJKRCF

- Quixtop Outlet with Single Screen Design
- 3/8" NPSM Male Inlet
- Rough Chrome Finish



E2JKRCF

- 3/4" Hose Thread Male Outlet
- 13/16" - 24 Female Inlet
- Rough Chrome Finish



E2-2JKRCF

- 3/4" Hose Thread Male Outlet with Adapter
- 3/8" NPSM Male Inlet
- Rough Chrome Finish



E3JKCP

- Pressure Compensating Softflo® Aerator
- 2.2 GPM (8.3 L/min) Max. Flow @ 60 PSI
- 13/16" - 24 Female Inlet



E3VPJKCP

- Vandal Resistant Pressure Compensating Softflo® Aerator
- 2.2 GPM (8.3 L/min) Max. Flow @ 60 PSI
- 13/16" - 24 Female Inlet
- Vandal Outlet Key Included



E3-2JKCP

- Pressure Compensating Softflo® Aerator with Adapter
- 2.2 GPM (8.3 L/min) Max. Flow @ 60 PSI
- 3/8" - 18 NPSM Male Inlet



E4FJKCP

- Female Rose Spray Outlet
- Multi-Stream Spray Outlet
- 3/8" - 18 NPSM Female Inlet
- 2.0 GPM (7.6 L/min.) Max. Flow @ 60 PSI



E4JKCP

- Rose Spray Outlet
- Multi-Stream Spray Outlet
- 3/8" - 18 NPSM Male Inlet
- 2.0 GPM (7.6 L/min.) @ 60 PSI



E7FCJKCP

- Laboratory Serrated Nozzle Outlet with Flow Control
- .74 GPM (2.8L/min) Max. Flow @ 60 PSI
- 3/8" - 18 NPSM Male Inlet



E7JKCP

- Laboratory Serrated Nozzle Outlet
- 3/8" - 18 NPSM Male Inlet



E7TCJKCP

- Laboratory Serrated Hose Nozzle with Check
- 3/8" - 18 NPT Male Inlet
- Built-in Check Valve to Prevent Backflow



E7XTJKCP

- Laboratory 30° Angled Serrated Nozzle Outlet
- 3/8" - 18 NPT Male Inlet



E12JKCP

- Pressure Compensating Softflo® Aerator
- 2.2 GPM (8.3 L/min) Max. Flow @ 60 PSI
- 13/16" - 27 Male Inlet



E12VPJKCP

- Vandal Resistant Pressure Compensating Softflo® Aerator
- 2.2 GPM (8.3 L/min) Max. Flow @ 60 PSI
- 13/16" - 27 Male Inlet
- Vandal Outlet Key Included



E15JKCP

- Spray Outlet
- Multi-Stream Spray Pattern
- 13/16" - 27 Male Inlet
- 2.0 GPM (7.6 L/min.) @ 60 PSI



E17JKRCF

- Aspirator Pump Serrated Outlet
- 3/8" NPT Male Inlet and 1/4" NPT Female Inlet
- Integral Check Valve
- Rough Chrome Finish



E21JKCP

- Rubber Bound Spray Outlet
- 9/16" - 18 Male Inlet



E25JKCP

- Dual Purpose Aerator / Spray Outlet with Swivel Head
- 13/16" - 24 Female Inlet
- Twist to Adjust from Aerator to Spray
- Pressure Compensating Flow
- 2.2 GPM (8.3 L/min) Max. Flow @ 60 PSI



E26JKCP

- Pressure Compensating Econo-Flo Spray Outlet
- 1.0 GPM (3.8 L/min) Max. Flow at 60 PSI
- 13/16" - 27 Male Inlet



E26-5JKCP

- Pressure Compensating Econo-Flo Spray Outlet with Adapter
- 1.0 GPM (3.8 L/min) Max. Flow at 60 PSI
- 13/16" - 24 Female Inlet



E28JKCP

- Vandal Resistant Pressure Compensating Econo-Flo Spray Outlet
- 1.0 GPM (3.8 L/min) Max. Flow at 60 PSI
- 13/16" - 27 Male Inlet
- Vandal Outlet Key Included



E28-5JKCP

- Vandal Resistant Pressure Compensating Econo-Flo Spray Outlet with Adapter
- 1.0 GPM (3.8 L/min) Max. Flow at 60 PSI
- 13/16" - 24 Female Inlet
- Vandal Outlet Key Included



E29JKCP

- Laminar Flow Pressure Compensating Outlet
- 2.2 GPM (8.3 L/min) Max. Flow @ 60 PSI
- 13/16" - 24 Female Inlet



E29VPJKCP

- Vandal Resistant Pressure Compensating Laminar Flow Outlet
- 2.2 GPM (8.3 L/min) Max. Flow @ 60 PSI
- 13/16" - 24 Female Inlet
- Vandal Outlet Key Included



E31JKCP

- Control Valve with Heat Resistant Lever Handle with Quixtop Outlet
- E1 Quixtop Screen Outlet
- 269 Heat Resistant Lever Handle
- Quatern Operating Cartridge
- 13/16" - 24 Female Inlet



E32JKCP

- Pressure Compensating Laminar Outlet
- 2.2 GPM (8.3 L/min) Max. Flow @ 60 PSI
- 13/16" - 27 Male Inlet



E32VPJKCP

- Vandal Resistant Pressure Compensating Laminar Outlet
- 2.2 GPM (8.3 L/min) Max. Flow @ 60 PSI
- 13/16" - 27 Male Inlet



E34JKCP

- Pressure Compensating Softflo® Aerator
- 1.5 GPM (5.7 L/min) Max. Flow @ 60 PSI
- 13/16" - 27 Male Inlet



E34VPJKCP

- Vandal Resistant Pressure Compensating Softflo® Aerator
- 1.5 GPM (5.7 L/min) Max. Flow @ 60 PSI
- 13/16" - 27 Male Inlet
- Vandal Outlet Key Included



E35JKCP

- Pressure Compensating Softflo® Aerator
- 1.5 GPM (5.7 L/min) Max. Flow @ 60 PSI
- 13/16" - 24 Female Inlet



E35VPJKCP

- Vandal Resistant Pressure Compensating Softflo® Aerator
- 1.5 GPM (5.7 L/min) Max. Flow @ 60 PSI
- 13/16" - 24 Female Inlet
- Vandal Outlet Key Included



E36JKCP

- Laminar Flow Pressure Compensating Outlet
- 1.5 GPM (5.7 L/min) Max. Flow @ 60 PSI
- 13/16" - 24 Female Inlet



E36VPJKCP

- Vandal Resistant Pressure Compensating Laminar Flow Outlet
- 1.5 GPM (5.7 L/min) Max. Flow @ 60 PSI
- 13/16" - 24 Female Inlet
- Vandal Outlet Key Included



E37JKCP

- Pressure Compensating Laminar Flow Outlet
- 1.5 GPM (5.7 L/min) Max. Flow @ 60 PSI
- 13/16" - 27 Male Inlet



E37VPJKCP

- Vandal Resistant Pressure Compensating Laminar Flow Outlet
- 1.5 GPM (5.7 L/min) Max. Flow @ 60 PSI
- 13/16" - 27 Male Inlet



E2605JKCP

- Pressure Compensating Econo-Flo Spray Outlet
- .5 GPM (1.9 L/min) Max. Flow @ 60 PSI
- 13/16" - 27 Male Inlet



E2605-5JKCP

- Pressure Compensating Econo-Flo Spray Outlet with Adapter
- .5 GPM (1.9 L/min) Max. Flow @ 60 PSI
- 13/16" - 24 Female Inlet



E2805JKCP

- Vandal Resistant Pressure Compensating Econo-Flo Spray Outlet
- .5 GPM (1.9 L/min) Max. Flow @ 60 PSI
- 13/16" - 27 Male Inlet
- Vandal Outlet Key Included



E2805-5JKCP

- Vandal Resistant Pressure Compensating Econo-Flo Spray Outlet with Adapter
- .5 GPM (1.9 L/min) Max. Flow @ 60 PSI
- 13/16" - 24 Female Inlet
- Vandal Outlet Key Included



K1JKCP

- Spout Adapter
- 13/16" - 24 Female Inlet
- 3/8" - 18 NPSM Female Outlet



K2JKRCF

- Spout Adapter
- 3/8" - 18 NPSM Male Inlet
- 13/16" - 24 Male Outlet
- Rough Chrome Finish



K4JKCP

- Spout Adapter
- 13/16" - 24 Female Inlet
- 55/64" - 27 Male Outlet



E22JKCP

- In-Line Vacuum Breaker Outlet
- 3/8" NPT Male Inlet
- 3/8" NPT Female Outlet
- Anti-Siphon Device



E23JKCP

- In-Line Vacuum Breaker Outlet
- 3/8" NPT Female Inlet
- 3/8" NPT Male Outlet
- Anti-Siphon Device
- Dual Check for Continuous Pressure



E27JKCP

- In-Line Vacuum Breaker Hose Thread Outlet
- 3/4" Hose Thread Female Inlet
- 3/4" Hose Thread Male Outlet
- Anti-Siphon Device



892-CP

- Atmospheric Vacuum Breaker*
- 1/2" Female Inlet and Outlet



892-GCP

- Wall Mounted Elevated Atmospheric Vacuum Breaker*
- G Adjustable Supply Arms with Wall Flanges
- 1/2" Female Inlet and Outlet



892-RCF

- Atmospheric Vacuum Breaker*
- 1/2" Female Inlet and Outlet
- Rough Chrome Finish

BUY
AMERICAN
ACT
COMPLIANT

BUY
AMERICAN
ACT
COMPLIANT

BUY
AMERICAN
ACT
COMPLIANT



892-WXFCP

- Wall Mounted Elevated Atmospheric Vacuum Breaker*
- WXF Straight Inlet Supply Arms with Wall Flanges
- 1/2" Female Inlet and Outlet



893-CP

- Atmospheric Vacuum Breaker*
- 3/8" Female Inlet and Outlet

BUY
AMERICAN
ACT
COMPLIANT

BUY
AMERICAN
ACT
COMPLIANT



204

- 2 1/2" Metal Cross Handle
- Single Handle
- Chrome Finish

Air Index: 204-AIRJKCP
Cold Index: 204-CWJKCP
Distilled Water Index: 204-DWJKCP
Distilled Water Index,
Silver Plate Finish: 204-DWJKSPF
Gas Index: 204-GASJKCP
Hot Index: 204-HWJKCP
Less Index: 204-LESS216-28JKCP
Plain Index: 204-PLJKCP
Hot and Cold Indexes, Pair: 204-PRJKCP
Vacuum Index: 204-VACJKCP



205

- 2 1/2" Plastic Cross Handle
- Single Handle
- Black Plastic

Air Index: 205-AIRJKNF
Cold Index: 205-CWJKNF
Gas Index: 205-GASJKNF
Hot Index: 205-HWJKNF
Less Index: 205-LESS216-28JKNF
Plain Index: 205-PLJKNF
Hot and Cold Indexes, Pair: 205-PRJKNF
Vacuum Index: 205-VACJKNF



241-PLJKCP

- 2 3/8" Metal Lever Handle
- No Index
- Single Handle
- Chrome Finish



241-PLPRJKCP

- 2 3/8" Metal Lever Handle
- No Index
- Pair
- Chrome Finish



269-JKNF

- 2 3/8" Heat Resistant Lever Handle
- No Index
- Single Handle
- Black Plastic



317

- 4" Wristblade Handle
- Single Handle
- Chrome Finish

Cold Index: 317-COLDJKCP
Hot Index: 317-HOTJKCP
Plain Index: 317-PLJKCP
Hot and Cold Indexes, Pair: 317-PRJKCP

- With Clear Antimicrobial Finish
Hot and Cold Indexes, Single: 317-JKCAM
Hot and Cold Indexes, Pair: 317-PRJKCAM

- With Satin Antimicrobial Finish
Hot and Cold Indexes, Single: 317-JKSAM
Hot and Cold Indexes, Pair: 317-PRJKSAM



318-JKCP

- 1 7/8" Round Metal Handle
- No Index
- Single Handle
- Chrome Finish



293-006JKRCF

- 2 1/2" Tee Handle
- Fixed or Loose Mounting
- Single Handle
- Rough Chrome Finish



319

- 6" Elbow Blade Handle
- Chrome Finish

Cold Index: 319-COLDJKCP
Hot Index: 319-HOTJKCP
Hot and Cold Indexes, Pair: 319-PRJKCP



320-PRJKCP

- 3 3/4" Canopy Wing Handle
- Hot and Cold Indexes
- Pair
- Chrome Finish



336

- Extended Length Tip-Tap Handle
- Chrome Finish

Cold Index: 336-402KJKCP
Hot Index: 336-403KJKCP
Push Index: 336-404KJKCP



369

- 2 3/8" Metal Lever Handle
- Chrome Finish

Cold Index: 369-COLDJKCP
Hot Index: 369-HOTJKCP
Plain Index: 369-PLJKCP
Hot and Cold Indexes, Pair: 369-PRJKCP

- With Clear Antimicrobial Finish
- Hot and Cold Indexes, Single: 369-JKCAM
Hot and Cold Indexes, Pair: 369-PRJKCAM



335

- Tip-Tap Handle
- Chrome Finish

Cold Index: 335-107KJKCP
Hot Index: 335-007KJKCP
Push Index: 335-207KJKCP



374-PLPRJKCP

- 2 7/8" Metal Lever Handles
- No Index
- Pair
- Chrome Finish



633

- 3" Metal Cross Handle
- Chrome Finish

Cold Index: 633-COLDJKCP
Hot Index: 633-HOTJKCP
Plain Index: 633-PLJKCP
Hot and Cold Indexes, Pair: 633-PRJKCP



636

- 2 1/8" Metal Canopy Handle
- Chrome Finish

Cold Index: 636-COLDJKCP
Hot Index: 636-HOTJKCP
Hot and Cold Indexes, Pair: 636-PRJKCP



390-PRJKCP

- 2 3/8" Metal Lever Handles
- Hot, Cold and Plain Indexes
- Vandal and Non-Vandal Resistant Screws
- Pair
- Chrome Finish



634

- 3" Metal Cross Handle
- Chrome Finish

Cold Index: 634-COLDJKCP
Hot Index: 634-HOTJKCP
Hot and Cold Indexes, Pair: 634-PRJKCP



665

- MVP™ Metering Handle
- Single Handle
- Chrome Finish

Push Index: 665-PSHJKCP

MVP™ Metering Retrofit Kit, Includes Handle, Actuator, Metering Valve Cartridge with In-line Filter, Cold Index: 665-RKCCP

MVP™ Metering Retrofit Kit, Includes Handle, Actuator, Metering Valve Cartridge with In-line Filter, Hot Index: 665-RKHCP

MVP™ Metering Retrofit Kit, Includes Handle, Actuator, Metering Valve Cartridge with In-line Filter, Push Index: 665-RKPCP



945

- 1 7/8" Round Metal Handle
- Single Handle
- Chrome Finish

Air Index: 945-AIRJKCP

Cold Water Index: 945-CWJKCP

Distilled Water Index: 945-DWJKCP

Gas Index: 945-GASJKCP

Hot Water Index: 945-HWJKCP

Less Index: 945-LESS216-28JKCP



950

- 2 1/2" 3-Wing Metal Handle
- Chrome Finish

Cold Water Index: 950-COLDJKCP

Hot Water Index: 950-HOTJKCP

Hot and Cold Indexes, Pair: 950-PRJKCP



1000

- 2" Canopy Handle
- Chrome Finish

Cold Water Index: 1000-COLDJKCP

Hot Water Index: 1000-HOTJKCP

Hot and Cold Indexes, Pair: 1000-PRJKCP



1-099XKJKNF

- Right Hand Ceramic 1/4 Turn Cartridge
- Short Stem for Exposed Caps



1-099XTJKNF

- Right Hand Quatern™ Compression Cartridge
- Short Stem for Exposed Caps



1-099-245JKNF

- Right Hand Quatern™ Compression Cartridge
- Short Stem for Exposed Caps
- 245 Control-A-Flo Feature



1-100XKJKNF

- Left Hand Ceramic 1/4 Turn Cartridge
- Short Stem for Exposed Caps



1-100XTJKNF

- Left Hand Quatern™ Compression Cartridge
- Short Stem for Exposed Caps



1-100-245JKNF

- Left Hand Quatern™ Compression Cartridge
- Short Stem for Exposed Caps
- 245 Control-A-Flo Feature



217-XTLHJKTPF

- Left Hand Slow Compression Cartridge
- Short Stem For Exposed Caps
- Distilled Water Applications
- Tin Plated



217-XTLHJKNF

- Left Hand Slow Compression Cartridge
- Short Stem For Exposed Caps



217-XTRHJKNF

- Right Hand Slow Compression Cartridge
- Short Stem For Exposed Caps



274-XTLHJKNF

- Left Hand Slow Compression Cartridge
- Long Stem For Concealed Caps



274-XTRHJKNF

- Right Hand Slow Compression Cartridge
- Long Stem For Concealed Caps



333-XPSHJKNF

- Push Button Cartridge
- Push Index
- Fast Cycle Time Closure

**333-XSLOCOLDJKNF**

- Slow Closing Push Button Cartridge
- Cold Index
- Adjustable Cycle Time Closure

**333-XSLOPSHJKNF**

- Slow Closing Push Button Cartridge
- Push Index
- Adjustable Cycle Time Closure

**335-XJKNF**

- Slow Closing Tip-Tap Push Button Cartridge
- For Use with Tip-Tap Handles (Order Separately)
- Adjustable Cycle Time Closure

**376-CXJKNF**

- Left Hand Slow Compression Cartridge with Integral Check
- Integral Check Feature to Prevent Cross Flow
- Includes Loose Key Cap

**377-X245LHJKNF**

- Left Hand Quatum™ Cartridge
- Long Stem for Concealed Caps
- 245 Control-A-Flo Feature

**377-X245RHJKNF**

- Right Hand Quatum™ Cartridge
- Long Stem for Concealed Caps
- 245 Control-A-Flo Feature

**377-XKLHJKNF**

- Left Hand Ceramic 1/4 Turn Cartridge
- Long Stem for Concealed Caps

**377-XKRHJKNF**

- Right Hand Ceramic 1/4 Turn Cartridge
- Long Stem for Concealed Caps

**377-XTLHJKNF**

- Left Hand Quatum™ Cartridge
- Long Stem for Concealed Caps

**377-XTRHJKNF**

- Right Hand Quatum™ Cartridge
- Long Stem for Concealed Caps

**386-XSLOJKNF**

- Urinal Push Button Cartridge
- Adjustable Cycle Time Closure
- For Use with Oscillating Lever Handle (Order Separately)

**409-XJKNF**

- Slow Closing Tip-Tap Push Button Cartridge (Concealed Bodies)
- For Use with Tip-Tap Handles (Order Separately)
- Adjustable Cycle Time Closure
- Single Unit



625-XJKNF

- Push Button Cartridge for Foot Operated Pedal Boxes
- Single Cartridge
- Fast Cycle Time Closure
- High Flow



628-XJKNF

- Push Button Cartridge for Foot Operated Pedal Boxes
- Single Cartridge
- Fast Cycle Time Closure
- Low Flow




665-190KJKNF

- MVP™ Metering Actuator Assembly
- Single Item



667-080KJKNF

- MVP™ Actuator Assembly and Metering Valve Cartridge with In-line Filter
- Single



671-XJKNF

- MVP™ Metering Valve Cartridge with In-line Filter
- Single



745-XJKNF

- Cam Type Knee Valve Cartridge
- Fast Cycle Time Closure



825-XJKNF

- Klo-Self Long Stem Cartridge
- For Concealed Caps
- Cam and Cap Design with Immediate Closure



826-XJKNF

- Klo-Self Short Stem Cartridge
- For Exposed Caps
- Cam and Cap Design with Immediate Closure



826-XJKTPF

- Klo-Self Short Stem Cartridge
- For Exposed Caps
- Cam and Cap Design with Immediate Closure
- Tin Plated For Distilled Water



962-XJKNF

- Laboratory Needle Valve Cartridge
- Floating Needle Point Design
- Integral Cartridge Cap and Stem Packing with Nut

Replacement Cartridges for Existing ECAST® Installations

Chicago Faucets has a line of cartridges that should be used to repair or update any existing ECAST product installation.

These cartridges are designed and manufactured to the exact specifications to maintain the certified status of your existing ECAST product installations.



1-099XKJKABNF

- For Use On Existing ECAST Products
- Right Hand Ceramic 1/4 Turn Cartridge
- Short Stem for Exposed Caps



1-099XTJKABNF

- For Use On Existing ECAST Products
- Right Hand Quatern™ Compression Cartridge
- Short Stem for Exposed Caps



1-100XKJKABNF

- For Use On Existing ECAST Products
- Left Hand Ceramic 1/4 Turn Cartridge
- Short Stem for Exposed Caps



1-100XTJKABNF

- For Use On Existing ECAST Products
- Left Hand Quatern™ Compression Cartridge
- Short Stem for Exposed Caps



217-XTLHJKABNF

- For Use On Existing ECAST Products
- Left Hand Slow Compression Cartridge
- Short Stem For Exposed Caps



217-XTRHJKABNF

- For Use On Existing ECAST Products
- Right Hand Slow Compression Cartridge
- Short Stem For Exposed Caps



377-XKLHJKABNF

- For Use On Existing ECAST Products
- Left Hand Ceramic 1/4 Turn Cartridge
- Long Stem for Concealed Caps



377-XKRHJKABNF

- For Use On Existing ECAST Products
- Right Hand Ceramic 1/4 Turn Cartridge
- Long Stem for Concealed Caps



377-XTLHJKABNF

- For Use On Existing ECAST Products
- Left Hand Quatern™ Cartridge
- Long Stem for Concealed Caps



377-XTRHJKABNF

- For Use On Existing ECAST Products
- Right Hand Quatern™ Cartridge
- Long Stem for Concealed Caps



628-XJKABNF

- For Use On Existing ECAST Products
- Push Button Cartridge for Foot Operated Pedal Boxes
- Single Cartridge
- Fast Cycle Time Closure
- Low Flow



261-JKCP

- Straight Inlet Supply Arm
- 1/2" NPT Female Inlet
- 2 1/8" Diameter Integral Flange
- 2" Projection from Wall
- For 65 and 225 Type Body's Only



261-JKRCF

- Straight Inlet Supply Arm
- 1/2" NPT Female Inlet
- 2 1/8" Diameter Integral Flange
- 2" Projection from Wall
- For 65 and 225 Type Body's Only
- Rough Chrome Finish



EX2JKCP

- 2" Short Supply Inlet Extension
- 2" Projection from Wall
- All Metal Construction
- Installs Between Supply Arm and Faucet
- Fits 1 1/16" - 18 UNEF Male Body Inlet



EX5JKCP

- 5" Long Supply Inlet Extension
- 5" Projection from Wall
- All Metal Construction
- Installs Between Supply Arm and Faucet
- Fits 1 1/16" - 18 UNEF Male Body Inlet



GCJKCP

- 3/8" Offset Inlet Supply Arm with Integral Check
- 1/2" NPT Female Inlet
- 1 5/8" Inlet to Outlet Projection
- Fits 1 1/16" - 18 UNEF Male Body Inlet
- 2 3/8" Diameter Slip Flange Required (Order Separately)



GJKCP

- 3/8" Offset Inlet Supply Arm
- 1/2" NPT Female Inlet
- 1 5/8" Inlet to Outlet Projection
- Fits 1 1/16" - 18 UNEF Male Body Inlet
- 2 3/8" Diameter Slip Flange Required (Order Separately)



HCJKCP

- 2 1/2" Offset Inlet Supply Arm with Integral Check
- 1/2" NPT Female Inlet
- 2 1/8" Projection from Wall
- Fits 1 1/16" - 18 UNEF Male Body Inlet
- 2 3/8" Diameter Slip Flange Required (Order Separately)



HJKCP

- 2 1/2" Offset Inlet Supply Arm
- 1/2" NPT Female Inlet
- 2 1/8" Projection from Wall
- Fits 1 1/16" - 18 UNEF Male Body Inlet
- 2 3/8" Diameter Slip Flange Required (Order Separately)



LSJKCP

- Tall Angle Inlet Supply Arm
- 1/2" NPT Female Inlet
- 1 1/4" Inlet to Outlet Projection
- 7 13/16" Deck to Inlet Center
- 2 1/4" Diameter Integral Flange
- Fits 1 1/16" - 18 UNEF Male Body Inlet



RCJKCP

- 2 1/2" Offset Supply Arm with Built-in Shut-off Stop and Check
- 1/2" NPT Female Inlet
- 2 1/2" Projection from Wall
- 2 3/8" Diameter Slip Flange Required (Order Separately)
- Fits 1 1/16" - 18 UNEF Male Body Inlet



RJKCP

- 2 1/2" Offset Supply Arm with Built-in Shut-off Stop
- 1/2" NPT Female Inlet
- 2 1/2" Projection from Wall
- 2 3/8" Diameter Slip Flange Required (Order Separately)
- Fits 1 1/16" - 18 UNEF Male Body Inlet



RJKRCF

- 2 1/2" Offset Supply Arm with Built-in Shut-off Stop
- 1/2" NPT Female Inlet
- 2 1/2" Projection from Wall
- 2 3/8" Diameter Slip Flange Required (Order Separately)
- Fits 1 1/16" - 18 UNEF Male Body Inlet
- Rough Chrome Finish

**SSJKCP**

- Short Angle Inlet Supply Arm
- 1/2" NPT Female Inlet
- 1 1/4" Inlet to Outlet Projection
- 2 1/4" Deck to Inlet Center
- 1/2" NPT Female Inlet
- Fits 1 1/16" - 18 UNEF Male Body Inlet
- 2 1/4" Diameter Integral Flange

**WJKCP**

- Straight Inlet Supply Arm
- 1/2" NPT Female Inlet
- 1 3/4" Projection from Wall or Deck
- 2 1/8" Diameter Integral Flange
- Fits 1 1/16" - 18 UNEF Male Body Inlet

**WXFJKCP**

- Straight Inlet Supply Arm with Wall Flange
- 1/2" NPT Female Inlet
- 1 7/8" Projection from Wall
- 2 1/2" Diameter Slip Flange Included
- Fits 1 1/16" - 18 UNEF Male Body Inlet

Shanks

**748-001KJKRBF**

- Threaded Inlet and Shank Assembly
- 3" Long
- 1/2" - 14 NPSM Male Inlet
- 3/8" - 18 NPT Male Outlet
- Locknut, Washers and Coupling Nut Included

**748-002KJKRBF**

- Threaded Inlet and Shank Assembly
- 2 11/16" Long
- 1/2" - 14 NPSM Male Inlet
- 1/2" - 14 NPT Male Outlet
- Locknut, Washers and Coupling Nut Included

**748-003KJKRBF**

- Threaded Inlet and Shank Assembly
- 4 3/8" Long
- 1/2" - 14 NPSM Male Inlet
- 3/8" - 18 NPT Male Outlet
- Locknut, Washers and Coupling Nut Included

**932-001KJKRBF**

- Threaded Inlet and Shank Assembly
- 3" Length
- 1/2" - 14 NPT Male Inlet
- 1/2" - 14 NPT Male Outlet
- Locknut and Washers Included

**957-003KJKRBF**

- Threaded Inlet Shank Assembly
- 4 3/4" Long
- 3/8" - 18 NPT Male Inlet
- 3/8" - 18 NPT Male Outlet
- Locknut and Washer Included

**979-001KJKRBF**

- Threaded Inlet and Shank Assembly
- 2 5/8" Long
- 3/8" - 18 NPT Male Inlet
- 3/8" - 18 NPT Male Outlet
- Locknut and Washer Included

The items listed in our repair parts section represent some of the more popular items sold in past history. If there may be a need for repair parts that are not listed within this catalog, please contact Chicago Faucets at 800/TEC-TRUE for further technical assistance.

Part #	Description
1-004JKRBF	Spout Gland
1-006JKNF	Spout Packing
1-011JKNF	Rubber Washer
1-021JKNF	Rubber Seat Washer for "X" or "XT" Style Cartridge
1-022JKNF	Retainer for "X" or "XT" Style Cartridge
1-026JKRBF	Split Retainer Ring
1-027JKNF	Monel Seat for "X" Style Cartridge
1-031JKNF	Stem Washer for "X" or "XT" Style Cartridge
1-043JKNF	Cap Gasket for "X" and NAIAD Style Cartridge
1-099STJKNF	Right Hand Quatern™ Steam Cartridge
1-100XTJKTPF	Left Hand Quatern™ Cartridge (Tin Plated)
1-110KJKBNF	Left Hand Stem Assembly for "X" Style Quatern™ Cartridge
1-111KJKBNF	Right Hand Stem Assembly for "X" Style Quatern™ Cartridge
1-119JKNF	Packing Assembly for "X" Style Cartridge
1-214JKCP	Cap Nut for Exposed Valve
1-219JKNF	Stem "O" Ring for "XT" Style Cartridge
1-327JKNF	Monel Seat for "XT" Style Cartridge
1-328JKNF	Seat "O" Ring for "XT" Style Cartridge
2-028JKRBF	Left Hand Sleeve for "X" Style Quatern™ Cartridge
2-043JKNF	"O" Ring for "XT" Style Cartridge Sleeve
49-005JKRBF	Coupling Nut for 3/8" or 1/2" Flexible Supply Riser
93-131JKNF	Packing Assembly for "XT" Style Cartridge
115.830.00.1	Service Remote Control Unit
121-NF	Thermostatic Mixing Valve - 3/8" Male Compression Inlets and Outlets
122-NF	Thermostatic Mixing Valve - 1/2" NPT Female Inlets and Outlet
217-X245LHJKNF	Left Hand Slo-Compression Control-A-Flo Cartridge
217-XMVCLHJKNF	Left Hand Slo-Compression Metal to Metal Seat Cartridge
217-XTLHJKSPF	Left Hand Slo-Compression Cartridge (Silver Plated)
217-XTLHJKTPF	Left Hand Slo-Compression Cartridge (Tin Plated)
217-XTRHJKSPF	Right Hand Slo-Compression Cartridge (Silver Plated)
217-XTRHJKTPF	Right Hand Slo-Compression Cartridge (Tin Plated)
240.693.00.1	Braided Hose Kit - 1 Piece for HyTronic®
240.694.00.1	Electronics Module Kit for HyTronic®
240.723.00.1	Traditional Spout Kit for HyTronic®
240.724.00.1	Traditional Spout Kit for Internal Mix, HyTronic®
240.728.00.1	Contemporary Spout Kit for External Mix, HyTronic®
240.729.00.1	Contemporary Spout Kit for Internal Mix, HyTronic®
240.730.00.1	Gooseneck Base Kit for External Mix, HyTronic®
240.738.00.1	Gooseneck Base Kit for Internal Mix, HyTronic®
240.744.00.1	Solenoid Valve, HyTronic® & E-Tronic® 20
240.745.00.1	Lavatory Deck Mounting Hardware Kit, HyTronic® & E-Tronic® 20
240.746.00.1	External Mixer Kit for HyTronic®
240.747.00.1	AC Power Adaptor Kit for HyTronic® & E-Tronic® 20
240.749.00.1	Battery Holder Kit for HyTronic® & E-Tronic® 20
240.753.00.1	Shut Off Screw Assembly for HyTronic® & E-Tronic® 20
240.767.21.1	2.0 GPM Laminar Flow Outlet for High-Arc
240.768.21.1	0.5 GPM Vandal Resistant Outlet for High-Arc
241.062.00.1	Flexible Hose, 2 Pieces for High-Arc
241.063.00.1	Backflow Preventer and Filters, 2 Pieces Each for High-Arc
241.589.00.1	Wall Mount Mounting Hardware Kit for HyTronic®
241.893.21.1	Spout Kit Assembly for E-Tronic® 20
242.031.21.1	2.2 GPM Vandal Resistant Aerator for High-Arc
242.032.00.1	Adaptor for Angle Stop Valve
242.035.00.1	AC Adaptor Module for High-Arc
242.036.00.1	Solenoid Valve for High-Arc

Part #	Description
242.037.00.1	Electronics Module for High-Arc
242.038.00.1	Fixing Screw with Wire and O-Ring for High-Arc
244.003.00.1	Braided Hose, 1 Piece for High-Arc
244.004.00.1	Screen Filters, 2 Pieces for High-Arc
244-006JKNF	Rubber Seat Washer for NAIAD Cartridges
250-200JKNF	Gasket for Tee or Swivel Connections
274-004JKRBF	Cap Nut for Concealed Valves
274-010KJKBNF	Left Hand Stem for "X" Style Cartridge
274-011KJKBNF	Right Hand Stem for "X" Style Cartridge
274-X245LHJKNF	Left Hand Slo-Compression Control-A-Flo Cartridges, Long Stem
274-X245RHJKNF	Right Hand Slo-Compression Control-A-Flo Cartridges, Long Stem
319-012JKRBF	Brass Washer for Push Button Unit
319-035JKNF	Leather Washer for Push Button Unit
319-040JKNF	"O" Ring for Push Button Unit
333-026JKRBF	Retainer for Push Button Unit
333-027JKNF	Felt Washer for Slow Dashpot
333-039JKNF	Nickel Silver Washer for Push Button Unit
333-040JKNF	Rubber Cup Washer for Push Button Unit
333-073KJKNF	Slow Dash Pot
333-097JKNF	Nut for Cartridge Stem
333-XBPSHJKNF	Push Button NAIAD Self-Closing Cartridge for Bubblers
333-XCOLDJKNF	Push Button NAIAD Self-Closing Cartridge with Cold Index
333-XHOTJKNF	Push Button NAIAD Self-Closing Cartridge with Hot Index
333-XSLOHOTJKNF	Push Button NAIAD Slo-Closing Cartridge with Hot Index
377-XST245LHJKNF	Left Hand Quatern™ Control-A-Flo Cartridge for Steam Service
377-XST245RHJKNF	Right Hand Quatern™ Control-A-Flo Cartridge for Steam Service
386-LDPXJKNF	Glass Filler Cartridge with Immediate Closure
386-XJKNF	Oscillating Urinal Handle Cartridge
386-XSLOCJKNF	Oscillating Urinal Slo-Closing Handle Cartridge
395-018JKNF	Spring for NAIAD Unit
401-301KJKCP	Cast Spout Assembly for 404 Widespread Fittings
408-XPSHJKNF	Palm Push Button Cartridge with Push Index for Widespreads
500-PRJKCP	Acrylic Handle Assembly - Hot and Cold Pair for 4" Centers
617-XJKNF	Prison Valve Push Button Cartridge
625-XSLOJKNF	Push Button Slow-Closing Cartridge for 834 & 806 Pedal Boxes
628-XJKTPF	Push Button Cartridge for 625 & 628 Pedal Boxes (Tin Plated)
628-XSLOJKNF	Push Button Slow-Closing Cartridge for 625 & 628 Pedal Boxes
633-023JKNF	Red Colored Index Button
633-123JKNF	Blue Colored Index Button
633-223JKNF	White Colored Index Button
635-PLJKCP	2 1/2" Metal Cross Handle with No Index
635-PRJKCP	2 1/2" Metal Cross Handle - Hot and Cold Pair
636-002JKCP	Hot Index Button for 636 Handle
636-102JKCP	Cold Index Button for 636 Handle
665-309KJKNF	Red and Blue Index Buttons for 665 Handle
670-XJKNF	MVP™ Metering Cartridge with Cap Washer and Small Filter
672-XJKNF	MVP™ Bubbler Cartridge with Cap Washer and Filter
749-SJKCP	Tub Spout with Diverter Knob
750-SJKCP	Tub Spout
776-XJKNF	Push Button NAIAD Self-Closing Long Stem and Sleeve Cartridge
778-009KJKCP	Wall Mount Vacuum Breaker Spout
807-XPSHJKNF	Palm Push Button Cartridge with Push Index for 4" Centers
826-XJKSPF	Klo-Self Short Stem Cartridge (Silver Plated)
839-VOJKNF	Control Valve Assembly for 838 and 839 Fittings
870-110KJKPVC	Needlepoint Cartridge with Cap and Handle for PVC Fittings

Part

892-032KJKNF
892-202KJKNF
902-DKJKCP
902-MHJKCP
932-001KJKTPF
932-002KJKRBF
932-003KJKRBF
937-XSTJKNF
950-PLJKCP
957-003KJKTPF
1105-XLHJKNF
1105-XRHJKNF
1222-KJKCP
1301-SB1KJKRBF
1919-024KJKNF
1919-039KJKNF
1919-048KJKNF
1919-060KJKNF
1919-072KJKNF
2000-PRJKCP
2200-112JKCP
2500-XJKNF
5235-XJKNF
DB6AE3JKCP
DB6JKCP
DJ13BVBKCP
DJ13JKRCF
DJ18BVBKCP
DJ18E1JKCP
DJ18JKRCF
E3-2VPJKCP
E3-3JKCP
E4FJKRCF
E4JKRCF
E7JKCTF
E7TJKCP
E19JKCP
E20JKCP
E33JKCP
EJKCP
GN1AE3JKCP
GN1AFCJKCP
GN1ARGDJKCP
GN1BE4JKCP
GN1BJKCP
GN1BVBKCP
GN2AE1JKCP
GN2AE29JKCP
GN2AE3JKCP
GN2AH13E3JKCP
GN2AH17E3JKCP
GN2AH8E3JKCP
GN2AH8FCJKCP
GN2BE3-2JKCP
GN2BE4JKCP

Description

Poly Valve Disc for Vacuum Breaker
Kit for Vacuum Breaker Assembly
Double Pipe Support for Service Sink Fittings
Pipe Support and Hook Assembly
Inlet Shank Assembly 1/2" NPT Male x 3" Length (Tin Plated)
Inlet Shank Assembly 1/2" NPT Male x 1 3/4" Length
Inlet Shank Assembly 1/2" NPT Male x 2 1/8" Length
Left Hand Short Stem Slo-Compression Cartridge for Steam Service
3-Wing Plain Indexed Handle Assembly
3/8" NPT Male x 4 3/4" Length Male Thread Shank Assembly (Tin Plated)
Left Hand Quatern™ Cartridge with Extension Sleeve
Right Hand Quatern™ Cartridge with Extension Sleeve
1 1/4" O.D. Pop-Up Drain with Pull Rod
Triple Shank Assembly 1301 Fitting
24" Stainless Steel Hose with 3/8" - 18 NPT Male Threaded Ends
36" Stainless Steel Hose with 3/8" - 18 NPT Male Threaded Ends
48" Stainless Steel Hose with 3/8" - 18 NPT Male Threaded Ends
60" Stainless Steel Hose with 3/8" - 18 NPT Male Threaded Ends
72" Stainless Steel Hose with 3/8" - 18 NPT Male Threaded Ends
Acrylic Handle Assembly- Hot And Cold Pair For 8" Undermount
4" Lavatory Base Plate for Marathon
Cartridge Assembly for Thermostatic Pressure Balancing Shower Valves
Diverter Valve Cartridge
6 1/4" C-C Double Bend Spout w/ E3 Aerator Outlet
6 1/4" C-C Double Bend Spout w/ Plain End Outlet
13" C-C Double Jointed Vacuum Breaker Swing Spout with "B" Type Outlet
13" C-C Double Jointed Swing Spout with E2 Hose Thread Outlet (Rough Chrome)
18" C-C Double Jointed Vacuum Breaker Swing Spout with "B" Type Outlet
18" C-C Double Jointed Swing Spout w/ E1 Quixtop Outlet
18" C-C Double Jointed Swing Spout with E2 Hose Thread Outlet (Rough Chrome)
Vandal Proof Aerator with 3/8" - 18 NPSM Male Adapter
2.2 GPM Aerator with 3/8" - 18 NPSM Female Adapter
3/8" - 18 NPSM Female Rose Spray Outlet, 2.0 GPM Flow (Rough Chrome)
3/8" - 18 NPSM Male Rose Spray Outlet, 2.0 GPM Flow (Rough Chrome)
3/8" - 18 NPSM Laboratory Serrated Nozzle Outlet (Chrome/Tin Plated)
3/8" - 18 NPT Male Laboratory Serrated Nozzle Outlet
Vandal Resistant Aerator Outlet with Anti-Hose Flange, 2.0 GPM Flow
Volume Flow Control, 3/8" - 18 NPT Male x 3/8" - 18 NPSM Female
Aerator/Swivel Spray Outlet Assembly, 2.2 GPM Flow
Supply Inlet Control Valve with Slo-Comp Cartridge and Loose Key Handle
3 1/2" C-C R/S Gooseneck Spout with E3 Aerator Outlet
3 1/2" C-C Gooseneck Spout with 1.5 GPM Flow Control with "A" Type Outlet
3 1/2" C-C Rigid Gooseneck Spout with "A" Type Outlet
3 1/2" C-C R/S Gooseneck Spout with E4 Rose Spray Outlet
3 1/2" C-C R/S Gooseneck Spout with "B" Type Outlet
3 1/2" C-C R/S Vacuum Breaker Spout with "B" Type Outlet
5 1/4" C-C R/S Gooseneck Spout with E1 Quixtop Outlet
5 1/4" C-C R/S Gooseneck Spout with E29 Laminar Outlet
5 1/4" C-C R/S Gooseneck Spout with E3 Aerator Outlet
5 1/4" C-C R/S Gooseneck Spout with E3 Aerator Outlet, 13" Height
5 1/4" C-C R/S Gooseneck Spout with E3 Aerator Outlet, 17" Height
5 1/4" C-C R/S Gooseneck Spout with E3 Aerator Outlet, 8" Height
5 1/4" C-C R/S Gooseneck Spout with 1.5 GPM Flow Control with "A" Type Outlet
5 1/4" C-C R/S Gooseneck Spout with E3-2 Aerator Outlet
5 1/4" C-C R/S Gooseneck Spout with E4 Rose Spray Outlet

Part #	Description
GN2BE7JKCP	5 1/4" C-C R/S Gooseneck Spout with E7 Serrated Nozzle Outlet
GN2BH13JKCP	5 1/4" C-C R/S Gooseneck Spout with "B" Type Outlet, 13" Height
GN2BH17JKCP	5 1/4" C-C R/S Gooseneck Spout with "B" Type Outlet, 17" Height
GN2BH8JKCP	5 1/4" C-C R/S Gooseneck Spout with "B" Type Outlet, 8" Height
GN2BVBE2-2JKCP	6" C-C R/S Vacuum Breaker Spout with E2-2 Hose Thread Outlet
GN2BVBE3-2JKCP	6" C-C R/S Vacuum Breaker Spout with E3-2 Aerator Outlet
GN2BVBE7JKCP	6" C-C R/S Vacuum Breaker Spout with E7 Serrated Nozzle Outlet
GN2H13JKCP	5 1/4" C-C R/S Gooseneck Spout with Plain End Outlet, 13" Height
GN2H8FCJKCP	5 1/4" C-C R/S Gooseneck Spout with 1.5 GPM Flow Control with Plain End, 8" Height
GN2H8JKCP	5 1/4" C-C R/S Gooseneck Spout with Plain End Outlet, 8" Height
GN8AE2JKCP	8" C-C R/S Gooseneck Spout with E2 Hose Thread Outlet
GN8AFCE3JKCP	8" C-C R/S Gooseneck Spout with 1.5 GPM Flow Control and E3 Aerator Outlet
GN8BE1MJKCP	8" C-C R/S Gooseneck Spout with E1M Quixtop Outlet
GN8BE4JKCP	8" C-C R/S Gooseneck Spout with E4 Rose Spray Outlet
GN8BFCJKCP	8" C-C R/S Gooseneck Spout with 1.5 GPM Flow Control with "B" Type Outlet
GN8BJKCTF	8" C-C R/S Gooseneck Spout with "B" Type Outlet (Chrome/Tin)
GN8BVBE2-2JKCP	8" C-C R/S Vacuum Breaker Spout with E2-2 Hose Thread Outlet
GN8BVBE3-2JKCP	8" C-C R/S Vacuum Breaker Spout with E3-2 Aerator Outlet
GN8BVBE7JKCP	8" C-C R/S Vacuum Breaker Spout with E7 Serrated Nozzle Outlet
GN8JKCP	8" C-C R/S Gooseneck Spout with Plain Type Outlet
GN10AE3SWGJKCP	10" C-C Swing Gooseneck Spout with E3 Aerator Outlet
GN10ARGDJKCP	10" C-C Rigid Gooseneck Spout with "A" Type Outlet
GN10BRGDJKCP	10" C-C Rigid Gooseneck Spout with "B" Type Outlet
GN10BSWGJKCP	10" C-C Swing Gooseneck Spout with "B" Type Outlet
GN10BVBRGDJKCP	10" C-C Rigid Vacuum Breaker Spout with "B" Type Outlet
GN10BVBSWGJKCP	10" C-C Swing Vacuum Breaker Spout with "B" Type Outlet
GN12ARGDJKCP	12" C-C Rigid Gooseneck Spout with "A" Type Outlet
GN12BSWGJKCP	12" C-C Swing Gooseneck Spout with "B" Type Outlet
GN12BVBRGDJKCP	12" C-C Rigid Vacuum Breaker Spout with "B" Type Outlet
GN12BVBSWGJKCP	12" C-C Swing Vacuum Breaker Spout with "B" Type Outlet
HA8LESSE12JKCP	8" C-C High Arc Swing Spout Less E12 Aerator Outlet
HJKRCF	2 1/2" Offset Inlet Supply Arm (Rough Chrome)
K3JKCP	Spout End Adapter 3/4" Female Hose Thread x 13/16" - 24 Male Thread
L5VBKRCF	5 3/4" C-C Cast Vacuum Breaker Swing Spout with Hose Thread Outlet
L8BVBE2-2JKCP	8" C-C Vacuum Breaker Swing Spout with E2-2 Hose Thread Outlet
L8BVBE3-2JKCP	8" C-C Vacuum Breaker Swing Spout with E3-2 Aerator Outlet
L8BVBE7JKCP	8" C-C Vacuum Breaker Swing Spout with E7 Serrated Nozzle Outlet
L9E1JKCP	9 1/2" C-C Swing Spout with E1 Quixtop Outlet
L9LESSE3JKCP	9 1/2" C-C Swing Spout Less E3 Aerator Outlet
L12E1JKCP	12" C-C Swing Spout with E1 Quixtop Outlet
L12LESSE3JKCP	12" C-C Swing Spout Less E3 Aerator Outlet
L15E1JKCP	14" C-C Swing Spout with E1 Quixtop Outlet
S4BVBJKCP	4 1/2" C-C Vacuum Breaker Swing Spout with "B" Type Outlet
S6E1JKCP	6" C-C Cast Swing Spout Assembly with E1 Quixtop Outlet
S6E2JKCP	6" C-C Cast Swing Spout Assembly with E2 Hose Thread Outlet
S6JKRCF	6" C-C Cast Swing Spout Assembly with E2 Hose Thread Outlet (Rough Chrome)
S6LESSE3JKCP	6" C-C Cast Swing Spout Assembly Less E3 Aerator Outlet
SA1JKCP	Adapter 1/2" NPT Female x 1 1/16" - 18 UNEF Male Spout Thread
SA2JKCP	90 Degree Elbow 1/2" NPT Female x 1 1/16" - 18 UNEF Male Spout Thread
SA3JKCP	Adapter 3/8" NPT Female x 1 1/16" - 18 UNEF Male Spout Thread
WXAJKCP	90 Degree Supply Inlet Elbow Assembly, 1/2" NPT Female Inlet, 1 1/16" - 18 UNEF Female Outlet
WXJKCP	Straight Supply Inlet Assembly

Prefix/Suffix Definitions

BA	faucet body outlet adapter	LF	less flange	VO	valve only
C	integral check	LH	left hand	VOA	fume hood valve only, angled flange
CC	center to center	LK	loose key	VOC	valve only complete
CH	cross handle	LKC	loose key check valve	VOG	fume hood valve only, gas
CO	center outlet	LP	cabinet mounted pedal box long pedal	VOGA	fume hood valve only, gas - angled flange
CW	cold water	LS	long shank	VOS	fume hood valve only, steam
D	display kit	M	male type adapter	VOSA	fume hood valve only, steam - angled flange
DB	double bend spout	MM	metal to metal unit	VP	vandal proof
DJ	double jointed swing spout	NS	non-swing	VPA	vandal proof aerator
DK	double pipe support	OH	oscillating handle	VPC	vandal proof complete
DS	dual service with shank pasted (Loctite 565 pst) & assembled to fitting - valves shipped loose	PVB	anti-siphon pressure type vacuum breaker	VPH	vandal proof handle
DSVR	dual service with shank pasted. valve & nozzle epoxied (2 part) all assembled complete to fitting	RH	right hand	VPP	vandal proof pin or cover plate
EP	wall mount pedal box extended pedal	RGD	rigid only spout	VR	all components assembled complete with epoxy (2 part) & VPP, VPH & VPA & spout where applicable
EX	wall mount supply shank extension	S	riser, hose, & spray assembly only	WC	with cover (hose reels)
F	female inlet	S#	swing spout (S6)	WC	12" centers
FC	flow control	SA	faucet outlet adapter	WH	wheel handle
GN	gooseneck spout	SFA	supply from above	WS	with shank pasted & assembled to fitting - valves shipped loose
H#	height of spout GN2BH8	SFB	supply from below	WSL	with shank loose
HA	high arc spout	SLO	slow closing	WSV	with shank & valve pasted & assembled complete to fitting
HR	high rise spout	ST	steam unit	WV	white vinyl hose
IS	integral spout	SW	8" swivel connections	X	cartridge
JK	repair part	SWC	sweat connection	XK	ceramic cartridge
K	assembly of parts	SWG	swing spout only	XT	Quatern® cartridge
L#	swing spout (L6, L8)	TF	Triple Force™		
LD	less dish	TW	third water inlet (for use with a pedal box)		
		VB	vacuum breaker		
		VBG	g-elevated VB (778 VBG)		
		VBR	adjustable stop arms & VB spout (305 VBG)		
		VH	vinyl hose		

Finish Codes

BNF	barrel nickel finish	NPF	nickel plate finish
BAF	brushed aluminum finish	RCF	rough chrome finish
CP	chrome plate	RBF	rough brass finish
CEF	clear epoxy finish	SAM	satin antimicrobial
CTF	tin plate inside, chrome outside	SPF	silver plate finish
NF	no finish	TPF	tin plate finish

AB 1953	California Assembly Bill 1953, effective January 1, 2010, regulates the lead content in plumbing products that deliver water for human consumption.
ADA	Americans with Disabilities Act, effective 1992. This act states that for faucets, handles must require no pinching or grasping, and must require less than 5 lbs. of force to operate. In addition, metering faucets must run for at least 10 seconds. Chicago Faucets offers over 150 products designed and manufactured to meet ADA requirements.
Aerator	A feature located at the end of a faucet designed to mix air and water and thereby enable a splash-free flow.
ANSI	American National Standards Institute. Gas valves are tested and certified to ANSI Z1.5A/CGA 9.1M.
ASME	American Society of Mechanical Engineers. All Chicago Faucets plumbing supply fittings are designed and manufactured to meet or exceed the ASME A112.18.1 standard for plumbing fittings.
ASSE	American Society of Safety Engineers. Chicago Faucets pressure balancing and combination thermostatic and pressure balancing shower valves comply with ASSE 1016. Chicago Faucets vacuum breakers comply with ASSE 1001 and ASSE 1035.
Body	The basic housing that allows you to build your faucet for specific applications.
Buy American Act	In 1933, the Buy American Act was signed into law, requiring the U.S. government to prefer American made products in its purchases. To qualify, under the Act, the product must be assembled (Made) in the USA and more than 50% of the value must be derived from parts that are American made. Over 95% of our products meet these requirements. The compliant product list can be viewed at: http://www.chicagofaucet.com/pdf/BAAProductListing.pdf
C-C	Center to Center. Refers to the distance between the center of valve bodies, or the reach of the spout from the center of the upright to the center of the outlet.
Ceramic Cartridge	A self-contained cartridge housing two ceramic discs. Full on or off with a 1/4 turn of the handle.
CHI FAU CO	An abbreviation for The Chicago Faucet Company – used on some parts.
Component	A part or sub-assembly within the part number of a fitting. This includes spouts, handles, aerators, inlets, outlet, arms and shanks.
Control-A-Flow®	A water conservation cartridge that can be adjusted to provide a flow rate of 1.2 to 2.0 GPM @ 50PSI.
CSA	CSA International. Most Chicago Faucets fittings are designed and manufactured to meet or exceed the applicable CSA standard.
Dashpot	A component that provides a slow or soft closure characteristic, for NAIAD cartridges.
ECAST®	Plumbing products certified as manufactured with less than one quarter of one percent (0.25%) total lead content by weighted average. A Chicago Faucets trademark.
Flow Control	A water conservation device installed in the spout base, restricting flow to either 0.9 or 1.5 GPM.
Food Service	Products typically installed in institutional or restaurant kitchen areas.
GPM	Gallons Per Minute. The flow rate of the water.
Integral	A feature, built into the faucet or fitting.
IPS	Iron Pipe Size. A specification for tapered pipe thread used in plumbing, synonymous with NPT.
Kio-Self™	A water conservation cartridge that closes upon release of the handle.
Laboratory	Products typically installed in K-12 schools, universities or professional science laboratories.
Laminar Flow	A non-aerated flow of water.
LEED®	The Leadership in Energy and Environmental Design program systematically measures the performance of an entire building by awarding points in the areas of human and environmental health. Certified, Silver, Gold or Platinum certification is awarded, based on meeting certain prerequisites and benchmarks.
L/min	Liters Per Minute. The flow rate of water.
Marathon®	Single control kitchen and lavatory faucets. A Chicago Faucets trademark.
MeterMix®	A deck mounted lavatory metering faucet with temperature control. A Chicago Faucets trademark.
Monel®	A non-corrosive nickel-copper alloy. An International Nickel Co. trademark.
MVP®	An adjustable metering (self-closing) cartridge. A Chicago Faucets trademark.
NAIAD™	An adjustable metering (self-closing) cartridge. A Chicago Faucets trademark.
NPSM	National Straight Pipe Thread for Mechanical Joints. A typical pipe thread used on inlet shanks.
NPT	National Pipe Taper. A specification for tapered thread used in plumbing.
NSF	NSF International. A plumbing standard that applies to the restriction of the release of toxins into a potable water system. Applies to all drinking water and lavatory faucets and states that leaching of lead into drinking water may not exceed 5 parts per billion at 1 liter dilution. Chicago Faucets has one of the largest listing of faucets certified to ANSI/NSF 61, Section 9. Your Chicago Faucets sales representative can provide you with a current and complete listing of products certified to ANSI/NSF 61, Section 9.
Oscillating Handle	A lever handle that operates by either pushing or pulling – typically used on urinal valves.
Outlet	An end point device typically installed on a spout that regulates water volume and changes flow patterns.
Potable Water	Water that is fit for consumption by humans and animals.
Pressure Balancing	Operational characteristic typically found in shower valves that maintains set water temperature when water pressure fluctuates, preventing scalding and thermal shock.
Pressure Balancing/Thermostatic	Operational characteristic typically found in shower valves that maintains set water temperature when water temperature or pressure fluctuates, a thermal actuator adjusts the hot and cold ratio to maintain the original temperature setting, preventing scalding and thermal shock.
Quaturn™	A self-contained, repairable, compression cartridge that provides drip-free performance. Full on or off with a 1/4 turn of the handle. A Chicago Faucets trademark.
Safety Equipment	Safety showers, eye wash units and drench hoses typically installed in any building where hazardous conditions exist.
Slo-Compression	A self-contained, repairable cartridge that provides drip-free performance. Full on or off activation in 270° rotation of handle.
Softflo®	Name of a Chicago Faucets aerator. A Chicago Faucets trademark.
STEDI-FLO™	A water conservation fitting that restricts the waterflow at the inlet. A Chicago Faucets trademark.
Tailpiece	a) The connecting tube between a urinal/watercloset and the china. b) The connecting tube between a waste fitting and the trap. c) A fitting used to make a compression to pipe connection.
TempShield®	Name of a Chicago Faucets shower and tub/shower pressure balancing valve. A Chicago Faucets trademark.
Tip-Tap™	Name of a Chicago Faucets metering cartridge handle that tilts when pushed. A Chicago Faucets trademark.
Vacuum Breaker	Plumbing device that prevents back siphon of water into the water system.
Vandal Proof	Unique features designed to make the product resistant to tampering without the use of proper tools.
Bill S.152	Vermont Lead in Consumer Products Law, effective January 1, 2010, regulates the lead content in plumbing products that deliver water for human consumption.
Water Hammer	Destructive pressure wave, evident by noise, usually the result of air in the water line or high water pressure.
Wristblade	A 4" or 6" blade handle that allows opening and closing of a valve, using wrists or elbows – typically used in healthcare.

Code/Standard Compliance

NSF/ANSI 61, Section 9

Applies to all drinking water and lavatory faucets and states that leaching of lead into drinking water may not exceed 5 parts per billion at 1 liter dilution. Chicago Faucets has one of the largest listing of faucets certified to ANSI/NSF 61, Section 9. Your Chicago Faucets sales representative can provide you with a current and complete listing of Chicago Faucets products certified according to the ANSI/NSF 61, Section 9.

ANSI Z1.5A / CGA 9.1M

Gas valves are tested and certified to ANSI Z1.5A / CGA 9.1M.

ASME A112.18.1

All Chicago Faucets plumbing supply fittings are designed and manufactured to meet or exceed the ASME A112.18.1 standard for plumbing fittings. Consult factory for details.

ASSE 1016/ASSE 1001

Chicago Faucets pressure balancing and combination thermostatic and pressure balancing shower valves comply with ASSE 1016. Chicago Faucets vacuum breakers comply with ASSE 1001, ASSE1035 and CSA B64.1.1.

CSA B125

All Chicago Faucets plumbing supply fittings are designed and manufactured to meet or exceed the ASME A112.18.1 standard for plumbing fittings. Consult factory for details.



ADA

Chicago Faucets offers over 150 products designed and manufactured to meet ADA requirements.

ISO 9001

Chicago Faucets meets ISO 9001 international standards based on the ability to establish and maintain a uniform quality management system to better meet the needs of our customers.

ISO 14001

Chicago Faucets takes a systematic approach in its environmental management system to verify hazard potentials, control them and thus prevent critical incidents, therefore meeting ISO 14001 standards.

1-099-245JKNF	156	116.114.AB.1	11, 90	200-AGN8AE3-317ABCP	10, 53
1-099XKBL12JKABNF	12	116.121.21.1	11, 88	200-AGN8AE3-317CP	10, 53
1-099XKJKABNF	12, 159	116.121.AB.1	11, 88	200-AGN8AE3-317XKABCP	10, 53
1-099XKJKNF	156	116.122.21.1	11, 88	200-AGN8AE3-317XKCP	10, 53
1-099XTBL12JKABNF	12	116.122.AB.1	11, 88	200-AGN8AE3CP	53
1-099XTJKABNF	12, 159	116.123.21.1	11, 90	200-ALESSSPTCP	134
1-099XTJKNF	156	116.123.AB.1	11, 90	201-A317ABCP	10, 53
1-100-245JKNF	156	116.124.AB.1	11, 90	201-A317CP	10, 53
1-100XKBL12JKABNF	12	116.201.21.1	11, 89	201-A317XKCP	53
1-100XKJKABNF	12, 159	116.201.AB.1	11, 89	201-AABCP	10, 53
1-100XKJKNF	156	116.202.21.1	11, 89	201-ACP	10, 53
1-100XTBL12JKABNF	12	116.202.AB.1	11, 89	201-AGN2AE3-317CP	53
1-100XTJKABNF	12, 159	116.203.21.1	11, 91, 99	201-AGN8AE3-317ABCP	10, 53
1-100XTJKNF	156	116.203.AB.1	11, 91	201-AGN8AE3-317CP	10, 53
1-159JKCP	148	116.204.AB.1	11, 91, 100	201-AGN8AE3-317VPAABCP	10, 54
45-ABCP	11, 74	116.211.21.1	11, 89	201-AGN8AE3-317VPACP	10, 54
45-CP	11, 74	116.211.AB.1	11, 89	201-AGN8AE3-317VPCCP	54
45-LKABCP	11, 74	116.212.21.1	11, 89	201-AGN8AE3-317XKABCP	10, 54
45-LKCCP	74	116.212.AB.1	11, 89	201-AGN8AE3-317XKCP	10, 54
45-LKCP	11, 74	116.213.21.1	11, 91	201-AGN8AE3-319ABCP	10, 54
50-317ABCP	9, 39	116.213.AB.1	11, 91	201-AGN8AE3-319CP	10, 54
50-317CP	9, 39	116.214.AB.1	11, 91	201-AGN8AE3ABCP	10, 54
50-ABCP	9, 39	116.221.21.1	11, 89	201-AGN8AE3CP	10, 54
50-CP	9, 39	116.221.AB.1	11, 89	201-AGN8AE3VPAABCP	10, 54
50-E1CP	99	116.222.21.1	11, 89	201-AGN8AE3VPACP	10, 54
50-E35CP	39	116.222.AB.1	11, 89	201-AGN8AE29-317ABCP	10, 54
50-E2805-5ABCP	9, 39	116.223.21.1	11, 91	201-AGN8AE29-317CP	10, 54
50-E2805-5CP	9, 39	116.223.AB.1	11, 91	201-AGN8AE29-317XKCP	54
50-GN2FC317ABCP	9, 39	116.224.AB.1	11, 91	201-AGN8AE35-317CP	54
50-GN2FC317CP	9, 39	116.303.21.1	138	201-AGN8AE2805-5-317ABCP	10, 55
50-LESSSPT317CP	134	116.304.AB.1	138	201-AGN8AE2805-5-317CP	10, 55
50-LESSSPTCP	134	116.313.21.1	138	201-AGN8AE2805-5ABCP	10, 55
50-LESSSPTXKCP	134	116.314.AB.1	139	201-AGN8AFC317ABCP	10, 55
50-TABCP	9, 39	116.323.21.1	139	201-AGN8AFC317CP	10, 55
50-TC	9, 39	116.324.AB.1	139	201-AHA8-317CP	55
50-TLESSSPTCP	134	116.403.21.1	139	201-AHA8ABCP	10, 55
50-VPAABCP	9, 39	116.404.AB.1	139	201-AHA8CP	10, 55
50-VPACP	9, 39	116.413.21.1	139	201-ALESSSPT&HDLCP	134
50-XKCP	39	116.414.AB.1	139	201-ALESSSPT317CP	134
51-ABCP	9, 39	116.423.21.1	139	201-ALESSSPT317XKCP	134
51-CP	9, 39	116.424.AB.1	139	201-ALESSSPTCP	134
65-261CP	67	116.427.AB.1	11, 90	204	153
65-261RCF	67	116.428.AB.1	11, 90	205	153
80-HCP	96	116.429.AB.1	11, 90	217-XTLHBL12JKABNF	12
80-LCP	96	116.430.AB.1	11, 91	217-XTLHJKABNF	12, 159
81-LCP	96	116.431.AB.1	11, 91	217-XTLHJKNF	156
83-29NF	97	116.432.AB.1	11, 91	217-XTLHJKTPF	156
83-44NF	97	116.606.21.1	11, 89	217-XTLRHBL12JKABNF	12
83-58NF	97	116.606.AB.1	11, 89	217-XTRHJKABNF	12, 159
83-77NF	97	116.706.21.1	11, 88	217-XTRHJKNF	156
84-CP	96	116.706.AB.1	11, 88	225-261CP	67
116.101.21.1	11, 88	121-ABNF	11, 92	225-CP	67
116.101.AB.1	11, 88	121-NF	11, 92, 162	226-ACP	141
116.102.21.1	11, 88	122-ABNF	11, 92	240.627.21.1	92
116.102.AB.1	11, 88	122-NF	11, 92, 162	240.628.21.1	92
116.103.21.1	11, 90	150-CP	85	240.630.00.1	92
116.103.AB.1	11, 90	150-WVCP	85	240.631.00.1	92
116.104.21.1	11, 90	151-CP	85	240.632.00.1	92
116.104.AB.1	11, 90	151-WVCP	85	241-PLJKCP	153
116.111.21.1	11, 88	153-CP	85	241-PLPRJKCP	153
116.111.AB.1	11, 88	153-WVCP	85	241.891.21.1	148
116.112.21.1	11, 88	200-AABCP	10, 53	241.892.21.1	148
116.112.AB.1	11, 88	200-ACP	10, 53	242.164.21.1	92
116.113.21.1	11, 90			242.165.00.1	92
116.113.AB.1	11, 90				



Product Index

261-JKCP	160	339-665PSHCP	85	404-950CP	10, 56
261-JKRCF	160	349-80102CP	79	404-1000ABCP	10, 56
269-JKNF	153	349-ABCP	9, 41	404-1000CP	10, 56
274-XTLHJKNF	156	349-CP	9, 41	404-ABCP	10, 56
274-XTRHJKNF	156	349-LESSSPTCP	135	404-CP	10, 56
293-006JKRCF	153	350-244CP	41	404-CWCP	45
293-CP	66	350-317ABCP	9, 41	404-LESSHDLABCP	11, 135
293-E27CP	66	350-317CP	9, 41	404-LESSHDLCP	11, 135
293-RCF	66	350-317VPAABCP	9, 41	404-V317ABCP	10, 56
305-CP	68	350-317VPACP	9, 41	404-V317CP	10, 56
305-RCF	68	350-ABCP	9, 41	404-V317XKCP	56
305-RCP	68	350-CP	9, 41	404-V636CP	56
305-RRCF	68	350-E1CP	99	404-V665ABCP	10, 57
305-SVBJKCP	141	350-E35CP	41	404-V665CP	10, 57
305-SVBJKRCF	141	350-GN8AE3ABCP	9, 41	404-V950ABCP	10, 57
305-VBCP	68	350-GN8AE3CP	9, 41	404-V950CP	10, 57
305-VBRCF	68	350-VPAABCP	9, 42	404-V1000ABCP	10, 57
305-VBRCP	68	350-VPACP	9, 42	404-V1000CP	10, 57
305-VBRRCF	68	350-VPAXKCP	42	404-VABCP	10, 57
305-VBRXKCP	68	350-VPCABCP	9, 42	404-VCP	10, 57
305-VBRXKRCF	69	350-VPCCP	9, 42	404-VE2805-1000CP	57
313-CP	98	350-VPPCP	42	404-VE2805-317CP	57
317	153	350-XKCP	42	404-VE2805-665ABCP	10, 57
318-JKCP	153	369	154	404-VE2805-665CP	10, 57
319	153	374-PLPRJKCP	154	404-VE2805ABCP	10, 57
320-PRJKCP	154	375-CP	74	404-VE2805CP	10, 57
324-665PSHCP	98	375-LKABCP	11, 74	404-VE34VP-317CP	57
324-CP	98	375-LKCP	11, 74	404-XKCP	58
327-X1-1/2TPCP	141	376-CXJKNF	157	409-XJKNF	157
327-XCP	141	377-X245LHJKNF	157	415-021JKCP	84
332-ABCP	10, 66	377-X245RHJKNF	157	420-ABCP	9
332-CP	10, 66	377-XKLHBL12JKABNF	12	420-CP	9, 37
332-LESSSPTCP	135	377-XKLHJKABNF	12, 159	442-83044CP	79
333-336COLDABCP	9, 40	377-XKLHJKNF	157	442-ABCP	11, 74
333-336COLDCP	9, 40	377-XKRHL12JKABNF	12	442-CP	11, 74
333-336PSHABCP	9, 40	377-XKRHLJKABNF	12, 159	442-LKABCP	11, 74
333-336PSHCP	9, 40	377-XKRHLJKNF	157	442-LKCCP	74
333-336PSHVPABCP	9, 40	377-XTLHBL12JKABNF	12	442-LKCP	11, 74
333-336PSHVPACP	9, 40	377-XTLHJKABNF	12, 159	445-897SRCXKCP	69
333-665PSHABCP	9, 40	377-XTLHJKNF	157	445-ABCP	10, 69
333-665PSHCP	9, 40	377-XTRHBL12JKABNF	12	445-CP	10, 69
333-665PSHVPABCP	9, 40	377-XTRHJKABNF	12, 159	445-DJ13CP	69
333-665PSHVPACP	9, 40	377-XTRHJKNF	157	445-DJ13E1CP	100
333-E12PSHABCP	9	386-XSLOJKNF	157	445-DJ18CP	69
333-E12PSHCP	9	387-CP	66	445-DJ18E1CP	100
333-E2805-665PSHABCP	9, 40	387-E27CP	66	445-E1ABCP	10, 69
333-E2805-665PSHCP	9, 40	387-RCF	66	445-E1CP	10, 69, 101
333-SLOE12COLDABCP	9, 40	389-665PSHCP	66	445-HCCP	69
333-SLOE12COLDCP	9, 40	390-PRJKCP	154	445-L8ABCP	10, 69
333-SLOE12HOTCP	40	403-ABCP	10, 55	445-L8CP	10, 69
333-SLOE12PSHABCP	9, 40	403-CP	10, 55	445-L8E1CP	101
333-SLOE12PSHCP	9, 40	404-12CCABCP	10	445-L9ABCP	10, 69
333-XPSHJKNF	156	404-12CCCP	10	445-L9CP	10, 69
333-XSLOCOLDJKNF	157	404-317ABCP	10, 55	445-L9E1ABCP	10, 70
333-XSLOPSHJKNF	157	404-317CP	10, 55	445-L9E1CP	10, 70, 101
334-ABCP	11	404-317SWABCP	10, 55	445-L12ABCP	10, 70
334-CP	11, 98	404-317SWCP	10, 55	445-L12CP	10, 70
335	154	404-317XKCP	55	445-L12E1ABCP	10, 70
335-E12COLDABCP	9, 41	404-636ABCP	10, 56	445-L12E1CP	10, 70, 101
335-E12COLDCP	9, 41	404-636CP	10, 56	445-LESSSPTCP	135
335-E12PSHABCP	9, 41	404-665ABCP	10, 56	445-LESSSPTXKCP	135
335-E12PSHCP	9, 41	404-665CP	10, 56	445-PVBCP	70
335-XJKNF	157	404-665CWCP	45	449-950CP	85
336	154	404-665SWCP	56	509-GCLCP	96
337-CP	141	404-950ABCP	10, 56	509-GCTFCP	96



510-GCLCP	96	625-SLOABCP	11, 78	733-665PSHLESSTP&ESCCP	136
510-GCTFCP	96	625-SLOCP	11, 78	733-OHCP	86
510-GCLWSLCP	96	625-XJKNF	158	733-OHVBCP	86
510-GCTFWSLCP	96	626-ABCP	9, 42	733-VB665PSHCP	86
512-GCCP	98	626-CP	9, 42, 102	737-RCF	70
515-CP	98	626-E3ABCP	9, 42	745-VOC	79
521-CP	67	626-E3CP	9, 42	745-XJKNF	158
521-GN2AE1CP	100	626-E29ABCP	9, 42	746-317ABCP	10, 58
521-LESSSPTCP	135	626-E29CP	9, 42	746-317CP	10, 58
526-919SLCP	95	626-E29VPABCP	9, 42	746-CP	58
526-919STFCP	95	626-E29VPCP	9, 42	746-VCP	58
526-ABCP	9, 45	626-FCABCP	9, 43	748-001KJKRBF	161
526-CP	9, 45	626-FCCP	9, 43	748-002KJKRBF	161
526-GN2AE1CP	99	626-GN8AE3ABCP	9, 43	748-003KJKRBF	161
527-919SLCP	95	626-GN8AE3CP	9, 43	748-665ABCP	11, 73
527-919STFCP	95	626-GN8AFCABCP	9, 43	748-665CP	11, 73
527-ABCP	10, 58	626-GN8AFCCP	9, 43	748-665FHABCP	11, 73
527-CP	10, 58	626-GN8FCABCP	9, 43	748-665FHCP	11, 73
527-GN2AE1CP	100	626-GN8FCCP	9, 43	748-665TBCP	73
527-LESSSPTCP	135	626-LESSSPTCP	136	749-SJKCP	84
527-S6E1CP	100	627-CP	43	749-016JKCP	84
535-NF	97	628-ABCP	11, 78	752-CP	85
536-NF	97	628-CP	11, 78	752-RCF	85
537-NF	97	628-XJKABNF	11, 159	756-CP	85
537-WCNF	97	628-XJKNF	11, 158	769-COLDCP	77
540-CP	71	629-CP	66, 102	770-317PLCP	77
540-LD897SWXFCP	72	629-E3CP	67	770-665PSHCP	84
540-LDABCP	10, 71	629-LESSSPTCP	136	770-COLDCP	84
540-LDCP	10, 71	631-ABCP	10, 71	770-PLCP	84
540-LDE1CP	101	631-CP	10, 71	772-ABCP	9, 44
540-LDL8ABCP	10, 71	631-RCP	72	772-CP	9, 44
540-LDL8CP	10, 71	633	154	778-SCP	79
540-LDL8E1CP	101	634	154	782-ISCP	77
540-LDL9ABCP	10, 71	636	154	782-VBCP	72
540-LDL9CP	10, 71	665	155	785-665ABCP	10, 58
540-LDL9E1CP	101	665-190KJKNF	158	785-665CP	10, 58
540-LDL12-1-159-3/4CP	100	667-080KJKNF	158	785-ABCP	10, 58
540-LDL12ABCP	10, 71	671-XJKNF	158	785-CP	10, 58
540-LDL12CP	10, 71	686-124KJKCP	141	785-GN1FCABCP	10, 58
540-LDL12E1WXFABCP	10	686-126KJKCP	141	785-GN1FCCP	10, 58
540-LDL12E1WXFCP	10, 100	686-RCF	44	785-LESSSPTCP	136
540-LDL15CP	71	698-ABCP	11, 74	785-LESSSPTLESSHDLC	136
540-LDLESSSPT&ARMCP	135	698-CP	11, 74	785-LESSSPTXKCP	137
540-LDLESSSPT&HDLCP	135	699-ABCP	11, 75	785-SWGN1FCCP	58
540-LDLESSSPTCP	136	699-CP	11, 75	785-SWLESSSPTCP	137
540-LDLESSSPTHDLCARMCP	136	700-COLDABCP	9, 43	785-XKABCP	10, 59
540-LDLESSSPTXKCP	136	700-COLDCP	9, 43	785-XKCP	10, 59
540-LDRLESSSPTXKCP	136	700-HOTABCP	9, 43	786-ABCP	10, 59
600-CP	84	700-HOTCP	9, 43	786-CP	10, 59
613-ACP	99	700-HOTXKCP	43	786-E3-245CP	59
613-AL12E1CP	99	701-COLDABCP	9, 43	786-E3-319ABCP	10, 59
613-AL15E1CP	99	701-COLDCP	9, 43	786-E3-319CP	10, 59
613-ALESSSPTCP	140	701-HOTABCP	9, 44	786-E3-369ABCP	10, 59
620-AVPCP	84	701-HOTCP	9, 44	786-E3-369CP	10, 59
620-CP	84	709-CP	98	786-E3-665ABCP	10, 59
620-VPCP	84	730-COLDABCP	9	786-E3-665CP	10, 59
621-CP	84	730-COLDCP	9, 44	786-E3ABCP	10, 59
625-ABCP	11, 78	730-PLCP	44	786-E3CP	10, 59
625-ABRCF	11, 78	732-665PSHCP	85	786-E3VPCABCP	10, 59
625-CP	11, 78, 102	732-CP	86	786-E3VPCCP	10, 59
625-LPABCP	11, 78	732-OHCP	86	786-E3XKABCP	10, 59
625-LPCP	11, 78	732-OHVBCP	86	786-E3XKCP	10, 59
625-LPSLOABCP	11, 78	732-VB665PSHCP	86	786-E29ABCP	10, 60
625-LPSLOCP	11, 78	732-VBCP	86	786-E29CP	10, 60
625-RCF	11, 78	733-665PSHCP	86	786-E29VPABCP	10, 60



786-E29VPCCP	60	802-1000ABCP	9, 46	839-CP	116
786-E29VPCP	10, 60	802-1000CP	9, 46	844-665PSHCP	48
786-E29VPXKCP	60	802-1000XKCP	46	844-E12-665PSHCP	48
786-E29XKABCP	10, 60	802-ABCP	9, 46	857-665PSHABCP	9, 49
786-E29XKCP	10, 60	802-CP	9, 46	857-665PSHCP	9, 49
786-E35CP	60	802-E34-317CP	47	857-E12-665PSHABCP	9, 49
786-E35VPCP	60	802-V317ABCP	9, 47	857-E12-665PSHCP	9, 49
786-E2805-5CP	60	802-V317CP	9, 47	857-E12-665PSHVPABCP	9, 49
786-E2805-5VPCCP	60	802-V317XKABCP	9, 47	857-E12-665PSHVPACP	9, 49
786-GN2AFCABCP	10, 61	802-V317XKCP	9, 47	857-E2805-665PSHABCP	9, 49
786-GN2AFCCP	10, 61	802-V335ABCP	9, 47	857-E2805-665PSHCP	9, 49
786-GN2AFCE1CP	61	802-V335CP	9, 47	869-BLHPVC	116
786-GN2FC369CP	61	802-V336ABCP	9, 47	869-BPVC	117
786-GN2FCABCP	10, 61	802-V336CP	9, 47	870-BPVC	117
786-GN2FCCP	10, 61	802-V665ABCP	9, 47	886-CP	70
786-GN2FCXKABCP	10, 61	802-V665CP	9, 47	891-ABCP	9, 49
786-GN2FCXKCP	10, 61	802-V1000ABCP	9, 47	891-CP	9, 49
786-GN8AE3ABCP	10, 61	802-V1000CP	9, 47	891-XKCP	49
786-GN8AE3CP	10, 61	802-VABCP	9, 47	892-CP	152
786-GN8AE3XKCP	61	802-VCP	9, 47	892-GCP	152
786-GN8AE29ABCP	10, 61	802-VE34VP317CP	48	892-RCF	152
786-GN8AE29CP	10, 61	802-VE34VPCP	48	892-WXFCP	152
786-GN8AE29XKCP	61	802-VE2805-317ABCP	9, 47	893-CP	152
786-GN8AFCCP	62	802-VE2805-317CP	9, 47	894-317ABCP	9, 49
786-GN8FCABCP	10, 62	802-VE2805-336ABCP	9, 48	894-317CP	9, 49
786-GN8FCCP	10, 62	802-VE2805-336CP	9, 48	894-CP	49
786-GN8FCXKCP	62	802-VE2805-665ABCP	9, 48	895-317ABCP	9, 49
786-SWE3ABCP	10, 62	802-VE2805-665CP	9, 48	895-317CP	9, 49
786-SWE3CP	10, 62	802-VE2805ABCP	9, 48	895-317E29ABCP	9, 50
786-SWE3XKCP	62	802-VE2805CP	9, 48	895-317E29CP	9, 50
786-SWE29CP	62	802-VLESSHDLABCP	11, 137	895-317E29VPABCP	9, 50
786-SWGN2FCABCP	10, 62	802-VLESSHDLCP	11, 137	895-317E29VPCP	9, 50
786-SWGN2FCCP	10, 62	802-VXKABCP	9, 48	895-317E29XKCP	50
786-TWCP	62	802-VXKCP	9, 48	895-317E2805-5ABCP	9, 50
786-TWGN2AE3CP	62	802-XKABCP	9, 48	895-317E2805-5CP	9, 50
786-TWGN2AE3ABCP	10, 62	802-XKCP	9, 48	895-317FCABCP	9, 50
786-WCABCP	10, 65	806-CP	78	895-317FCCP	9, 50
786-WCCP	10, 65	807-665PSHABCP	9, 44	895-317FCXKABCP	9, 50
786-WCE3ABCP	10, 65	807-665PSHCP	9, 44	895-317FCXKCP	9, 50
786-WCE3CP	10, 65	807-E12-665PSHABCP	9, 44	895-317GN2AAABCP	9, 50
786-XKCP	63	807-E12-665PSHCP	9, 44	895-317GN2ACP	9, 50
794-317ABCP	10, 63	807-E12-665PSHVPACP	44	895-317GN2AE3ABCP	9, 50
794-317CP	10, 63	807-E2805-665PSHCP	44	895-317GN2AE3CP	9, 50
797-317ABCP	10	809-777-21KCP	79	895-317GN2AE3XKCP	50
797-317CP	10, 45	809-CP	79	895-317GN2AE29ABCP	9, 51
797-1000ABCP	10	814-CP	72	895-317GN2AE29CP	9, 51
797-1000CP	10, 45	814-SJKCP	142	895-317GN2AFCABCP	9, 51
797-ABCP	10	814-SVBJKCP	142	895-317GN2AFCCP	9, 51
797-CP	10, 45	814-VBCP	72	895-317GN2FCABCP	9, 51
797-V317ABCP	10	815-CP	72	895-317GN2FCCP	9, 51
797-V317CP	10, 45	815-SJKCP	142	895-317GN8AE3ABCP	9, 51
797-V336ABCP	10	815-SVBJKCP	142	895-317GN8AE3CP	9, 51
797-V336CP	10	815-VBCP	72	895-317LESSSPTCP	137
797-V1000ABCP	10	825-XJKNF	158	895-317LESSSPTXKCP	137
797-V1000CP	10, 45	826-XJKNF	158	895-317RGD1ABCP	9, 51
797-VABCP	10, 46	826-XJKTPF	158	895-317RGD1CP	9, 51
797-VCP	10, 46	828-ACP	116	895-317RGD2CP	51
797-XKCP	46	828-ASAM	106	895-317VPCCP	51
802-317ABCP	9, 46	829-ACP	116	895-317XKABCP	9, 51
802-317CP	9, 46	834-EPABCP	11, 78	895-317XKCP	9, 51
802-317XKABCP	9, 46	834-EPCP	78	895-317XKVPACP	51
802-317XKCP	9, 46	834-EPSLOCP	78	895-665ABCP	9, 52
802-336ABCP	9, 46	834-EPSLOABCP	11, 78	895-665CP	9, 52
802-336CP	9, 46	835-CP	71	895-ABCP	9, 52
802-665ABCP	9, 46	835-RCF	71	895-CP	9, 52
802-665CP	9, 46	838-CP	116	895-E35-317CP	52



895-GN2AE3ABCP	9, 52	928-VRLHCP	111	962-VOSAM	107
895-GN2AE3CP	9, 52	928-VRSAM	106	962-VOSCP	118
895-LESSSPT&HDLXKCP	137	929-317CP	111	962-XJKNF	158
895-LESSSPTCP	137	929-CP	111	969-217XLHCTF	117
895-LESSSPTLESSHDLCP	137	929-LESSSPTCP	140	969-CTF	117
895-LESSSPTXKCP	137	929-SAM	106	969-SAM	107
895-RGD1E1CP	99	930-317CP	111	970-CTF	117
895-RGD2E1CP	99	930-317SAM	106	971-CTF	117
895-XKABCP	9, 52	930-369CP	112	972-CTF	117
895-XKCP	9, 52	930-CP	112	979-001KJKRBF	161
897-CP	72, 100	930-GN8BVB317CP	112	980-909-957-3KAGVCP	120
897-RCF	72	930-GN8BVB7-317CP	112	980-909AGVCP	120
897-SJKCP	142	930-GN8BVB7CP	112	980-909CAGCP	120
897-SJKRCF	142	930-SAM	106	980-937CHAGVCP	121
901-BAGVCP	125	930-VR317CP	112	980-CP	119
902-MJKCP	140	930-VR317SAM	106	980-VR909CAGCP	122
909-AGVCP	125	930-VR369CP	112	980-VR909CAGSAM	108
909-AIRCP	125	930-VRCP	112	980-WS909AGVCP	121
909-CAGCP	125	930-VRSAM	106	980-WS909CAGCP	121
909-CGASCP	125	930-XKCP	112	980-WSCP	119
909-GASCP	125	931-L12CP	113	980-WSE7TCP	119
909-LESS216-28CP	140	931-VBE3-2CP	113	980-WSGN2BE7SAM	109
909-VACCP	125	931-VBE7CP	113	980-WSGN2BVBE7CP	124
910-G777-16KCP	79	932-001KJKRBF	161	980-WSGN2BVBE7SAM	109
910-G777-19KCP	79	932-VBE7WSCP	114	980-WSV909AGVSAM	108
910-GCP	79	932-WSCP	114	980-WSV909CAGSAM	108
911-CP	77	933-CP	114	980-WSV937CHAGVSAM	108
911-ISCP	77	933-WSCP	114	981-901B957-3KAGVCP	121
913-AGVCP	117	934-CP	114	981-909-957-3KAGVCP	121
913-AGVSAM	107	934-WSCP	114	981-909AGVCP	121
913-LHAGVSAM	107	937-205CP	124	981-909CAGCP	121
914-CP	117	937-CHAGVCP	124	981-937CHAGVCP	121
914-SAM	107	937-CHLESS216-28CP	140	981-CP	119
915-CP	118	937-CP	126	981-VR909AGVCP	122
917-RCF	70	937-STCP	126	981-VR909CAGCP	122
919-L613ACP	95	937-WHAGVCP	124	981-WS909AGVCP	122
919-LCP	95	937-WHLESS216-28CP	140	981-WS909CAGCP	122
919-SLCP	96	938-CP	114	981-WS937CHAGVCP	122
919-STFCP	96	938-WSCP	114	981-WSCP	119
919-TF613ACP	95	940-CP	115	981-WSV909AGVSAM	108
919-TFCP	95	940-WSLCP	115	982-909-957-3KAGVCP	122
920-LCP	95	941-CP	113	982-909AGVCP	122
920-TFCP	95	941-VBE7CP	113	982-909CAGCP	122
923-HCLCP	95	942-CP	115	982-937CHAGVCP	122
923-HCTFCP	95	942-WSLCP	115	982-CP	120
923-LCP	95	943-317CP	115	982-DS909AGVCP	123
923-LHC613ACP	95	943-CP	115	982-DSVR909CAGCP	123
923-LWSLCP	95	943-WSLCP	115	982-VP909CAGCP	123
923-TFWSLCP	95	945	155	982-VP909CAGCP	120
923-TFCP	95	946-CP	113	982-VR909AGVCP	123
923-TFHC613ACP	95	947-317CP	113	982-VR909CAGCP	123
927-317CP	110	947-369CP	113	982-VR909CAGSAM	108
927-CP	110	947-CP	113	982-WS909AGVCP	123
927-LESSSPTCP	140	947-GN8BVB7CP	115	982-WS909CAGCP	123
927-SAM	106	950	155	982-WSCP	120
927-VPPCP	110	952-1/2CP	67	982-WSV909AGVSAM	108
928-317CP	110	952-CP	67	983-909AGVCP	123
928-317SAM	106	954-CHAGVCP	125	983-WSCP	120
928-369CP	110	954-CP	125	984-CP	120
928-CP	110	956-RCP	70	984-VR909CAGCP	123
928-GN8BVB7CP	111	957-003KJKRBF	161	984-WSCP	120
928-VR317CP	111	962-VOACP	118	985-ALESSSPTCP	140
928-VR369CP	111	962-VOCP	118	985-AWSGN2BVBE7CP	124
928-VRCP	111	962-VOGAAGVCP	118	985-BCP	124
928-VRE3-2CP	111	962-VOGAGVCP	118	985-HRCF	124



Product Index

986-909AGVCP	127	1100-CP	10, 63	1900-TK600CP	81
986-937CHAGVCP	127	1100-E35CP	63	1900-TKCP	81
986-CP	126	1100-GN2AE3-317ABCP	10, 63	1900-VOCCP	81
986-E7TCP	118	1100-GN2AE3-317CP	10, 63	1900-VONF	81
986-E7XTCP	118	1100-GN2AE3VPAXKCP	63	1902-600CP	80
986-WSE7XTSAM	109	1100-GN8AE3-317ABCP	10, 64	1902-621CP	80
986-FCP	126	1100-GN8AE3-317CP	10, 64	1902-CP	80
986-FE7XTCP	118	1100-HA8-317ABCP	10, 64	1902-TK600CP	81
986-WSV909AGVCP	127	1100-HA8-317CP	10, 64	1902-TKCP	81
986-WSV909AGVSAM	109	1100-HA8-317XKCP	64	1905-600CP	82
986-WSV937CHAGVCP	127	1100-HA8ABCP	10, 64	1905-CP	82
986-WSV937CHAGVSAM	109	1100-HA8CP	10, 64	1905-TK600CP	83
987-909AGVCP	127	1100-L9-317XKCP	64	1905-TKCP	83
987-909CAGCP	127	1100-L9VPAXKCP	64	1905-VOCCP	83
987-937CHAGVCP	127	1100-LESSSPT317CP	138	1905-VONF	83
987-CP	126	1100-LESSSPT317XKCP	138	1907-600CP	82
987-FCP	126	1100-LESSSPTABCP	138	1907-621CP	82
987-WSV909AGVSAM	109	1100-LESSSPTCP	138	1907-CP	82
988-LESSE7CP	140	1100-LESSSPTLESSHDLC	138	1907-TK600CP	83
988-LWSCP	126	1100-LESSSPTXKCP	138	1907-TKCP	83
988-WSCP	126	1100-XKABCP	10, 64	2200-4ABCP	9, 37
988-WSGN2BVBE7CP	119	1100-XKCP	10, 64	2200-4CP	9, 37
993-ABCP	11	1102-ABCP	10, 64	2200-4E2805ABCP	9, 37
993-CP	11	1102-CP	10, 64	2200-4E2805CP	9, 37
995-ABCP	11, 75	1200-AABCP	10, 64	2200-ABCP	9, 37
995-CP	11, 75	1200-ACP	10, 64	2200-CP	9, 37
997-CP	124	1201-AABCP	10, 65	2201-4ABCP	9, 37
998-RCF	67	1201-ACP	10, 65	2201-4CP	9, 37
1000	155	1201-AHA8CP	65	2300-8CP	37
1004-CP	75	1300-CP	116	2300-CP	37
1005-ABCP	11, 75	1300-MCP	116	2301-8CP	38
1005-CP	11, 75	1301-CP	109	2301-CP	38
1006-ABCP	11, 75	1301-GN2BVBE7-369CP	109	2302-ABCP	9, 38
1006-CP	11, 75	1301-GN2BVBE7CP	109	2302-CP	9, 38
1006-MMCP	75	1301-LESSSPTCP	141	2302-GN8AE3CP	38
1010-1003-3CP	75	1301-WSVGN2BVBE7SAM	105	2303-CP	38
1012-ABCP	11, 75	1301-WSVSAM	105	2304-ABCP	9, 38
1012-CP	11, 75	1305-CP	116	2304-CP	9, 38
1013-ABCP	11, 75	1305-PLCP	116	2500-CP	82
1013-CP	11, 75	1310-ABAF	128	2500-VOCCP	83
1014-ABCP	11	1311-ABAF	128	2500-VOCXKCP	83
1014-CP	11	1312-ABAF	128	2502-600CP	82
1015-ABCP	11, 76	1313-ABAF	128	3300-ABCP	9, 52
1015-CP	11, 76	1322-205AGVCP	119	3300-CP	9, 52
1016-ABCP	11, 76	1322-AGVCP	119	3400-ABCP	9, 52
1016-CP	11, 76	1322-AGVSAM	107	3400-CP	9, 52
1017-ABCP	11, 76	1323-CP	119	3400-TCP	52
1017-CP	11, 76	1323-SAM	107	9000-NF	130
1017-MMABCP	11, 76	1332-CP	110	9001-NF	130
1017-MMCP	11, 76	1332-E22E7CP	110	9003-NF	130
1018-CP	76	1332-E22E7SAM	105	9004-LHNF	130
1019-ABCP	11, 76	1332-SAM	105	9004-RHNF	130
1019-CP	11, 76	1334-CP	114	9008-NF	130
1023-ABCP	11, 76	1344-001JKRCF	102	9010-NF	131
1023-CP	11, 76	1344-002JKRCF	102	9011-NF	131
1025-ABCP	11, 76	1366-NF	102	9100-HCP	130
1025-CP	11, 76	1367-NF	102	9100-NF	130
1027-ABCP	11, 76	1771-CCP	77	9101-NF	130
1027-CP	11, 76	1771-CP	77	9202-NF	131
1028-CP	77	1888-369CP	65	9203-CP	131
1100-317ABCP	10, 63	1888-CP	65	9204-CP	131
1100-317CP	10, 63	1895-ABCP	9, 52	9205-NF	131
1100-317XKCP	63	1895-CP	9, 52	9206-NF	131
1100-317XKVPCCP	63	1900-600CP	80	9305-NF	132
1100-ABCP	10, 63	1900-CP	80	9310-NF	132



9400-NF	132	GN1AJKCP	143
9901-NF	128	GN1FCJKCP	143
9902-NF	128	GN1JKCP	143
9903-NF	128	GN2AE3JKCP	143, 164
9904-NF	128	GN2AFCJKCP	143
9905-NF	129	GN2AH8JKCP	144
9906-NF	129	GN2AH13JKCP	144
9907-NF	129	GN2AH17JKCP	144
9911-NF	129	GN2AJKCP	144
9912-NF	129	GN2AJKABCP	11, 144
9913-NF	128	GN2BFCJKCP	144
BA1JKCP	142	GN2BJKABCP	11, 144
BA2JKCP	142	GN2BJKCP	144
BA3JKCP	142	GN2BVBJKCP	144
DB6AJKCP	143	GN2FCJKCP	144
DJ13JKCP	143	GN2JKCP	144
DJ18JKCP	143	GN8AE3JKCP	145
E1JKRCF	148	GN8AFCJKCP	145
E1MJKRCF	148	GN8AJKCP	145
E2-2JKRCF	148	GN8BJKCP	145
E2JKRCF	148	GN8BVBJKCP	145
E3-2JKCP	148	GN8FCJKCP	145
E3JKCP	148, 164	GN10ASWGJKCP	145
E3VPJKCP	148	GN12ASWGJKCP	145
E4FJKCP	148	GNRGD1JKCP	145
E4JKCP	148	GNRGD2JKCP	146
E7FCJKCP	149	HA8AE3JKCP	146
E7JKCP	149	HA8AE3VPJKCP	146
E7TCJKCP	149	HA8AJKCP	146
E7XTJKCP	149	HCJKCP	160
E12JKCP	149	HJKCP	160
E12VPJKCP	149	K1JKCP	151
E15JKCP	149	K2JKRCF	151
E17JKRCF	149	K4JKCP	151
E21JKCP	149	L5VBKCP	146
E22JKCP	152	L6JKCP	146
E23JKCP	152	L8BVBKCP	146
E25JKCP	149	L8JKCP	146
E26-5JKCP	149	L9JKCP	146
E26JKCP	149	L12JKCP	147
E27JKCP	152	L15JKCP	147
E28-5JKCP	150	LSJKCP	160
E28JKCP	150	RCJKCP	160
E29JKCP	150	RJKCP	160
E29VPJKCP	150	RJKRCF	160
E31JKCP	150	S6JKCP	147
E32JKCP	150	SSJKCP	161
E32VPJKCP	150	WJKCP	161
E34JKCP	150	WXFJKCP	161
E34VPJKCP	150		
E35JKCP	150		
E35VPJKCP	150		
E36JKCP	150		
E36VPJKCP	151		
E37JKCP	151		
E37VPJKCP	151		
E2605-5JKCP	151		
E2605JKCP	151		
E2805-5JKCP	151		
E2805JKCP	151		
EX2JKCP	160		
EX5JKCP	160		
GCJKCP	160		
GJKCP	160		
GN1AE3JKCP	143, 164		



TO WHOM DOES THIS WARRANTY APPLY?

The Company extends the following limited warranty to the original user only.

WHAT DOES THIS WARRANTY COVER AND HOW LONG DOES IT LAST?

This warranty covers the following Commercial Products:

LIFETIME FAUCET WARRANTY

The "Faucet," defined as any metal cast, forged, stamped or formed portion of the Product, not including electronic or moving parts or other products separately covered by this Limited Warranty or water restricting components or other components, is warranted against material manufacturing defects for the life of the Product.

FIVE YEAR FAUCET WARRANTY

Certain Products and portions of the Product are warranted against material manufacturing defects for a period of five (5) years from the date of Product purchase. Products warranted against material manufacturing defects for a period of five (5) years from the date of Product purchase are referred to by the product numbers 42X, 43X, 15XX and E-Tronic™ - 4X, 5X, 6X, 7X, 8X and 9X. All zinc die cast portions of Product are warranted against material manufacturing defects for a period of five (5) years from the date of Product purchase.

FIVE YEAR CARTRIDGE WARRANTY

The "Cartridge", defined as the metal portion of any Product typically referred to by the product numbers containing 1-099, 1-100, 1-310, 377X, 217X and 274X, excluding any rubber or plastic components, is warranted against material manufacturing defects for a period of five (5) years from the date of Product purchase. All Cartridges included in the Company's Single Control or Shower Products also are warranted against material manufacturing defects for a period of five (5) years from the date of Product purchase.

ONE YEAR FINISH WARRANTY – COMMERCIAL

For Products used in commercial applications, the finish of the Product is warranted against material manufacturing defects for a period of one (1) year from the date of Product purchase.

ELECTRONIC FAUCETS AND METERING MECHANICALS WARRANTY

Electronic and metering faucets mechanicals are warranted against material manufacturing defects for a period of five (5) years from the date of Product purchase.

ELECTRONIC FAUCETS ELECTRONICS AND SOLENOID WARRANTY

Electronic faucets electronics and solenoid are warranted against material manufacturing defects for a period of three (3) years from the date of Product purchase. This warranty does not cover the life of the battery. The Company offers **NO WARRANTY** for Product batteries.

THIRTY DAY WARRANTY – PALM DEVICES

Palm devices are reconditioned and are warranted against material manufacturing defects for a period of thirty days from the date of device purchase. The Company offers **NO WARRANTY** for batteries, software (on a CD or from a website), damage the Palm device or software allegedly causes to any system, set-up instructions, adaptors or other equipment used with the device.

OTHER WARRANTIES

All other Products not covered above are warranted against material manufacturing defects for a period of one (1) year from the date of Product purchase.

WHAT THIS WARRANTY DOES NOT COVER

The Company will not be liable for any labor, transportation or consequential expenses not specifically stated above. There is **NO WARRANTY** in cases of damage in transit, negligence, abuse, abnormal usage, misuse, accidents, normal wear and tear, damage due to environmental or natural elements, failure to follow the Company's instructions, unauthorized repair, incorrectly performed maintenance or repair, improper installation or storage or use of acidic, abrasive cleaning materials. In order for this Warranty to apply, Buyer must retain and provide to the Company receipts showing date of Product purchase and documenting proper maintenance. Any oral or written description of the Products is for the sole purpose of identifying the Products and shall not be construed as an express warranty. **THE COMPANY SHALL NOT BE LIABLE TO BUYER, OR TO ANYONE CLAIMING UNDER BUYER, FOR ANY OTHER OBLIGATIONS OR LIABILITIES, INCLUDING, BUT NOT LIMITED TO, OBLIGATIONS OR LIABILITIES ARISING OUT OF BREACH OF CONTRACT OR WARRANTY, NEGLIGENCE OR OTHER TORT OR ANY THEORY OF STRICT LIABILITY, WITH RESPECT TO THE PRODUCTS OR THE COMPANY'S ACTS OR OMISSIONS OR OTHERWISE. THE COMPANY AND BUYER AGREE THAT THE EXPRESS WARRANTIES DESCRIBED ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES. ALL OTHER EXPRESS WARRANTIES ARE DISCLAIMED. FOR COMMERCIAL PRODUCTS, ALL WARRANTIES IMPLIED BY LAW, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE DISCLAIMED. FOR CONSUMER PRODUCTS, WARRANTIES IMPLIED BY LAW, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE EXPRESSLY LIMITED TO THE PERIOD OF THE EXPRESS LIMITED WARRANTY STATED ABOVE FOR THE RELEVANT PRODUCT.** Some States do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. Any assistance the Company provides to or procures for Buyer outside the terms, limitations or exclusions of this warranty will not constitute a waiver of the terms, limitations or exclusions of this limited warranty, nor will such assistance extend or revive the warranty. The Company will not reimburse Buyer for any expenses incurred by Buyer in repairing, correcting or replacing any defective Products, except for expenses incurred with the Company's prior written permission.

HOW TO GET SERVICE

For complete warranty details, or to provide notice of a warranty claim or request warranty service, contact your Chicago Faucets Sales Representative or The Chicago Faucet Company, Customer Service, 2100 S. Clearwater Drive, Des Plaines, Illinois 60018 or 847-803-5000. As the Company's sole and exclusive obligation under this warranty (and Buyer's sole and exclusive remedy), upon prompt written notice of breach from Buyer during the warranty period, the Company will either replace or repair the defective Product or refund the wholesale purchase price, at its option, if an inspection by the Company discloses defects in material or workmanship covered by this warranty. These warranty provisions do not cover the battery shipped with the electronic products.

LIMITATION ON DAMAGES

IN NO EVENT SHALL THE COMPANY BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, INDIRECT OR SPECIAL DAMAGES. WITHOUT LIMITING THE FOREGOING, THE COMPANY SHALL NOT BE LIABLE FOR ANY DAMAGE A PALM DEVICE OR ANY SOFTWARE OR RELATED EQUIPMENT ALLEGEDLY CAUSES TO A SYSTEM OR OTHERWISE. THE COMPANY'S AGGREGATE LIABILITY WITH RESPECT TO A DEFECTIVE PRODUCT AND THIS CONTRACT SHALL BE LIMITED TO AN AMOUNT EQUAL TO THE MONIES PAID TO THE COMPANY FOR THAT DEFECTIVE PRODUCT.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

HOW DOES STATE LAW APPLY?

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Restrictions Apply.

Palm is trademarked by Palm Inc. and is not affiliated with The Chicago Faucet Company.

Possession of this catalog does not constitute an offer to sell Chicago Faucets product.
Please refer to www.chicagofaucets.com for our comprehensive Terms and Conditions.

Chicago Faucets, a member of the Geberit Group, is the leading brand of commercial faucets and fittings in the United States, offering a complete range of products for schools, laboratories, hospitals, office buildings, food service, airports, and sports facilities. Whatever your requirements may be, Chicago Faucets offers standard and made-to-order products that are designed to meet any commercial application.

The Chicago Faucet Company
2100 South Clearwater Drive
Des Plaines, IL 60018
Phone: 847/803-5000
Fax: 847/803-5454
Technical: 800/832-8783
www.chicagofaucets.com