

## Assembly Manual



### What's In The Box

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.



Top Handle Grip without  
bush 30mm dia



2 x Sliders



Handle Bar Grip without  
bush 30mm dia



4 x Bush with  
22mm Dia



4 x Bush with  
25mm Dia



Rail System  
with Loop



Rail System



4 x Height Risers  
(L= 4cm,H =1.5cm & W= 1cm)

All rights reserved.

No part of this document may be reproduced, stored in a retrieval system, or transmitted by any form or by any means, electronic, mechanical, photo-copying, recording, or otherwise, except as may be expressly permitted by the applicable copyright statutes or in writing by the Publisher.

## ■ 2-Axis Equalizer Setup

- Firstly, take big Slider and loosen the screws from bottom. Remove the part with index markings.



- Mount this part on Handle Bar Grip and fix it with provided screws.



- Now again fix this part on the big Slider. After fixing, it will look as shown in image.



- Then take small Slider and Rail System. Join both of these together via the provided screws, as shown.



- Loosen and remove one of the rubber end-stoppers from big Slider. Insert the above joined small Slider setup onto big Slider.



- Tighten back the rubber end-stopper on big Slider to secure the Rail System.



- Now loosen and remove one of the rubber end-stoppers from small Slider.
- Insert Rail System with Loop onto the Slider and tighten back the stopper to secure it.



- Connect the provided Hook properly with Loop on Rail System.



## Top Handle Assembly

The Top Handle Grip works well with DJI Ronin/M/MX and DJI RONIN 2 (R2) Gimbals.

**NOTE:** If you wish to change your Gimbal from free fly MOVI to DJI Ronin, then change Handle Grip System by removing the bottom part with index markings.

- Take Top Handle Grip, loosen and remove the screw. Mount the part with index markings onto the Grip and fix it with screws.



- Now fix this part on the bottom of big Slider and tighten the screws accurately.



**NOTE:** There are 2 sizes of Adapter Rings provided with this gear – 25mm & 22mm. You can very easily change Adapter Rings from Grips as per requirement. Therefore, the grip can clamp on to 22mm, 25mm, 30mm tubes.

- Loosen all the screws on bottom of Top Handle Grip, to change Adapter Ring.



- Pull one section up to take out the Ring.
- Insert the other size of Ring and tighten screws back.



**NOTE:** Similarly follow the mentioned above steps to change Adapter Ring of Handle Bar Grip.

## To Increase Height of Handle Grips

**NOTE:** There are 4 Height Risers provided with this gear. You can very easily increase the height of Grips as per requirement.

- Take Handle Bar Grip, loosen all the 4 screws to remove Tube Clamps. Then attach Height Risers with Clamps.



- Now fix these Clamps with Handle Bar Grip and tighten the screws back. Your Handle Bar Grip has more height now and will look as shown in image.



**YOUR PROAIM 2-AXIS EQUALISER FOR FLYCAM FLOWLINE  
ALL DRESSED UP AND READY TO GO!**



**(SHOWN WITH OPTIONAL ACCESSORIES)**

**Warranty:** We offer one year warranty for our products from date of purchase. Within this period of time, we will repair it without charge for labor or parts. Warranty doesn't cover transportation costs nor does it cover a product subjected to misuse or accidental damage. Warranty repairs are subjected to inspection and evaluation by us.

**Liability:** We are not liable for damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product, or service by anyone other than our company.

**Contact Us:** In case of any kind of dissatisfaction, please Contact us immediately and we promise our utmost support and care until you use our product.