

2025 PRODUCT CATALOG







There's over 100 years of innovation behind every trigger pull, every board cut, every screw driven. Over the past century, SKIL has been innovating and pushing the boundaries of what's possible, revolutionizing the way we work.

From the saw that built America to drilling and driving technology designed for today's power tool users, SKIL has time and again planted the flag first.

As we look forward, SKIL's commitment to innovation is unwavering. SKIL remains focused on developing the right tools and technologies for today's professionals and homeowners.

When you choose SKIL, you're choosing more than just a tool, you're choosing a legacy of invention and a commitment to excellence. We're proud of our 100-year history, but we're even more excited about the future.

Join us on our mission to celebrate the past as we look forward to the future.



**SKIL. THE TOOLS TO DO THE JOB,
THE TECHNOLOGY TO DO IT BETTER.**

PWRCORE 12™

PWRCORE 20™



**/// OVER 130
TOOLS**

**/// 5-STAR RATED
PRODUCTS**

PWRCORE 40™



**/// BACKED BY A
5-YEAR WARRANTY**

SKIL®



8 PWRCORE 12™ SYSTEM

8-21 TOOLS

22-23 TOOL COMBO KITS

24 PWRCORE 20™ SYSTEM

24-45 TOOLS

46-47 TOOL COMBO KITS

48-55 OUTDOOR POWER

55 OUTDOOR POWER COMBO KITS

56 PWRCORE 40™ SYSTEM

56-73 OUTDOOR POWER

73 OUTDOOR POWER COMBO KITS

74 HIGH PERFORMANCE CUTTING

74-85 TOOLS

86 BENCHTOP & CORDED TOOLS

86-101 TOOLS

101 TOOL COMBO KITS

102 LASERS & LEVELS

102-107 TOOLS

108 4V SCREWDRIVERS

108-113 TOOLS

114 ACCESSORIES

114-125 POWER TOOL

125-127 OUTDOOR POWER

128-131 HIGH PERFORMANCE

PWRCORE 12™

COMPACT

WIT COM

BRUSHLESS



The **PWRCORE 12™** system offers a range of tools with compact, lightweight power and innovative features.



WITHOUT COMPROMISE.

TWO-WAY USB-C CHARGING



Charge the battery or personal devices with the battery's 60W USB-C port

COMPACT POWER



Big power in a compact design, for working overhead or in hard-to-reach areas

BRUSHLESS MOTORS



Provides high performance and extended tool life

DL6290A-11 PWRCORE 12™ BRUSHLESS 12V 1/2 IN. DRILL DRIVER KIT WITH USB-C BATTERY



 **TWO-WAY USB-C CHARGING**

 **COMPACT POWER**

 **BRUSHLESS MOTOR**

Features

- › **1/2-INCH SINGLE-SLEEVE, KEYLESS CHUCK**
For fast, easy bit changes
- › **VARIABLE SPEED TRIGGER**
Precision speed control
- › **LED LIGHT**
With pre-light and after-glow for maximum visibility
- › **350 INCH-POUNDS OF TORQUE**
Brushless motor delivers up to 350 inch-lbs of torque
- › **1 INCH SHORTER THAN PREVIOUS GENERATION**

Specifications

Speed	0-450/0-1,700 RPM
Torque	350 in-lbs
Chuck Size	1/2 in Keyless Single-Sleeve
Torque Settings	17+1
Tool Size	6.06 x 2.66 x 7.81 in (154 x 67.5 x 198.5 mm)

Includes

Drill Driver
2.0Ah Battery with USB-C
20W PD Charger
Belt Clip
PH2 Bit
USB-C to USB-C Cable







 **BRUSHLESS**

HD6290A-10 PWRCORE 12™ BRUSHLESS 12V 1/2 IN. HAMMER DRILL KIT WITH PWRJUMP™ CHARGER

Features

- › **THREE FUNCTIONS IN ONE**
Easily transition between hammer drill, drill, and screwdriver modes
- › **1/2-INCH KEYLESS RATCHETING CHUCK**
For fast, easy bit changes
- › **LED LIGHT**
With pre-light and after-glow for maximum visibility
- › **1 INCH SHORTER THAN PREVIOUS GENERATION**

Specifications

Keyless Ratcheting Chuck	1/2 in
Torque	350 in-lbs
Speed	0-450/0-1,700 RPM
Impact Rate	0-6,750/0-25,500 IPM
Clutch Setting	17+1+1

Includes

Hammer Drill
2.0Ah **PWRASSIST™** Battery
PWRJUMP™ Charger
Belt Clip
Screwdriving Bit
Battery Jacket



 **BRUSHLESS**

DL6300D-11 12V/20V BRUSHLESS FLIP DRILL, 12V KIT

Features

- › **DOUBLE COLLET FLIP HEAD**
Quickly change between drilling and driving bits with just a twist
- › **MAGNETIC ONBOARD STORAGE**
For quick access to bits and screws
- › **SLIM, COMPACT DESIGN**
For easy access to corners, edges, and other tight, hard-to-reach spaces
- › **TORQUE ADJUSTMENT & DISPLAY**
Electronically controlled torque settings plus drill mode to adapt to the application at hand

Specifications

Voltage	12V/20V
No Load Speed	12V: 0-420/0-1550 RPM 20V: 0-450/0-1700 RPM
Torque	12V: 300 in-lbs (34 Nm) 20V: 350 in-lbs (40 Nm)
Clutch Settings	9+D, Electronic
Chuck Capacity	1/4 in (6.35mm)
Chuck Type	Hex Collet
Tool Dimensions (Without Chuck Attachments)	7.87 x 2.64 x 7.39 in (199.9 x 67 x 187.6mm)

Includes

12V/20V Brushless Flip Drill
2.0Ah Battery with USB-C
20W PD Charger
USB-C to USB-C Cable

Belt Clip
2 in PH2 Screwdriving Bit
(4) Hex Shank HSS Bits: (2) 3/32 in, (2) 1/8 in





 BRUSHLESS

ID6744A-11 PWRCORE 12™ BRUSHLESS 12V 1/4 IN. HEX IMPACT DRIVER WITH USB-C BATTERY

Features

› HALO LIGHT™

Provides 5X more light than common LEDs, reduces shadows, and lights up your entire workspace for up to 10 minutes

› ONE-HANDED COLLET

Fast and secure bit insertion with one hand

› 3-SPEED SELECTION AND CONTROL MODE

Use lower speed for precise control and higher speed for maximum power

› 1 INCH SHORTER THAN PREVIOUS GENERATION

Specifications

Speed	1,450/2,100/2,900 RPM
Impact Rate	1,450/3,000/3,600 IPM
Torque	1,500 in-lbs
Tool Size	4.9 x 2.6 x 7.8 in (124 x 67 x 197 mm)

Includes

Impact Driver
2.0Ah Battery with USB-C
20W PD Charger
Belt Clip
PH2 Bit
USB-C to USB-C Cable



 BRUSHLESS

IW6744A-00 PWRCORE 12™ BRUSHLESS 12V 3/8 IN. COMPACT IMPACT WRENCH, TOOL ONLY

Features

› HALO LIGHT™

Brightens your entire workspace for up to 10 minutes

› 3/8-INCH ANVIL WITH FRICTION RING

For quick and easy socket changes

› 3-SPEED SELECTION

Use lower speed for precise control and higher speed for maximum power

› REVERSE CONTROL MODE

Maintain control when loosening nuts and bolts to keep them from falling into narrow, hard-to-reach spaces

› 1 INCH SHORTER THAN PREVIOUS GENERATION

Specifications

Anvil with Friction Ring	3/8 in
Fastening Torque	125 ft-lbs
Breakaway Torque	200 ft-lbs
Speed	1,700/2,200/2,500 RPM
Impact Rate	2,000/3,200/3,400 IPM
Tool Size	4.80 x 2.64 x 7.76 in (122 x 67 x 197 mm)

Includes

3/8-inch Impact Wrench
Belt Clip



 BRUSHLESS

OS592701 PWRCORE 12™ BRUSHLESS 12V OSCILLATING MULTI-TOOL, TOOL ONLY

Features

› QUICK RELEASE LEVER

For fast and convenient accessory changes

› HALO LIGHT™

5X brighter light than common LEDs and reduces shadows

› 6 SPEED AUTO SENSING™

Speed adjusts automatically based on the project

Specifications

Interface for Accessories	12-pin OIS
Oscillating Angle	3.6°
Variable 6 Speed Dial	11,000-18,000 OPM
Length	11 in

Includes

Multi-Tool
35pcs Sanding Paper
Sanding Pad
Bi-Metal Plunge Blade
HCS Wood Blade
HCS Segment Blade
Rigid Scraper



RI574502 PWRCORE 12™ BRUSHLESS 12V 1/4 IN. HEX RIGHT ANGLE IMPACT DRIVER WITH BATTERY AND PWRJUMP™ CHARGER

Features

- › **900 INCH-POUNDS OF TORQUE**
The power to drive large fasteners and bolts
- › **90° ANGLED HEAD**
Compact head is ideal for tight spaces
- › **HALO LIGHT™**
5X brighter light than common LEDs and reduces shadows
- › **1/4-INCH COLLET**
For easy bit changes

Specifications

Chuck	1/4 in Hex Collet
Torque	900 in-lbs
Speed	0-2,700 RPM, 0-3,750 IPM
Length	12.3 in
Tool Size	2.6 x 2.7 x 12.3 in

Includes

Right Angle Impact Driver	PH2 Bit
2.0Ah PWRASSIST™ Battery	Belt Clip
PWRJUMP™ Charger	Battery Jacket



RW5763A-10 PWRCORE 12™ BRUSHLESS 12V 3/8 IN. RATCHET WRENCH WITH BATTERY AND PWRJUMP™ CHARGER

Features

- › **COMPACT SIZE**
The digital brushless motor provides compact, lightweight power
- › **POWERFUL TORQUE**
Up to 55 foot-pounds of max torque to easily remove or install nuts, bolts, and other fasteners
- › **VARIABLE SPEED TRIGGER**
Purpose-built variable speed trigger provides precise speed from 0-220 RPM, delivering optimal control under the hood

Specifications

Anvil Size	3/8 in
Max. Torque	55 ft-lbs
Max. Manual Torque	150 ft-lbs
Speed	220 RPM
Tool Size	15.47 x 2.60 x 2.72 in (393 x 66 x 69 mm)

Includes

Ratchet Wrench
2.0Ah Battery with USB
PWRJump™ Charger
3/8-inch to 1/4-inch Socket Adapter
Battery Jacket



CR541801 PWRCORE 12™ BRUSHLESS 12V 5-1/2 IN. CIRCULAR SAW, TOOL ONLY

Features

- › **COMPACT SIZE**
The digital brushless motor provides compact, lightweight power
- › **0-50° BEVEL CAPACITY**
Easily cut a variety of angles
- › **18-TOOTH CARBIDE BLADE**
For fast and clean cuts
- › **ELECTRIC BRAKE**
Stops blade quickly

Specifications

Blade Size	5-1/2 in
Speed	4,200 RPM
Bevel Capacity	0-50°
Cutting Depth (90°)	1-5/8 in
Cutting Depth (45°)	1-3/16 in
Tool Size	10.9 x 6.5 x 9.6 in

Includes

Circular Saw	Cutting Blade
18T Thin Kerf Carbide Wood	Allen Key
	Vacuum Adapter





RS582801 PWRCORE 12™ BRUSHLESS 12V COMPACT RECIPROCATING SAW, TOOL ONLY

Features

- › **TOOL-FREE BLADE CHANGES**
For quick blade changes
- › **3/4-INCH STROKE**
For fast and clean cuts
- › **VARIABLE SPEED CONTROL**
For precise speed control
- › **PIVOTING SHOE**
For smoother cuts and reduced vibration
- › **LED LIGHT**
With pre-light and after-glow for maximum visibility

Specifications

Stroke	3/4 in (18 mm)
Speed	0-3,000 SPM
Tool Size	12-3/4 x 2-3/4 x 5-1/2 in

Includes

Compact Reciprocating Saw
Wood Cutting Blade



JS5833A-00 PWRCORE 12™ BRUSHLESS 12V COMPACT JIGSAW, TOOL ONLY

Features

- › **5 SPEEDS PLUS AUTO SPEED SENSING**
Select your speed setting or use Auto Speed sensing for optimal cutting performance up to 3,000 SPM
- › **HALO LIGHT™**
5x more light than common LEDs and reduces shadows
- › **4-STAGE ORBITAL**
Adjusts the orbital setting to cut a variety of materials
- › **TOOL-FREE BLADE CLAMP**
Replace T or U shank saw blades in a matter of seconds
- › **BEVEL ADJUSTMENT**
For angled cutting
- › **DUST BLOWER**
Built-in dust blower clears the line of cut

Specifications

Stroke Distance	7/8 in (22 mm)
Speed	800-3000 SPM
Bevel	0°, ± 15°, ± 30°, ± 45°
Tool Size	8.4 x 2.7 x 7 in (213 x 69 x 179 mm)

Includes

Jigsaw
Wood Cutting Blade
Metal Cutting Blade
Allen Wrench



SR6608A-00 PWRCORE 12™ BRUSHLESS 12V COMPACT DETAIL SANDER, TOOL ONLY

Features

- › **INTEGRATED DUST BOX**
Compact, transparent design improves balance, visibility, and maneuverability while avoiding contact with the battery
- › **COMPACT POWER**
Big power in a compact design for working overhead or in hard-to-reach areas
- › **EASY EMPTYING**
Clean out dust box easily, without tools

Specifications

Speed	12,000 OPM
Pad Size	5-1/4 x 3-11/16 in (133 x 93 mm)
Sanding Orbit Diameter	1/16 in (1.6 mm)

Includes

Compact Detail Sander
Dust Box
Sandpapers: (10) 80 grit,
(10) 120 grit, (10) 180 grit, (10) 240 grit





AH6552A-11 PWRCORE 12™ BRUSHLESS 12V AUTO HAMMER WITH USB-C BATTERY

Features

› 3-POSITION ADJUSTABLE HEAD

Switch between 0°, 45°, or 90° to hammer nails at a variety of angles for any job

› MAGNETIC COLLET

Holds nails (up to 3.5 inches long) in place for one-handed use, especially in tight, hard-to-reach areas like cabinetry

› COMPACT SIZE

The digital brushless motor delivers compact, lightweight power for extended tool life and precise hammering control in hard-to-reach areas

Specifications

Adjustable head angle	0°/45°/90°
Drive Capacity	Up to 3.5 in (2D-16D)
Impact rate	4200 IPM
After-glow	Yes
LED light	Yes
Magnetic sleeve	Yes

Includes

12V Auto Hammer
PWRCORE 12™ 2.0Ah
12V USB-C Battery
20W PD Charger
USB-C Charging Cable
Belt Clip



ES4651A-00 PWRCORE 12™ 12V MULTI-CUTTER, TOOL ONLY

Features

› 1/4-INCH CUTTING CAPACITY

Cuts a variety of materials like cardboard, carpet, leather, or vinyl

› SELF-SHARPENING BLADE

Provides more precise and efficient cutting

› COMPACT SIZE

Lightweight and ergonomic handle design reduces user fatigue

› LOCK-OFF SWITCH

Prevents accidental startups

Specifications

Speed	300 RPM
Max Cutting Thickness	1/4 in (6 mm)
Blade Size	1-9/16 in (40 mm)
Tool Size	9-17/32 x 4-1/4 in x 2-23/32 in

Includes

Multi-Cutter
1-9/16 in. Blade



AU0225D-11 12V/20V POWER SNAKE DRAIN CLEANER 12V KIT

Features

› UNCLOGS UP TO 2-INCH DRAINS

Clears drains from 3/4 inch to 2 inches in diameter

› AUTO FEED

Engage clutch to extend or retract cable

› VARIABLE SPEED TRIGGER

For precise control

› STURDY FOOT BASE

For better ergonomics during use

› CLEANING PORT

Drains excess water after use

› 1/4-INCH X 25-FOOT CARBON STEEL CABLE

For extended reach and maximum durability

Specifications

Voltage	12V/20V
No Load Max Drum Spin Speed	0-500 RPM
Clearable Pipe Size	3/4 in - 2 in
Shipment Cable Diameter x Length	1/4 in x 25 ft
Replaceable cable	Yes
Tool Weight	6.4 lb / 2.9 kg
Tool Dimensions	15.3 x 6.3 x 8.22 in (389 x 160 x 208.7mm)

Includes

12V/20V
Power Snake
Drain Cleaner
PWRCORE 12™
Lithium 2.0Ah
12V Battery
PWRCORE 12™
Charger



 BRUSHLESS

VA1200D-11 12V/20V BRUSHLESS SLIM VACUUM, 12V KIT

Features

- › **POWERFUL SUCTION**
Up to 60 inches of water lift (15 kPa)
- › **EASY STORAGE**
Two-inch depth for easy storage; includes hanging clip
- › **ONE CLICK DISPOSAL**
For fast and easy emptying
- › **MULTILAYER FILTERING**
Filters allergens and particles as small as .3 microns

Specifications

Voltage	12V/20V
Motor Speed	100,000 RPM
Container Dust Volume	0.05 Gal (0.2L)
Speed Setting	Low/High
Max. Flow Rate	17 CFM (500 L/min)
Max. Ventilating Pressure	60 in H ₂ O lift (15 Kpa)

Includes

12V/20V Slim Vacuum	Crevice Nozzle
PWRCORE 12™ 2.0Ah 12V USB-C Battery	Brush Nozzle
20W PD Charger	(2) Clips
USB-C Charging Cable	(2) Inflator Attachments



 BRUSHLESS

FN0400D-00 12V/20V BRUSHLESS 4 IN. CLAMP FAN, TOOL ONLY

Features

- › **POWERFUL AIRFLOW**
Up to 200 CFM
- › **MULTIDIRECTIONAL PIVOTING AND SWIVELING HEAD**
Sends air where you need it
- › **INDUSTRIAL THREADED CLAMP**
Strong holding capacity
- › **COMPACT SIZE**
Built for tight spaces or easy on-the-go use

Specifications

Voltage	12V/20V/USB-C power
Fan Blade Size	4 in
Pivoting Angle	270°
Max. Air Volume	200 CFM
Max. Air Speed	11 MPH
Number of speeds	2
Speed settings	Low/High
Runtime	Up to 14 hours (20V 2.0Ah battery on low) Up to 8.5 hours (12V 2.0Ah battery on low)
Noise Level	54 dB

Includes

12/20V Brushless
4 in. Clamp Fan



 BRUSHLESS

FN0700D-00 12V/20V BRUSHLESS 7 IN. FAN, TOOL ONLY

Features

- › **POWERFUL AIRFLOW**
Up to 500 CFM
- › **180-DEGREE PIVOTING HEAD**
Sends air where you need it
- › **VARIABLE SPEED**
Adjust the power level to your needs
- › **BUILT-IN RAFTER HOOK**
For versatile mounting

Specifications

Voltage	12V/20V/USB-C Power
Fan Blade Size	7 in
Pivoting Angle	180°
Max. Air Volume	500 CFM
Max. Air Speed	14.3 MPH
Speed settings	Variable
Runtime	Up to 3 hours (20V 2.0Ah battery on high); Up to 1.5 hours (12V 2.0Ah battery on high)
Noise Level	50 dB

Includes

12V/20V Brushless
7 in. Fan



MF0700D-11 12V/20V 7 IN. MISTING FAN, 12V KIT

Features

- › **ONBOARD WATER TANK**
Easy to fill and transport—no bucket required
- › **3 FAN SPEEDS & 2 MISTING MODES**
For a customized cooling experience
- › **ADJUSTABLE KICKSTAND**
For stability and convenient use on uneven surfaces
- › **REMOVABLE NOZZLE**
Patent-pending design disassembles for easy maintenance and cleaning

Specifications

Voltage	12V/20V
Fan Blade Size	7 in. (180 mm)
Nozzle Type	Cleanable
Pivoting Angle	30°
Max. Air Volume	450 CFM
Max. Air Speed	13 MPH (5.7 m/s)
No-Load Speed	2500 RPM

Includes

12V/20V 7 In. Misting Fan
PWRCORE 12™ 12V 2.0Ah Lithium
 USB-C Battery
 20W USB-C PD Charger



LH0300D-00 12V/20V COLLAPSIBLE LANTERN, TOOL ONLY

Features

- › **COLLAPSIBLE**
For easy transport and storage
- › **360° ILLUMINATION**
Up to 300 Lumens
- › **USB-C OUT PORT**
For powering and charging devices

Specifications

Voltage	12V/20V
Color Temperature	4000K
Brightness Settings	2 (50/300 Lumens)
Runtime	5.5 hrs with 12V 2.0Ah on 300lm
Tool Dimensions	4.21 in. x 3.54 in. x 1.93 in. (107mm x 90mm x 49mm)

Includes

12V/20V Collapsible Lantern



IF5943-00 PWRCORE 12™ 12V INFLATOR, TOOL ONLY

Features

- › **HIGH PRESSURE MODE WITH AUTO SHUTOFF**
Quickly inflates tires, sports equipment, and more—hands free
- › **12V TIRE INFLATOR WITH GAUGE**
Equipped with digital pressure gauge to set and view PSI in real time
- › **COMPACT SIZE**
Easy to store, and portable size is perfect for the car or garage
- › **ONBOARD ADAPTER STORAGE**
Keeps adapters handy and accessible

Specifications

Pressure	Up to 160 PSI
Hose Length	28 in
Tool Size	7-7/8 x 5-5/8 x 5-3/4 in

Includes

Inflator
 Presta Valve Adapter
 Sports Ball Needle
 Pinch Valve Adapter



R0502601 PWRCORE 12™ BLUETOOTH 12V SPEAKER, TOOL ONLY

Features

› PORTABLE SPEAKER

This bluetooth speaker's design makes it easy to bring along wherever you go

› QUALITY SOUND

Dual passive bass radiators allow for improved bass sound

› LONGER RUNTIME & BATTERY LIFE

Uses the same industry-leading PWRCORE 12™ lithium battery technology as your tools

Specifications

Bluetooth Distance	Up to 100 feet
USB Output	5V, 2.1Amp
Speaker	2.5 in 10W
USB Port	2.1A 5V
Auxiliary Input	3.5 mm

Includes

Speaker
AUX Cable



LH2500D-00 12V/20V COMPACT TOWER LIGHT, TOOL ONLY

Features

› FAST, TOOL-FREE SETUP

Flip out the legs and extend the pole without tools

› COMPACT AND LIGHTWEIGHT

Collapses for easy storage and transport

› FOOT CONTROL SWITCH

For hands-free brightness settings

› 270-DEGREE PIVOT + 270-DEGREE SWIVEL

For more control to direct light where you need it

› THREE BRIGHTNESS SETTINGS

Choose between 200, 1,000, and 2,500 lumens

Specifications

Voltage	12V/20V
Light Source	LED
Runtime	Up to 9 hours on 1000 lm with 20V 4.0Ah battery; Up to 6 hours on 1000 lms with 12V 4.0Ah battery
Modes	2,500/1,000/200 lm
Rotation	270° Pivot + 270° Swivel
Extended Height	5.2 ft
Collapsed Length	21.65 in

Includes

Compact Tower Light



LH5537A-00 PWRCORE 12™ 12V MECHANICAL LIGHT, TOOL ONLY

Features

› BRIGHTEN YOUR WORKSPACE

Ultra-bright and compact LED light illuminates dark areas with up to 600 lumens, with settings for high, low, or strobe depending on the project

› MULTI-DIRECTIONAL LIGHT

180° pivoting head with 270° left/right swivel provides versatility for lighting

› MULTIPLE HANGING OPTIONS

A built-in metal hook, rafter hook, and magnets that attach to car hood provide utility

Specifications

Brightness Settings	High 600lm, Low 300lm, Strobe 600lm
Lamp Head Rotation	180° vertical range, 270° swivel range
Run Time	High mode for up to 7.5 hours with 4.0Ah battery
Light Source	20 LEDs
Tool Size	14.69 x 3.43 x 2.44 in (373 x 87 x 62 mm)

Includes

12V Mechanical Light



LH5533-00 PWRCORE 12™ 12V FLOOD LIGHT, TOOL ONLY

Features

› COMPACT AND LIGHTWEIGHT

LED panel work light with ultra-thin head illuminates dark areas with up to 850 lumens for greater visibility

› ILLUMINATION CONTROL

Choose high or low depending on your project

› MULTI-POSITION HANDLE

Rotates 180 degrees and can be used as a rafter hook, carrying handle, or stand

Specifications

Two Settings	850 or 550 Lumens
Runtime	Up to 4.5 hours in high setting with SKIL 12V 4.0Ah battery
Pivoting Angles:	7 handle positions from 0-180°
Weight	1.51 lbs (0.69 kg)

Includes

Flood Light



BY5020A-00 PWRCORE 12™ 2.0AH 12V USB-C BATTERY

Features

› 60W USB-C PD 3.0 PORT

Up to 12X higher power than USB-A to power a wide range of devices

› TWO-WAY RAPID CHARGING

Charge the battery or personal devices via the USB-C port

› LED FUEL GAUGE

Displays current battery charge in 25% increments

Specifications

Battery Type	Rechargeable Lithium-Ion
Voltage	12V
Capacity	2.0Ah
USB-C Port (Two-Way):	5/9/12/15/20V 3.0A 60W max.
Compatibility	All SKIL 12V Tools
Fuel Gauge	Green LED
Charger	Only with SKIL 12V or PD Charger

Includes

2.0Ah Battery
Battery Jacket
USB-C to USB-C Cable



BY5040A-00 PWRCORE 12™ 4.0AH 12V USB-C BATTERY

Features

› 60W USB-C PD 3.0 PORT

Up to 12X higher power than USB-A to power a wide range of devices

› TWO-WAY RAPID CHARGING

Charge the battery or personal devices via the USB-C port

› LED FUEL GAUGE

Displays current battery charge in 25% increments

Specifications

Battery Type	Rechargeable Lithium-Ion
Voltage	12V
Capacity	4.0Ah
USB-C Port (Two-Way):	5/9/12/15/20V 3.0A 60W max.
Compatibility	All SKIL 12V Tools
Fuel Gauge	Green LED
Charger	Only with SKIL 12V or PD Charger

Includes

4.0Ah Battery
Battery Jacket
USB-C to USB-C Cable



QC535701 PWRCORE 12™ PWRJUMP™ CHARGER

Features

- › **PWRJUMP™ CHARGING**
Charges up to 25% in just 5 minutes* for enough power to drive up to 100 screws
- › **BATTERY CHARGE STATUS INDICATORS**
- › **USB-A PORT TO CHARGE OTHER DEVICES**
- › **TABLE OR WALL MOUNTING**

*Based on 2.0 Ah battery

Specifications

Input Voltage	120V
Input Power	90W
USB-A Port	5V, 1.0A Output
Compatibility	All SKIL 12V Tools

Includes

PWRJUMP™ Charger



BY500101 PWRCORE 12™ LITHIUM 2.0AH 12V BATTERY WITH PWRASSIST™ MOBILE CHARGING

Features

- › **PWRASSIST™ MOBILE CHARGING**
Utilize USB-A port on the battery to charge other devices
- › **FUEL GAUGE**
LED charge status indicators show how much power is left

Specifications

Battery Type	Rechargeable Lithium-Ion
Voltage	12V
Capacity	2.0Ah
USB Port	USB-A, 5V, 1.0A
Compatibility	All SKIL 12V Tools
Fuel Gauge	Green LED
Charger	Only with SKIL 12V

Includes

2.0Ah PWRASSIST™ Battery
Battery Jacket



BY519801 PWRCORE 12™ LITHIUM 4.0AH 12V BATTERY WITH PWRASSIST™ MOBILE CHARGING

Features

- › **PWRASSIST™ MOBILE CHARGING**
Utilize USB-A port on the battery to charge other devices
- › **FUEL GAUGE**
LED charge status indicators show how much power is left

Specifications

Battery Type	Rechargeable Lithium-Ion
Voltage	12V
Capacity	4.0Ah
USB Port	USB-A, 5V, 1.0A
Compatibility	All SKIL 12V Tools
Fuel Gauge	Green LED
Charger	Only with SKIL 12V

Includes

4.0Ah PWRASSIST™ Battery
Battery Jacket

AVAILABLE COMBO KITS	DESCRIPTION	INCLUDED ITEMS	
	CB737501 PWRCORE 12™ BRUSHLESS 12V 1/2 IN. DRILL DRIVER & LASER MEASURER KIT WITH PWRJUMP™ CHARGER	Drill Driver 2.0Ah PWRASSIST™ Battery PWRJUMP™ Charger Belt Clip PH2 Bit	Laser Distance Measurer & Level Soft Bag Micro USB Charging Cord
	CB736701 PWRCORE 12™ BRUSHLESS 12V DRILL DRIVER & IMPACT DRIVER KIT WITH PWRJUMP™ CHARGER	Drill Driver Impact Driver (2) 2.0Ah PWRASSIST™ Batteries	PWRJUMP™ Charger (2) PH2 Bits (2) Belt Clips
	CB742701 PWRCORE 12™ BRUSHLESS 12V DRILL DRIVER AND CIRCULAR SAW KIT WITH PWRJUMP™ CHARGER	Drill Driver Circular Saw 4.0Ah PWRASSIST™ Battery PWRJUMP™ Charger 18T Thin Kerf Carbide Wood Cutting Blade	Allen Key Vacuum Adapter PH2 Bit Belt Clip Battery Jacket
	CB742901 PWRCORE 12™ BRUSHLESS 12V DRILL DRIVER & IMPACT DRIVER KIT WITH PWRJUMP™ CHARGER	Drill Driver Impact Driver 2.0Ah PWRASSIST™ Battery PWRJUMP™ Charger	(2) PH2 Bits (2) Belt Clips Battery Jacket
	CB737601 PWRCORE 12™ BRUSHLESS 12V 1/2 IN. DRILL DRIVER & 12 IN. DIGITAL LEVEL KIT WITH PWRJUMP™ CHARGER	Drill Driver 12 in Digital Level 12V Battery PWRJUMP™ Charger Battery Jacket PH2 Bit	Belt Clip Soft Case (2) AAA Batteries
	CB743001 PWRCORE 12™ BRUSHLESS 12V DRILL DRIVER & RIGHT ANGLE IMPACT DRIVER KIT WITH PWRJUMP™ CHARGER	Drill Driver Right Angle Impact Driver 2.0Ah PWRASSIST™ Battery PWRJUMP™ Charger	(2) PH2 Bits (2) Belt Clips Battery Jacket
	CB7431-10 PWRCORE 12™ BRUSHLESS 12V 3-TOOL COMBO KIT WITH PWRJUMP™ CHARGER	Drill Driver Inflator Area Light 2.0Ah PWRASSIST™ Battery PWRJUMP™ Charger	Belt Clip PH2 Bit Presta Valve Adapter Sports Ball Needle Pinch Valve Adapter Battery Jacket
	CB7490A-20 PWRCORE 12™ BRUSHLESS 12V 4-TOOL COMBO KIT WITH PWRJUMP™ CHARGER	Drill Driver Circular Saw Reciprocating Saw Area Light 2.0Ah and 4.0Ah PWRASSIST™ Batteries PWRJUMP™ Charger Belt Clip	PH2 Bit 18T Thin Kerf Carbide Wood Cutting Blade Allen Key Vacuum Adaptor Wood Cutting Blade (2) Battery Jackets Soft Bag
	CB7368A-20 PWRCORE 12™ BRUSHLESS 12V 5-TOOL COMBO KIT WITH TWO BATTERIES AND CHARGER	Drill Driver Multi-Tool Impact Driver Area Light Bluetooth Speaker (2) 2.0Ah PWRASSIST™ Batteries Standard Charger	(2) PH2 Bits (2) Belt Clips 10 pcs Sanding Paper Sanding Pad Bi-Metal Plunge Blade Speaker AUX Cable (2) Battery Jackets
	CB8429A-11 PWRCORE 12™ BRUSHLESS 12V DRILL DRIVER & IMPACT DRIVER KIT WITH USB-C CHARGER	Drill Driver Impact Driver 2.0Ah Battery with USB-C	20W PD Charger (2) PH2 Bits (2) Belt Clips Battery Jacket

AVAILABLE COMBO KITS	DESCRIPTION	INCLUDED ITEMS	
	CB738701 PWRCORE 12™ BRUSHLESS 12V 3-TOOL COMBO KIT WITH BATTERY AND CHARGER	Drill Driver Multi-Tool Area Light 2.0Ah Battery Charger PH2 Bit	Belt Clip 10 pcs Sanding Paper Sanding Pad Bi-Metal Plunge Blade
	CB738701 PWRCORE 12™ BRUSHLESS 12V 4-TOOL COMBO KIT WITH TWO BATTERIES AND CHARGER	Drill Driver Multi-Tool Area Light Bluetooth Speaker (2) 2.0Ah Batteries Charger PH2 Bit	Belt Clip 10 pcs Sanding Paper Sanding Pad Bi-Metal Plunge Blade Speaker AUX Cable
	CB736801 PWRCORE 12™ BRUSHLESS 12V 5-TOOL COMBO KIT WITH TWO BATTERIES AND CHARGER	Drill Driver Multi-Tool Impact Driver Area Light Bluetooth Speaker (2) 2.0Ah Batteries Charger	(2) PH2 Bits (2) Belt Clips 10 pcs Sanding Paper Sanding Pad Bi-Metal Plunge Blade Speaker AUX Cable (2) Battery Jackets
	CB7434-21 PWRCORE 12™ BRUSHLESS 12V 6-TOOL COMBO KIT WITH TWO BATTERIES AND CHARGER	Drill Driver Circular Saw Right Angle Impact Driver Multi Tool Cordless Inflator Area Light 2.0Ah and 4.0Ah PWRASSIST™ Batteries PWRJUMP™ Charger (2) Belt Clips	(2) PH2 Bits 18T Thin Kerf Carbide Wood Cutting Blade Allen Key Vacuum Adapter 10 pcs Sanding Paper Sanding Pad Bi-Metal Plunge Blade Presta Valve Adapter Sports Ball Needle Pinch Valve Adapter (2) Battery Jackets
	CB8368A-21 PWRCORE 12™ BRUSHLESS 12V 5-TOOL COMBO KIT WITH 2X2.0AH 12V USB-C BATTERIES AND CHARGER	Drill Driver Impact Driver Multi-Tool Bluetooth Speaker Area Light (2) 2.0Ah Batteries with USB-C	20W PD Charger (2) PH2 Bit (2) Belt Clip 10 pcs Sanding Paper Sanding Pad Bi-Metal Plunge Blade Speaker AUX Cable
	CB8010A-20 PWRCORE 12™ BRUSHLESS 12V 10-TOOL COMBO KIT	Drill Driver Impact Driver Circular Saw Reciprocating Saw Detail Sander Multi-Cutter Inflator Clamp Fan Mechanical Light Collapsible Lantern (2) 2.0Ah Batteries with USB-C 20W PD Charger Soft Bag (2) PH2 Bit Belt Clip	Hex Key 18T Carbide Blade Vacuum Adaptor Wood Cutting Blade Dust Box Sandpapers: (5) 80 Grit, (5) 120 Grit, (5) 180 Grit, (5) 240 Grit Multi Cutter Cutting Blade Presta Valve Adapter Sports Ball Needle Pinch Valve Adaptor USB-C to USB-C Cable
	CB80005A-20 PWRCORE 12™ BRUSHLESS 12V 5-TOOL COMBO KIT	Drill Driver Impact Driver Reciprocating Saw Detail Sander Area Light (2) 2.0Ah Batteries with USB-C 20W PD Charger	Soft Bag (2) PH2 Bit Belt Clip Wood Cutting Blade Dust Box Sandpapers: (5) 80 Grit, (5) 120 Grit, (5) 180 Grit, (5) 240 Grit

PWRCORE 20™

SERIOUS
POWER.

SER
PER



This lineup offers a range of tools, plus the benefits of our patented **PWRCORE 20™** lithium battery.



IOUS FORMANCE.

TWO-WAY USB-C CHARGING



Charge the battery or personal devices with the battery's 100W USB-C port

ONE BATTERY. MANY TOOLS.



20V battery works with both 20V tools and outdoor equipment

BRUSHLESS MOTORS



Provides high performance and extended tool life



 BRUSHLESS

DL6293B-1C PWRCORE 20™ BRUSHLESS 20V 1/2 IN. COMPACT DRILL DRIVER KIT WITH USB-C BATTERY

Features

- › **1/2-INCH SINGLE-SLEEVE, KEYLESS CHUCK**
For fast, easy bit changes
- › **17-STAGE TORQUE ADJUSTMENT PLUS DRILL MODE**
17 settings and precision speed control for all applications
- › **LED WORKLIGHT**
Illuminates your entire work space for up to 10 minutes
- › **1 INCH SHORTER THAN PREVIOUS GENERATION**

Specifications

Chuck	1/2 in Keyless Ratcheting
Torque	450 in-lbs
Speed	0-500/0-1,800 RPM
Clutch Setting	17+1
Tool Size	6.1 x 2.7 x 7.8 in (154 x 67.3 x 198.5 mm)

Includes

Drill Driver	Belt Clip
2.0Ah Battery with USB-C	Screwdriving Bit
100W USB-C PD Charger	Battery Jacket
	(1) Charging Cable



 BRUSHLESS

DL6300D-12 12V/20V BRUSHLESS FLIP DRILL, 20V KIT

Features

- › **DOUBLE COLLET FLIP HEAD**
Quickly change between drilling and driving bits with just a twist
- › **MAGNETIC ONBOARD STORAGE**
For quick access to bits and screws
- › **SLIM, COMPACT DESIGN**
For easy access to corners, edges, and other tight, hard-to-reach spaces
- › **TORQUE ADJUSTMENT & DISPLAY**
Electronically controlled torque settings plus drill mode to adapt to the application at hand

Specifications

Voltage	12V/20V
No Load Speed	12V: 0-420/0-1550 RPM 20V: 0-450/0-1700 RPM
Torque	12V: 300 in-lbs (34 Nm) 20V: 350 in-lbs (40 Nm)
Clutch Settings	9+D, Electronic
Chuck Capacity	1/4 in (6.35mm)
Chuck Type	Hex Collet
Tool Dimensions (Without Chuck Attachments)	7.87 x 2.64 x 7.39 in (199.9 x 67 x 187.6mm)

Includes

12V/20V Brushless Flip Drill	Belt Clip
2.0Ah Battery with USB-C	2 in PH2 Sc rewdriving Bit
20W PD Charger	(4) Hex Shank HSS
USB-C to USB-C Cable	Bits: (2) 3/32 in, (2) 1/8 in



 BRUSHLESS

QD6293B-10 PWRCORE 20™ BRUSHLESS 20V COMPACT MULTI-HEAD DRILL DRIVER

Features

- › **MULTI-HEAD FUNCTIONALITY**
Four interchangeable attachments deliver outstanding versatility
- › **VARIABLE SPEED TRIGGER**
For precise speed control
- › **STRIP LED WORKLIGHT**
Provides bright, broad illumination and lights up your entire workspace for up to 10 minutes
- › **COMPACT & LIGHTWEIGHT**
For working in hard-to-reach spaces with less fatigue

Specifications

Chuck	3/8 in. Keyless Single-Sleeve Detachable
Torque	450 in-lbs
Speed	0-500/0-1800 RPM
Clutch Setting	17+1

Includes

Multi-Head Drill Driver	Soft Bag
3/8 in. Keyless Chuck Attachment	2.0Ah Battery with USB-C
Locking Hex Bit Holder Attachment	45W USB-C PD Charger
Right Angle Attachment	USB-C Charging Cable
Offset Attachment	Belt Clip
	Screwdriving Bit



 BRUSHLESS

DL6280B-10 PWRCORE 20™ BRUSHLESS 20V 1/2 IN. DRILL DRIVER KIT

Features

- › **1/2-INCH KEYLESS CHUCK**
For fast, easy bit changes
- › **VARIABLE SPEED TRIGGER**
For precise speed control
- › **LED WORKLIGHT**
With pre-light and afterglow for maximum visibility
- › **17 STAGE TORQUE ADJUSTMENT PLUS DRILL MODE**
17 settings and precision speed control for all applications

Specifications

Speed	0-450/0-1700 RPM
Torque	400 in.lbs
Clutch Settings	17+1
Chuck Capacity	1/2 in. (13mm)
Chuck Type	Keyless Single-Sleeve
Tool Weight	1.83 lbs (0.83 kg)
Tool Dimensions	6.77 x 2.66 x 7.87 in (172 x 67.5 x 200 mm)

Includes

20V Brushless Drill Driver	20V Standard Charger
2.0Ah Battery	2 in. Double End Bit



 BRUSHLESS

HD6294B-10 PWRCORE 20™ BRUSHLESS 20V 1/2 IN. COMPACT HAMMER DRILL KIT WITH autoPWRJUMP™ CHARGER

Features

- › **1/2-INCH SINGLE-SLEEVE, KEYLESS RATCHETING CHUCK**
For fast and easy bit changes
- › **17-STAGE TORQUE ADJUSTMENT AND VARIABLE SPEED TRIGGER**
17 settings and precision speed control for all applications
- › **LED WORKLIGHT**
Illuminates your entire work space for up to 10 minutes
- › **1 INCH SHORTER THAN PREVIOUS GENERATION**

Specifications

Chuck	1/2 in Keyless Metal Ratcheting
Torque	450 in-lbs
Speed	0-500/0-1,800 RPM
Impact Rate	0-7,500/0-27,000 IPM
Clutch Settings	17+1+1
Tool Size	6.6 x 2.7 x 7.8 in (166 x 67.3 x 198.5 mm)

Includes

Hammer Drill	Belt Clip
2.0Ah PWRASSIST™ Battery	Screwdriving Bit
autoPWRJUMP™ Charger	Battery Jacket



 BRUSHLESS

HD6280B-11 PWRCORE 20™ BRUSHLESS 20V HAMMER DRILL KIT, WITH 75 PC. DRILL & DRIVE BIT SET WITH INTERLOCKING CASE

Features

- › **1/2-INCH KEYLESS RATCHETING CHUCK**
For fast, easy bit changes
- › **THREE FUNCTIONS IN ONE**
Easily transition between hammer drill, drill, and screwdriving modes
- › **17-STAGE TORQUE ADJUSTMENT AND VARIABLE SPEED TRIGGER**
17 settings and precision speed control for all applications
- › **HAMMER FEATURE**
Power through tough materials like hardwoods, brick, and concrete with up to 25,500 IPM
- › **LED WORKLIGHT**
With pre-light and afterglow for maximum visibility

Specifications

Speed	0-450/0-1,700 RPM
Impact Rate	0-6,750/0-25,500 IPM
Torque	400 in-lbs
Clutch Settings	17+1+1
Chuck Capacity	1/2 in (13 mm)
Chuck Type	Keyless Single-Sleeve Ratcheting

Includes

20V Brushless Hammer Drill	75 Pc. Drill & Drive Bit Set with Interlocking Case
2.0Ah Battery	
PWRCORE 20™ 20V 30W Charger	



 BRUSHLESS

ID6739B-10 PWRCORE 20™ BRUSHLESS 20V 1/4 IN. HEX COMPACT IMPACT DRIVER WITH BATTERY AND autoPWRJUMP™ CHARGER

Features

- › **CONTROL MODE**
Helps eliminate screw cam-out and cross threading
- › **3 SPEED SELECTION**
Use lower speed for precise control and higher speed for maximum power
- › **HALO LIGHT™**
Brightens your entire workspace for up to 10 minutes
- › **1 INCH SHORTER THAN PREVIOUS GENERATION**

Specifications

Collet	1/4 in Hex Collet
Torque	1,800 in-lbs
Speed	1,800/2,500/3,100 RPM
Impact Rate	2,450/3,400/3,950 IPM
Tool Size	4.88 x 2.64 x 7.80 in (124 x 67 x 198 mm)

Includes

1/4 in Hex Impact Driver
2.0Ah **PWRASSIST™** Battery
auto**PWRJUMP™** Charger
Belt Clip
2 in PH2 Bit
Battery Jacket



 BRUSHLESS

ID6720B-10 PWRCORE 20™ BRUSHLESS 20V 1/4 IN. HEX IMPACT DRIVER KIT

Features

- › **1/4-INCH HEX COLLET**
Fast, easy bit changes
- › **DIGITAL BRUSHLESS MOTOR**
Provides high performance and extended tool life
- › **LED WORKLIGHT**
With pre-light and afterglow for maximum visibility

Specifications

Speed	0-2300 / 0-3500 RPM
Impact Rate	0-2800 / 0-3500 IPM
Torque	1700 in-lbs (250 Nm)
Torque Settings	2
Collet	1/4 in. Hex (6.35mm)
Tool Weight	2.16 lbs (0.98 kg)
Tool Size	5.57 x 2.65 x 7.94 in. (141.5 x 67.3 x 201.7mm)

Includes

20V Brushless Impact Driver
2.0Ah Battery
20V Standard Charger
2 in. PH2 Bit



 BRUSHLESS

IW5761B-10 PWRCORE 20™ BRUSHLESS 20V 1/2 IN. MID-TORQUE IMPACT WRENCH KIT

Features

- › **HIGH POWER**
800 foot-pounds of nut-busting torque,
480 foot-pounds of fastening torque
- › **1/2-INCH ANVIL WITH FRICTION RING**
For quick and easy socket changes
- › **THREE SPEED SELECTION**
Use lower speed for precise control and higher speed for maximum power
- › **NUT BUSTING MODE**
Provides up to 800 foot-pounds of breakaway torque to remove rusted nuts and bolts

Specifications

No Load Speed	0-800/1,400/ 1,900 RPM
Max. Impact Rate	0-1,100/2,000/ 2,600 IPM
Anvil Size	1/2 in
Fastening Torque	200/300/480 ft lbs
Nut-Busting Torque	650/800 ft-lbs (on Nut Busting Mode)
Torque Settings	3
Anvil Type	Friction Ring

Includes

Impact Wrench
4.0Ah **PWRASSIST™** Battery
auto**PWRJUMP™** Charger



 BRUSHLESS

IW6739B-10 PWRCORE 20™ BRUSHLESS 20V 3/8 IN. COMPACT IMPACT WRENCH KIT WITH 2.0AH BATTERY AND autoPWRJUMP™ CHARGER

Features

- › **3/8-INCH ANVIL WITH FRICTION RING**
For quick and easy socket changes
- › **3 SPEED SELECTION**
Use lower speed for precise control and higher speed for maximum power
- › **HALO LIGHT™**
Brightens your entire workspace for up to 10 minutes
- › **1 INCH SHORTER THAN PREVIOUS GENERATION**

Specifications

Anvil with Friction Ring	3/8 in
Fastening Torque	170 ft-lbs
Nut Busting Torque	220 ft-lbs
Speed	1,500/2,250/2,850 RPM
Tool Size	4.8 x 2.6 x 7.8 in (122 x 67 x 198 mm)

Includes

3/8 in Compact Impact Wrench
2.0Ah PWRASSIST™ Battery
autoPWRJUMP™ Charger
Belt Clip
Battery Jacket



 BRUSHLESS

IW5739-1A PWRCORE 20™ BRUSHLESS 20V 1/2 IN. IMPACT WRENCH KIT WITH 5.0AH BATTERY AND autoPWRJUMP™ CHARGER

Features

- › **POWERFUL PERFORMANCE**
The digital brushless motor provides efficient, high-performance power for use on lug nuts and tough automotive bolts
- › **THREE SPEED SETTINGS**
Choose between High, Low, and Reverse Control Mode
- › **REVERSE CONTROL MODE**
Stops rotations and impacts once the fastener is loosened

Specifications

Anvil with Friction Ring	1/2 in
Torque	200 ft-lbs
Speed	0-2,100/0-2,400 RPM
Impact Rate	0-2,800/0-3,200 IPM
Tool Size	6.2 x 2.8 x 8.0 in (158 x 72 x 202 mm)

Includes

Impact Wrench
2.0Ah Battery
autoPWRJUMP™ Charger
Belt Clip
PWRASSIST™ USB Adapter



 BRUSHLESS

NA1800B-10 PWRCORE 20™ BRUSHLESS 20V 18GA BRAD NAILER KIT

Features

- › **DRY FIRE LOCKOUT**
Eliminates blank firing and prevents damage to work surface
- › **QUICK DEPTH ADJUSTMENT WHEEL**
Easily sets ideal nailing depth
- › **RAPID FIRE**
Drives up to two nails per second with minimal ramp-up time
- › **DUAL LED LIGHTS**
Increases visibility in dimly lit work areas

Specifications

Nail Size	18 Ga x 5/8 in to 2-1/8 in LG
Drive Mechanism	Pneumatics
Firing Mode	Bump & Sequential
Magazine Capacity	Up To 105 Nails
Tool Size	11.3 in x 10.6 in x 3.7 in

Includes

18 Ga Brad Nailer
2.0Ah Battery with USB-C
45W USB-C PD Charger
Belt Clip
Cable

Battery Jacket
Hex Key
(100) 18 Ga
2 in Nails
(2) No Mar Tips



 BRUSHLESS

SL1814B-10 PWRCORE 20™ BRUSHLESS 20V 18GA 1/4 IN. NARROW CROWN STAPLER KIT

Features

› RAPID FIRE

Drives up to 2 staples per second with minimal ramp-up time

› QUICK DEPTH ADJUSTMENT WHEEL

Easily sets ideal stapling depth

› DUAL LED LIGHTS

Increases visibility in dimly lit work areas

› DRY FIRE LOCKOUT

Eliminates blank firing and prevents damage to work surface

Specifications

Nail Size	1/4 in. narrow crown staple (18 GA staple)
Staple Length	3/8 in to 1-1/2 in
Drive Mechanism	Pneumatics
Operational Mode	Bump & Sequential
Runtime	1000 staples/2.0Ah

Includes

18 GA 1/4 in. Narrow Crown Stapler	Belt Clip + Screw
2.0Ah Battery with USB-C	(100) 18 GA 1-1/2 in. Staples
45W USB-C PD Charger Cable	(2) Hex Keys

OS5937-10 PWRCORE 20™ BRUSHLESS 20V OSCILLATING MULTITOOL WITH BATTERY AND autoPWRJUMP™ CHARGER

Features

› VIBRATION REDUCTION SYSTEM (VRS)

Innovative isolated motor design offers 90% less vibration, helping you work more comfortably (compared to SKIL models without VRS feature)

› POWERFUL PERFORMANCE

The digital brushless motor provides efficient, high-performance power for longer tool life

› CONSTANT SPEED TECHNOLOGY

Innovative SKIL brushless motor communicates with the PWRCORE 20™ battery to maintain consistent speed through harder cuts

Specifications

Interface for Accessories	12-pin OIS
Oscillating Angle:	3.6°
Variable 6 Speed Dial	11,000-17,000 OPM
Light	LED
Length	12-1/6 in (309 mm)

Includes

Multi-Tool	Bi-Metal Blade
2.0Ah PWRASSIST™ Battery	HCS Wood Blade
autoPWRJUMP™ Charger	HCS Segment Blade
35 pcs Sanding Paper	Rigid Scraper
Sanding Pad	Accessories Case
	Battery Jacket

OS5920B-10 PWRCORE 20™ BRUSHLESS 20V OSCILLATING MULTI-TOOL KIT

Features

› VIBRATION REDUCTION SYSTEM

80% less vibration* to work more comfortably
*compared to SKIL models without VRS feature

› TOOL-FREE BLADE CLAMP

For quick and secure blade changes

› CONSTANT SPEED TECHNOLOGY

Draws more power when needed to tackle tough materials

Specifications

Interface for Accessories	12-pin OIS
Oscillating Angle:	3.6°
Variable 6 Speed Dial	11,000-17,000 OPM
Tool Dimensions	12.7 x 2.4 x 3.9 in (322 x 68 x 100 mm)
Tool Weight	1.72 lbs (0.78 kg)

Includes

Multi-Tool	Sanding Pad
2.0Ah Battery	HCS Wood Blade
20V Standard Charger	HCS Segment Blade
(9) Sandpapers:	
(3) 60 Grit, (3) 120 Grit, (3) 180 Grit	

 BRUSHLESS



 BRUSHLESS



 BRUSHLESS

RH1704-1A PWRCORE 20™ BRUSHLESS 20V 7/8 IN. ROTARY HAMMER KIT WITH 5.0AH BATTERY AND autoPWRJUMP™ CHARGER

Features

› DIGITAL BRUSHLESS MOTOR

Provides efficient, high-performance power when drilling through tough surfaces like brick, concrete, and other masonry

› 4-MODE SELECTOR

Transition between drill, hammer drill, chisel, and chisel alignment settings, reducing time and increasing efficiency

› QUICK BIT CHANGES

SDS Plus Chuck allows for easy and secure bit changes to keep your project going

Specifications

Chuck	SDS Plus
Impact Energy	1.5 ft-lbs / 2.0J
Speed	0-1,400 RPM
Impact Rate	0-4,500 IPM
Drilling Capacity	7/8 in
Tool Size	11.18 x 3.15 x 7.80 in (284 x 80 x 198 mm)

Includes

Rotary Hammer	Auto PWRJUMP™ Charger
5.0Ah Battery	PWRASSIST™ USB Adapter
Depth Rod	
Side Handle	



RH170202 PWRCORE 20™ 20V ROTARY HAMMER KIT WITH PWRCORE 20™ LITHIUM BATTERY

Features

› MULTI-FUNCTION CHUCK

Compatible with SDS Plus drilling bit and 1/4-inch hex bit

› DIRECTION INDICATORS

Forward/reverse LED indicator to determine driving direction

› THREE TOOLS IN ONE

Combines hammer drill, drill, and screwdriver into one tool

› POWERFUL PERFORMANCE

Hammers through materials like concrete and masonry

› LED LIGHT

Turns on with trigger, stays lit for 10 seconds after release

Specifications

Speed	0-900 RPM
Impact Rate	0-5,000 IPM
Impact Force	0.7 ft-lbs (1J)
Multi-function Chuck	For SDS, SDS+ and 1/4 in Hex Bits
Solid Bit Capacity	1/2 in

Includes

Rotary Hammer
2.0Ah Battery
Standard Charger
75mm Bit Holder



CR5429B-20 PWRCORE 20™ BRUSHLESS 2 X 20V 7-1/4 IN. REAR HANDLE CIRCULAR SAW KIT WITH TWO 5.0 AH BATTERIES AND autoPWRJUMP™ CHARGER

Features

› 2 X 20V POWER

Two PWRCORE 20™ batteries simultaneously power this saw for demanding applications (always use 5Ah batteries or higher)

› CUTS 3X IN ONE PASS

2-9/16 inch depth of cut powers through tough materials

› UP TO 600 CUTS ON A SINGLE CHARGE*

No down time – two fully charged PWRCORE 20™ 5.0Ah Lithium batteries will make 600 cuts in 2x4 pine

Specifications

Battery Requirement	2x20V
Speed	5,300 RPM
Max Cutting Capacity	2-9/16 in
Bevel Capacity	0-53°

Includes

2x20V Circular Saw	150W Dual Port autoPWRJUMP™ Charger
(2) 5.0Ah Batteries	Vacuum Adapter
24 Tooth Carbide-Tipped Blade	
Wrench (Stored on Tool)	

 BRUSHLESS

* Based on lab testing, up to 600 crosscuts in 2x4 SPF lumber with two 5.0Ah batteries



CR5440B-10 PWRCORE 20™ BRUSHLESS 20V 7-1/4 IN. CIRCULAR SAW KIT WITH 4.0 AH BATTERY AND autoPWRJUMP™ CHARGER

Features

- › **POWERFUL CUTTING PERFORMANCE**
Makes 250 cuts in 2x4 pine with a PWRCORE 20™ 4.0Ah lithium battery
- › **CUTS 3X IN ONE PASS**
Powers through tough materials with 2-5/8-inch depth of cut
- › **DURABLE CONSTRUCTION**
Cast aluminum guards and shoe provide reliable performance and durability

Specifications

Battery Requirement	20V
Speed	5,300 RPM
Max Cutting Capacity	2-5/8 in
Bevel Capacity	0-56°

Includes

Circular Saw	Vacuum Adapter
4.0Ah PWRCORE 20™ Lithium Battery	Hex Key
autoPWRJUMP™ Charger	7-1/4 in 24T Blade



CR5413-1A PWRCORE 20™ BRUSHLESS 20V 6-1/2 IN. CIRCULAR SAW KIT WITH 4.0 AH BATTERY AND autoPWRJUMP™ CHARGER

Features

- › **DIGITAL BRUSHLESS MOTOR**
Provides efficient, high-performance power for extended tool life
- › **0-50 DEGREE BEVEL CAPACITY**
Easily achieve the most commonly cut angles
- › **DEPTH ADJUSTMENT LEVER**
For quick depth adjustment
- › **LED LIGHT WITH PRELIGHT & AFTERFLOW**
See work clearly

Specifications

Blade	6-1/2 in (165 mm)/24T
Speed	5,400 RPM
Bevel Capacity	0-50°
Cutting Depth at 90°	2-13/32 in (61 mm)
Cutting Depth at 45°	1-11/16 in (43 mm)
Tool Size	12-5/8 x 10-3/8 x 6 in (320 x 260 x 150 mm)

Includes

Circular Saw	Allen Key
4.0Ah Battery	Vacuum Adaptor
Auto PWRJUMP™ Charger	24T Ultra Thin Carbide Blade
PWRASSIST™ USB Adapter	Allen Key
Carbide Blade	Dust Extractor



CR6413B-11 PWRCORE 20™ 20V BRUSHLESS 6-1/2 IN. CIRCULAR SAW KIT

Features

- › **SHADOW LINE**
Innovative LED creates a shadow effect on your cut line
- › **ELECTRIC BRAKE**
Stops blade quickly for added safety
- › **COMPACT, ERGONOMIC DESIGN**
Blade left design for optimized visibility of your cut line

Specifications

Blade Mount	Blade Left
Speed	5500 RPM
Blade Size	6-1/2 in
Arbor Size	5/8 in
Number of Teeth	18
Depth of Cut @ 90°	2-1/4 in
Depth of Cut @ 45°	1-5/8 in
Bevel Capacity	0-45°

Includes

Circular Saw	18T Carbide Thin Kerf Blade
2.0Ah Battery	Onboard Hex Key
20V Standard Charger	Vacuum Adaptor





CR5435B-10 PWRCORE 20™ BRUSHLESS 20V 4-1/2 IN. COMPACT CIRCULAR SAW KIT WITH BATTERY AND autoPWRJUMP™ CHARGER

Features

› CUTS 2X IN ONE PASS

Cut 2x material at 90 degrees and 1x material at 45 degrees

› COMPACT POWER

Big power in a compact design, for working overhead or in hard to reach areas

› LIGHTWEIGHT

38 percent lighter for easy maneuverability
(Compared to SKIL CR5413-1A)

› INTEGRATED DUST PORT

Directs sawdust away from the work area

Specifications

Speed	6,000 RPM
Blade Size	4-1/2 in
Arbor Size	3/8 in
Bevel Capacity	45°
Depth of Cut @ 90°	1-1/2 in
Depth of Cut @ 45°	1-1/8 in

Includes

Circular Saw	Allen Key
2.0Ah PWRASSIST™ Battery	4-1/2 in. 24T Carbide Tipped Blade
autoPWRJUMP™ Charger	Rip Fence
Vacuum Adapter	Battery Jacket



JS820202 PWRCORE 20™ BRUSHLESS 20V JIGSAW KIT WITH BATTERY AND autoPWRJUMP™ CHARGER

Features

› VARIABLE SPEED TRIGGER WITH BRAKE

Allows for maximum control and a precise finish

› TOOL-FREE BEVEL ADJUSTMENT

Quickly adjusts for angled cutting

› 4-STAGE ORBITAL FUNCTION

Smooth cutting ability across different materials and applications with up to 3,000 strokes per minute

› TOOL-FREE BLADE CLAMP

For quick and secure blade changes

Specifications

Speed	0-3,000 SPM
Stroke	1 in
Blade Compatibility	U-Shank and T-Shank Blades
Bevel Adjustment	Up to 45 Degrees
Tool Size	8-3/8 x 2-9/10 x 8-1/5 in

Includes

Jig Saw	Wood Blade
2.0Ah PWRASSIST™ Battery	Metal Blade
autoPWRJUMP™ Charger	Battery Jacket



JS8290B-10 PWRCORE 20™ BRUSHLESS 20V JIGSAW KIT

Features

› VARIABLE SPEED TRIGGER

For precise speed control

› LED WORKLIGHT

With pre-light and afterglow for maximum visibility

› DIGITAL BRUSHLESS MOTOR

Provides high performance and extended tool life

Specifications

Speed	0-3,000 SPM
Stroke	1 in
Orbital Settings	4
Tool Dimensions	8.1 x 3 x 8.2 in (206 x 76 x 207 mm)
Tool Weight	3.35 lbs (1.52 kg)

Includes

20V Brushless Jig Saw	Wood Blade
2.0Ah Battery	Metal Blade
20V Standard Charger	



RS5884-1A PWRCORE 20™ BRUSHLESS 20V RECIPROCATING SAW KIT WITH 4.0AH BATTERY AND autoPWRJUMP™ CHARGER

Features

› POWERFUL PERFORMANCE

The digital brushless motor provides efficient, high-performance power for longer tool life

› CONTROL YOUR CUTS

Switch between linear mode for cleaner cuts and orbital mode for more aggressive cuts

› PIVOTING ADJUSTABLE SHOE

Extend the blade life and control the depth of cut

› TOOL-FREE BLADE CHANGES

Spindle lock allows for quick and secure blade changes

Specifications

Speed	0-3,000 SPM
Stroke Distance	1-1/8 in (29 mm)
Tool Size	17 x 3.75 x 6.5 in (430 x 96 x 165 mm)
Weight	6.28 lbs (2.85 kg)

Includes

Reciprocating Saw
4.0Ah Battery
autoPWRJUMP™ Charger
PWRASSIST™ USB Adapter
Wood Cutting Blade



RS5870B-10 PWRCORE 20™ BRUSHLESS 20V RECIPROCATING SAW KIT

Features

› TOOL-FREE BLADE CHANGE

For quick and secure blade changes

› VARIABLE SPEED TRIGGER

For precise speed control

› DIGITAL BRUSHLESS MOTOR

Provides high performance and extended tool life

Specifications

Speed	0-3,200 SPM
Stroke Length	1 in (25 mm)
Tool Size	16 x 3.1 x 6.4 in (406 x 80 x 162 mm)
Weight	3.62 lbs (1.64 kg)

Includes

Reciprocating Saw
2.0Ah Battery
20V Standard Charger
Wood Blade
Hex Key



RS5825B-10 PWRCORE 20™ BRUSHLESS 20V COMPACT RECIPROCATING SAW WITH BATTERY AND autoPWRJUMP™ CHARGER

Features

› COUNTERBALANCE GEAR BOX & PIVOTING SHOE

Maximum precision and control with reduced vibration to perform smooth, clean cuts

› VARIABLE SPEED TRIGGER

Provides maximum precision and control

› DUAL LED LIGHTS WITH PRE-LIGHT AND AFTER-GLOW

Top LED illuminates an upper surface when cutting pipes while lower LED casts a vertical line when cutting walls or vertical board

Specifications

Stroke Length	1 in
SPM	0-3,000
Tool Size	13.6 x 2.9 x 6 in (345 x 73 x 153 mm)
Weight	5.0 lbs (2.27 kg)

Includes

Compact Reciprocating Saw
2.0Ah PWRASSIST™ Battery
autoPWRJUMP™ Charger
Wood Cutting Blade
Battery Jacket





AG2907-1A PWRCORE 20™ BRUSHLESS 20V 4-1/2 IN. ANGLE GRINDER KIT WITH 5.0AH BATTERY AND autoPWRJUMP™ CHARGER

Features

› POWERFUL PERFORMANCE

The digital brushless motor provides efficient, high-performance power for cutting through strong materials like steel, ceramic, and more

› SAFETY FIRST

Move through projects faster with tool-free guard adjustment

› ONBOARD WRENCH STORAGE

Conveniently located in side handle for easy access

Specifications

Speed	8,500 RPM
Wheel Diameter	4-1/2 in (115 mm)
Tool Size	12-1/4 x 2-7/8 x 4 in (311 x 73 x 102 mm)

Includes

Angle Grinder
5.0Ah Battery
autoPWRJUMP™ Charger
Grinding Disc
Wrench
Wrench Storage Handle
Grinding Guard
PWRASSIST™ USB Adapter



AG290202 PWRCORE 20™ 20V 4-1/2 IN. ANGLE GRINDER KIT WITH PWRCORE 20™ LITHIUM BATTERY

Features

› DUAL FUNCTION LOCK-ON SWITCH

Prevents accidental start up and locks on for prolonged use

› TOOL-FREE GUARD ADJUSTMENT

One-handed release to quickly adjust position of guard

› ENHANCED CONTROL

For an easier and safer soft start

› 3 POSITIONS FOR SIDE HANDLE

Choose the position that works best for the project

› ONBOARD WRENCH STORAGE

Conveniently located in side handle for easy access

Specifications

Speed	8,500 RPM
Wheel Diameter	4-1/2 in (115 mm)
Adjustable Guard	Tool-Free
Wrench	Integrated in Side Handle
Side Handle Positions	3
Length	11-1/8 in (285 mm)

Includes

Angle Grinder
2.0Ah Battery
Standard Charger
Grinding Disc
Wrench Storage Handle
Grinding Guard
Wrench



SR6607B-10 PWRCORE 20™ BRUSHLESS 20V COMPACT MULTI-SANDER KIT WITH BATTERY AND autoPWRJUMP™ CHARGER

Features

› DIGITAL BRUSHLESS MOTOR

Counterweight balance reduces vibration for improved comfort

› 4-IN-1 SANDER WITH 3 ATTACHMENTS

Versatility to finish large surfaces and corners or edges

› VIBRATION CONTROL

Counterweight balance and soft rubber grip reduces vibration for improved comfort

Specifications

Voltage	20V
No-load Speed	10,500 OPM
Pad Size	6 x 4-1/8 in (152 x 105 mm)
Tool size	5.8 x 3.9 x 4.5 in
Tool Weight	1.5 lbs
Orbit Diameter	1/16 in (1.6 mm)

Includes

Multi-Sander
2.0Ah PWRASSIST™ Battery
autoPWRJump™ Charger
(12) Sanding Sheets
Dust Bag
(3) Attachments
Battery Jacket





SR660302 PWRCORE 20™ BRUSHLESS 20V 5 IN. RANDOM ORBITAL SANDER WITH BATTERY AND autoPWRJUMP™ CHARGER

Features

- › **DIGITAL BRUSHLESS MOTOR**
Provides high-performance power and extended tool life
- › **RANDOM ORBIT FUNCTION**
Vibrates and spins simultaneously, reducing noticeable swirls and scratches
- › **DIAL SPEED CONTROL**
For maximum control and speed precision
- › **HOOK & LOOP PAD**
For easy sand paper changes

Specifications

Speed	7,000-11,000 OPM
Pad Diameter	5 in
Dust Box	With Micro-Filter
Dust Port	Fits 1-1/4 in (32 mm) Vacuum Attachment
Paper Attachment Type	Hook & Loop
Tool Size	6.3 x 5.9 x 8.4 in (160 x 151 x 213 mm)

Includes

Random Orbital Sander
2.0Ah PWRASSIST™ Battery
autoPWRJump™ Charger
5 pcs Sanding Paper
Dust Box



SR7603B-10 PWRCORE 20™ BRUSHLESS 20V RANDOM ORBITAL SANDER KIT



Features

- › **LOW PROFILE WITH SOFT OVERMOLD GRIP**
Delivers comfortable ergonomics and better control
- › **REDUCED VIBRATION**
For less fatigue and extended work time
- › **DIGITAL BRUSHLESS MOTOR**
Provides high performance and extended tool life

Specifications

Speed	7,000-11,000 OPM
Pad Diameter	5 in
Sanding Orbit Diameter	2.7 mm
Number of Speed Settings	6
Dust Port Diameter	1-1/4 in (31.75 mm)
Tool Size	4.9 x 6.3 x 5.5 in (125 x 161 x 140 mm)

Includes

Random Orbital Sander
2.0Ah Battery
20V Standard Charger
(3) Sandpapers: (1) 60 Grit, (1) 120 Grit, (1) 180 Grit
Dust Bag



AU0225D-12 12V/20V POWER SNAKE DRAIN CLEANER 20V KIT

Features

- › **UNCLOGS UP TO 2-INCH DRAINS**
Clears drains from 3/4 inch to 2 inches in diameter
- › **AUTO FEED**
Engage clutch to extend or retract cable
- › **VARIABLE SPEED TRIGGER**
For precise control
- › **STURDY FOOT BASE**
For better ergonomics during use
- › **CLEANING PORT**
Drains excess water after use
- › **1/4-INCH X 25-FOOT CARBON STEEL CABLE**
For extended reach and maximum durability

Specifications

Voltage	12V/20V
No Load Max Drum Spin Speed	0-500 RPM
Clearable Pipe Size	3/4 in – 2 in
Shipment Cable Diameter x Length	1/4 in x 25 ft
Replaceable cable	Yes
Tool Weight	6.4 lb / 2.9 kg
Tool Dimensions	15.3 in x 6.3 in x 8.22 in / 389mm x 160mm x 208.7mm

Includes

12V/20V Power Snake Drain Cleaner
20V 2.0Ah Battery
PWRCORE 20™ Charger

PL5938-1A PWRCORE 20™ BRUSHLESS 20V 3-1/4 IN. PLANER KIT WITH 4.0AH BATTERY AND autoPWRJUMP™ CHARGER



Features

- › **CALIBRATED DEPTH ADJUSTMENT**
Knob selects how much material to remove
- › **DUAL DUST PORTS**
Dual ports provide better visibility and keep the workspace clean
- › **BUILT-IN WRENCH STORAGE**
For easy and secure access

Specifications

Speed	14,000 RPM
Planing Width	3-1/4 in (82 mm)
Single Pass Depth Capacity	5/64 in (2 mm)
Depth Adjustment	1/128 in (0.2 mm)
Max. Rabbet Depth	5/16 in (8 mm)
Tool Size	11.56 x 6.57 x 7.38 in (294 x 167 x 187 mm)

Includes

Planer	Dust Bag
4.0Ah Battery	Spanner
Auto PWRJUMP™ Charger	Rabbet Fence
Parallel Guide	PWRASSIST™ USB Adapter

 BRUSHLESS

RT1430B-10 PWRCORE 20™ 20V BRUSHLESS COMPACT ROUTER KIT, WITH 3 PC ROUTER BIT SET



Features

- › **ELECTRONIC CONTROL**
Soft start prevents damage to your woodworking project
- › **EXTENDED RUNTIME**
Cuts up to 260 feet of pine with a 4.0Ah battery using a 3/8-inch roundover bit
- › **QUICK DEPTH ADJUSTMENT DIAL**
For quick, accurate depth adjustments
- › **LED WORKLIGHT**
For improved visibility in dark work areas
- › **PATENTED EDGE GUIDE**
For easy edge cutting adjustment and better control
- › **COMPACT ERGONOMIC DESIGN**
For maximum comfort

Specifications

Speed Settings	6
No Load Speed	15,000-30,000 RPM
Collet Size	1/4 in (6.35 mm)
Depth Range	1.7 in (43 mm)
Min. Depth Adjustment	1/64 in (0.4 mm)
3 pc Router Bit Set	(1) 1/4 in Straight, (1) 3/8 in Roundover, (1) 1/2 in Laminate Trim

Includes

Compact Router	Edge Guide
4.0Ah Battery	Dust Shroud
20V 60W Charger	
3-PC Router Bit Set	
Spanner	

 BRUSHLESS





 **BRUSHLESS**

FN0400D-00 12V/20V BRUSHLESS 4 IN. CLAMP FAN, TOOL ONLY

Features

- › **POWERFUL AIRFLOW**
Up to 200 CFM
- › **MULTIDIRECTIONAL PIVOTING AND SWIVELING HEAD**
Sends air where you need it
- › **INDUSTRIAL THREADED CLAMP**
Strong holding capacity
- › **COMPACT SIZE**
Built for tight spaces or easy on-the-go use

Specifications

Voltage	12V/20V/USB-C power
Fan Blade Size	4 in
Pivoting Angle	270°
Max. Air Volume	200 CFM
Max. Air Speed	11 MPH
Number of speeds	2
Speed settings	Low/High
Runtime	Up to 14 hours (20V 2.0Ah battery on low) Up to 8.5 hours (12V 2.0Ah battery on low)
Noise Level	54 dB

Includes

12/20V Brushless
4 in. Clamp Fan



 **BRUSHLESS**

FN0700D-00 12V/20V BRUSHLESS 7 IN. FAN, TOOL ONLY

Features

- › **POWERFUL AIRFLOW**
Up to 500 CFM
- › **180-DEGREE PIVOTING HEAD**
Sends air where you need it
- › **VARIABLE SPEED**
Adjust the power level to your needs
- › **BUILT-IN RAFTER HOOK**
For versatile mounting

Specifications

Voltage	12V/20V/USB-C Power
Fan Blade Size	7 in
Pivoting Angle	180°
Max. Air Volume	500 CFM
Max. Air Speed	14.3 MPH
Speed settings	Variable
Runtime	Up to 3 hours (20V 2.0Ah battery on high); Up to 1.5 hours (12V 2.0Ah battery on high)
Noise Level	50 dB

Includes

12V/20V Brushless
7 in. Fan



MF0700D-12 12V/20V 7 IN. MISTING FAN, 20V KIT

Features

- › **ONBOARD WATER TANK**
Easy to fill and transport—no bucket required
- › **3 FAN SPEEDS & 2 MISTING MODES**
For a customized cooling experience
- › **ADJUSTABLE KICKSTAND**
For stability and convenient use on uneven surfaces
- › **REMOVABLE NOZZLE**
Patent-pending design disassembles for easy maintenance and cleaning

Specifications

Voltage	12V/20V
Fan Blade Size	7 in. (180 mm)
Nozzle Type	Cleanable
Pivoting Angle	30°
Max. Air Volume	450 CFM
Max. Air Speed	13 MPH (5.7 m/s)
No-Load Speed	2500 RPM

Includes

12V/20V 7 In. Misting Fan
PWRCORE 20™ 20V 2.0Ah Lithium
USB-C Battery
20W USB-C PD Charger



PB5100D-12 12V/20V POWER SCRUBBER, 20V KIT

Features

- › **IPX7 WATERPROOF PIVOTING HEAD**
Allows for submersion into buckets of water; pivots to fully contact work surface
- › **INTERCHANGEABLE QUICK-RELEASE BRUSHES**
Easily swap brush heads for different applications like cleaning patios, siding, tile, decks, and more
- › **TELESCOPING POLE WITH ADJUSTABLE AUXILIARY HANDLE**
Extends to clean hard-to-reach spots with an ergonomic handle for reduced fatigue
- › **TWO-SPEED SWITCH**
Toggle between 300 RPM or 500 RPM for various applications
- › **WATER-RESISTANT BATTERY CASE**
Protects battery from water exposure

Specifications

Voltage	12V/20V
Brush Movement Type	Rotary
No-Load Speed	300/500 RPM
Number of Speed Settings	2
Waterproof Rating	IPX7 Head

Includes

12V/20V Power Scrubber
Medium Bristle Triangular Brush
Hard Bristle Triangular Brush
Medium Bristle Long Brush
PWRCORE 20™ 20V 2.0Ah Battery
PWRCORE 20™ 20V 30W Charger



LH2500D-00 12V/20V COMPACT TOWER LIGHT, TOOL ONLY

Features

- › **FAST, TOOL-FREE SETUP**
Flip out the legs and extend the pole without tools
- › **COMPACT AND LIGHTWEIGHT**
Collapses for easy storage and transport
- › **FOOT CONTROL SWITCH**
For hands-free brightness settings
- › **270-DEGREE PIVOT + 270-DEGREE SWIVEL**
For more control to direct light where you need it
- › **THREE BRIGHTNESS SETTINGS**
Choose between 200, 1,000, and 2,500 lumens

Specifications

Voltage	12V/20V
Light Source	LED
Runtime	Up to 9 hours on 1000 lm with 20V 4.0Ah battery; Up to 6 hours on 1000 lm with 12V 4.0Ah battery
Modes	2,500/1,000/200 lm
Rotation	270° Pivot + 270° Swivel
Extended Height	5.2 ft
Collapsed Length	21.65 in

Includes

Compact Tower Light



LH552301 PWRCORE 20™ 20V SPOT LIGHT, TOOL ONLY

Features

- › **104-DEGREE PIVOTING HEAD**
Shine the light in different directions
- › **2-STEP ILLUMINATION CONTROL**
150 or 300 lumens based on the job
- › **HANDS-FREE USE**
Hanging hook on back

Specifications

Two Settings	300 / 150 Lumens
Runtime	19 hours with a SKIL 2.0Ah battery (Low Setting)
Pivoting Angles	0-104°
Tool Size	5.3 x 2.8 x 8.2 in (135 x 72 x 209 mm)

Includes

Spot Light



LH5534-00 PWRCORE 20™ 20V FLOOD LIGHT, TOOL ONLY

Features

› DUAL-PANEL FLOOD LIGHT

Ultra-bright LED panels in this work light illuminate large work areas with up to 1,800 lumens for greater visibility

› ROTATING LED PANELS

Each panel rotates independently to illuminate multiple surfaces at once

› ILLUMINATION CONTROL

Choose from three light settings depending on the task at hand: high, low, or single panel

› LOW BATTERY WARNING

Light dims twice when the battery is low, so you'll never get caught in the dark

› AUTOMATIC SHUT OFF

Lights power off automatically when panels are closed

Specifications

Three Settings	1,800, 900, or Single Panel 450 Lumens
Runtime	Up to 3.5 hours on high setting with SKIL 20V 4.0Ah battery
Pivoting Angles	Lower Panel 0-170°, Upper Panel 0-270°
Low Battery	Pulse indication
Mounting Thread	1/4 in -20 UNC
Tool Size	8.54 x 8.23 x 6.9 in (217 x 209 x 175 mm)
Weight	3.17 lbs (1.44 kg)

Includes

Flood Light



LH0300D-00 12V/20V COLLAPSIBLE LANTERN, TOOL ONLY

Features

› COLLAPSIBLE

For easy transport and storage

› 360° ILLUMINATION

Up to 300 Lumens

› USB-C OUT PORT

For powering and charging devices

Specifications

Voltage	12V/20V
Color Temperature	4000K
Brightness Settings	2 (50/300 Lumens)
Runtime	5.5 hrs with 12V 2.0Ah on 300lm
Tool Dimensions	4.21 in. x 3.54 in. x 1.93 in. (107mm x 90mm x 49mm)

Includes

12V/20V Collapsible Lantern



VA1200D-10 12V/20V BRUSHLESS SLIM VACUUM, 20V KIT

Features

› POWERFUL SUCTION

Up to 60 inches of water lift (15 kPa)

› EASY STORAGE

Two-inch depth for easy storage; includes hanging clip

› ONE CLICK DISPOSAL

For fast and easy emptying

Specifications

Voltage	12V/20V
Motor Speed	100,000 RPM
Container Dust Volume	0.05 Gal (0.2L)
Speed Setting	Low/High
Max. Flow Rate	17 CFM (500 L/min)
Max. Ventilating Pressure	60 in H2O lift (15 Kpa)

Includes

12V/20V Slim Vacuum
20V 2.0Ah USB-C Battery
20W PD Charger
USB-C Charging Cable
Crevice Nozzle
Brush Nozzle
(2) Clips
(2) Inflator Attachments





JB4712B-00 PWRCORE 20™ BRUSHLESS 20V JOBSITE BLOWER, TOOL ONLY

Features

- › **VARIABLE TRIGGER AND SPEED LOCK**
Provides greater control based on the application and reduces user fatigue
- › **3-SPEED SETTINGS**
Delivers maximum output of 110 CFM at 180 MPH
- › **COMPACT POWER**
Provides power in a lightweight design
- › **RUBBER NOZZLE**
Protects work surfaces and increases durability

Specifications

Air Volume	110 CFM
Air Speed	180 MPH
Speed Setting	High, Medium, Low
Tool Size	14.6 x 2.9 x 9.6 in (370 x 73 x 243 mm)

Includes

Jobsite Blower
Rubber Extension Nozzle
Inflator/Deflator Adapter



IF5940-00 PWRCORE 20™ 20V DUAL FUNCTION INFLATOR, TOOL ONLY

Features

- › **HIGH VOLUME MODE**
With included high volume hose, large inflatables like air mattresses inflate and deflate easily
- › **HIGH PRESSURE MODE**
Preset the pressure for an accurate and efficient way to automatically fill a variety of tires hands-free
- › **DIGITAL PRESSURE GAUGE**
Digital readout and control buttons allow you to choose two modes
- › **LED WORK LIGHT**
See your work clearly with a bright LED

Specifications

Pressure	Up to 160 PSI
Air Volume	14.4 CFM (Low Pressure)
Hose Length	26 in
Vehicle Power	12V
Tool Size	12 x 8-3/8 x 5-1/4 in

Includes

Dual Function Inflator
Presta Valve Adapter
Sports Ball Needle
Pinch Valve Adapter
High Volume Hose



R05028-00 PWRCORE 20™ BLUETOOTH 20V SPEAKER, TOOL ONLY

Features

- › **BLUETOOTH SPEAKER**
Portable and wireless to take with you wherever you go
- › **BASS BOOSTER**
Dual passive bass radiators for quality sound
- › **PHONE CRADLE**
A helpful spot for your phone while you listen
- › **CHARGE OTHER DEVICES**
Stay powered up with the integrated USB port
- › **AUXILIARY INPUT**
Optional connection for your phone or MP3 player

Specifications

Voltage	20V
Bluetooth Connectivity	Up to 100 feet (30 m)
Speaker	2.5 in, 10W
USB Port	2.1A 5V
Auxiliary Input	3.5 mm
Unit Size	4-3/4 x 7 x 5 in (120 x 178 x 127 mm)

Includes

20V Speaker
3.5 mm Auxiliary Cord



BY5100B-00 20V USB-C 2.0AH PWRCORE 20™ LITHIUM BATTERY



Features

› 100W USB-C PD 3.0 PORT

Up to 20X higher power than USB-A to power a wide range of devices

› TWO-WAY RAPID CHARGING

Charge the battery or personal devices with the battery's 100W USB-C port

› 20 PERCENT MORE COMPACT

Smaller, more compact battery for reduced fatigue compared to SKIL batteries with USB-A port

› PULSING USB-C PORT LED

Indicates charging and discharging status

Specifications

Battery Type	Rechargeable Lithium-Ion
Voltage	20V
Capacity	2.0Ah
USB Port	USB-C, 5/9/12/15V, 3.0A, 20V, 5.0A
Compatibility	All SKIL 20V tools
Fuel Gauge	Green LED
Charging	With USB-C Port or SKIL 20V charger

Includes

2.0Ah Lithium Battery with USB-C Port

Battery Jacket

0.5m USB-C to USB-C cable



BY5200B-00 20V USB-C 4.0AH PWRCORE 20™ LITHIUM BATTERY

Features

› 100W USB-C PD 3.0 PORT

Up to 20X higher power than USB-A to power a wide range of devices

› TWO-WAY RAPID CHARGING

Charge the battery or personal devices with the battery's 100W USB-C port

› PULSING USB-C PORT LED

Indicates charging and discharging status

Specifications

Battery Type	Rechargeable Lithium-Ion
Voltage	20V
Capacity	4.0Ah
Compatibility	All SKIL 20V Tools
Fuel Gauge	Green LED
Charging	With USB-C Port or SKIL 20V charger

Includes

4.0Ah Lithium Battery with USB-C Port
Battery Jacket
0.5m USB-C to USB-C Cable



QC5359B-02 PWRCORE 20™ 20V DUAL PORT autoPWRJUMP™ CHARGER WITH SIMULTANEOUS CHARGING

Features

› AUTO PWRJUMP™ CHARGING

Charges to 25% in just 5 minutes* or 100% in 30 minutes

› PWRCORE 20™ SYSTEM

Pairs with any SKIL 20V Lithium battery

› SIMULTANEOUS CHARGING

Charges any two PWRCORE 20™ batteries simultaneously

*Based on 2.0 Ah battery

Specifications

Charging Current	6A for each port
Charging Time	30 mins for 2* 2.0Ah batteries 60 mins for 2* 5.0Ah batteries
Input Voltage & Frequency	120V~60Hz
Output Voltage	20V

Includes

150W Dual Port
autoPWRJUMP™ Charger



QC536001 PWRCORE 20™ autoPWRJUMP™ CHARGER

Features

› autoPWRJUMP™ CHARGING

Charges to 25% in just 5 minutes*, or 100% battery in 30 minutes

› PWRCORE 20™ SYSTEM

Pairs with SKIL 20V Lithium batteries

› LED CHARGING INDICATOR

Indicates charging status

*Based on 2.0 Ah battery

Specifications

Power Cord Length	6 feet
Size	6 x 6.9 x 2.4 in
Charging Current	6A
Compatibility	All SKIL 20V batteries

Includes

autoPWRJUMP™ Charger



SC535801 PWRCORE 20™ 20V STANDARD CHARGER

Features

- › **LED CHARGING STATUS**
Indicates when charging is complete
- › **PWRCORE 20™ SYSTEM**
Pairs with SKIL 20V Lithium batteries

Specifications

Charge Time	Charges 2.0Ah battery in 1 hour Charges 4.0Ah battery in 100 minutes Charges 5.0Ah battery in 130 minutes
Charge Status	LED indicator light
Mounting	Back keyholes for wall mounting
Input Power:	60W

Includes

autoPWRJUMP™ Charger



BY519702 PWRCORE 20™ LITHIUM 2.0AH 20V BATTERY WITH PWRASSIST™ MOBILE CHARGING



Features

› PWRASSIST™ MOBILE CHARGING

Utilize USB-A port on the battery to charge other devices

› FUEL GAUGE

LED charge status indicators show how much power is left

› ONE BATTERY. MANY TOOLS.

20V battery works with both 20V tools and outdoor equipment

Specifications

Battery Type	Rechargeable Lithium-Ion
Voltage	20V
Capacity	2.0Ah
USB Port	USB-A, 5V, 1.0A
Compatibility	All SKIL 20V tools
Fuel Gauge	Green LED
Charging	Only with SKIL 20V charger

Includes

2.0Ah Battery
Battery Jacket



BY519601 20V 4.0AH PWRCORE 20™ LITHIUM BATTERY

Features

› FUEL GAUGE

LED charge status indicators show how much power is left

› ONE BATTERY. MANY TOOLS.

20V battery works with both 20V tools and outdoor equipment

Specifications

Battery Type	Rechargeable Lithium-Ion
Voltage	20V
Capacity	4.0Ah
Compatibility	All SKIL 20V tools
Fuel Gauge	Green LED
Charging	Only with SKIL 20V charger

Includes

4.0Ah Battery



BY519603 20V 5.0AH PWRCORE 20™ LITHIUM BATTERY

Features

› FUEL GAUGE

LED charge status indicators show how much power is left

› ONE BATTERY. MANY TOOLS.

20V battery works with both 20V tools and outdoor equipment

Specifications

Battery Type	Rechargeable Lithium-Ion
Voltage	20V
Capacity	5.0Ah
Compatibility	All SKIL 20V tools
Fuel Gauge	Green LED
Charging	Only with SKIL 20V charger

Includes

5.0Ah Battery

AVAILABLE COMBO KITS	DESCRIPTION	INCLUDED ITEMS
	CB743701 PWRCORE 20™ BRUSHLESS 20V DRILL DRIVER & IMPACT DRIVER KIT WITH auto PWRJUMP™ CHARGER	Drill Driver Impact Driver 2.0Ah PWRASSIST™ Battery auto PWRJUMP™ Charger 2-inch Double-End PH2 Bit PH2 Bit (2) Belt Clips Battery Jacket
	CB7475-1A PWRCORE 20™ BRUSHLESS 20V DRILL DRIVER & CIRCULAR SAW KIT WITH WITH 4.0AH BATTERY	Drill Driver Circular Saw 4.0Ah Battery auto PWRJUMP™ Charger PWRASSIST™ USB Adapter Belt Clip PH2 Bit Carbide Blade Allen Key Vacuum Adaptor
	CB7488B-20 PWRCORE 20™ BRUSHLESS 20V 4-TOOL COMBO KIT WITH auto PWRJUMP™ CHARGER	Drill Driver Reciprocating Saw Circular Saw Area Light 2.0Ah PWRASSIST™ Battery 4.0Ah Battery Auto PWRJUMP™ Charger Belt Clip 2-inch Double-End PH2 Bit Wood Cutting Blade 24T Ultra Thin Carbide Wood Cutting Blade Allen Key Dust Port Battery Jacket Soft Bag
	CB7440-21 PWRCORE 20™ BRUSHLESS 20V 4-TOOL COMBO KIT WITH auto PWRJUMP™ CHARGER	Drill Driver Circular Saw Multi-Tool Speaker 2.0Ah Battery 4.0Ah Battery auto PWRJUMP™ Charger 2-inch Double-End PH2 Bit Belt Clip 24T Thin Carbide Wood Cutting Blade Allen Key Dust Port 10 pcs Sanding Paper Bi-Metal Blade Sanding Pad Battery Jacket 3.5 mm AUX Cord
	CB7489B-20 PWRCORE 20™ BRUSHLESS 20V 6-TOOL COMBO KIT WITH auto PWRJUMP™ CHARGER	Drill Driver Impact Wrench Single Function Inflator Jobsite Blower Vacuum Area Light (2) 2.0Ah PWRASSIST™ Batteries Auto PWRJUMP™ Charger 2-inch Double-End PH2 Bit (2) Belt Clips Presta Valve Adaptor Sports Ball Needle Pinch Valve Adaptor Rubber Extension Nozzle Inflator/Delflator Adaptor Crevice Nozzle Extension Tube Wide Nozzle (2) Battery Jackets Power Tool Storage Bag
	CB7487B-11 PWRCORE 20™ BRUSHLESS 20V HAMMER DRILL AND IMPACT DRIVER WITH 4.0AH BATTERY AND auto PWRJUMP™ CHARGER	Hammer Drill Impact Driver 4.0Ah Battery Auto PWRJUMP™ Charger PWRASSIST™ USB Adapter 2-inch Double-End PH2 Bit PH2 Bit (2) Belt Clips Power Tool Storage Bag
	CB739301 PWRCORE 20™ BRUSHLESS 20V 3-TOOL COMBO KIT WITH PWRASSIST™ USB ADAPTER	Drill Driver Circular Saw PWRASSIST™ USB Adapter 2.0Ah Battery Charger PH2 Bit Belt Clip Wood Cutting Blade Allen Key Dust Extractor

AVAILABLE COMBO KITS	DESCRIPTION	INCLUDED ITEMS
	CB739701 PWRCORE 20™ BRUSHLESS 20V 4-TOOL COMBO KIT	Drill Driver Reciprocating Saw Circular Saw Spot Light (2) 2.0Ah Batteries Charger PH2 Bit Belt Clip (2) Wood Cutting Blades (2) Allen Keys Dust Extractor
	CB7443-21 PWRCORE 20™ BRUSHLESS 20V 6-TOOL COMBO KIT WITH 4.0AH BATTERY AND autoPWRJUMP™ CHARGER	Drill Driver Reciprocating Saw Multi-Tool Speaker Sander Spotlight 2.0Ah PWRASSIST™ Battery 4.0Ah Battery Auto PWRJump™ Charger 2-inch Double-End Bit PH2 Belt Clip Wood Cutting Blade Dust Box 13 pcs Sanding Paper Sanding Pad Bi-Metal Blade Battery Jacket Wire for AUX Port Allen Key
	CB8002B-10 PWRCORE 20™ BRUSHLESS 20V DRILL DRIVER & IMPACT DRIVER COMBO KIT	20V Brushless Drill Driver 20V Brushless Impact Driver 2.0Ah Battery 20V Standard Charger 2 in. Double End Bit 2 in. PH2 Bit
	CB8437B-10 PWRCORE 20™ BRUSHLESS 20V COMPACT DRILL DRIVER & IMPACT DRIVER KIT WITH autoPWRJUMP™ CHARGER	Drill Driver Impact Driver 2.0Ah PWRASSIST™ Battery Auto PWRJump™ Charger (2) PH2 Bits (2) Belt Clips Battery Jacket
	CB5196B-11 PWRCORE 20™ 20V BATTERY AND CHARGER STARTER KIT	4.0Ah Battery Standard Charger
	CB5197B-21 PWRCORE 20™ 2X2.0AH BATTERY AND CHARGER STARTER KIT	(2) 2.0Ah Batteries Standard Charger
	CB5100B-11 PWRCORE 20™ 2.0AH 20V USB-C BATTERY AND CHARGER STARTER KIT	2.0Ah USB-C Battery 45W USB-C PD Charger Battery Jacket 0.5m USB-C to USB-C Cable

PWRCORE 20™



This lineup offers a range of outdoor power, plus the benefits of our patented **PWRCORE 20™** lithium battery.



OUTDOOR POWER




TWO-WAY USB-C CHARGING



Charge the battery or personal devices with the battery's 60W USB-C port

ONE BATTERY. MANY TOOLS.



20V battery works with both 20V tools and outdoor equipment

BRUSHLESS MOTORS



Provides high performance and extended tool life

PM4912B-20 PWRCORE 20™ BRUSHLESS 18 IN. LAWN MOWER WITH TWO 4.0 AH BATTERIES AND DUAL PORT CHARGER



Features

› POWERFUL PERFORMANCE

The digital brushless motor provides efficient, high-performance power without the hassle of gas

› PUSH-BUTTON START

Get started easily and quickly with a convenient push-button start

› SINGLE LEVER HEIGHT ADJUSTMENT

Six settings quickly adjust to your preferred grass height

› TELESCOPING/FOLDABLE HANDLE

Telescoping handle folds easily for convenient vertical storage

Specifications

Voltage	2 X 20V
Motor	Brushless
Runtime	Up to 45 min
Charge Time	100 min
Deck Size	18 in
Cutting Height	6 cutting height settings, 1 in~3 in
Grass Bag	1.4 bushel (50L) collector capacity
Function	2-in-1 mulching or bagging

Includes

2 X 20V Brushless Lawn Mower
(2) 4.0Ah Batteries
Dual Port Charger
Mulching Plug
Grass Bag



BL4714B-10 PWRCORE 20™ BRUSHLESS 400 CFM LEAF BLOWER WITH 4.0AH BATTERY AND CHARGER

Features

› VARIABLE SPEED WITH CRUISE CONTROL

Provides control for everything from clearing flower beds or your backyard, plus cruise control to stay powered on

› TURBINE FAN

Maximizes leaf blower performance for up to 400 CFM of clearing power

› EASY STORAGE BRACKET

This blower comes equipped with an EASYSTORAGE bracket to conveniently store all your SKIL PWRCORE 20™ outdoor equipment

Specifications

Voltage	20V
Motor	Brushless
Air Volume	400 CFM
Max Air Speed	100 MPH
Speed Control	Variable with Cruise Control
Net Weight	4.4 lbs

Includes

20V Brushless Leaf Blower
4.0Ah Battery
60W Charger
Nozzle Attachment
EASYSTORAGE Bracket



BL0420B-13 PWRCORE 20™ 20V 420 CFM LEAF BLOWER WITH BATTERY AND CHARGER



Features

› **VARIABLE SPEED WITH POWER BOOST**

Tailor performance for any clearing task

› **IPX4 WEATHER RESISTANCE**

For use in inclement weather conditions

› **DIGITAL BRUSHLESS MOTOR DELIVERS UP TO 420 CFM**

With up to 105 MPH air speed for powerful clearing performance

› **EASY STORAGE BRACKET**

This blower comes equipped with an **EASYSTORAGE** bracket to conveniently store all your SKIL PWRCORE 20™ outdoor equipment

Specifications

Voltage	20V
Battery	4.0Ah
Maximum Air Volume	420 CFM
Maximum Air Speed	105 MPH
Motor Type	Brushless

Includes

20V 420 CFM Leaf Blower

20V 4.0Ah Battery

20V 60W Charger

EASYSTORAGE Bracket





HT4222B-10 PWRCORE 20™ 22 IN. HEDGE TRIMMER WITH BATTERY AND CHARGER



Features

› DUAL ACTION HARDENED STEEL BLADES + BLADE TIP PROTECTOR

For clean and precise cuts, even along paths and fences

› 2,800 SPM

For getting tough jobs done fast

› 3/4-INCH CUT CAPACITY

Cut through large branches and bushes with ease

› EASY STORAGE BRACKET

This hedge trimmer comes equipped with an EASYSTORAGE hook and bracket to conveniently store all your SKIL PWRCORE 20™ outdoor equipment

› SAWING FUNCTION

For cutting larger diameter branches

Specifications

Voltage	20V
Speed	2,800 SPM
Blade Length	22 in
Cutting Capacity	3/4 in
Blade Type	Single side dual-action
Blade	Hardened steel
Net Weight	5.8 lbs

Includes

20V 22-inch Hedge Trimmer
2.0Ah Battery
60W Charger
Blade Sheath
EASYSTORAGE Bracket

HT2200B-11 PWRCORE 20™ 20V BRUSHLESS 22 IN. HEDGE TRIMMER KIT



Features

› DEBRIS REMOVER

Collects and directs clippings away from cutting area

› 3/4-INCH CUT CAPACITY

Cut through large branches and bushes with ease

› EASY STORAGE BRACKET

This hedge trimmer comes equipped with an EASYSTORAGE hook and bracket to conveniently store all your SKIL PWRCORE 20™ outdoor equipment

› DUAL-ACTION HARDENED STEEL BLADES

For clean and precise cuts

› DIGITAL BRUSHLESS MOTOR DELIVERS UP TO 3,000 SPM

For fast, clean cuts

Specifications

Voltage	20V
Speed	3,000 SPM
Blade Length	22 in
Cutting Capacity	3/4 in
Blade Type	Single side dual-action
Blade	Hardened steel
Net Weight	4.4 lbs

Includes

20V Brushless 22 In. Hedge Trimmer
20V 2.0Ah Battery
20V 60W Charger
Debris Remover
Blade Sheath
EASYSTORAGE Bracket





LT4823B-10 PWRCORE 20™ BRUSHLESS 20V 13 IN. STRING TRIMMER WITH 4.0AH BATTERY AND CHARGER

Features

› POWERFUL PERFORMANCE

The digital brushless motor provides efficient, high-performance power without the hassle of gas

› 2 SPEED SETTINGS + VARIABLE SPEED TRIGGER

Delivers optimal cutting performance and superior control

› EASY TO LOAD + DUAL LINE BUMP FEED

Patented Twist Load™ Head allows you to insert the .080-inch line and simply twist to get started, while the dual line bump feed seamlessly feeds the line with a tap of the head

Specifications

Voltage	20V
Motor	Brushless
Line Feed	Bump
Line Load	Twist Load™
Cutting Swath	13 in
Trimmer Line	Dual .080-inch twist line
Net Weight	6.2 lbs

Includes

20V Brushless String Trimmer
4.0Ah Battery
60W Charger
Extra Line
EASYSTORAGE Bracket & Hook



LT1200B-11 PWRCORE 20™ BRUSHLESS 20V 12 IN. PIVOTING HEAD STRING TRIMMER KIT

Features

› PIVOTING HEAD

Rotates 90° for easy changes between trimming and edging

› TELESCOPIC SHAFT

With adjustable auxiliary handle for added control and comfort

› AUTO LINE FEED

No bumping, for trimming and edging efficiency

› EASY STORAGE BRACKET

This hedge trimmer comes equipped with an EASYSTORAGE hook and bracket to conveniently store all your SKIL PWRCORE 20™ outdoor equipment

› DIGITAL BRUSHLESS MOTOR

› 12-INCH CUTTING SWATH

Specifications

Voltage	20V
Motor	Brushless
Line Feed	Auto Feed
Line Load	Replaceable Spool
Cutting Swath	12 in
Trimmer Line	.060-inch
Speed	8,000 RPM

Includes

20V Pivoting Head String Trimmer
20V 2.0Ah Battery
20V 60W Charger
EASYSTORAGE Bracket



GH1000B-11 PWRCORE 20™ 20V SHEAR & SHRUB 2-IN-1 KIT

Features

› 2-IN-1 CUTTING

For grass trimming and hedge shearing

› TOOL-FREE BLADE CHANGES

Easily swappable blades for specific tasks

› COMPACT DESIGN

For easy one-handed operation and working in tight spaces

Specifications

Voltage	20V
No-Load Speed	2100 SPM
Tooth Spacing	5/16 in (8mm)
Shrub Blade Length	8 in (20 cm)
Grass Blade Length	5 in (12 cm)
Trigger Switch + Lock Off Button	Yes
Net Weight	2 lbs

Includes

20V Shear & Shrub 2-in-1
2.0Ah Battery
Standard 60W Charger
EASYSTORAGE Bracket



PR0600B-11 PWRCORE 20™ BRUSHLESS 20V 6 IN. PRUNING SAW KIT

Features

- › **AUTO-LUBRICATING CHAIN**
For longer chain life
- › **TOOL-FREE CHAIN TENSIONING**
Adjust the chain with the twist of a dial
- › **COMPACT AND LIGHTWEIGHT**
For precision cutting with one hand

Specifications

Voltage	20V
Chain Speed	8m/s
Bar Length	6 in
Chain Pitch	1/4 in
Chain Gauge	0.043 in
Oil Tank	1.2 fl oz
IP Class	IPX4
Cuts Per Charge	114 cuts (2Ah)

Includes

20V 6 in Pruning Saw
2.0Ah Battery
Standard 60W Charger



PR0601B-11 PWRCORE 20™ BRUSHLESS 20V 6 IN. TELESCOPIC PRUNING SAW KIT

Features

- › **TELESCOPING HANDLE**
Pole extends up to 2.8 feet in total length for up to 7 feet of cutting reach
- › **COMPACT AND LIGHTWEIGHT**
For precision cutting with one hand
- › **TOOL-FREE CHAIN TENSIONING**
Adjust the chain with the twist of a dial
- › **EXTENDED RUNTIME**
Up to 115 cuts per charge (with 2.0 Ah battery)

Specifications

Voltage	20V
Chain Speed	5m/s
Bar Length	6 in
Chain Pitch	1/4 in
Chain Gauge	0.043 in
IP Class	IPX4
Cuts Per Charge	115 cuts (2Ah)

Includes

20V 6 in Telescopic Pruning Saw
2.0Ah Battery
Standard Charger



PS4563B-10 PWRCORE 20™ 8 IN. POLE SAW WITH BATTERY AND CHARGER

Features

- › **10-FOOT EXTENDABLE SHAFT**
The SKIL pole saw comes equipped with an aluminum 3.5-foot extendable shaft, taking the 6.5-foot stock pole saw to 10 feet in a snap
- › **135-DEGREE PIVOTING HEAD**
This saw comes equipped with a 135-degree pivoting head with 8 position settings along the way, allowing the 8-inch bar and chain head to rotate for maximum cutting control
- › **AUTO-LUBRICATING & TOOL-FREE CHAIN TENSIONING**
The auto-lubricating feature provides efficiency and performance, while paired with tool-free chain tensioning for hassle-free adjustments

Specifications

Bar & Chain	8 in
Tool Length	10 feet
No-load Chain Speed	8 m/s
Pitch	3/8 in
Gauge	0.043 in

Includes

20V Pole Saw
2.0Ah Battery
Standard 60W Charger
Scabbard
Shoulder Strap
U Link
(2) EASYSTORAGE Brackets



CS4562B-10 PWRCORE 20™ BRUSHLESS 12 IN. CHAIN SAW WITH 4.0AH BATTERY AND CHARGER

Features

› POWERFUL PERFORMANCE

The digital brushless motor provides efficient, high-performance power without the hassle of gas

› TOOL-FREE CHAIN TENSIONING & AUTO LUBRICATION

Adjust the chain tension on this electric chainsaw with a convenient dial on the side of the tool while reducing friction with auto lubrication

› ANTI-KICKBACK BRAKE

Cuts the power when kickback occurs, so you can work with confidence

Specifications

Voltage	20V
Motor	Brushless
Bar Length	12 in
Chain Pitch	3/8 in
Chain Gauge	0.043 in
Oil Tank	6.8 fl oz (200 ml)
No-Load Chain Speed	7.9 m/s
Net Weight	5.5 lbs

Includes

20V 12 in Chainsaw
4.0Ah Battery
60W Charger
EASYSTORAGE Bracket
Chain Scabbard



SNS1000B-13 PWRCORE 20™ 20V 10 IN. SNOW SHOVEL KIT

Features

› 10-INCH CLEARING WIDTH

Ideal for walkways, patios, decks, and small driveways

› THROWS SNOW UP TO 20 FEET

Moves snow far out of your way

› TELESCOPING SHAFT

For optimal user comfort

› SPLIT SHAFT

For compact, easy storage

Specifications

Voltage	20V
Battery	4.0Ah
Clearing Width	10 in (254mm)
Max. Throwing Distance	20 ft (6m)

Includes

20V 10 in. Snow Shovel
20V 4.0Ah Battery
20V 60W Charger

AVAILABLE COMBO KITS	DESCRIPTION	INCLUDED ITEMS	
	CB7542B-10 PWRCORE 20™ BRUSHLESS 13 IN. STRING TRIMMER AND 400 CFM LEAF BLOWER KIT WITH 4.0AH BATTERY AND CHARGER	20V Brushless String Trimmer 20V Brushless Leaf Blower 4.0Ah Battery 60W Charger	EASYSTORAGE Bracket & Hook Extra Line Nozzle Attachment
	CB1200B-13 PWRCORE 20™ BRUSHLESS 20V 12 IN. STRING TRIMMER AND 420CFM BLOWER COMBO KIT	20V Pivoting Head String Trimmer 20V 420 CFM Leaf Blower PWRCORE 20™ 20V 4.0Ah Battery	PWRCORE 20™ 20V 60W Charger EASYSTORAGE Bracket

PWRCORE 40™



BRUSHLESS

KEEP THE P

The **PWRCORE 40™** platform offers a complete lineup of outdoor power tools—the power of cordless with complete brushless assortment. Patented lithium battery technology allows you to ditch the gas without sacrificing any power.




DITCH THE GAS

POWER



ADVANCED BATTERY TECHNOLOGY



Industry-leading battery technology.
25% longer runtime. 2X battery life.



DIGITAL BRUSHLESS MOTOR



Provides high performance and
extended tool life



WATER RESISTANT IPX4 RATED



For added durability in inclement weather

SKIL®



SM4910C-11 PWRCORE 40™ BRUSHLESS 40V 20 IN. SELF-PROPELLED MOWER KIT



Features

- › **LOAD-SENSING TECHNOLOGY FOR OPTIMIZED CUTTING PERFORMANCE**
- › **COMPACT TELESCOPING HANDLE FOR VERTICAL STORAGE**
- › **DIGITAL BRUSHLESS MOTOR**
- › **PUSH BUTTON START**
- › **SELF-PROPEL WITH VARIABLE SPEED CONTROL DIAL**
- › **2-IN-1 MULCHING OR BAGGING**
- › **SINGLE-LEVER DECK HEIGHT ADJUSTMENT**

Specifications

Voltage	40V
Motor	Brushless
Runtime	Up to 40 min
Charge Time	120 min
Deck Size	20 in
Cutting Height	7 cutting height settings, 1.5 in~4 in
Grass Bag	1.7 bushel (60L) collector capacity
Self-Propel	0.4m/s-1.4m/s variable speed
Dimension	3.05 x 1.74 x 1.28 feet (930 x 530 x 390 mm)

Includes

40V Brushless Self-Propelled Mower
Auto **PWRJUMP™** 150W Charger
6.0Ah Battery
Mulching Plug
Grass Bag



PM4910-15 PWRCORE 40™ BRUSHLESS 40V 20 IN. MOWER KIT

Features

- › **LOAD-SENSING TECHNOLOGY FOR OPTIMIZED CUTTING PERFORMANCE**
- › **COMPACT TELESCOPING HANDLE, TO STORE VERTICALLY**
- › **DIGITAL BRUSHLESS MOTOR**
- › **PUSH BUTTON START**
- › **2-IN-1 MULCHING OR BAGGING**

Specifications

Voltage	40V
Motor	Brushless
Runtime	Up to 45 min
Charge Time	120 min
Deck Size	20 in
Cutting Height	7 cutting height settings, 1.5 in~4 in
Grass Bag	1.7 bushel (60L) collector capacity
Dimension	3.05 x 1.74 x 1.28 feet (930 x 530 x 390 mm)

Includes

40V Push Mower
Auto **PWRJUMP™** 150W Charger
6.0Ah Battery
Mulching Plug
Grass Bag





BL4713C-11 PWRCORE 40™ BRUSHLESS 40V 530 CFM LEAF BLOWER KIT

Features

- › VARIABLE SPEED WITH POWER BOOST
- › 530 CFM / 140 MPH FOR CLEARING POWER
- › DIGITAL BRUSHLESS MOTOR
- › TURBINE FAN FOR OPTIMAL PERFORMANCE
- › QUICK-RELEASE TUBE FOR COMPACT STORAGE

Specifications

Voltage	40V
Motor	Brushless
Air Volume	530 CFM
Max. Air Speed	140 MPH
Speed Control	Variable with Power Boost
Net Weight	4.8 lbs

Includes

40V Brushless Leaf Blower
2.5Ah Battery
Auto **PWRJUMP™**
150W Charger



BL0460C-11 PWRCORE 40™ BRUSHLESS 40V 460 CFM LEAF BLOWER KIT

Features

- › VARIABLE SPEED WITH TURBO BOOST
- › 460 CFM / 120 MPH FOR CLEARING POWER
- › DIGITAL BRUSHLESS MOTOR
- › TURBINE FAN FOR OPTIMAL PERFORMANCE
- › QUICK-RELEASE TUBE FOR COMPACT STORAGE

Specifications

Voltage	40V
Motor	Brushless
Air Volume	460 CFM
Max. Air Speed	120 MPH
Runtime	Up to 60 minutes on low with 2.0Ah battery

Includes

40V 460CFM Leaf Blower
40V 2.0Ah Battery
40V 60W Charger



PS4561C-10 PWRCORE 40™ BRUSHLESS 40V 10 IN. POLE SAW KIT

Features

- › TELESCOPIC SHAFT & ANGLED HEAD
- › AUTO-LUBRICATING CHAIN
- › TOOL-FREE CHAIN TENSIONING
- › ADJUSTABLE AUXILIARY HANDLE
- › DIGITAL BRUSHLESS MOTOR

Specifications

Full Length	10 feet
No-Load Chain Speed	12m/s
Length Adjust Range	7.5-10 feet (2.29 - 3.04 m)
Bar Length	10 in (Trilink)
Chain Pitch	3/8 in
Chain Gauge	0.043 in
Telescopic Shaft	Yes

Includes

40V Pole Saw
2.5Ah Battery
Auto **PWRJUMP™**
150W Charger
Scabbard





SKIL





CS1800C-15 PWRCORE 40™ BRUSHLESS 40V 18 IN. CHAINSAW KIT

Features

- › DELIVERS 40CC GAS EQUIVALENT
- › FASTEST CHARGING IN ITS CLASS
- › 18-INCH BAR AND CHAIN
- › AUTO-LUBRICATING CHAIN
- › DIGITAL BRUSHLESS MOTOR

Specifications

Voltage	40V
Motor	Brushless
Chain Speed	17 m/s
Bar Length	18 in
Chain Gauge	.050 in
Chain Pitch	3/8 in low profile
Drive Links	62
Oli Tank Volume	5 oz

Includes

40V 18 in Chain Saw	Chain
6.0Ah Battery	Bar
320W Charger	Scabbard



CS4555-10 PWRCORE 40™ BRUSHLESS 40V 14 IN. CHAINSAW KIT

Features

- › TOOL-FREE BLADE TENSIONING
- › ANTI-KICKBACK BRAKE
- › DIGITAL BRUSHLESS MOTOR
- › AUTO-LUBRICATING CHAIN

Specifications

Voltage	40V
Motor	Brushless
Bar Length	14 in
Chain Pitch	3/8 in
Chain Gauge	0.043 in
Oil Tank	5.0 fl oz (150 ml)
Net Weight	7.83 lbs

Includes

40V Brushless Chainsaw
2.5Ah Battery
Auto **PWRJUMP™**
150W Charger
Chain Scabbard



TH1200C-11 PWRCORE 40™ BRUSHLESS 40V 12 IN. TOP HANDLE SAW KIT

Features

- › TOOL-FREE CHAIN TENSIONING
- › ANTI-KICKBACK BRAKE
- › DIGITAL BRUSHLESS MOTOR
- › AUTO-LUBRICATING CHAIN

Specifications

Voltage	40V
Motor	Brushless
Bar Length	12 in
Chain Pitch	1/4 in
Chain Gauge	0.043 in

Includes

40V Brushless Chainsaw	Chain
2.0Ah Battery	Bar
60W Charger	Scabbard



HT2400C-11 PWRCORE 40™ BRUSHLESS 40V 24 IN. HEDGE TRIMMER KIT



Features

- › 24-INCH CUTTING LENGTH
- › 3/4-INCH CUT CAPACITY
- › DUAL-ACTION HARDENED STEEL BLADES
- › DEBRIS REMOVER
- › DIGITAL BRUSHLESS MOTOR

Specifications

Voltage	40V
Motor	Brushless
Speed	3,000 SPM
Blade Length	24 in
Cutting Capacity	3/4 in
Blade Type	Single side dual-action
Blade	Hardened steel

Includes

40V 24 in. Hedge Trimmer
40V 2.0Ah Battery
40V 60W Charger
Debris Remover
Blade Sheath



HT4221-10 PWRCORE 40™ BRUSHLESS 40V 24 IN. HEDGE TRIMMER KIT



Features

- › 24-INCH CUTTING LENGTH
- › 3/4-INCH CUT CAPACITY
- › DUAL-ACTION HARDENED STEEL BLADES
- › DIGITAL BRUSHLESS MOTOR

Specifications

Voltage	40V
Motor	Brushless
Speed	3,000 SPM
Blade Length	24 in
Cutting Capacity	3/4 in
Blade Type	Single side dual-action
Blade	Hardened steel
Net Weight	5.6 lbs

Includes

40V Brushless Hedge Trimmer
2.5Ah Battery
Auto **PWRJUMP™**
150W Charger
Blade Sheath



LT1400C-11 PWRCORE 40™ BRUSHLESS 40V 15 IN. STRING TRIMMER KIT WITH SMART LOAD™



Features

- › **TWIST LOAD™**
Simply insert the line and twist to load
- › 14-INCH CUTTING SWATH
- › DIGITAL BRUSHLESS MOTOR
- › 2 SPEED SELECT
- › ADJUSTABLE AUXILIARY HANDLE
- › DUAL-LINE BUMP FEED

Specifications

Voltage	40V
Motor	Brushless
Line Feed	Bump
Line Load	Twist Load™
Cutting Swath	14 in
Line Diameter	0.080 in
No Load Speed	4800/5800 RPM

Includes

40V 14 in. String Trimmer
40V 2.0Ah Battery
40V 60W Charger



LT4818-10 PWRCORE 40™ BRUSHLESS 40V 14 IN. STRING TRIMMER KIT



Features

- › **TWIST LOAD™**
Simply insert the line and twist to load
- › **14-INCH CUTTING SWATH**
- › **DIGITAL BRUSHLESS MOTOR**
- › **VARIABLE SPEED TRIGGER**
- › **ADJUSTABLE AUXILIARY HANDLE**

Specifications

Voltage	40V
Motor	Brushless
Line Feed	Bump
Line Load	Twist Load™
Cutting Swath	14 in
Trimmer Line	Dual 0.080 in Twist Line
Net Weight	6.8 lbs

Includes

40V String Trimmer
2.5Ah Battery
Auto **PWRJUMP™**
150W Charger



LT4832C-11 PWRCORE 40™ BRUSHLESS 40V 15 IN. STRING TRIMMER KIT WITH SMART LOAD™



Features

- › **SMART LOAD™**
For fast, easy line loading
- › **15-INCH CUTTING SWATH**
- › **DIGITAL BRUSHLESS MOTOR**
- › **2 SPEED SELECT**
- › **ADJUSTABLE AUXILIARY HANDLE**

Specifications

Voltage	40V
Motor	Brushless
Line Feed	Bump
Line Load	Smart Load™
Cutting Swath	15 in
Line Diameter	0.080 in
Net Weight	7.2 lbs

Includes

40V String Trimmer
2.5Ah Battery
Auto **PWRJUMP™**
150W Charger



PI0300C-00 PWRCORE 40™ 40V 300W INVERTER



Features

- › **300W CONTINUOUS POWER**
- › **PURE SINE WAVE**
- › **SIMULTANEOUSLY POWERS UP TO FOUR DEVICES**
- › **LED WITH TWO BRIGHTNESS MODES**

Specifications

Voltage	40V
AC Ports	1
AC Output Power	300W Continuous, 500W Peak
USB Ports	3
USB Output	(1) USB-A 5V 2.1A; (1) USB-C 5V/9V/12V 3A max, 18W max; (1) USB-C 5V/9V/12V 3A, 20V 3.25A, PD 65W max

Includes

40V 300W Inverter

SKIL®

PWRCORE 40™

MULTI-HEAD SYSTEM



ONE HEAD POWERS ALL TOOLS



PLT1500C-10 PWRCORE 40™ BRUSHLESS 40V 16 IN. POWER HEAD STRING TRIMMER KIT

Features


- › **TWIST LOAD™**
Simply insert the line and twist to load
- › **16-INCH CUTTING SWATH**
- › **DIGITAL BRUSHLESS MOTOR**
- › **DUAL-LINE BUMP FEED**
- › **UNIVERSAL ATTACHMENT FOR THE SKIL POWER HEAD SYSTEM**

Specifications

Voltage	40V
Motor	Brushless
Line Feed	Bump feed
Line Load	Twist Load™
Speed Settings	2
Lock-Off	Yes
Cutting Width	14/16 in
Line Diameter	0.080 in
Number of Lines	Dual

Includes

SKIL 40V Power Head
14/16 in String Trimmer Attachment
4.0Ah Battery
Auto **PWRJUMP™**
150W Charger



PLT1500 PWRCORE 40™ 40V 14/16 IN. STRING TRIMMER ATTACHMENT

Features

- › **TWIST LOAD™**
Simply insert the line and twist to load
- › **DUAL-LINE BUMP FEED**
- › **14 IN. / 16 IN. CUTTING SWATH**
- › **UNIVERSAL ATTACHMENT FOR THE SKIL POWER HEAD SYSTEM**

Specifications

Cutting Width	14/16 in
Line Diameter	0.080 in
Number of Lines	Dual
Line Feed Type	Bump feed
Line Load Type	Twist Load™

Includes

14/16 in. String Trimmer Attachment



PHT2200 PWRCORE 40™ 22 IN. HEDGE TRIMMER ATTACHMENT

Features

- › **22-INCH BLADE SIZE**
- › **DUAL-ACTION HARDENED STEEL BLADES**
- › **3/4-INCH CUT CAPACITY**
- › **12-POSITION ARTICULATING HEAD**
- › **UNIVERSAL ATTACHMENT FOR THE SKIL POWER HEAD SYSTEM**

Specifications

Blade Size	22 in
Cutting Capacity	3/4 in
Blade Material	Carbon Spring Steel
Blade Treatment	Laser Cutting
Blade Movement	Dual Action
Articulating Angle	-80° to 90°
Articulating Positions	12

Includes

22 in. Articulating Hedge Trimmer Attachment
Shoulder Strap
Blade Sheath



PED0900 PWRCORE 40™ 9 IN. EDGER ATTACHMENT

Features

- › 9 IN. BLADE SIZE
- › UP TO 3 IN. CUTTING DEPTH
- › UNIVERSAL ATTACHMENT FOR THE SKIL POWER HEAD SYSTEM

Specifications

Blade Size	9 in
Cutting Depth	Up to 3 in
Blade Type	Bar
Guide Wheel Height Adjust	Yes

Includes

- SKIL 9 in. Edger Attachment
- Hex Key





PPS1000 PWRCore 40™ 10 IN. POLE SAW ATTACHMENT

Features

- › UP TO 10 FOOT REACH
- › AUTO-LUBRICATING CHAIN
- › UNIVERSAL ATTACHMENT FOR THE SKIL POWER HEAD SYSTEM

Specifications

Guide Bar	10 in
Cutting Diameter	8 in

Includes

10 in. Pole Saw Attachment
Shoulder Strap
Blade Sheath
Wrench



PSS1200C-10 PWRCore 40™ BRUSHLESS 40V 12 IN. POWER HEAD SNOW SHOVEL KIT

Features

- › THROWS SNOW UP TO 20 FEET
- › 12-INCH CLEARING WIDTH
- › TWO-SPEED SELECTOR
- › DIGITAL BRUSHLESS MOTOR
- › ATTACHMENT-READY

ATTACHMENT ONLY:
PSS1200

Specifications

Voltage	40V
Motor	Brushless
Cleaning Width	12 in
Auger Diameter	6 in
Auger Rotation Direction	Forward
Max Throwing Distance	20 ft

Includes

40V 12 in. Snow Shovel Attachment
Brushless 40V Power Head
4.0Ah Battery
Auto **PWRJUMP™** 150W Charger



PSS1200 PWRCore 40™ 12 IN. SNOW SHOVEL ATTACHMENT

Features

- › 12-INCH CLEARING WIDTH
- › THROWS SNOW UP TO 20 FEET
- › UNIVERSAL ATTACHMENT FOR THE SKIL POWER HEAD SYSTEM

Specifications

Clearing Width	12 in
Auger Diameter	6 in
Auger Rotation Direction	Forwards
Max Throwing Distance	20 ft

Includes

12 in. Snow Shovel Attachment

SKIL



SB2001C-10 PWRCORE 40™ BRUSHLESS 40V 20 IN. SINGLE STAGE SNOW BLOWER KIT



Features

- › THROWS SNOW UP TO 30 FEET
- › RUBBER-TIPPED STEEL FRAME AUGER
- › DIGITAL BRUSHLESS MOTOR
- › REAR CRANK CHUTE CONTROL
- › LED HEADLIGHT
- › QUICK-FOLD STEEL HANDLE

Specifications

Voltage	40V
Motor	Brushless
Clearing Width	20 in
Throwing Distance	30 ft
Intake Height	10.5 in
Auger Drive	Belt
Chute Rotation Turning Radius	180°±5°
Deflector Direction Adjusting Degree	0-48°

Includes

40V 20 In. Single Stage
Snow Blower
6.0Ah Battery
Auto **PWRJUMP™**
150W Charger





SC5364-00 PWRCORE 40™ autoPWRJUMP™ 150W CHARGER

Features

- › autoPWRJUMP™ CHARGING BOOSTS THE BATTERY FROM 0 TO 30% POWER IN JUST 15 MINUTES*
- › FULLY CHARGES IN ONE HOUR*
- › WALL MOUNTING HOLES
- › LED INDICATORS DISPLAY CHARGE STATUS
- › COMPATIBLE WITH ALL SKIL 40V LITHIUM BATTERIES

*Based on 2.5Ah battery

Specifications

Input Voltage	120V-60HZ
Input Power	150W
Output Voltage	40V
Compatibility	All SKIL 40V batteries
LED Charging Indicator	Yes
Charging time	60 mins for 2.5Ah battery; 120 mins for 5.0Ah battery

Includes

40V Auto PWRJUMP™
150W Charger



BY8705-00 PWRCORE 40™ 40V 2.5AH BATTERY

Features

- › PWRCORE 40™ LITHIUM TECHNOLOGY
Industry-leading technology wraps each cell with cooling material for 25% longer runtime
- › PWRCORE 40™ LITHIUM BATTERY
Patented technology maximizes power and extends the battery life 2X longer
- › PWRCORE 40™ SYSTEM
All tools in the PWRCORE 40™ system use the same battery

Specifications

Voltage	40V
Capacity	2.5Ah
Indicator	Fuel Gauge
Energy Content (Wh)	100

Includes

40V 2.5Ah Battery





BY8708C-01 PWRCORE 40™ 40V 4.0AH BATTERY

Features

- › **PWRCORE 40™ LITHIUM TECHNOLOGY**
Industry-leading technology wraps each cell with cooling material for 25% longer runtime
- › **PWRCORE 40™ LITHIUM BATTERY**
Patented technology maximizes power and extends the battery life 2X longer
- › **PWRCORE 40™ SYSTEM**
All tools in the **PWRCORE 40™** system use the same battery

Specifications

Voltage	40V
Capacity	4.0Ah
Indicator	Fuel Gauge
Energy Content (Wh)	160

Includes

40V 4.0Ah Battery



BY8723C-00 PWRCORE 40™ 40V 6.0AH BATTERY

Features

- › **PWRCORE 40™ LITHIUM TECHNOLOGY**
Industry-leading technology wraps each cell with cooling material for 25% longer runtime
- › **PWRCORE 40™ LITHIUM BATTERY**
Patented technology maximizes power and extends the battery life 2X longer
- › **PWRCORE 40™ SYSTEM**
All tools in the **PWRCORE 40™** system use the same battery

Specifications

Voltage	40V
Capacity	6.0Ah
Indicator	Fuel Gauge
Energy Content (Wh)	240

Includes

40V 6.0Ah Battery

AVAILABLE COMBO KITS	DESCRIPTION	INCLUDED ITEMS
	CB7478C-11 PWRCORE 40™ BRUSHLESS 40V 14 IN. STRING TRIMMER AND LEAF BLOWER COMBO KIT	40V String Trimmer 40V Leaf Blower 2.5Ah Battery 60W Charger
	CB1400C-11 PWRCORE 40™ BRUSHLESS 40V 14 IN. STRING TRIMMER AND 460CFM BLOWER COMBO KIT	40V 14 in. String Trimmer 40V 460CFM Leaf Blower 2.0Ah Battery 60W Charger

HIGH PERFORMANCE CUTTING



Legendary power, cutting-edge innovation.

Whether you're cutting metal, wood, concrete, or all
of the above, SKIL® has the right saw for the job.

**WORM
DRIVE**



**LEGENDARY
POWER**



SPT77WML-01 7-1/4 IN. LIGHTWEIGHT WORM DRIVE SKILSAW

Features

- › **LIGHTEST WEIGHT MAGNESIUM DESIGN**
Reduces user fatigue and dissipates motor heat
- › **POWERFUL DUAL-FIELD™ MOTOR**
Increases cooling and extends tool life
- › **CUT READY™ DEPTH-OF-CUT SYSTEM**
Assists with quick and accurate depth measurements
- › **IDEAL FOR FRAMING**

Specifications

Ratings: 15A, 120V ≈ 60 Hz, n_o 5,300/min
Magnesium guards, foot plate, housings

Capacities

2-3/8 in (60.3 mm) Max cut at 90°
1-15/16 in (49.2 mm) Max cut at 45°
1-11/16 in (42.8 mm) Max cut at 53°

Includes

24-Tooth SKILSAW® Carbide Blade,
Multi-Function Wrench (stored in foot)



SPT77W-01 7-1/4 IN. WORM DRIVE SKILSAW

Features

- › **POWERFUL DUAL-FIELD™ MOTOR**
Increases cooling and extends tool life
- › **CUT READY™ DEPTH-OF-CUT SYSTEM**
Assists with quick and accurate depth measurements
- › **DURABLE STEEL FOOT CONSTRUCTION**
Stands up to jobsite demands
- › **IDEAL FOR FORMING**

Specifications

Ratings: 15A, 120V ≈ 60 Hz, n_o 5,300/min
Aluminum upper guard and housings, steel foot plate, magnesium lower guard

Capacities

2-13/32 in (61.1 mm) Max cut at 90°
1-31/32 in (50.0 mm) Max cut at 45°
1-3/4 in (44.4 mm) Max cut at 51°

Includes

24-Tooth SKILSAW® Carbide Blade,
Multi-Function Wrench (stored in foot)



SPT78W-01 8-1/4 IN. ALUMINUM WORM DRIVE SKILSAW

Features

- › **EXTENDED 60-DEGREE BEVEL**
Adds capacity for a wider variety of cuts
- › **POWERFUL DUAL-FIELD™ MOTOR**
Increases cooling and extends tool life
- › **WORM DRIVE DURABILITY**
Combines worm drive gearing with all-metal components for job-site durability
- › **IDEAL FOR HIGHER CAPACITY FORMING**

Specifications

Ratings: 15A, 120V ≈ 60 Hz, n_o 4,700/min
Aluminum guards and housings, steel foot plate

Capacities

2-7/8 in (73 mm) Max cut at 90°
2-1/4 in (57 mm) Max cut at 45°
1-1/2 in (38 mm) Max cut at 60°

Includes

24-Tooth SKILSAW® Carbide Blade,
Multi-Function Wrench (stored in foot)

SPT70V-11 16-5/16 IN. MAGNESIUM WORM DRIVE SKILSAW



Features

- › **IMPRESSIVE DEPTH-OF-CUT**
To power through material up to 6-1/4 inches
- › **WORM DRIVE GEARING WITH ELECTRIC BRAKE**
Delivers relentless power for the biggest jobs
- › **MAGNESIUM DIE-CAST FOOTPLATE**
Ensures true cuts every time
- › **IDEAL FOR 6X SINGLE PASS CUTTING**

Specifications

Ratings: 15A, 120V = 60 Hz, n_0 2,500/min
Magnesium guards, foot plate and gear housing
Dust Port Diameter: 1-7/8 in.

Capacities

6-1/4 in (156 mm) Max cut at 90°
4-5/16 in (109 mm) Max cut at 45°

Includes

32-Tooth SKILSAW® Carbide Blade,
with 1 in Round Arbor, Adjustable Auxiliary
Handle, Multi-Function Wrench (stored in foot),
Saw Stand





SPT55-11 16 IN. WORM DRIVE CARPENTRY CHAINSAW



Features

- › **14-1/4 INCH DEPTH OF CUT**
Powers through material in one pass
- › **WORM DRIVE GEARING WITH ELECTRIC BRAKE**
Delivers relentless power and proven durability
- › **FULL HOUSE CHAIN**
Provides fast and accurate cuts with unmatched precision
- › **IDEAL FOR ACCURATE LARGE CAPACITY CUTTING**

Specifications

Ratings: 15A, 120VAC, 60 Hz, n₀ 6,300/min
Chain: 56-Tooth Full House, Bar Length:
16 in. (406 mm)

Capacities

14-1/4 in (362 mm) Depth of cut at 0°
8-3/4 in (222 mm) Depth of cut at 45°
5-1/2 in (138 mm) Depth of cut at 60°

Includes

SPT55 16 In. Worm Drive Carpentry Chainsaw, SKILSAW 56T Full House Chain, 16-inch Guide Bar, Auxiliary Handle, Saw Stand, Chain Sheath



SPT70WM-01 10-1/4 IN. MAGNESIUM WORM DRIVE SKILSAW

Features

- › **IMPRESSIVE DEPTH-OF-CUT**
Cuts 4X in one pass and tackles LVL, glulam, pine, and PSL
- › **POWERFUL DUAL-FIELD™ MOTOR**
Increases torque with a larger motor for big cuts
- › **WORM DRIVE DURABILITY**
Combines worm drive gearing with all-metal components for jobsite durability

Specifications

Ratings: 15A, 120V ≈ 60 Hz, n₀ 4,700/min
Magnesium guards, foot plate, and gear housing

Capacities

3-11/16 in (93.6 mm) Max cut at 90°
2-3/4 in (69.8 mm) Max cut at 45°
2-1/2 in (63.5 mm) Max cut at 51°

Includes

40-Tooth SKILSAW® Carbide Blade, Multi-Function Wrench (stored in foot), Multi-Position Handle



SPT67M8-01 7-1/4 IN. LEFT BLADE SIDEWINDER™ SKILSAW

Features

- › **LEFT BLADE SIDEWINDER™**
Improves blade and cut line accuracy and visibility
- › **ALL MAGNESIUM CONSTRUCTION**
Reduces user fatigue and adds durability
- › **POWERFUL DUAL-FIELD™ MOTOR**
Increases cooling and extends tool life
- › **IDEAL FOR CUT-LINE VISIBILITY**

Specifications

Ratings: 15A, 120V = 60 Hz, n₀ 5,300/min
Magnesium guards & foot plate, resin housings

Capacities

2-7/16 in (62 mm) Max cut at 90°
1-7/8 in (47 mm) Max cut at 45°
1-1/2 in (38 mm) Max cut at 56°

Includes

24-Tooth SKILSAW® Carbide Blade,
Multi-Function Wrench (stored in foot)



SPT67WL-01 7-1/4 IN. LIGHTWEIGHT SIDEWINDER™ SKILSAW

Features

- › **ALL MAGNESIUM CONSTRUCTION**
Reduces user fatigue and adds durability
- › **POWERFUL DUAL-FIELD™ MOTOR**
Increases cooling and extends tool life
- › **BEST-IN-CLASS TORQUE**
Improves productivity by increasing speed of cut
- › **IDEAL FOR FRAMING / FORMING**

Specifications

Ratings: 15A, 120V ≈ 60 Hz, n_0 5,300/min
Magnesium guards, magnesium foot plate, magnesium housing

Capacities

2-7/16 in (62 mm) Max cut at 90°
1-7/8 in (47 mm) Max cut at 45°
1-1/2 in (38 mm) Max cut at 56°

Includes

24-Tooth SKILSAW® Carbide Blade,
Multi-Function Wrench (stored in foot)



SPT67WMB-01 7-1/4 IN. MAGNESIUM SIDEWINDER™ SKILSAW WITH BRAKE

Features

- › **ELECTRIC CONVENIENCE BRAKE**
Helps make repetitive cuts faster
- › **ALL MAGNESIUM CONSTRUCTION**
Reduces user fatigue and adds durability
- › **POWERFUL DUAL-FIELD™ MOTOR**
Increases cooling and extends tool life
- › **IDEAL FOR FRAMING / FORMING**

Specifications

Ratings: 15A, 120V ≈ 60 Hz, n_0 5,300/min
Magnesium guards, magnesium foot plate, magnesium housing

Capacities

2-7/16 in (62 mm) Max cut at 90°
1-7/8 in (47 mm) Max cut at 45°
1-1/2 in (38 mm) Max cut at 56°

Includes

24-Tooth SKILSAW® Carbide Blade,
Multi-Function Wrench (stored in foot)



SPT67FMD-01 7-1/4 IN. SIDEWINDER™ SKILSAW FOR FIBER CEMENT

Features

- › **UNIQUE DUST COLLECTION DESIGN**
Channels silica dust away from the tool motor for longer life
- › **SEALED BEARINGS AND DUST-RESISTANT SWITCH**
Protects the saw from silica dust for longer life
- › **NO-MARD CORD SLEEVE**
Keeps cord and hose out of the way
- › **IDEAL FOR FIBER CEMENT**

Specifications

Ratings: 15A, 120V ≈ 60 Hz, n_0 5,300/min
Magnesium guards, magnesium foot plate

Capacities

2-7/16 in (62 mm) Max cut at 90°
1-7/8 in (47 mm) Max cut at 45°
1-1/2 in (38 mm) Max cut at 56°

Includes

4-Tooth SKILSAW® Blade for Fiber Cement,
8-foot Vacuum Hose with Nylon Sleeve,
1.5-inch Vacuum Hose Adapter, 2.5-inch
Vacuum Hose Adapter, and Multi-Function
Wrench (stored in foot)



SPT78MMC-01 8 IN. WORM DRIVE SKILSAW FOR METAL

Features

- › **WORM DRIVE GEARING OPTIMIZED FOR METAL**
Balances torque and speed to cut through metal
- › **ONLY LEFT-BLADE SAW BUILT WITH SIGHT WINDOW**
Adds visibility to make accurate cuts
- › **LARGEST AVAILABLE CHIP TRAY**
Holds 33% more for improved productivity
- › **IDEAL FOR METAL FABRICATION**

Specifications

Ratings: 15A, 120V ≈ 60 Hz, n_0 3,900/min
Magnesium Guards & Housings, Stainless Steel Foot, Resin Handles

Capacities

2-3/4 in. (70 mm) Max Cut at 90°

Includes

42-Tooth SKILSAW® Carbide-Tipped Blade and Wrench (stored in foot)



SPT62MTC-22 12 IN. DRY CUT SAW

Features

- › **COMPACT PORTABLE FRAME WEIGHING ONLY 38.2 POUNDS**
Lightweight portability perfect for the shop or jobsite
- › **PROFESSIONAL 15 AMP MOTOR WITH LARGE CUTTING CAPACITY**
Stands up to jobsite applications
- › **SAW FEATURES CERMET-TIPPED BLADE TECHNOLOGY**
For weld-ready and faster cuts than abrasive chop saws
- › **IDEAL FOR THICK GAUGE METAL**

Specifications

Ratings: 15A, 120V ≈ 60 Hz, n_0 1,500/min
Aluminum guards & base, resin housing & handles

Capacities

4.53 in (115 mm) Max cut @ 90° for round pipe
3.94 in (100 mm) Max cut @ 90° for square stock
3.15 in x 6.22 in. (80 mm x 158 mm) Max cut @ 90° for rectangular stock

Includes

60-Tooth DIABLO® CERMET Carbide Blade, Wrench (stored in foot)



SPT84-01 14 IN. ABRASIVE CUT-OFF SAW

Features

- › **LIGHTEST WEIGHT CHOP SAW AT 34 POUNDS**
Lightweight portability perfect for the shop or jobsite
- › **CUSTOM "D" HANDLE AND GUARD DESIGN**
Increases comfort and control
- › **STAMPED STEEL GUARDS AND CHIP DEFLECTOR**
Improved chip management and jobsite durability
- › **IDEAL FOR THICK GAUGE METAL**

Specifications

Ratings: 15A, 120VAC, 60 Hz, n_0 3,800/min
Steel Guards, Base & Vise, Die Cast Arm & Gear Housing, Resin Motor Housing & Handles

Capacities

5 in (127 mm) Max cut @ 90° for round pipe
4 1/2 in (114 mm) Max cut @ 90° for square stock
4 in x 7 5/8 in (101 mm x 193 mm) Max cut @ 90° for rectangular stock

Includes

14 In. SKILSAW® Metal Cutting Abrasive Wheel, Wrench (stored in base)



SPT99T-01 8-1/4 IN. PORTABLE WORM DRIVE TABLE SAW

Features

- › **LEGENDARY WORM DRIVE GEARING**
Maximum torque for ripping applications
- › **RACK AND PINION FENCE SYSTEM**
Make fence adjustments quickly and smoothly for accurate cuts
- › **POWERFUL AND COMPACT**
Cuts 3X with ease in a portable, lightweight design
- › **IDEAL FOR RIPPING**

Specifications

Ratings: 15A, 120VAC, 60 Hz n_0 5,300/min
All-metal roll cage design, die cast aluminum
table top and rack & pinion fence

Capacities

2-5/8 in (68 mm) Max cut at 90°
1-7/8 in (48 mm) Max cut at 45°
25 in max rip capacity on right side of the blade

Includes

24-Tooth SKILSAW® Carbide Blade for
Rip Cutting, Miter Gauge, Rack & Pinion
Fence, Smart Guard System Including
Anti-Kickback Device, Insert Plate, Push
Stick, Wrench





SPT79-00 7 IN. WORM DRIVE SKILSAW FOR CONCRETE

Features

- › **FIRST WORM DRIVE CONCRETE SAW**
Delivers a complete concrete cutting system with worm drive power and durability
- › **CUT-READY™ ADJUSTABLE PLUNGE LOCK**
Quickly and easily sets straight plunge cuts
- › **WET/DRY DUST MANAGEMENT SYSTEM WITH GFCI PROTECTION**
Controls dust for cleaner cuts and longer tool life
- › **IDEAL FOR CONCRETE/MASONRY**
 - Decorative • New Scoring • Control Joints

Specifications

Ratings: 15A, 120V ≈ 60 Hz, n_0 4,700/min
Aluminum guards, foot plate, housings

Capacities

2 in (50.8 mm) Max cut at 90°

Includes

GFCI, Vacuum Adapter with Clamp
(fits 1-7/8 inch and 2-1/2 inch hoses),
Water Feed Assembly, Multi-Function
Wrench (stored in foot)



SPT79A-10 7 IN. WALK BEHIND WORM DRIVE SKILSAW FOR CONCRETE

Features

- › **WORM DRIVE CONCRETE SAW**
Delivers a complete concrete cutting system with worm drive power and durability
- › **ADJUSTABLE HANDLE**
Extends to optimal height and folds for easy transport
- › **WET/DRY DUST MANAGEMENT SYSTEM WITH GFCI PROTECTION**
Controls dust for cleaner cuts and longer tool life
- › **IDEAL FOR CONCRETE/MASONRY**
 - New Scoring • Control Joints • Joint Repair • Cleanout

Specifications

Ratings: 15A, 120V ≈ 60 Hz, n_0 5,100/min
Aluminum guards, foot plate, housings

Capacities

2 in (50.8 mm) max cut at 90°

Includes

GFCI, Carry Bag, Triple Size Vacuum
Adapter with Clamp (fits 3.5 cm, 1-7/8 inch
and 2-1/2 inch hoses), Water Feed Assembly,
Auxiliary Handle, Multi-Function Wrench
(stored on foot)



SPT99-11 10 IN. HEAVY DUTY WORM DRIVE TABLE SAW WITH STAND

Features

- › **3-1/2 INCH DEPTH OF CUT AND 30-1/2 INCH RIP CAPACITY**
Cuts through 4X for increased productivity
- › **PRECISION RACK AND PINION FENCE SYSTEM**
Makes fence adjustments quickly and smoothly for accurate cuts
- › **RUGGED ROLLING STAND WITH 16-INCH WHEELS**
Delivers unsurpassed mobility over stairs and rough jobsite surfaces
- › **IDEAL FOR JOBSITES**

Specifications

Ratings: 15A, 120V ≈ 60 Hz, n_0 5,000/min
Steel roll-cage design, die cast table top and
side extension

Capacities

3-1/2 in (89 mm) depth of cut at 90°
2-1/4 in (58 mm) depth of cut at 45°
30-1/2 in max. rip capacity on right side of the
blade 16-1/2 in max. rip to left of blade

Includes

30-Tooth SKILSAW® Carbide Blade for Rip
Cutting, Miter Gauge, Smart Guard System
Including Anti-Kickback Device, Dust Elbow,
Insert Plate, Push Stick, Wrench, Rip Fence



SPT88-01 12 IN. WORM DRIVE DUAL BEVEL SLIDING MITER SAW

Features

- › **WORM DRIVE GEARING WITH ELECTRIC BRAKE**
Delivers relentless power and proven durability
- › **LIGHTWEIGHT**
For easy transportation
- › **SHADOW LIGHT**
LED light casts a shadow to accurately align with the cutline
- › **IDEAL FOR ACCURACY AND PORTABILITY**

Specifications

Ratings: 15A, 120V ≈ 60 Hz, n_0 4,000/min
Arbor: 1 in Diameter, Tool Weight: 51 lbs,
Blade Diameter: 12 in

Capacities

Max. miter angle: 60° right, 50° left
Max. bevel angle: 48° right and left
Miter detents: 0°, 15°, 22.5°, 31.6°, 45° right and left, 60° right, 50° left
Bevel stops: 0°, 22.5°, 33.9°, 45°, 48° left and right

Includes

SKILSAW® 60-Tooth Carbide Blade, Left and Right Crown Stops with Fastening Knobs, Dust Bag, Dust Elbow, 2-size Allen Wrench, Miter Lock Knob, Clamp



SPT44-10 15 AMP HEAVY DUTY RECIPROCATING SAW

Features

- › **TOUGH 15 AMP MOTOR**
Provides more power for all applications
- › **PATENTED BUZZKILL™ TECHNOLOGY**
Delivers advanced inline vibration suppression
- › **CONSTANT RESPONSE ELECTRONICS**
Supplies consistent power for the toughest cuts
- › **IDEAL FOR DEMOLITION**

Specifications

Ratings: 15A, 120V ≈ 60 Hz, n_0 0-2900 SPM

Capacities

1-1/4 in (32 mm) stroke length

Includes

15 Amp Heavy Duty Reciprocating Saw, Carrying Case



SPT44A-00 13 AMP RECIPROCATING SAW

Features

- › **TOUGH 13 AMP MOTOR**
Provides power for all applications
- › **PATENTED BUZZKILL™ TECHNOLOGY**
Delivers best-in-class inline vibration suppression
- › **VARIABLE SPEED TRIGGER**
Controls tool speed for cutting specialized materials
- › **IDEAL FOR DEMOLITION**

Specifications

Ratings: 13A, 120V ≈ 60 Hz, n_0 0-2800 SPM

Capacities

1-1/8 in (28 mm) stroke length

Includes

13 Amp Reciprocating Saw

OUR MOTORS ARE BUILT FOR SAWS

+ Dual Copper Windings

Increases copper surface area by 40% to keep the motor cool

+ Dependable Motor

Cooler-running motor tackles the most difficult cuts

Dual-Field™ Motor
OURS RUN COOLER



THEIRS RUN HOT
Don't trust just any motor





BENCHTOP AND CORDED TOOLS

Saws, Drills, Sanders & Grinders:
everything you need to tackle any job.







TS6307-00 15 AMP 10 IN. TABLE SAW

Features

› RACK AND PINION FENCE RAILS

Ensures fence stays parallel to blade for fast, smooth, and accurate cuts

› INTEGRATED FOLDING STAND

Legs quickly fold in to provide portability and convenient storage

› PARALLEL BLADE ALIGNMENT

Available micro-adjustment of blade so that it is parallel to rip fence and miter slot

› 4x4 CUTTING CAPACITY

Cuts material up to 4x4 at 90 degrees

› -2-47° BEVEL CAPACITY

Cuts between two positive stops at 0 and 45 degrees with quick release-lever

› DUST PORT ELBOW

Redirects dust to a container for easy cleanup

Specifications

Rating	15 Amps, 120V
Speed	4,600 RPM
Blade Size	10 in
Arbor Size	5/8 in
Depth of Cut at 45°	2-1/2 in
Depth of Cut at 90°	3-1/2 in
Bevel Cut	-2° - 47°
Cord Length	6 feet

Includes

Table Saw with Integrated Folding Stand	Dust Port Elbow
Blade Guard	(2) Wrenches
Push Stick	Riving Knife/Spreader
Miter Gauge	Rip Fence
Anti Kick-Back Pawl	24T Blade



TS6308-00 15 AMP 8-1/4 IN. COMPACT TABLE SAW

Features

› RACK AND PINION FENCE RAILS

Ensures fence stays parallel to blade for fast, smooth, and accurate cuts

› POWERFUL 15A MOTOR

Power for a range of applications

› SAFETY SWITCH

Delivers immediate shutdown for added safety

› ALUMINUM TABLE

For accurate, high-quality cutting performance

› PARALLEL BLADE ALIGNMENT

Available micro adjustment of blade so that it is parallel to rip fence and miter slot

Specifications

Rating	15 Amps, 120V
No Load Speed	5000 RPM
Blade Size	8-1/4 in
Arbor Size	5/8 in
Depth of Cut at 45°	1-3/4 in
Depth of Cut at 0°	2-1/2 in
Max. Bevel Angle	-2°-47°
Teeth of Blade	24T

Includes

15A 8-1/4 In. Compact Table Saw	Fence
Miter Gauge	Anti-Kickback Pawl
Push Stick	(2) Blade Change Wrenches
Modular Guard System	Dust Port Elbow
	Hex Wrench





MS6305-00 10 IN. DUAL BEVEL SLIDING MITER SAW

Features

- › **POWERFUL 15 AMP MOTOR**
Delivers 4,800 RPM for quick, detailed cuts
- › **DUAL BEVEL**
Perform cuts in four positive stop positions at 48 and 45 degrees left, 0 degrees, and 45 degrees right
- › **LED SHADOW LINE**
Provides high-precision cuts with greater accuracy than lasers
- › **2x12 CUTTING CAPACITY**
Cross cuts lumber up to 2x12 at 90 degrees, and 2x8 lumber at 45 degrees
- › **CUTS AT COMMON ANGLES**
Cuts up to 50 degrees left and right with 11 positive stops at most used angles
- › **SLIDE RAIL SYSTEM**
Linear bearings allow for smooth and accurate operation to cut

Specifications

Rating	15 amps, 120V
Speed	4,800 RPM
Blade Diameter	10 in
Blade Arbor Size	5/8 in
Max Miter Angle	50° right, 50° left
Max Bevel Angle	45° right, 48° left
Miter Detents Left	0°, 15°, 22.5°, 31.6°, 45°
Miter Detents Right	0°, 15°, 22.5°, 31.6°, 45°
Bevel Stops Left	0°, 45°, 48°
Bevel Stops Right	45°

Includes

Miter Saw	Miter Lock Knob
40T Carbide Blade	Carrying Handle
Dust Bag	(2) Carrying Handle Screws
Double-Ended Allen Wrench	Right Sliding Fence
Work Clamp	



MS6306-00 10 AMP 7-1/4 IN. SINGLE BEVEL SLIDING MITER SAW

Features

- › **LED SHADOW LINE**
Delivers precise cuts with greater accuracy than lasers
- › **COMPACT RAIL SYSTEM**
Minimizes the saw's footprint for flush cutting against walls
- › **QUICK WORK CLAMP**
Quickly secures materials for safer cutting
- › **10 AMP MOTOR**
Delivers 5,200 RPM for quick, detailed cuts
- › **SINGLE BEVEL**
Perform cuts from 0° to 45° left
- › **QUICK MITER LOCK**
Delivers quick and accurate miter angles

Specifications

Rating	10 amps, 120V
Speed	5,200 RPM
Blade Diameter	7-1/4 in
Blade Arbor Size	5/8 in
Max Miter Angle	50° right, 47° left
Max Bevel Angle	45° left

Includes

Miter Saw	7-1/4 in. x 24T Carbide Blade
Dust Bag	Carrying Handle
Double-Ended Allen Wrench	(2) Carrying Handle Screws
Quick Clamp	



3821-01 12 IN. QUICK MOUNT COMPOUND MITER SAW WITH LASER

Features

- › **QUICK-MOUNT SYSTEM**
Allows for quick and easy setup on SKIL miter saw stand
- › **DIE-CAST ALUMINUM SLIDING FENCE**
Supports tall pieces of wood
- › **TRANSPORTABLE**
Integrated carrying handle on top of saw for easy transport
- › **15 AMP, 4,500 RPM**
Cuts wood quickly and easily
- › **LASER CUTLINE WITH ON/OFF SWITCH**
For accurate cuts every time
- › **LEFT/RIGHT EXTENSION RAILS**
Supports longer and wider workpieces for better control over cuts

Specifications

Rating	15 Amps, 120V
Speed	4,500 RPM
Blade Diameter	12 in
Blade Arbor Size	1 in
Bevel	Single, left 0°-47°
Miter Angles	Left 0°-50°, right 0°-50°
Maximum Cutting Depth	3.5 in

Includes

Miter Saw	Stop Block
Carbide Blade	Miter Lock Knob
Extension Table	Dust Bag
(2) Extension Rails	Blade Wrench
Vertical Clamp	



RT1323-00 10 AMP FIXED BASE ROUTER

Features

› SOFT START

Provides a safe and controlled start to routing

› SPEED CONTROL

Lets you adjust speed based on the material

› LIVE TOOL INDICATOR

Stay safe and alert with an indicator that lights up when the router is connected to power

› DURABLE & ERGONOMIC

Die-cast motor housing and shaped handles provide superior grip and control

› FAST AND ACCURATE SETUP

Three coarse depth settings with micro-depth adjustment makes fast and accurate depth adjustments

Specifications

Rating	10 amps, 1-3/4 HP
Speed	10,000 - 25,000 RPM
Input	120V, 60HZ
Depth of Cut Adjustment	1-3/4 in
Fixed Base Diameter	6 in
Sub-Base Opening	1-1/4 in
Tool Size	10 x 6 x 9-1/4 in (255 x 152 x 235 mm)

Includes

Router
Parallel Guide
Collet Wrench
Dust Extraction Adaptor
1/4 in and 1/2 in Collet



RT1322-00 14 AMP PLUNGE AND FIXED BASE DIGITAL ROUTER

Features

› SPEED CONTROL LCD DISPLAY

Lets you select the bit type and material for suggested speed settings based on the task at hand

› ELECTRONIC FEEDBACK

Ensures motor maintains RPM while the material is being routed

› SOFT START

Provides a safe and controlled start to routing

› LIVE TOOL INDICATOR

Stay safe and alert with an indicator that lights up when plunge router is connected to power

› FAST AND ACCURATE SETUP

Three coarse depth settings with micro-depth adjustment makes fast and accurate depth adjustments

Specifications

Rating	14 Amps, 2.5 HP
Speed	10,000 - 25,000 RPM
LCD Screen	1 x 1.5 in
Fixed Base	3 Depth of cut positions, each with micro adjustment up to 1-1/4 in
Plunge Base Depth of Cut Adjustment	2 in
Fixed Base Diameter	6 in
Plunge Base Diameter	6-11/16 in

Includes

Router with Fixed and Plunge Base
Parallel Guide
Fixed Base Dust Extraction Adaptor
Plunge Base Dust Extraction Adaptor
Collet Wrench
1/4 in and 1/2 in Collet



SRT1039 ROUTER TABLE

Features

› ABOVE THE TABLE ROUTER LIFT

Gain convenient access to router bits

› INTEGRATED BIT STORAGE

Protect and store router bits with a double-door, quick-latch integrated bit case

› PRECISION ROUTING

Router tool features a flat laying aluminum miter gauge slot, aluminum mounting plate, router clamp, and two featherboards for durable, accurate routing

› LARGE ALUMINUM FENCE

Handles tall stock with ease, complete with adjustable MDF face plates and a starter pin and guard for smooth operation

Specifications

MDF Table Size (LxW)	26 in x 16 in
Fence Length	24 in
Power Cord Length	6 feet
Dust Port on Fence	Fits Both Standard 2-1/2 in & 1-1/4 in Vacuum Hose

Includes

Router Table
(2) Featherboards
(3) Inserts
Miter Gauge
Hex Key
Starting Pin
(10) Screws



SKIL®





DP9505-00 6.2 AMP 10 IN. DRILL PRESS

Features

- › **5 SPEEDS 610–2,800 RPM**
5-speed system for different material types
- › **LASER ALIGNMENT SYSTEM**
Precisely execute drilling maneuvers
- › **ADJUSTABLE TABLE HEIGHT**
For easy depth control
- › **POWERFUL 6.2 AMP INDUCTION MOTOR**
To power through wood, metal, and other materials
- › **LED WORKLIGHT**
Illuminates your entire work space for up to 10 minutes
- › **ADJUSTABLE DEPTH STOP**
For accurate and consistent depth during drilling

Specifications

Rating	6.2 Amps, 120V
Speed	610-2,800 RPM
Speed Settings	5
Drill on Centre	10 in
Chuck Size	1/2 in keyed
Table Tilt	0-45°
Table Size	7-3/5 in x 6-1/2 in

Includes

10 in Drill Press
(2) Hex Wrench
Chuck Key



BI9502-00 3.0 AMP 8 IN. BENCH GRINDER

Features

- › **MAGNIFIED EYE SHIELDS**
For better, protected visibility
- › **POWERFUL 3.0 AMP MOTOR**
Provides continuous speed for consistent grinding
- › **BUILT-IN LED WORK LIGHT OVER BOTH WHEELS**
For improved visibility
- › **BUILT-IN WATER COOLING TRAY**
For convenient cooling

Specifications

Rating	3 Amps, 120V
Speed	3,450 RPM
Diameter of Wheel	8 in
Arbor Diameter	5/8 in

Includes

8 in Bench Grinder
Hex Wrench



BB9504-00 4.5 AMP BELT AND DISC COMBINATION SANDER

Features

- › **MITER GAUGE**
Guides the workpiece when making crosscuts
- › **DUST PORT**
Accepts standard 2-1/2 inch vacuum hose
- › **POWERFUL 4.5 AMP INDUCTION MOTOR**
Power through the toughest jobs with consistent sanding
- › **TWO-IN-ONE SANDING STATION**
For sanding a variety of lengths and angles
- › **BELT ANGLE ADJUSTMENT**
Allows for sanding 0-90 degrees

Specifications

Rating	4.5 Amps, 120V
Speed	3,600 RPM
Disc Size	6 in
Weight	8 lbs (3.6 Kg)
Disc Table Tilt	0-45°
Belt Size	4 x 36 in
Belt Tilt	0-90°

Includes

4.5 Amp Belt and Disc
Combination Sander
Miter Gauge
Hex Wrench



SS9503-00 1.2 AMP 16 IN. VARIABLE SPEED SCROLL SAW

Features

› ELECTRONIC VARIABLE SPEED CONTROL

For cutting a variety of materials

› FOOT PEDAL

To allow the operator to keep both hands on the work piece at all times

› INTEGRATED LED WORKLIGHT

For greater visibility at a variety of angles

› INTEGRATED DUST REMOVAL SYSTEM

Keeps cut line free of debris for accurate cuts

› TILTING 16 INCH X 10 INCH WORK TABLE

Tilts 0-45 degrees for precise cuts

Specifications

Rating	1.2 Amps, 120V
Speed	550-1,650 RPM
Throat Capacity	16 in
Stroke Length	3/4 in
Table Tilt	0-45°
Table Size	16 x 10 in

Includes

16 in. Scroll Saw

L Wrench S=2.5

L Wrench S=3

(2) Blades



BW9501-00 2.8 AMP 9 IN. BAND SAW

Features

› POWERFUL 2.8 AMP INDUCTION MOTOR

Powerful motor to rip through a variety of wood materials

› 2-SPEED DRIVE SYSTEM

Featuring tool-free belt tensioning

› RACK AND PINION TABLE ADJUSTMENT

For quick angle adjustments

› QUICK BLADE TENSION SETTING

Fast and accurate tension setting for clean cuts

› PRECISION BALL BEARING AND LOWER BLADE GUIDES

Ensure consistent tracking for accurate cutting performance

› DUST PORT

Accepts standard 2-1/2 inch vacuum hose, minimizing dust in work area

Specifications

Rating	2.8 Amps, 120V
Speed	1,700 FPM/2,500 FPM
Blade Type	1/4 in W x 59-1/2 in L x 6TPI
Cutting Capacity	Max. cutting height: 3-1/2 in Max. cutting width (throat size): 9 in
Table Size	12 1/4 x 12 in

Includes

9 in Band Saw

Miter Gauge

(2) Hex Wrench

Wrench

Blade





9216-01 9 AMP VARIABLE SPEED RECIPROCATING SAW

Features

- › **HEAVY-DUTY METAL GEAR HOUSING**
For increased life and durability
- › **TOOL-FREE BLADE CHANGE**
For easy blade changes
- › **POWERFUL 9-AMP MOTOR**
Ample power for the job
- › **COUNTER BALANCE**
For vibration control
- › **POWER-ON INDICATOR**
For safety and convenience

Specifications

Rating	9 Amps, 120V 60 Hz
Stroke	1-1/8 in (29 mm)
Variable Speed	800 to 2,700 SPM
Weight	7.2 lbs

Includes

Reciprocating Saw
Wood Cutting Blade



9206-02 7.5 AMP VARIABLE SPEED RECIPROCATING SAW

Features

- › **HEAVY-DUTY METAL GEAR HOUSING**
For increased life and durability
- › **TOOL-FREE BLADE CHANGE**
For easy blade changes
- › **PIVOTING FOOT**
Provides stability when cutting through materials
- › **COUNTER BALANCE**
For vibration control
- › **POWERFUL 7.5 AMP MOTOR**
Power to get the job done

Specifications

Rating	7.5 Amps, 120V
Stroke	1-1/8 in (29 mm)
Speed	800-2,700 SPM
Tool Size	20.8 x 6 x 3.8 in (528 x 152 x 96 mm)
Weight	8 lbs (3.6 Kg)

Includes

Reciprocating Saw
Wood Blade
Allen Key



JS313101 5 AMP CORDED JIGSAW

Features

- › **4 ORBITAL SETTINGS**
For smooth cuts on a variety of materials
- › **TOOL-FREE BLADE CLAMP**
For fast and secure changes of T- or U-shank blades
- › **DUST BLOWER SWITCH**
Keeps cut line clear of dust
- › **VARIABLE SPEED TRIGGER WITH LOCK-ON**
For continuous cutting
- › **5-AMP MOTOR**
Powerful for many applications
- › **BASE ADJUSTMENT BEVELING**
Cut at different angles

Specifications

Rating	5 amps, 120V 60 Hz
Speed	0-3,000 SPM
Stroke Distance	3/4 in (18 mm)
Bevel Capacity	0° ± 45°
Blade Type	T- & U-Shank
Tool Size	9-1/3 x 3 x 8-1/8 in (237 x 77.6 x 206.5 mm)

Includes

Jig Saw
Wood Blade
Metal Blade
Allen Key



JS314901 6 AMP CORDED JIGSAW

Features

- › **4 ORBITAL SETTINGS**
For smooth cuts on a variety of materials
- › **TOOL-FREE BLADE CLAMP**
For fast and secure changes of T- or U-shank blades
- › **DUST BLOWER SWITCH**
Keeps cut line clear of dust
- › **VARIABLE SPEED TRIGGER WITH LOCK-ON**
For continuous cutting
- › **6-AMP MOTOR**
Powerful for many applications
- › **TOOL-FREE BASE ADJUSTMENT BEVELING**
Cut at different angles
- › **HALO LIGHT™**
Provides 10X more light than common LEDs

Specifications

Rating	6 Amps, 120V 60 Hz
Speed	800-3,200 SPM
Stroke Distance	7/8 in (23 mm)
Bevel Capacity	0° ± 45°
Blade Type	T- & U-Shank
Tool Size	10.23 x 2.9 x 8.4 in (260 x 74 x 214 mm)

Includes

Jig Saw
Wood Blade
Metal Blade



DL181901 7.5 AMP 1/2 IN. CORDED DRILL

Features

- › **1/2-INCH HEAVY-DUTY METAL CHUCK**
Accepts large diameter bits for heavy duty jobs
- › **POWERFUL 7.5-AMP MOTOR**
Tackle tough applications
- › **VARIABLE SPEED TRIGGER**
For increased control
- › **SIDE-ASSIST HANDLE**
With depth rod for increased control in high torque applications
- › **LOCK-ON BUTTON**
For extended drilling
- › **SOFT GRIP HANDLE**
For added comfort

Specifications

Rating	7.5 Amps, 120V
Chuck Size	1/2 in Keyed
Speed	0-950 RPM
Cord Length	6 feet (1.8 m)
Tool Size	14 x 3 x 8-5/8 in (355 x 77 x 220 mm)

Includes

Drill
Side Handle
Depth Gauge
Chuck Key



HD182001 7.5 AMP 1/2 IN. CORDED HAMMER DRILL

Features

- › **1/2-INCH HEAVY-DUTY METAL CHUCK**
Accepts large diameter bits for heavy duty jobs
- › **POWERFUL 7.5-AMP MOTOR**
Tackle tough applications
- › **VARIABLE SPEED TRIGGER**
For increased control
- › **SIDE-ASSIST HANDLE**
With depth rod for increased control in high torque applications
- › **LOCK-ON BUTTON**
For extended drilling
- › **SOFT GRIP HANDLE**
For added comfort
- › **2-IN-1 DRILLING FUNCTION**
Easily switch between drilling and hammer drilling

Specifications

Rating	7.5 amps, 120V
Chuck Size	1/2 in keyed
Speed	0-3,000 RPM
Cord Length	6 feet (1.8 m)
Impact Rate	0-48,000 IPM
Tool Size	12-5/8 x 3 x 8-7/8 in (319 x 77 x 226 mm)

Includes

Hammer Drill
Side Handle
Depth Gauge
Chuck Key



5080-01 13 AMP 7-1/4 IN. CIRCULAR SAW

Features

- › **51-DEGREE BEVEL WITH POSITIVE STOP AT 45 DEGREES**
Greater cut capacity
- › **13 AMP 2.3 HP MOTOR**
Easily cuts through a variety of materials
- › **SPINDLE LOCK**
Fast, convenient blade changes
- › **CONTOURED MAIN HANDLE**
For comfort and control
- › **18-TOOTH CARBIDE BLADE**
Quick, quality cuts in common lumber and sheet goods

Specifications

Rating	13 Amps, 120V
Speed	5,300 RPM
Max Cut Capacity	2-7/16 in (61.9 mm)
Max Cut at 45°	1-15/16 in (49.2 mm)
Tool Weight	7.0 lbs
Cord Length	6 feet (1.8 m)

Includes

7-1/4 In Circular Saw
18-Tooth Carbide Blade
Wrench



5180-01 7-1/4 IN. CORDED CIRCULAR SAW

Features

- › **51-DEGREE BEVEL WITH POSITIVE STOP AT 45 DEGREES**
Greater cut capacity
- › **14-AMP 2.4 HP MOTOR**
Easily cuts through a variety of materials
- › **SPINDLE LOCK**
Fast, convenient blade changes
- › **CONTOURED MAIN HANDLE**
For comfort and control
- › **20-TOOTH CARBIDE BLADE**
Quick, quality cuts in common lumber and sheet goods
- › **POWER-ON INDICATOR LIGHT**

Specifications

Rating	14 amps, 120V
Speed	5,300 RPM
Max Cut Capacity	2-7/16 in (61.9 mm)
Max Cut at 45°	1-15/16 in (49.2 mm)
Tool Weight	7.2 lbs
Cord Length	6 feet (1.8 m)

Includes

7-1/4 In Circular Saw
20-Tooth Carbide Blade
Wrench



5280-01 7-1/4 IN. CORDED CIRCULAR SAW WITH LASER

Features

- › **51-DEGREE BEVEL WITH POSITIVE STOP AT 45 DEGREES**
Greater cut capacity
- › **SPINDLE LOCK**
Fast, convenient blade changes
- › **CONTOURED MAIN HANDLE**
For comfort and control
- › **24-TOOTH CARBIDE BLADE**
Quick, quality cuts in common lumber and sheet goods
- › **SAFETY LOCKOUT GUARDED TRIGGER**
Protects against accidental starts
- › **SINGLE BEAM LASER**

Specifications

Rating	15 Amps, 120V
Speed	5,300 RPM
Laser	Class IIIa, 650 nm, < 5 mw
Max Cut Capacity	2-7/16 in (61.9 mm)
Max Cut at 45°	1-15/16 in (49.2 mm)
Tool Weight	8.7 lbs
Cord Length	6 feet (1.8 m)

Includes

7-1/4 In. Circular Saw
24-Tooth Carbide Blade
Wrench
Carrying Bag



PL201201 6.5 AMP 3-1/4 IN. PLANER

Features

› DUAL DUST PORTS

Keeps the workspace free of sawdust for better visibility

› ONBOARD WRENCH STORAGE

Always have the wrench in reach

› LOCK OFF SAFETY SWITCH

Prevents unintended start ups

› SMOOTH KICKSTAND

Prevents blade from scratching finished surfaces

Specifications

Rating	6.5 amps, 120V
Blade Width	3-1/4 in
Speed	16,000 RPM
Max Cutting Depth in Single Pass	5/64 in
Depth Adjustment Amount	1/128 in
Max Rabbet Depth	5/16 in
Cord Length	6 feet
Tool Size	11.6 x 6.4 x 6.9 in

Includes

Planer	Spanner
Parallel Guide	Rabbet Fence
Dust Bag	Adaptor



7510-01 3 X 18 IN. 6 AMP BELT SANDER

Features

› MICRO-FILTRATION CANISTER

Captures and contains fine dust particles

› PRESSURE CONTROL TECHNOLOGY

Monitors sanding belt pressure applied for optimal results

› AUTO-TRACK SYSTEM

Keeps belt centered on track

› TRIGGER LOCK-ON

› SINGLE-LEVER BELT CHANGES

Specifications

Rating	6 amps, 120V
Belt Speed	1,050 SFPM
Belt Size	3 x 18 in (76 x 457 mm)
Vacuum Port	Fits 1-1/4 in hose
Weight	6.4 lbs

Includes

Belt Sander
3 x 18 In 80 Grit Sanding Belt
Clear-View Dust Canister



SR232301 CORDED MULTI-FUNCTION DETAIL SANDER

Features

› LOW VIBRATION

Its ergonomic design, soft rubber grip, and counterweight balance reduce hand fatigue from vibration

› HOOK & LOOP SYSTEM

For simple and quick sanding sheet changes

› MULTI-FUNCTION

Comes with additional detail attachments for fine finishing large surfaces, corners, edges, and hard to reach areas

› MICRO-FILTRATION SYSTEM

Captures and contains fine dust particles

› 1.2-AMP MOTOR

Delivers a smooth performance over a variety of sanding applications with 13,500 OPM

Specifications

Rating	1.2 amps, 120V
Pad Size	4 x 5-3/4 in
Speed	13,500 OPM
Sandpaper Attachment Method	Hook & loop
Tool Size	7-7/8 x 4 x 5-5/8 in

Includes

Multi-Sander
12 pcs 120 Grit Sandpaper
Dust Canister
Finger Attachment
Louver Attachment
Unique Flexible Attachment



SR211601 5 IN. CORDED RANDOM ORBITAL SANDER

Features

› VARIABLE SPEED CONTROL

Provides the right amount of power and control across different materials

› DUST SEALED POWER SWITCH

For extended tool life

› X-FLOW DUST COLLECTOR

Collects dust using cyclone force into an easy-to-empty transparent container

› LOW VIBRATION

Its ergonomic design, soft rubber grip, and counterweight balance reduce hand fatigue from vibration

› 2.8 AMP MOTOR

Delivers a smooth performance over a variety of sanding applications with 13,000 OPM

Specifications

Rating	2.8 amps, 120V
Pad Size	5 in
Speed	7,000-13,000 OPM
Sandpaper Attachment Method	Hook & loop
Tool Size	7-7/8 x 4-4/5 x 5-1/2 in

Includes

Random Orbital Sander
3 pcs 120 Grit Sandpaper
Dust Canister



7292-02 1/4 SHEET SANDER WITH PRESSURE CONTROL

Features

› DUST SEALED SWITCH

For extended tool life

› PRESSURE CONTROL TECHNOLOGY

Helps to produce professional results

› MICRO-FILTRATION CANISTER

Captures and contains fine dust particles

› BUILT-IN VACUUM ADAPTER

Specifications

Rating	2 amps, 120V
Speed	14,000 OPM
Vacuum Port	Fits 1-1/4 in Hose
Weight	2.6 lbs

Includes

1/4 Sheet Palm Sander
Paper Punch Plate
2 Sheets of Abrasive Paper



SR250801 CORDED DETAIL SANDER

Features

› DUST SEALED ON/OFF SWITCH

For control and durability

› VIBRATION CONTROL

Counterweight balance minimizes vibration

› HOOK & LOOP ATTACHMENT

Quick and easy sanding sheet changes

› COMPACT & LIGHTWEIGHT

Use for a variety of detail applications

› MICROFILTRATION DUST CANISTER

Captures fine dust particles

Specifications

Rating	120V, 1.0A
Speed	12,000 OPM
Pad Size	4 x 5-3/4 in (102 x 146 mm)
Dust Port	Fits 1-1/4 in vacuum hose
Weight	1.77 lbs (0.8 Kg)

Includes

Detail Sander
3 pcs 120 Grit Sand Paper
Dust Box



3540-02 7 IN. WET TILE SAW

Features

- › **STAINLESS STEEL TABLE TOP**
Resistant to corrosion
- › **ADJUSTABLE RIP FENCE WITH MITER GAUGE**
For accurate straight and miter cuts
- › **BEVEL CUTS TILE FROM 0 TO 45 DEGREES**
Flexibility for different cut types
- › **7-INCH CONTINUOUS RIM DIAMOND BLADE**
Provides fast and smooth cutting
- › **BLADE COOLING WATER RESERVOIR**
Keeps blade cool and minimizes dust and debris

Specifications

Rating	4.2 amps, 120V
Speed	3,600 RPM
Blade	7 in diameter diamond
Bevel Stops	0° and 45°
Miter Gauge	0° to 45°
Weight	18 lbs

Includes

Wet Tile Saw
7 in Diamond Blade
Blade Guard
Blade Wrenches



3550-02 7 IN. WET TILE SAW WITH HYDRO LOCK SYSTEM

Features

- › **HYDRO LOCK WATER CONTAINMENT SYSTEM**
Keeps water contained near the blade and reduce clean up time
- › **SLIDING SIDE EXTENSION**
Provides support for tiles up to 18 x 18 inches
- › **ALUMINUM TABLE TOP**
Durable, rust-resistant surface
- › **ADJUSTABLE RIP FENCE WITH MITER GAUGE**
For accurate straight and miter cuts
- › **BEVEL CUTS TILE AT 0, 22.5, AND 45 DEGREES**
Gives flexibility for different cut types

Specifications

Rating	5 amps, 120V
Speed	3,600 RPM
Blade Size	7 in
Bevel Stops	0°, 22.5°, 45°
Max Tile Size	18 x 18 in
Miter Angle	0°-45°
Weight	18 lbs

Includes

7 in Wet Tile Saw
7 in Diamond Blade



3601-02 7 AMP FLOORING SAW

Features

- › **CUTS SOLID, ENGINEERED, AND LAMINATE FLOORING WITH EASE**
- › **MAKES CROSS, MITER, AND RIP CUTS**
- › **LIGHTWEIGHT DESIGN FOR TRANSPORT AND USE AT ANY PROJECT LOCATION**
- › **MITER DETENTS AT 0, 22.5, AND 45 DEGREES**

Specifications

Rating	7 amps, 120V
Speed	11,000 RPM
Blade	4-3/8 in / 36-tooth carbide tipped blade

Includes

Flooring Saw
4-3/8 in 40-Tooth Carbide-Tipped Contractor Blade
Self-Aligning Rip/Miter Fence
Blade Wrench
Clamp
Push Stick



AG242001 8 AMP 5 IN. CORDED ANGLE GRINDER

Features

› **3-POSITION SIDE HANDLE WITH WRENCH STORAGE**

Allows for greater control

› **HEAVY-DUTY METAL GEAR HOUSING**

For increased life and durability

› **TOOL-FREE GUARD ADJUSTMENT**

For quick guard changes

› **POWERFUL 8-AMP MOTOR**

Power to get the job done

› **FITS 5-INCH DISCS**

› **PADDLE SWITCH CONTROLS**

Specifications

Rating	8 amps, 120V
Speed	12,000 RPM
Disc Size	5 in (125 mm)
Cord Length	6 feet (1.8 m)
Tool Size	14 x 5-11/16 x 4-7/16 in (356 x 144 x 112 mm)
Weight	4.85 lbs (2.2 kg)

Includes

Angle Grinder
Grinding Disc
Wrench Storage Handle
Grinding Guard
Wrench



9295-01 4-1/2 IN. ANGLE GRINDER

Features

› **3-POSITION SIDE HANDLE WITH WRENCH STORAGE**

Allows for greater control

› **HEAVY-DUTY METAL GEAR HOUSING**

For increased life and durability

› **TOOL-FREE GUARD ADJUSTMENT**

For quick guard changes

› **POWERFUL 6-AMP MOTOR**

Power to get the job done

Specifications

Rating	6 amps, 120V
Speed	11,000 RPM
Disc Size	4-1/2 in (115 mm)
Cord Length	6 feet (1.8 m)
Tool Size	10-3/4 x 5 x 4-3/8 in (272 x 126 x 108 mm)
Weight	4.65 lbs (2.11 kg)

Includes

Angle Grinder
Grinding Disc
Side Handle
Wrench

AVAILABLE COMBO KITS

DESCRIPTION

INCLUDED ITEMS



RT1323-01 ROUTER TABLE AND FIXED BASE ROUTER KIT

Router	Collets
Router Table	(2) Featherboards
Parallel Guide	(3) Inserts
Collet Wrench	Miter Gauge
Dust Extraction	Hex Key
Adaptor	Starting Pin
1/4 in and 1/2 in	(10) Screws

SKIL®



LASERS & LEVELS

Quickly and accurately align your work with everything you need from distance measuring to leveling tools.

- › Self-Leveling
- › Rechargeable Lithium-Ion Battery
- › Green Lasers for Better Visibility
- › Highly Accurate



LL932401 SELF-LEVELING GREEN CROSS LINE LASER WITH PROJECTED MEASURING MARKS

Features

› PROJECTS UP TO 65 FEET

Projects bright green horizontal and vertical lines onto surfaces

› PROJECTED MEASURING MARKS

Measuring marks cross the horizontal and vertical lines at even intervals and make it easy to tackle jobs that require equal spacing—like painting stripes or hanging multiple pictures or shelves

› INCLUDES CLAMP AND CASE

Specifications

Working Range	Up to 65 feet
Laser Type	Green beam, Class II, 520nm, <1mW
Power Supply	3.7V, 1.2Ah integrated lithium-ion battery
Accuracy	± 3/16 in at 30 feet
Mount Threading	1/4 in -20 UNC

Includes

Green Beam Compact Self-Leveling Cross Line Laser with Projected Measuring Marks
Clamp
USB Charging Cable
Soft Bag



LL9322G-01 SELF-LEVELING 360 DEGREE GREEN CROSS LINE LASER WITH TRIPOD

Features

› PROJECTS UP TO 100 FEET

Laser projects a bright green cross line laser with a 360° horizontal laser that goes all the way around a room

› SUPERIOR VISIBILITY

The bright green laser lines offer improved visibility for ease of measuring

› SELF-LEVELING

Laser level automatically levels to cut out any guesswork

› CONVENIENT CHARGING

The integrated rechargeable lithium-ion battery has a micro USB charging port with indicators displaying the battery's life

› TRIPOD INCLUDED

The adjustable tripod can be raised up to a maximum height of 3-1/2 feet and lets you securely position the tool on the floor or a table

Specifications

Working Range	Up to 100 feet
Laser Type	Green beam, Class II, 520nm, <1mW
Power Supply	3.7V, 2.0Ah integrated lithium-ion battery
Accuracy	± 3/16 in at 30 feet
Mount Threading	1/4 in -20 UN

Includes

Self-Leveling 360 Degree Green Cross Line Laser
Soft Bag
43 in Tripod
USB Charging Cable



LL9324G-01 SELF-LEVELING GREEN CROSS LASER WITH CLAMP

Features

› PROJECTS UP TO 65 FEET

This laser level tool projects a bright green horizontal and vertical line onto surfaces to align and install projects like cabinets or trim

› SUPERIOR VISIBILITY

The bright green laser lines offer superior visibility

› SELF-LEVELING

Automatically levels to cut out any guesswork

› CONVENIENT CHARGING

The integrated rechargeable lithium-ion battery has a convenient micro USB charging port and indicators that show when the battery is running low

› CLAMP INCLUDED

Attaches to the top or bottom of the laser for easy, secure placement

Specifications

Working Range	Up to 65 feet
Laser Type	Green beam, Class II, 520nm, <1mW
Power Supply	3.7V, 1.2Ah integrated lithium-ion battery
Accuracy	± 3/16 in at 30 feet
Mount Threading	1/4 in -20 UN

Includes

Green Self-Leveling Cross Line Laser
Clamp
Micro-USB Charging Cable
Soft Bag



LL932201 SELF-LEVELING 360 DEGREE RED CROSS LINE LASER

Features

› SELF-LEVELING

Laser level automatically levels to cut out any guesswork

› PROJECT UP TO 65 FEET

Project a bright red continuous horizontal line, around a room, up to 65 feet, for projects like installing molding, cabinets, and more

› PROJECT LINES AT ANY ANGLE

Locking mode for projects where your lines are not level or plumb, like a diagonally tiled backsplash

› CONVENIENT CHARGING

The integrated rechargeable lithium-ion battery has a convenient micro USB charging port

› TRIPOD & CASE INCLUDED

Tripod adjusts to a max height of 3½ feet; position on the floor or table

Specifications

Working Range	Up to 65 feet
Laser Type	Red beam, Class II, 635nm, <1mW
Power Supply	3.7V, 1.2Ah integrated lithium-ion battery
Accuracy	± 3/16 in at 30 feet
Mount Threading	1/4 in -20 UN

Includes

Self-Leveling 360 Degree Red Cross Line Laser
Soft Bag
43 in Tripod
USB Charging Cable



LL932301 SELF-LEVELING RED CROSS LINE LASER

Features

› PROJECTS UP TO 50 FEET

Projects a bright red horizontal and vertical line onto surfaces to align and install projects like cabinets, trim, or chair rail molding

› SELF-LEVELING

Automatically levels to cut out any guesswork

› CONVENIENT CHARGING

Integrated rechargeable lithium-ion battery has a convenient micro USB charging port

› INCLUDES CLAMP AND CASE

Specifications

Working Range	Up to 50 feet
Laser Type	Red beam, Class II, 635nm, <1mW
Power Supply	3.7V, 1.2Ah integrated lithium-ion battery
Accuracy	± 3/16 in at 30 feet
Mount Threading	1/4 in -20 UN

Includes

Red Beam Compact
Self-Leveling Cross Line Laser
Clamp
USB Charging Cable
Soft Bag



8101-SL MULTI-FUNCTIONAL LINE LASER

Features

› BRIGHT LASER LINE

Leveling made easy

› TWO BACKLIT BUBBLE VIALS

Easily level the tool

› MAGNET ACCESSORY

Attaches the tool to any metal surface

› ADHESIVE PUTTY

Attaches tool to drywall, wood, and other surfaces

› PROTRACTOR ACCESSORY

For tile and floor aligning projects

Specifications

Laser Type	Class II, 635 nm
Max Output	1 mW
Power Supply	3 x AG13 button cell
Accuracy	± 1/4-in at 10 feet (deviation of ± 10 mm at 5 m)

Includes

Protractor Accessory
Magnet Accessory
Button Cell Batteries
Adhesive Putty



ME981901 100 FT. LASER DISTANCE MEASURER & LEVEL

Features

› THREE WAYS TO MEASURE

Laser measures distance, area, or in real time up to 100 feet

› DIGITAL LEVELING MODE

Digital accuracy with real-time arrow guidance

› INDIRECT MEASURING

Calculates distances past obstacles

› HOLD FEATURE

Save readings for later reference

› RECHARGEABLE LITHIUM-ION BATTERY

Easily charge via a micro USB port

Specifications

Measuring Range	Up to 100 feet
Distance Measuring Accuracy	±1/8 in
Angle Measuring Accuracy	±0.5°
Units	Metric and imperial

Includes

100-foot Laser Measurer & Digital Level
Bag
Micro-USB Charging Cord



ME9821-00 65 FT. LASER MEASURER WITH WHEEL

Features

› POINT & CLICK LASER DISTANCE MEASURING

Measure distances up to 65 feet, use continuous measuring to find a target distance, and calculate area on the fly

› WHEEL MEASURING MODE

Easily measure uneven and curved surfaces with wheel measuring

› BACKLIT LCD SCREEN

Easy-to-read screen clearly displays mode and measurements in real time

Specifications

Measuring Range	65 feet (20 m)
Measuring Accuracy	±1/8 in (±3mm)
Laser Type	Red beam, 630-670nm, class 2, <1mW
Display	Auto-backlit, white on black
Auto Shut-Off	5 minutes

Includes

Laser Distance Measure
Soft Case
Lanyard
(2) AAA Batteries



LL9325-00 COMPACT DIGITAL LEVEL WITH LINE LASER

Features

› INSTANT ACCURACY

Level provides real-time leveling guidance on an easy-to-read digital display

› ALIGN WITH EASE

Laser line projects on the wall or floor. Includes protractor for use on flooring

› COMPACT SIZE

Compact and lightweight design allows you to level in tight spots and bring it along when on-the-go

› ONE-HANDED CONVENIENCE

A magnetic edge makes the laser level easy to use with just one hand

Specifications

Working Range	Up to 15 feet
Laser Type	Class II, 635nm, <1 mW
Level Accuracy	±0.1° at 0° and 90°

Includes

Digital Level Line Laser
Adhesive Putty
Magnetic Wall-Mount Base
Protractor with 0° to 90° Marks
(2) AAA Batteries



LV941901 24 IN. DIGITAL LEVEL

Features

› HIGH-CONTRAST BLUE VIALS

Easy to see and accurate

› DIGITAL LCD SCREEN

Backlit for easy reading

› LEVEL INDICATORS

Real-time leveling guidance

› MEMORY FEATURE

Store values for reference

› MAGNETIC EDGE

For easy one-handed use

Specifications

Digital Screen	High visibility
Blue Vials	High contrast
Accuracy of Digital Angle	$\pm 0.2^\circ$
Angle Indication	Degrees, in/ft, mm/m and %
Power Supply	2 AAA batteries
Length	24 in excluding endcaps

Includes

24 in Digital Level
Bag
(2) AAA Batteries



LV941801 12 IN. DIGITAL LEVEL

Features

› HIGH-ACCURACY BLUE VIALS

The vials are easy to see, highly accurate, and show both vertical and horizontal levels

› READ FROM ANY PERSPECTIVE

The digital LCD screen is backlit for easy reading from any perspective, and the screen conveniently auto-adjusts the orientation depending on how you hold it

› EASY TO USE

Up and down arrow indicators give you real-time leveling guidance, and an optional audible tone lets you know when you hit 0, 45, or 90 degrees

› ONE-HANDED CONVENIENCE

A magnetic edge makes it easy to use with just one hand

› DUAL MEASURING

See centimeters on one side and inches on the other

Specifications

Size	12 in (30 cm)
Digital Level Accuracy	$\pm 0.05^\circ$ at 0° & 90° , $\pm 0.2^\circ$ at other angles
Display	Auto-backlit, black on white
Auto Shut-Off	5 minutes
Tool Size	14 x 1.22 x 2.5 in (355 x 31 x 63 mm)
Weight	0.97 lbs (0.44 kg)

Includes

12 in Digital Level
Soft Bag
(2) AAA Batteries



4V SCREWDRIVERS

From assembling furniture and toys to tightening screws in hard-to-reach cabinets, get small jobs and repairs done quickly and comfortably.



SKIL®





SD5619-01 TWIST 2.0 RECHARGEABLE 4V SCREWDRIVER WITH 2 PC BIT KIT

Features

› PIVOTING HEAD WITH LOCK OFF

Pivots and locks between three positions (0, 22.5, and 45 degrees) for improved ergonomics in tight spaces

› TORQUE SETTING CONTROL

Adapt to the application at hand with three torque settings

› FORWARD & REVERSE TRIGGER BUTTON

Conveniently located for easy one-finger use

› LED LIGHT

For added visibility in low light conditions

› INTEGRATED BATTERY WITH USB-C CHARGING PORT

For convenience and ease of use

Specifications

LED Light	Yes
Collet	1/4 in hex
Torque (Soft)	22 in-lbs/2.5 Nm
Number of battery cells	1
No Load Speed	240 RPM
Voltage	4V

Includes

Screwdriver
USB-A to USB-C Charging Cable
(2) 2 in bits



SD5619-02 TWIST 2.0 RECHARGEABLE 4V SCREWDRIVER WITH 28 PC BIT KIT

Features

› PIVOTING HEAD WITH LOCK OFF

Pivots and locks between three positions (0, 22.5, and 45 degrees) for improved ergonomics in tight spaces

› TORQUE SETTING CONTROL

Adapt to the application at hand with three torque settings

› FORWARD & REVERSE TRIGGER BUTTON

Conveniently located for easy one-finger use

› LED LIGHT

For added visibility in low light conditions

› INTEGRATED BATTERY WITH USB-C CHARGING PORT

For convenience and ease of use

Specifications

LED Light	Yes
Collet	1/4 in hex
Torque (Soft)	22 in-lbs/2.5 Nm
Number of battery cells	1
No Load Speed	240 RPM
Voltage	4V

Includes

Screwdriver
USB-A to USB-C Charging Cable
Plastic Case
28-Piece Bit Kit



SD561201 RECHARGEABLE 4V SCREWDRIVER WITH CIRCUIT SENSOR™ TECHNOLOGY

Features

- › **PATENTED CIRCUIT SENSOR™ TECHNOLOGY**
Safely detects electrical current in outlets, switches, and fixtures
- › **FORWARD & REVERSE COLLAR**
Easily change bit direction with a twist of the collar
- › **INTEGRATED RECHARGEABLE LITHIUM-ION BATTERY**
Micro USB charging is ready when you are
- › **CINCH LOCK™ COLLET**
For fast and convenient bit changes
- › **DUAL LED LIGHTS**
Improves use in low light, with after glow
- › **AUTO SPINDLE LOCK**
Bit locks for convenient manual use

Specifications

Speed	230 RPM
Battery Type	Integrated lithium-ion
Battery Capacity	1.3Ah
Collet Size	1/4 in

Includes

4V Screwdriver with Circuit Sensor™ Technology
USB Charging Cable
9-Piece Bit Kit
Magnetic Insert Bit Holder



SD561801 RECHARGEABLE 4V SCREWDRIVER

Features

- › **1/4-INCH HEX DRIVE**
Securely holds standard 1/4-inch bits
- › **RECHARGEABLE LITHIUM-ION BATTERY**
Convenient micro USB charging
- › **CHARGING INDICATOR**
Light displays charging status
- › **FORWARD/REVERSE INDICATOR**
Light displays charging status

Specifications

Voltage	4V
Chuck	6.35 mm (1/4 in) hex chuck with magnetic function
No-Load Speed	220 RPM
Tool Size	5.7 x 1.9 x 5 in
Net Weight	0.81 lbs (0.37 kg)

Includes

4V Screwdriver
3 in Magnetic Bit Holder
9-Piece Bit Kit
USB-A Charging Cable
USB-A Adapter



SD561802 RECHARGEABLE 4V PIVOT GRIP SCREWDRIVER

Features

- › **EASY TO USE**
The perfect power screwdriver for everyday needs and DIY projects
- › **PIVOT GRIP HANDLE**
Adjusts to both straight and standard grips depending on your project
- › **FORGET DOWN TIME**
A rechargeable lithium-ion battery keeps this tool charged over an extended period of time
- › **READY TO GO**
Power up your electric screwdriver anywhere with micro USB charging

Specifications

Speed	220 RPM
Torque	36 in-lbs
Chuck	1/4 in hex
Tool Size	6.5 x 1.8 x 4.8 in (166 x 45 x 123 mm)
Weight	0.77 lbs (0.35 kg)

Includes

4V Pivot Grip Screwdriver
(9) 1 in Bits
3 in Magnetic Bit Holder
USB Charging Cable
USB Adapter

SD561204 RECHARGEABLE 4V SCREWDRIVER WITH CIRCUIT SENSOR™ TECHNOLOGY AND 45 PC BIT KIT



Features

- › **PATENTED CIRCUIT SENSOR™ TECHNOLOGY**
Safely detects electrical current in outlets, switches, and fixtures
- › **FORWARD & REVERSE COLLAR**
Easily change bit direction with a twist of the collar
- › **INTEGRATED RECHARGEABLE LITHIUM-ION BATTERY**
Micro USB charging is ready when you are
- › **DUAL LED LIGHTS**
Improves use in low light, with after glow
- › **AUTO SPINDLE LOCK**
Bit locks for convenient manual use
- › **45-PIECE BIT KIT INCLUDED**

Specifications

Speed	230 RPM
Battery Type	Integrated lithium-ion
Battery Capacity	1.3Ah
Collet Size	1/4 in

Includes

4V Screwdriver with Circuit Sensor™ Technology
USB Charging Cable
45-Piece Bit Kit
Magnetic Insert Bit Holder
Slim Magnetic Bit Grip Collar



SD5618-03 RECHARGEABLE 4V SCREWDRIVER WITH 42 PC BIT KIT

Features

- › **LITHIUM-ION BATTERY**
Power up your electric screwdriver anywhere with a 4V rechargeable lithium-ion battery and micro USB charger
- › **FOR EVERYDAY USE**
This power screwdriver was designed for your everyday home and DIY projects
- › **SLIM BIT GRIP COLLAR**
4X the magnetic force to hold screws securely for one-handed use; pair with included slim bits
- › **CAM SCREW SLEEVE**
Provides quick and easy support for cam screws in ready to assemble furniture
- › **DUAL MAGNETIC BIT STORAGE**
Compact for convenient, ready-to-go storage

Specifications

Chuck	1/4 in hex
Torque	36 in-lbs
Speed	220 RPM
Integrated Battery	4V
Charge Time	3 hours
Bit Kit	42 pieces

Includes

4V Rechargeable Screwdriver
42-Piece Bit Kit
Charging Cable
Charging Adapter



SKIL



ACCESSORIES

Get the most out of your tools with bits, blades, and more for all of your projects.

STORAGE ACCESSORIES

ACCESSORY	MODEL	DESCRIPTION	ADDITIONAL DETAILS	
	TSM0001-3	Suitcase and Organizer Box 3 PC Set	Stackable Interlocking Latch IP54 Protection Security Padlock Hole	Removable Dividers Included Customizable Label
	TSM0002-3	Rolling Tool Box 3 PC Tower Set	Stackable Interlocking Latch IP54 Protection Security Padlock Hole Removable Rail Handle	Customizable Label Tether Point Integrated Easy-Rack Design Hand Tool Rack Included
	TSM0003-4	Rolling Tool and Organizer Box 4 PC Tower Set	Stackable Interlocking Latch IP54 Protection Security Padlock Hole Removable Rail Handle	Customizable Label Tether Point Integrated Easy-Rack Design Organizer with Dividers

DRILLING AND DRIVING ACCESSORIES

ACCESSORY	MODEL	DESCRIPTION	ADDITIONAL DETAILS	
	MXS8505	44 pc Drilling and Screw Driving Bit Kit with Bit Grip™	4X Magnetic Force Universal magnetic Bit Grip™ Collar	
	SDB7013	50 PC Screw Driving Bit Kit	Patented Bit Grip™ Magnetic Bit Collar A Variety of the Most Commonly Used Driving Bits all in One Kit	Includes Convenient Carrying Case
	SDB7014	141 pc Screw Driving Kit with Bit Grip™	Patented Bit Grip™ Magnetic Bit Collar Ideal for Driving into a variety of Surfaces	Includes Convenient Carrying Case
	SMXS8501	120pc Drilling and Screw Driving Kit with Bit Grip™	Patented Bit Grip™ Magnetic Bit Collar Ideal for Driving into a variety of Surfaces	Includes Convenient Carrying Case
	SDB7017	47 pc Screwdriving Bit Kit	Includes 2-3/8 in Magnetic Extension Bit Holder Interlocking Case Removable Inserts	
	98021	21 pc Assorted Set High-Speed Steel Twist Drill Bit Set	1/4 in Hex Shank Carbide Tipped Dual Flutes	



DRILLING AND DRIVING ACCESSORIES

ACCESSORY	MODEL	DESCRIPTION	ADDITIONAL DETAILS
	98029	29 pc Assorted Set High-Speed Steel Twist Drill Bit Set	
	TDB5000	15 pc Hex Twist Bit Set	Interlocking Case 1/4 in Hex Shank Carbide Tipped
	MDB5000	10 pc Hex Shank Carbide Hammer Drill Bit Set	Interlocking Case 1/4 in Hex Shank Carbide Tipped
	93102	5/32 In. Carbide Tipped Masonry Drill Bit	1/4 in Hex Shank Carbide Tipped Dual Flutes
	93103	3/16 In. Carbide Tipped Masonry Drill Bit	1/4 in Hex Shank Carbide Tipped Dual Flutes
	93104	1/4 In. Carbide Tipped Masonry Drill Bit	1/4 in Hex Shank Carbide Tipped Dual Flutes
	93109	3/8 In. Carbide Tipped Masonry Drill Bit	1/4 in Hex Shank Carbide Tipped Dual Flutes
	MDB5104	5/16 X 5 In. Carbide Tipped Masonry Drill Bit	1/4 in Hex Shank Carbide Tipped Dual Flutes
	MDB5101	5/32 x 4 In. Carbide Tipped Masonry Drill Bit	1/4 in Hex Shank Carbide Tipped Dual Flutes
	MDB5102	3/16 x 4 In. Carbide Tipped Masonry Drill Bit	1/4 in Hex Shank Carbide Tipped Dual Flutes

DRILLING AND DRIVING ACCESSORIES

ACCESSORY	MODEL	DESCRIPTION	ADDITIONAL DETAILS
	MDB5103	1/4 x 5 In. Carbide Tipped Masonry Drill Bit	1/4 in Hex Shank Carbide Tipped Dual Flutes
	MDB5105	3/8 x 4 In. Carbide Tipped Masonry Drill Bit	1/4 in Hex Shank Carbide Tipped Dual Flutes

CIRCULAR SAW ACCESSORIES

ACCESSORY	MODEL	DESCRIPTION	ADDITIONAL DETAILS
	75580	5-3/8 In. 80T Plywood Circular Saw Blade	Kerf: 0.05 in Blade Diameter: 5-3/8 in Compatibility: CR541802
	75128M	10 In. 28T Carbide General Purpose Circular Saw Blade	Kerf: 0.07 in Blade Diameter: 10 in Compatibility: TS6307-01, SKIL Cordless 10 in Table Saw
	75140B10	10 In. 40T Carbide General Purpose Circular Saw Blade Counter Pack	Kerf: 0.07 in Blade Diameter: 10 in Compatibility: TS6307-01, SKIL Cordless 10 in Table Saw
	75350	3-3/8 In. 50T Plywood Circular Saw Blade	Kerf: 0.04 in Blade Diameter: 3-3/8 in
	75536	4-3/8 In. 36T Carbide Flooring Circular Saw Blade	Kerf: 0.05 in Blade Diameter: 4-3/8 in Compatibility: 3601-02, SKIL Cordless Flooring Saw
	75540	4-3/8 In. 40T Carbide Flooring Circular Saw Blade	Kerf: 0.05 in Blade Diameter: 4-3/8 in Compatibility: 3601-02, SKIL Cordless Flooring Saw


CIRCULAR SAW ACCESSORIES

ACCESSORY	MODEL	DESCRIPTION	ADDITIONAL DETAILS
	75718B25	7-1/4 In. 18T Carbide Circular Saw Blade Counter Pack	Kerf: 0.06 in Blade Diameter: 7-1/4 in Compatibility: 5180-01, 5080-01, 5280-01, SPT67WE-01
	7824B10	8-1/4 In. 24T Carbide Circular Saw Blade Counter Pack	Kerf: 0.06 in Blade Diameter: 8-1/4 in
	74700B25	7-1/4 In. x 100-Tooth Ultra Fine Finish Circular Saw Blade	Kerf: 0.05 in Blade Diameter: 7-1/4 in
	75760B10	7-1/4 In. 24T Carbide Circular Saw Blade Counter Pack	Kerf: 0.06 in Blade Diameter: 7-1/4 in Compatibility: Any 7-1/4 in Circ Saws
	CRB1001	5-1/2 In. 18T Carbide Circular Saw Blade	Kerf: 0.04 in Blade Diameter: 5-1/2 in Compatibility: CR541802
	CRB1002	6-1/2 In. 24T Carbide Circular Saw Blades	Kerf: 0.04 in Blade Diameter: 6-1/2 in Compatibility: CR540602, CR540601, CR540603, CR5413-1A
	75740W	7-1/4 In. 40T Carbide Circular Saw Blade	Kerf: 0.06 in Blade Diameter: 7-1/4 in Compatibility: Any 7-1/4 in Circ Saws
	75724W	7-1/4 In. 24T Carbide Circular Saw Blade	Kerf: 0.06 in Blade Diameter: 7-1/4 in Compatibility: Any 7-1/4 in Circ Saws
	79600	6 In. Dado Set	Compatibility: SPT99, SPT99T
	CRB1003-2	4-1/2 In. 24T & 40T Carbide Circular Saw Blade Set	24T Framing Blade 40T Finishing Blade

CIRCULAR SAW ACCESSORIES

ACCESSORY	MODEL	DESCRIPTION	ADDITIONAL DETAILS
	CRB1002-3	6-1/2 In. 24T Carbide Circular Saw Blade 3 pk	Kerf: 0.04 in Blade Diameter: 6-1/2 in Compatibility: CR540602, CR540601, CR540603, CR5413-1A
	75740B10	7-1/4 In. 40T Carbide Finish Circular Saw Blade Counter Pack	Kerf: 0.06 in Blade Diameter: 7-1/4 in Compatibility: Any 7-1/4 in Circ saws
	75724-10	7-1/4 In. 24T Carbide Circular Saw Blade 10 pk	Kerf: 0.06 in Blade Diameter: 7-1/4 in Compatibility: Any 7-1/4 in Circ Saws
	CRT0702	2 x 27.5 In. Track Guide	(2) Aluminum Extruded Guided Rails Guide Rail Connector Hex Key (2) Clamps
	STA6307	Dado Insert Plate	Compatible with SKIL Table Saw TS6307-00
	STZ6307	Zero Clearance Insert Plate	Compatible with SKIL Table Saw TS6307-00
	STA6308	Dado Insert Plate	Compatible with SKIL Table Saw TS6308
	STZ6308	Zero Clearance Insert Plate	Compatible with SKIL Table Saw TS6308

BENCHTOP ACCESSORIES

ACCESSORY	MODEL	DESCRIPTION	ADDITIONAL DETAILS
	80151	3 pc 59-1/2 Bandsaw Blade Set	Compatible with BW9501-00
	80181	18 pc Scroll Saw Blade Set	Compatible with SS9503-00
	80182	36 pc Scroll Saw Blade Set	Compatible with SS9503-00


ROUTER BITS

ACCESSORY	MODEL	DESCRIPTION	ADDITIONAL DETAILS	
	91001	3 pc Carbide Straight Set	Precision ground solid carbide cutting edge Heat treated shanks and bodies	Smooth running bearings
	91002	3 pc Carbide Roundover Set	Precision ground solid carbide cutting edge Heat treated shanks and bodies	Smooth running bearings
	91003	3 pc Carbide Decorative Edge Set	Precision ground solid carbide cutting edge Heat treated shanks and bodies	Smooth running bearings
	91006	6 pc Router Bit Set w/ Instructions	Precision ground solid carbide cutting edge Heat treated shanks and bodies	Smooth running bearings
	91015	15 pc Router Bit Set w/ Instruction	Precision ground solid carbide cutting edge Heat treated shanks and bodies	Smooth running bearings
	91030	30 pc Router Bit Set w/ Window	Precision ground solid carbide cutting edge Heat treated shanks and bodies	Smooth running bearings

RECIPROCATING SAW BLADES

ACCESSORY	MODEL	DESCRIPTION	ADDITIONAL DETAILS	
	94100	The UGLY 9 In. 5-TPI Wood Cutting Reciprocating Saw Blade	Fleam-ground teeth Wood Cutting 9-Inch Blade	
	94101	The UGLY 8 In. 6-12-TPI Wood Cutting Reciprocating Saw Blade	For wood, metal, and nail-embedded wood cutting	Progressive tooth design for consistent cutting in thick or thin material
	94102	The UGLY 6 In. 8-14-TPI Metal Cutting Reciprocating Saw Blade	For cutting sheet metal, copper pipe, metal framing, ducts, conduit, tin roofing, aluminum and steel siding, gutters, and more	Progressive tooth design for consistent cutting in thick or thin material

RECIPROCATING SAW BLADES

ACCESSORY	MODEL	DESCRIPTION	ADDITIONAL DETAILS	
	94103	6 pc Reciprocating Saw Blade Set	Fleam-ground teeth Wood Cutting 9-Inch Blade	
	94100-05	The UGLY 9 In. 5-TPI Wood Cutting Reciprocating Saw Blade 5 pack	For cutting wood, composite board, decking, treated lumber, plywood, and pruning	Precision-ground cutting edges for faster chip removal and sharper, cleaner cuts Fire-hardened for extended blade life
	94100-3	The UGLY 9 In. 5-TPI Wood Cutting Reciprocating Saw Blade 3 pk	Fleam-ground teeth Wood Cutting 9-Inch Blade	
	94101-5	The UGLY 8 In. 6-12-TPI Wood Cutting Reciprocating Saw Blade 5 pk	For wood, metal, and nail-embedded wood cutting	Progressive tooth design for consistent cutting in thick or thin material
	94102-5	The UGLY 6 In. 8-14-TPI Metal Cutting Reciprocating Saw Blade 5 pk	For cutting sheet metal, copper pipe, metal framing, ducts, conduit, tin roofing, aluminum and steel siding, gutters, and more	Progressive tooth design for consistent cutting in thick or thin material
	94105-5	5 pc General Purpose Reciprocating Saw Blade 5 pk	For wood, metal, and nail-embedded wood cutting	Progressive tooth design for consistent cutting in thick or thin material

JIG SAW BLADES

ACCESSORY	MODEL	DESCRIPTION	ADDITIONAL DETAILS
	JSB2000	21 pc All-Purpose T-Shank Jig Saw Blade Set	T-Shank Compatible

LASER AND LEVEL ACCESSORIES

ACCESSORY	MODEL	DESCRIPTION	ADDITIONAL DETAILS
	LL9000	3-1/2 ft Compact Tripod with Adjustable Aiming Base	

SANDING ACCESSORIES

ACCESSORY	MODEL	DESCRIPTION	ADDITIONAL DETAILS	
	CDA9003	20 pc Mixed 5 In. Round Sanding Paper Kit	Hook and Loop Backing Hole Pattern Matches Sander for Maximum Dust Extraction	Aluminum Oxide Grain Creates a Consistent Scratch Pattern
	CDA9004	20 pc Mixed Triangle Sanding Paper Kit	Hook and Loop Backing Hole Pattern Matches Sander for Maximum Dust Extraction	Aluminum Oxide Grain Creates a Consistent Scratch Pattern
	CDA9005	30 pc Mixed Detail Sand Paper Kit	Hook and Loop Backing Hole Pattern Matches Sander for Maximum Dust Extraction	Aluminum Oxide Grain Creates a Consistent Scratch Pattern
	73110	Octo Sandpaper 60-80-120 Grit, 5pk	Hook and Loop Backing Hole Pattern Matches Sander for Maximum Dust Extraction	Aluminum Oxide Grain Creates a Consistent Scratch Pattern

MULTI-TOOL ACCESSORIES

ACCESSORY	MODEL	DESCRIPTION	ADDITIONAL DETAILS	
	OSA8005	5 pc Oscillating Multi-Tool Blade Set	Compatible with all SKIL Oscillating Multi-Tools	
	OSA8004	6 pc Oscillating Multi-Tool Plunge Cutting Blade Set	Compatible with all SKIL Oscillating Multi-Tools	
	OSA8003	5 pc Oscillating Multi-Tool Accessory General Purpose Blade Set	Compatible with all SKIL Oscillating Multi-Tools	
	OSA8001	18 pc Oscillating Accessory Set	Compatible with all SKIL Oscillating Multi-Tools	

BRUSH ACCESSORIES

ACCESSORY	MODEL	DESCRIPTION	ADDITIONAL DETAILS
	SBH1001	Medium Bristle Long Brush for Power Scrubber	Compatible with SKIL Power Scrubbers
	SBH2001	Medium Bristle Triangular Brush for Power Scrubber	Compatible with SKIL Power Scrubbers
	SBH2000	Hard Bristle Triangular Brush for Power Scrubber	Compatible with SKIL Power Scrubbers

OUTDOOR POWER ACCESSORIES

ACCESSORY	MODEL	DESCRIPTION	ADDITIONAL DETAILS
	SNR0001	Round Blower Nozzle	Compatible with SKIL Brushless PWRCORE 40™ Blowers
	SMB2000	20 In. Lawn Mower Blade	For Bagging and Mulching (Universal Blade) Compatible with SKIL PM4912B-20
	SMB1800	18 In. Lawn Mower Blade	For Bagging and Mulching (Universal Blade) Compatible with SKIL Brushless PWRCORE 40™ 20 In. Mowers
	STH4818	Rapid Reload Trimmer Head	Quick and Easy Line Load Bump-Feed Head Compatible with SKIL Brushless PWRCORE 40™ 14 In. String Trimmers & Brushless PWRCORE 20™ 13 In. String Trimmers
	STL2020	Pre-Cut Trimmer Line	Compatible with SKIL String Trimmers that use 0.08 in line: LT4823B-10, LT1400C-11, LT4818-10, LT4832C-11, PLT1500C-10
	STS1203	3-Pack 0.06 In. String Trimmer Line	Compatible with SKIL String Trimmers that use 0.06 in line

OUTDOOR POWER ACCESSORIES

ACCESSORY	MODEL	DESCRIPTION	ADDITIONAL DETAILS
	SBC0604Q	6 In. Saw Bar and Chain Kit	Compatible with SKIL 6 in Saws
	SCN0604Q	6 In. Chain Saw Replacement Chain	Compatible with SKIL 6 in Saws
	SBR1200	12 In. Chain Saw Replacement Bar	Compatible with SKIL Brushless PWRCORE 20™ 12 In. Chain Saws
	SCN1204	12 In. Chain Saw Replacement Chain	Compatible with SKIL 12 in Chain Saws (TH1200C-11 Only)
	SCN1200	12 In. Chain Saw Replacement Chain	Compatible with SKIL Brushless PWRCORE 20™ 12 In. Chain Saws
	SBC1400	14 In. Chain Saw Bar and Chain Kit	Reversible for Long Life Lightweight Low Kickback Design Compatible with SKIL Brushless PWRCORE 40™ 14 In. Chain Saws
	SBR1400	14 In. Chain Saw Bar	Reversible for Long Life Lightweight Low Kickback Design Compatible with SKIL Brushless PWRCORE 40™ 14 In. Chain Saws
	SCN1400	14 In. Chain Saw Chain	Low Kickback Design Compatible with SKIL Brushless PWRCORE 40™ 14 In. Chain Saws
	SCN0800	8 In. Pole Saw Chain	Compatible with SKIL 8 in Pole Saws
	SBR0800	8 In. Pole Saw Bar	Compatible with SKIL 8 in Pole Saws

ACCESSORY	MODEL	DESCRIPTION	ADDITIONAL DETAILS
	SBR1000	10 In. Pole Saw Replacement Bar	Compatible with SKIL 10 in Pole Saws
	SCN1000	10 in Pole Saw Chain	Low Kickback Design Compatible with the SKIL PWRCORE 40™ 10 in Pole Saw





HIGH PERFORMANCE ACCESSORIES


ACCESSORY	MODEL	DESCRIPTION	ADDITIONAL DETAILS
	75924	7-1/4 In. 24-Tooth Framing Saw Blade	Kerf: 0.07 in Blade Diameter: 7-1/4 in Compatibility: Any 7-1/4 in Circ saws
	75924B25	7-1/4 In. x 24-Tooth Framing Saw Blade BULK Pack (25)	Arbor: 5/8 in round and 13/16 in diamond knockout Kerf: 0.07 in Compatible with Worm Drive Saws: SPT67WL, SPT67WMB, SPT67M8, SPT77W, SPT77WML, SPTH77M
	76824	8-1/4 In. x 24-Tooth Worm Drive Framing Saw Blade	Arbor: 13/16 in diamond knockout Kerf: 0.08 in Compatibility: SPT78W 8-1/4 in Worm Drive Saw
	SPT1012	8-1/4 In. Circular Saw Blade	Arbor: 5/8 in round Kerf: 0.09 in Compatibility: Major brands hand saws and table saws
	76240	10-1/4 In. x 40-Tooth Worm Drive Saw Blade	Arbor: 13/16 in diamond knockout Kerf: 0.08 in Compatibility: SPT70WM 10-1/4 in Worm Drive Saw
	SPT1010	12 In. x 60-Tooth Miter Saw Blade	Arbor: 1 in round Kerf: 0.1 in Compatibility: SPT88 12 in Worm Drive Dual Bevel Sliding Miter Saw
	SPT1011	12 In. x 80-Tooth Miter Saw Blade	Arbor: 1 in round Kerf: 0.1 in Compatibility: SPT88 12 in Worm Drive Dual Bevel Sliding Miter Saw
	SPT1000	16-5/16 In. x 32-Tooth Saw Blade	Arbor: 1 in round Kerf: 0.09 in Compatibility: SPT70V-11 16-5/16 in Magnesium Worm Drive Saw
	SPT4003	7 In. Turbo Diamond Blade	Arbor: 7/8 in-5/8 in round Compatibility: SPT79A 7 in Walk Behind Worm Drive Saw for Concrete and most major brands
	SPT4004	7 In. Segmented Diamond Blade	Arbor: 7/8 in-5/8 in round Compatibility: SPT79A 7 in Walk Behind Worm Drive Saw for Concrete and most major brands

ACCESSORY	MODEL	DESCRIPTION	ADDITIONAL DETAILS
	SPT1001	7-1/4 In. 4-Tooth Fiber Cement Blade	Arbor: 5/8 in round Kerf: 0.1 in Compatibility: SPT67FMD 7-1/4 in Sidewinder™ Saw for Fiber Cement
	SK1260	12 In. x 60-Tooth Dry Cut Metal Blade	Arbor: 1 in. round Kerf: 0.11 in Compatibility: SPT62MTC 12 in Dry Cut Saw
	75940	7-1/4 In. x 40-Tooth Framing Saw Blade	Kerf: 0.07 in Blade Diameter: 7-1/4 in Compatibility: Any 7-1/4 in Circ saws
	75924-10	7-1/4 In. 24-Tooth Framing Saw Blade 10 pk	Kerf: 0.07 in Blade Diameter: 7-1/4 in Compatibility: Any 7-1/4 in Circ saws
	SPT2004-05	6 In. Wood w/Nails Reciprocating Saw Blade (5pk)	Compatibility: SPT44A-00, SPT44-10 Reciprocating Saws
	SPT2005-05	9 In. Wood w/Nails Reciprocating Saw Blade (5pk)	Compatibility: SPT44A-00, SPT44-10 Reciprocating Saws
	SPT2007-05	6 In. Metal Reciprocating Saw Blade (5pk)	Compatibility: SPT44A-00, SPT44-10 Reciprocating Saws
	SPT2008-05	9 In. Metal Reciprocating Saw Blade (5pk)	Compatibility: SPT44A-00, SPT44-10 Reciprocating Saws
	SPT5007-EA	Green Cut Early Entry Attachment	Compatibility: SPT79A-10 7 in Walk Behind Worm Drive Saw for Concrete
	SPT5008-EA	Green Cut Early Entry Replacement Kit	Compatibility: SPT79A-10 7 in Walk Behind Worm Drive Saw for Concrete

HIGH PERFORMANCE ACCESSORIES

ACCESSORY	MODEL	DESCRIPTION	ADDITIONAL DETAILS
	SPT5003-FS	Table Saw Stand	Compatibility: SPT99T 8-1/4 in Portable Worm Drive Table Saw
	SFS0001	Folding Saw Stand	Compatibility: TS6308-00 8-1/4 in Table Saw FS3602-00 5-1/2 in Flooring Saw
	SBT0011	Work Bench with Table Saw Folding Stand	
	SPT5002-FS	Miter Saw Stand	Compatibility: SPT88 12 in Worm Drive Dual Bevel Sliding Miter Saw
	SRS0001	Miter Saw Rolling Stand with Wheels	Compatibility: MS6305-00 Miter Saw
	SPT00B	Rear Outfeed	Compatibility: SPT99 10 in Heavy Duty Worm Drive Table Saw
	SPT00A	Dado Insert	Compatibility: SPT99 10 in Heavy Duty Worm Drive Table Saw
	SPT00C	Zero Clearance Insert	Compatibility: SPT70WT Table Saw Stand & SPT99 10 in Heavy Duty Worm Drive Table Saw
	SPT5004-ZC	Zero Clearance Insert	Compatibility: SPT99T 8-1/4 in Portable Worm Drive Table Saw
	SPT5005-DD	Dado Insert	Compatibility: SPT99T 8-1/4 in Portable Worm Drive Table Saw

ACCESSORY	MODEL	DESCRIPTION	ADDITIONAL DETAILS
	SPT1500	16 in Full House Chain	Compatibility: SPT55-11 16 in Worm Drive Carpentry Chainsaw
	SPT1501	16 in Full House Chain and Bar	Compatibility: SPT55-11 16 in Worm Drive Carpentry Chainsaw
	95104L	Cord Assembly	Compatible with Worm Drive Saws: HD77, HD77M, HD5825, HD5860, MAG77LT, SHD77, SHD77M, SPT55, SPT70WM, SPT70V, SPT77W, SPT77WM, SPT77WML, SPT78W, SPT78MMC
	80111	Worm Drive Oil	Compatible with Worm Drive Saws: SHD77, SHD77M, HD77, HD77M, HD5825, HD5860, SPT77W, SPT77WM, SPT77WML, SPT78W, SPT70WM, SPT70WT, MAG77LT, SPT78MMC, SPT79, SPT79A, SPT99, SPT70V
	SPT5009-SO	Synthetic Oil for Cordless Worm Drive	Compatibility: SPH77M 7-1/4 in TrueHVL™ Cordless Worm Drive Saw
	13896	Adjustable Rip Fence	Compatible with Worm Drive Saws: SPT67WL, SPT67WM, SPT67WMB, SPT67FMD, SPT67M8, SPT77WML, SPT78W, SPT78MMC, SPT70WM, SPT77W, SPT77WM
	95105L	Switch Kit	Compatible with Worm Drive Saws: SDH77, SDH77M, SPT77W, SPT77WM, SPT77WML, SPT78W, SPT70WM, SPT79, MAG77LT
	95111L	Brush & Cap Assembly	Compatible with Worm Drive Saws: SHD77, SHD77M, HD77, HD77-02, HD5825, HD5860, SPT77W, SPT77WM, SPT77WML, SPT78W, SPT79, SPT79A, SPT70WM, MAG77LT, SPT70V
	95106	Replacement Blade Wrench	



SKIL®

/// WWW.SKIL.COM