

Finoris

Single lever bath mixer for concealed installation

Finish: **Matt White** Art. no. : **76415700**



Description

product features

- designed to run 2 outlets
- Flow rate upper outlet (at 3 bar): 21 l/min
- Flow rate lower outlet (at 3 bar): 29 l/min
- Maximum flow rate (at 3 bar): 29 l/min
- ceramic cartridge
- Maximum temperature can be adjusted on installation
- diverter with automatic resetting
- with silencer
- concealed installation
- Noise class: II
- Connection type: basic set
- wall-mounted
- Min. operating pressure: 1 bar
- Max. operating pressure: 10 bar

Article Details

Price excl. VAT

£ 297.50

Design awards




reddot winner 2021



Product image


Scale drawing



Finoris
Single lever bath mixer for concealed installation
 Finish: **Matt White** Art. no. : **76415700**



Flowchart




Finoris
Single lever bath mixer for concealed installation
 Finish: **Matt White** Art. no. : **76415700**



Exploded Drawing

Year of production: >06/21



Finoris
Single lever bath mixer for concealed installation
Finish: **Matt White** Art. no. : **76415700**



Spare part list

Year of production: >06/21

Pos.	Description	Art. no.	Price	PU
1	handle	94298700	-	1
2	screw cover	96338000	-	1
3	diverter knob	98795700	-	1
4	hollow set screw M4x10	97667000	-	1
5	escutcheon 155 / 155 mm	94302700	-	1
6	O-ring 23x3	98142000	-	1
7	O-ring 43x3	98418000	-	1
8	sleeve	98790700	-	1
9	sleeve	98794700	-	1
10	nut	98796000	-	1
11	holder for escutcheon	98793000	-	1
12	set of fixing screws	96454000	-	1
13	O-ring 30x1,5	98433000	-	1
14	O-ring 39x1,5	98400000	-	1
15	cartridge, assy	92730000	-	1
16	locking screw for handle	95140000	-	1
17	seal	95008000	-	1
18	selector assy	95014000	-	1
19	O-ring 16x2,3	98207000	-	1
20	O-ring 20x2,5	92602000	-	1
21	set of screws	96525000	-	1
22	O-ring 16x2	98133000	-	1
23	noise reduction	94073000	-	1
24	extension 25 mm	13595000	-	1
25	set of fixing screws	97747000	-	1
26	extension 22 mm	13593700	-	1