



Pöntunarblað Trigo S

Upplýsingar um notanda:

Fullt nafn	
Fyrstu 6 stafir í kennitölu	
Málsnúmer SÍ (Ef við á)	
Forráðamaður (Ef við á)	
Símanúmer	
Netfang	
Athugasemd	

Upplýsingar um heilbrigðisstarfsmann:

Nafn	
Netfang	
Símanúmer	
Starfsstöð (Ef við á)	
Starfsmaður Mobility	



Mælingar:

Þyngd notanda	
Hæð	
A) Setbreidd	
B) Setdýpt	
C) Hæð kálfa	
D) Hæð arma	
E) Seta að herðablöðum	
F) Bakhæð	
G) Brjóstmál	
H) Seta að handarkrika	
I) Seta að mjóðmum	
J) Hnébreidd	
K) Olbogir að úlnlið	
M) Seta að höfði	
Sethæð	
Annað	
Annað	
Annað	
Annað	

TRIGO S

The Trigo S is a trendy, active and light wheelchair specially designed for people who like to stay mobile and comfortable. Sportive and modern looking rear wheels (Quick Release wheels that can be adjusted in angle and height) with black rims, easy accessible brakes and small front casters ranging (height adjustable) from 3" tot 6". The Trigo S comes with a fixed footplate and a side plate which can be adjusted in height. The wheelchair can change the center of its gravity to accommodate each user. Depending on the adjustment, the majority of the weight of the user and the chair may shift to the front or the back



Internal price only

	Price	Image
Standard configuration	499,990	
S = Standard O = choice without extra cost □ = choice with extra cost - = not possible		

SEAT WIDTH

	Closed Frame 70° (angle foot rest)	☐	Án endurgjalds	
	Closed Frame 80° (angle foot rest) NOT POSSIBLE TO USE IN COMBINATION WITH FRONT WHEEL 6"	☐	Án endurgjalds	
	Closed Frame 90° (angle foot rest) NOT POSSIBLE TO USE IN COMBINATION WITH FRONT WHEEL 6" NOT POSSIBLE WITH SEAT WIDTHS ≤ 38 CM	☐	Án endurgjalds	


SEAT DIMENSIONS

SEAT WIDTH & SEAT DEPTH												
SEAT DEPTH (cm)	SEAT WIDTH (cm)											Price
	Single cross			1,5 cross						Double cross		
	MUW 70 kg			MUW 130 kg								
	30	32	34	36	38	40	42	44	46	48	50	
32	○	○	○	-	-	-	-	-	-	-	-	no extra cost
34	○	○	○	-	-	-	-	-	-	-	-	no extra cost
36	○	○	○	○	○	○	○	○	○	○	○	no extra cost
38	○	○	○	○	○	○	○	○	○	○	○	no extra cost
40	○	○	○	○	○	○	○	○	○	○	○	no extra cost
42	○	○	○	○	○	○	○	○	○	○	○	no extra cost
44	○	○	○	○	○	○	○	○	○	○	○	no extra cost
46	○	○	○	○	○	○	○	○	○	○	○	no extra cost
48	○	○	○	○	○	○	○	○	○	○	○	no extra cost
50	○	○	○	○	○	○	○	○	○	○	○	no extra cost

SEAT HEIGHT FRONT

SEAT HEIGHT	Dimension of front wheel			
	3" front wheel	4" front wheel	5" front wheel	6" front wheel

FRONT (cm)						Price
39	○	○	-	-		no extra cost
40	○	○	-	-		no extra cost
41	○	○	-	-		no extra cost
42	-	○	○	-		no extra cost
43	○	○	○	-		no extra cost
44	○	○	○	○		no extra cost
45	○	○	○	○		no extra cost
46	-	○	○	○		no extra cost
47	○	○	○	○		no extra cost
48	○	○	○	○		no extra cost
49	○	○	○	○		no extra cost
50	-	○	○	○		no extra cost
51	-	-	○	○		no extra cost



We reserve a tolerance of +/- 10 mm

SEAT HEIGHT REAR

SEAT HEIGHT REAR (cm)	Dimension of rear wheel					Price
	18" rear wheel	20" rear wheel	22" rear wheel	24" rear wheel	26" rear wheel	
32,5	○	-	-	-	-	no extra cost
33,5	○	○	-	-	-	no extra cost
34,5	○	○	-	-	-	no extra cost
35,5	○	○	○	-	-	no extra cost
36,5	○	○	○	-	-	no extra cost
37,5	○	○	○	-	-	no extra cost
38,5	○	○	○	○	-	no extra cost
39,5	○	○	○	○	-	no extra cost
40,5	○	○	○	○	-	no extra cost
41,5	○	○	○	○	○	no extra cost
42,5	-	○	○	○	○	no extra cost
43,5	-	○	○	○	○	no extra cost
44,5	-	○	○	○	○	no extra cost
45,5	-	-	○	○	○	no extra cost
46,5	-	-	○	○	○	no extra cost
47,5	-	-	-	○	○	no extra cost
48,5	-	-	-	○	○	no extra cost
49,5	-	-	-	○	○	no extra cost
50,5	-	-	-	-	○	no extra cost
51,5	-	-	-	-	○	no extra cost
52,5	-	-	-	-	○	no extra cost

Please respect following recommended maximum differences between seat height front and seat height rear:

- For seat depth 32 cm - 36 cm: maximum difference of 4 cm
- For seat depth 36 cm - 44 cm: maximum difference of 7 cm
- For seat depth 44 cm - 50 cm: maximum difference of 10 cm

EXPLANATORY TABLE FRONT WHEEL - REAR WHEEL VS. SEAT DEPTHS

SIZE FRONT WHEEL	SIZE REAR WHEEL				
	18"	20"	22"	24"	26"
3"	possible seat depths 32 - 50	possible seat depths 32 - 50	possible seat depths 36 - 50	possible seat depths 38 - 50	possible seat depths 44 - 50
4"	possible seat depths 32 - 50	possible seat depths 32 - 50	possible seat depths 36 - 50	possible seat depths 38 - 50	possible seat depths 44 - 50
5"	possible seat depths 32 - 50	possible seat depths 32 - 50	possible seat depths 36 - 50	possible seat depths 38 - 50	possible seat depths 44 - 50
6"	possible seat depths 38 - 50	possible seat depths 38 - 50	possible seat depths 40 - 50	possible seat depths 40 - 50	possible seat depths 44 - 50

ARM REST					
B82S fixed	Side guard - aluminium CAN ONLY BE COMBINED WITH ARM RESTS TUBE AND TUBE-LONG	☐	Án endurgjalds		
B82S-C fixed	Side guard - carbon CAN ONLY BE COMBINED WITH ARM RESTS TUBE AND TUBE-LONG	☐	100,960		
B82 fixed	Mud guard - aluminium CAN ONLY BE COMBINED WITH ARM RESTS TUBE AND TUBE-LONG	☐	9,140		
Bi5	Armrest adjustable in height - long model (33 cm) ONLY COMPATIBLE WITH THE SEAT DEPTH 38-50 CM	☐	Án endurgjalds		
Bi5S	Armrest adjustable in height - short model (20 cm) ONLY COMPATIBLE WITH THE SEAT 32-50 CM	☐	Án endurgjalds		
Bi5 ALU	Armrest adjustable in height - long model (33 cm) ONLY COMPATIBLE WITH THE SEAT DEPTH 38-50 CM	☐	22,851		
Bi5S ALU	Armrest adjustable in height - short model (20 cm) ONLY COMPATIBLE WITH THE SEAT 32-36 CM	☐	22,851		
TUBE	Aluminium tubular armrest (fold back) - 23 cm NOT POSSIBLE IN COMBINATION WITH ANGLE ADJUSTABLE OR FOLDABLE BACKREST	☐	14,542		
TUBE-LONG	Steel tubular armrest (fold back) - 28 cm NOT POSSIBLE IN COMBINATION WITH ANGLE ADJUSTABLE OR FOLDABLE BACKREST	☐	22,851		
B82SL-A	Removable side guard long - Aluminium CAN ONLY BE COMBINED WITH ARM RESTS TUBE AND TUBE-LONG	☐	45,287		
B82S-C	Removable side guard - carbon CAN ONLY BE COMBINED WITH ARM RESTS TUBE AND TUBE-LONG	☐	92,235		
B82L-A	Removable mud guard long - aluminium CAN ONLY BE COMBINED WITH ARM RESTS TUBE AND TUBE-LONG	☐	19,112		
B82-C	Removable mud guard - carbon CAN ONLY BE COMBINED WITH ARM RESTS TUBE AND TUBE-LONG	☐	73,539		
B66	Arm rest	☐ Right ☐ Left	☐	5,817	
B66O	Adjustable grooved arm rest	☐ Right ☐ Left	☐	11,218	
B66M	Hemiplegic arm rest with palm support	☐ Right ☐ Left	☐	30,745	
B66ML	Hemiplegic arm rest with palm support - long model	☐ Right ☐ Left	☐	40,716	
B66MA	Hemiplegic arm rest with palm support - anatomic model	☐ Right ☐ Left	☐	62,737	
B66MAL	Hemiplegic arm rest with palm support - anatomic long model	☐ Right ☐ Left	☐	77,278	
B66OM	Hemiplegic arm rest with palm support - orientable	☐ Right ☐ Left	☐	59,828	
B66OML	Hemiplegic arm rest with palm support - long model - orientable	☐ Right ☐ Left	☐	75,201	

B66OMA	Hemiplegic arm rest with palm support - anatomic model - orientable	○ Right ○ Left	☐	62,737	
B66OMAL	Hemiplegic arm rest with palm support - anatomic long model - orientable	○ Right ○ Left	☐	77,278	
B66S	Hemiplegic arm rest with Stabilo cushion	○ Right ○ Left	☐	61,490	

FOOT REST

FR00	Mono-bloc - aluminium frame, lifted	○	Án endurgjalds	
FR01	Mono-bloc - aluminium footplate, foldable	☐	21,605	
FR02	Mono-bloc - carbon footplate, foldable	☐	64,399	
FR03	Reversed footplated (shorter lower leg length)	☐	39,470	
FR04	Reversed footplated (shorter lower leg length) - Carbon foldable, adjustable angle of the plate	☐	83,095	
FR05	Opening footrest with plate	☐	11,218	
FR06	Footrest divided ONLY POSSIBLE WITH LOWER LEG LENGTH 37 - 48 cm	☐	25,759	

LENGTH LOWER LEG (LLL)

ONLY POSSIBLE WITH REVERSED FOOTPLATE	○ 22cm ○ 23 cm ○ 24 cm ○ 25 cm ○ 26 cm ○ 27 cm ○ 28 cm ○ 29 cm ○ 30 cm ○ 31 cm ○ 32 cm ○ 33 cm ○ 34 cm	○	Án endurgjalds	
	○ 35 cm ○ 36 cm ○ 37 cm ○ 38 cm ○ 39 cm ○ 40 cm ○ 41 cm ○ 42 cm ○ 43 cm ○ 44 cm ○ 45 cm ○ 46 cm	○	Án endurgjalds	

*** Measure the length of the footrest on the wheelchair.
Lower Leg Length should at least be 5 cm less than selected seat height in the front.**

COLOUR

		Matt	Glossy				
C20	Blue (dark)					○	Án endurgjalds
C29	Silver	○	○			○	Án endurgjalds
C4	Red	○	○			○	Án endurgjalds
C5	Black	S	○			○	Án endurgjalds
C53	Orange	○	○			○	Án endurgjalds

C55	Inox	☐	☐		☐	Án endurgjalds	
C56	Blue Metalic	☐	☐		☐	Án endurgjalds	
C59	Champagne	☐	☐		☐	Án endurgjalds	
C71	Blue Matal				☐	16,619	Utan samnings
C72	Red Metal				☐	16,619	Utan samnings
C73	Lime green metal				☐	16,619	Utan samnings
C76	White	☐	☐		☐	Án endurgjalds	
C78	Soft blue				☐	Án endurgjalds	
C79	Light blue	☐	☐		☐	Án endurgjalds	
C8	Yellow	☐	☐		☐	Án endurgjalds	
C85	Grass green	☐	☐		☐	Án endurgjalds	
C87	Melonorange	☐	☐		☐	Án endurgjalds	
C88	Crown gold	☐	☐		☐	Án endurgjalds	
C89	Red copper	☐	☐		☐	Án endurgjalds	
Cxx	Additional colors with additional cost : contact your sales representative. Sér litur hafið samband fyrir verð				☐		Utan samnings

PUSH HANDLE & BACKREST SPECIFICATIONS				
SELECTION TYPE OF BACKREST (FRAME)				
	Fixed backrest	S	Án endurgjalds	
BR01	Angle adjustable backrest (82° - 102°) angle adjustment with bolt, standard angle: 90°	☐	43,209	
BR02	Foldable & angle adjustable backrest (82° - 102°) angle adjustment with bolt, standard angle: 90°	☐	55,674	
SELECTION TYPE OF PUSH HANDLE				
PH00	No push handles	☐	Án endurgjalds	
PH01	Fixed push handles 12cm	☐	3,324	
PH02	Fixed push handles 8cm	☐	3,324	
PH03	Foldable push handles	☐	30,745	
PH04	Height adj.push handles	☐	Án endurgjalds	
PH05	Push handles+clamps,adjust	☐	30,745	
PH06	Height adj.handles+foldab	☐	49,857	

		Type of push handle	no PH	PH 01	PH 02	PH 03	PH 04	PH 05	PH 06	Price
FIXED HEIGHT		25 cm	Δ	Δ	Δ	Δ	-	Δ	Δ	no extra cost
		27 cm	Δ	Δ	Δ	Δ	-	Δ	Δ	no extra cost
		29 cm	Δ	Δ	Δ	Δ	-	Δ	Δ	no extra cost
		31 cm	Δ	Δ	Δ	Δ	-	Δ	Δ	no extra cost
		33 cm	Δ	Δ	Δ	Δ	-	Δ	Δ	no extra cost
		35 cm	○	○	○	○	-	○	○	no extra cost
		37 cm	○	○	○	○	-	○	○	no extra cost
		39 cm	○	○	○	○	Δ	○	○	no extra cost
		41 cm	○	○	○	○	Δ	○	○	no extra cost
		43 cm	○	○	○	○	Δ	○	○	no extra cost
		45 cm	○	○	○	○	Δ	○	○	no extra cost
		47 cm	○	○	○	○	Δ	○	○	no extra cost
		49 cm	○	○	○	○	Δ	○	○	no extra cost
ADJUST-ABLE IN HEIGHT		51 cm	○	○	○	○	Δ	○	○	no extra cost
		25-27,5-30 cm	-	Δ	Δ	-	-	-	-	€
		30-32,5-35 cm	Δ	□	□	Δ	-	-	-	€
		35-37,5-40 cm	□	□	□	□	-	-	-	€
		40-42,5-45 cm	□	□	□	□	-	-	-	€
		45-47,5-50 cm	□	□	□	□	-	-	-	€

○ = choice without extra cost | - = not possible
Δ = only possible in combination with fixed angle backrest | □ with extra cost

SELECTION BACKREST UPHOLSTERY / CUSHION				
	Standard backrest - Nylon		S	Án endurgjalds
L44	Tension-adjustable backrest	○ Nylon ○ Cordura ○ 3D Net	○	Án endurgjalds
L45	Pocket on backrest		□	6232

DIMENSIONS VICAIR BACKREST							
Height			Width				
		cm	30	35	40	45	50
		32	□	□	□	□	□
		40	□	□	□	□	□
		48	□	□	□	□	□
		56	□	□	□	□	□
Utan samnings							
SEAT SPECIFICATION							
	Fixed canvas CUSHION NOT INCLUDED		S	Án endurgjalds			
	Tension adjustable canvas CUSHION NOT INCLUDED		○	Án endurgjalds			

SELECTION SEAT CUSHION

SC01	Cushion - 5 cm foam UPHOLSTERY WILL FOLLOW THE CHOSEN BACKREST UPHOLSTERY	☐	12,049	
SC02	Cushion - 5 cm with visco top layer UPHOLSTERY WILL FOLLOW THE CHOSEN BACKREST UPHOLSTERY	☐	24,928	
SC03	Cushion 6 cm divided UPHOLSTERY WILL FOLLOW THE CHOSEN BACKREST UPHOLSTERY	☐	15,788	

WHEELS

Front wheels

	Type of wheel	Dimensions of front wheel				Price
		3" front wheel	4" front wheel	5" front wheel	6" front wheel	
	Standard black	☐	☐	☐	☐	Án endurgjalds
	Transparant	☐	☐	☐	-	Án endurgjalds
FW01	Alu - Silver	☐	☐	☐	-	12,049
FW02	Alu - Red	☐	☐	☐	-	12,049
FW03	Alu - Blue	☐	☐	☐	-	12,049
FW04	Carbon	-	☐	☐	-	21,605
FW05	LED	-	☐	☐	-	21,605



Rear wheels

RW001 Standard	18" wheel tire: Schwalbe Marathon Racer (air tire)	☐	43,209	
Design	20" Schwalbe Right Run black (air tire)	☐	Án endurgjalds	
Design	22" Schwalbe Right Run black	S	Án endurgjalds	
	24" x 1 ALU black,PU black	☐	Án endurgjalds	
	24" x 1 B74 ALU black,LU black ONLY TO USE IN COMBINATION WITH B74 DRUMBRAKE	☐	Án endurgjalds	
	24" x 1 B74 ALU black,PU black ONLY TO USE IN COMBINATION WITH B74 DRUMBRAKE	☐	Án endurgjalds	
Design	24" Alu Schwalbe Right Run black.	☐	Án endurgjalds	
RW002 Design	24" Alu Schwalbe Marathon Plus.	☐	36,562	
RW003 Spirit	24" Alu hub Schwalbe Right Run black.	☐	111,800	Utan samnings
RW19 Spirit	24" Alu hub Schwalbe Marathon Plus	☐	175,557	Utan samnings
RW20 Spirit	24" Alu hub Red ,Schwalbe Right Run black	☐	111,800	Utan samnings
RW21 Spirit	24" Alu hub Red Schwalbe Marathon Plus	☐	175,557	Utan samnings

RW22 Spirit	24" Alu hub Blue Schwalbe Right Run black.	☐	111,800	Utan samnings
RW23 Spirit	24" Alu hub Blue Schwalbe Marathon Plus	☐	175,557	Utan samnings
RW24 Spinergy	24"Spinergy, Schwalbe Right Run black not possible with B330 and B330A	☐	120,865	
RW25 Spinergy	24" Schwalbe Marathon Plus not possible with B330 and B330A	☐	175,557	
RW26 Design	26" Schwalbe Right Run black (air tire)	☐	36,562	
RW27 Design	26" Schwalbe Marathon Plus (air tire)	☐	36,562	
RW28 Off Road	24" Schwalbe Land Cruiser not compatible with Bi5, B82SL-A, B82S-C, B82L-A, B82-C	☐	104,548	
HEM2	Hemiplegic drive system - wheel 24 x 1 3/8" full PU NO CENTRAL BRAKE INCLUDED. SEAT WIDTH ≥ 38 CM	☐ Right ☐ Left	☐	83,095

Camber				
	☐ 0° ☐ 2° ☐ 4° ☐ 6°	☐	Ån endurgjalds	
BRAKES				
	Pull brakes	☐	Ån endurgjalds	
	Push brakes	☐	Ån endurgjalds	
SP74	Sportbrakes SEAT DEPTH SHOULD BE ≥ 42 CM	☐	15,788	
B74PU	Drum brakes (only with Camber 0°) Wheels 24" x 1 3/8" black PU NOT POSSIBLE WITH FOLDABLE PUSH HANDLES OR NO PH	☐	43,209	
B74AIR	Drum brakes (only with Camber 0°) Wheels 24" x 1 3/8" black air tyre NOT POSSIBLE WITH FOLDABLE PUSH HANDLES OR NO PH	☐	43,209	
CB74D	Central brake NOT COMPATIBLE WITH SEAT 38 OR LESS	☐ Right ☐ Left	☐	29,083
B40	Brake lever extension	☐ Right ☐ Left	☐	5,817 

ACCESSORIES				
B12	Wooden table ONLY POSSIBLE TO USE IN COMBINATION WITH Bi5 ARM RESTS	☐	19,112	
B20	Safety belt	☐	5,817	
B31	Crutch holder	☐ Right ☐ Left	☐	4,155 
B33	Gel handrims	☐	12,464	
B330	Push rim with soft cover NOT POSSIBLE TO USE IN COMBINATION WITH HEM2 ONLY POSSIBLE WITH 24" WHEELS	☐	12,464	

B330A	Push rim with soft cover - advanced grip NOT POSSIBLE TO USE IN COMBINATION WITH HEM2 ONLY POSSIBLE WITH 24" WHEELS	☐	12,464	
B58	Safety belt with quick buckle	☐	10,802	
L58B	Neck support adjusted in depth WITH OPTION B90	☐	14,542	
B47	Height-adjustable head rest NOT POSSIBLE TO USE IN COMBINATION WITH HEIGHT-ADJUSTABLE BACKRESTS	☐	37,393	
B78	Anti-tipping wheels a pair IF SEAT WIDTH ≤ 36 cm, THEN FOLDING NOT POSSIBLE SEAT HEIGHT REAR SHOULD BE AT LEAST 37,5 cm	☐ Right ☐ Left	Ån endurgjalds	
B85	Spoke protector - Transparent	☐	12,880	
B85M5	Spoke protection - World	☐	20,774	
B85M6	Spoke protection - Jungle	☐	20,774	
B85M7	Spoke protection - Trigo 1	☐	20,774	
B85M8	Spoke protection - Trigo 2	☐	20,774	
B86	Travel wheels	☐	10,802	
B90	Push bar PH00, PH03, PH06 - NOT POSSIBLE TO USE IN COMBINATION PH01, PH02 - POSSIBLE BUT WITHOUT HEIGHT ADJUSTMENT NOT COMBINABLE WITH IN HEIGHT ADJUSTABLE	☐	6,648	
B900	Backrest stabilisation bar NOT POSSIBLE TO USE IN COMBINATION WITH PH04, B47 NOT COMBINABLE WITH IN HEIGHT ADJUSTABLE	☐	6,648	
L04	Pelot side support NOT POSSIBLE TO USE IN COMBINATION WITH HEIGHT-ADJUSTABLE BACKREST AND FOLDING BACKREST	☐ Right ☐ Left	7,063	
L04S	Pelot side support small NOT POSSIBLE TO USE IN COMBINATION WITH HEIGHT-ADJUSTABLE BACKREST AND FOLDING BACKREST	☐ Right ☐ Left	7,063	

	Postural solutions - please refer to Neoflex to orderform
	Seating and positioning solutions - please refer to Physipro orderform

	Seating and positioning solutions - please refer to Vicair orderform
	Comfort gel applications - please refer to Gel cushions orderform
	Granulated Vacuum stabilisation solutions - please refer to Stabilo orderform

Availability may differ depending on your region.

Please consult your sales manager for the most up-to-date information regarding all possibilities.















