

PRODUCT# BNE-60/U166

DUAL OUTLET DIGITAL TIMER




Please keep this handbook

Designed in California
Made in China

yw bn-link com



PRODUCT VIEW



RATINGS

Rated Voltage: 125V, 60Hz

Max.Loading:15A/1875W Resistive, 10A/1250W Tungsten, 1/2HP

WARNING

Use a grounded outlet

Follow local electrical codes

For indoor use onlyKeep children away

Unplug timer before cleaning

· Fully insert plug

Do not use in wet locationsDo not exceed electrical ratings

APPLICATIONS

· Lighting

· Heating systems

Humidifiers

Nebulizers

· Cooling systems

· Indoor sprinklers

Aquariums

Ventilators

A. INITIAL SETUP

1. Charge the internal battery

If the screen is blank, plug the timer into any outlet for 30 minutes to charge the internal battery, or press any button to activate the screen dispaly.



2. Reset the timer

Press the "RESET" button with the tip of a small non-metallic insulated tool, such as a pencil or toothpick. LCD display will turn on.



3. Unplug and program timer

With a charged battery, you can now set the timer up at the comfort of your chair. The screen will go blank if no button is pressed within 3 minutes. To activate, press any key.

B. SWITCHING BETWEEN MANUAL/AUTO MODES OVERRIDING PROGRAMS/MANUAL TURN ON/OFF


To run your programs, your timer must be in AUTO mode. You can tell which mode the timer is currently in by checking if AUTO or MAN is present below the current time.

To switch between AUTO and MANUAL modes: Press and hold the "MANUAL" button for 4 seconds or more.

To override a program and turn on/off the timer: Simply press the "MANUAL" button once to turn the timer on or off manually.



C. SET UP CURRENT DAY & TIME



Example: if it is 7:30am Friday, please follow below steps to set the current day and time.

- Press and hold the "CLOCK" button, then press the "WEEK" button until "Fr" displays on top of the screen. (Fig 01)
- Press and hold the "CLOCK" button, then press the "HOUR" button until 7:00am displays on the screen. (Fig 02) Note: please pay attention to AM/PM.
- Press and hold "CLOCK" button, and press "MIN" button until 7:30 am displays on the screen. (Fig 03)

D. SET PROGRAM

Press the "PROG" button to enter the program setting, you will see the picture.(Fig 04)



Example: if you want to turn on a device every day Fig 04 at 8:05am and turn it off at 9:00pm, please follow below steps.

 Press the "WEEK" button to enter the program setting, you will see all the days of the week on the top and "1 ON" to the left of the display. (Fig 05)



Note: Press "WEEK" mutiple times until you get the day combination you want.

Day combination options:

MO to SU

MO to FR

SA, SU

MO to SA

MO' WE, FR TU, TH, SA MO, TU, WE TH, FR, SA

TH, FR, SA Individual day: MO,TU,WE,TH,FR,SA,SU

- Press the "HOUR" button until 8:00 am displays on the screen. (Fig 06)
- Fig 06
- Press the "MIN" button until 8:05 am displays on the screen. (Fig 07)
- HOTE WETH FISASE
 AM DOTT
- Press the "PROG" button once to set program "1 OFF" you will see the picture. (Fig 08)



6. Repeat steps 2 to 4 to set program "1 OFF". (Fig 09)



If you want to set the second ON/OFF program, press "PROG" button again, you can repeat steps 2 to 6 to set program, or

press the "CLOCK" to return the current time.

Press "R" button in any program to erase the program.

Press "R" button again to restore an erased program.

Please pay attention to which program you are on and make sure you are entering the information on the correct on or off screen for that specific program . You can set 8 programs at most (10N, 10FF...8ON, 8OFF) Ensure that there are no overlapping times.

Note: Your timer offers 8 programs for scheduling tasks. If you only need to use one of them, keep programs 2 through 8 empty. Adding any unintentional data to 2-8 programs might trigger them, affecting your timer's functionality.

Once you have set the programs, make sure you're in AUTO mode so that the timer will run your programs.

SET RANDOM FOR VACATION SECURITY

In order to use the random function, you must set at least 1 set of programs.

Pressing the "WEEK" and "HOUR" buttons simultaneously will activate security mode. "RND" will be shown to the right side of the display.

When the timer is working in Auto mode and the **random function** is on, the previously programmed ON and OFF times will be separately postponed by 2-32 minutes.

NOTE: A timer program shall be 33 minutes or longer for the random function work properly.

Press the "WEEK" and "HOUR" buttons again to turn off the random function.

AM TO THE PARTY OF THE PARTY OF

F. DST - DAYLIGHT SAVING TIME FUNCTION

Press **HOUR** & **MIN** simultaneously to activate or deactivate **DST** Note:A small symbol "+1h" will appear on the far right of the LCD screen when DST is active.

Turning on this function will change the current time 1 hour ahead; turning off the function will revert the change.

This timer cannot adjust Daylight Saving Time by itself. It must be manually enabled.



G. TROUBLESHOOTING

Timer does not turn on or off.

- a. Make sure AM and PM are correct on the current time and in the program settings.
- b. Timer program should be on AUTO setting.
- c. Make sure that both ON and OFF time have been specified.
- d. If the number is not clear or blank on the screen, please plug the timer into any outlet for 30 minutes to charge the internal battery, then press the Reset button.

- e. If the timer can not Turn ON or Turn OFF on time, please check if the Random function is active
- f. If the timer is always ON or always OFF, please check if the program is in Auto mode.
- h. Unit is turning on randomly through out the day:

Your timer has 8 programs available. If you are only going to use one out of the eight programs available, please make sure to leave programs 2 through 8 blank.

If there is any information accidently entered in programs 2 through 8, your timer will run the mistake programs also, causing your timer schedules to not work properly.

CONTACT US

FOR ANY PROBLEMS DURING USE, PLEASE CONTACT US AT support@bn-link.com

CENTURY PRODUCTS INC.

Address:11701 6th Street, Rancho Cucamonga, CA 91730 Customer Service Assistance: 1 909 592 1881

Customer Service Assistance: 1.909.592.1881

Email: support@bn-link.com
Web: www.bn-link.com

Hours: 9AM - 5PM PST, Mon - Fri Designed in California, Made in China