

GALLMAC

**Macchine Multifunzionali
Multipurpose Machines
Machines Multifonctions**

2011

Catalogo - Catalogue



Caricamento, Scavo, Sollevamento e Applicazioni Speciali
Loading, Excavation, Lifting and Special Applications
Chargement, Excavation, Levage et Applications Spéciales






		GALLMAC RMW 115⁽¹⁾/190⁽²⁾	GALLMAC WMW 100 LT	GALLMAC WMW 115	GALLMAC WMW 150
Motore diesel Diesel engine Moteur diesel		Perkins 1104D-44T	Perkins 1104D-44T	Perkins 1104D-44T	John Deer 4045HF285
Potenza Power Puissance	HP kW	100-74,5	100-74,5	100-74,5	125-93,2
Giri motore Engine rotation Tours moteur	rpm	2200	2200	2200	2200
Portata max Max flow Debit max	L/min	156 / 240	156	156	198
Pressione Pressure Pression	bar	270 / 280	260	270	280
Ruote standard Standard wheels Pneus standard		365/85-20	16.70-20	16.70-20	18-22.5
Ruote optional Optional wheels Pneus en option		---	18-19.5	18-19.5	---
Velocità massima Max speed Vitesse max	km/h	20 on road 30 on rail	28	30	28
Forza di trazione Traction force Effort de traction	daN	4100 / 7500	5700	7700	8600
Peso senza benna * Weight without bucket Poids sans godet	kg	13500 / 19000	9600	11000	14600
Altezza max Max height Hauteur max	mm	3900	3000	3035	3180
Larghezza max Max width Largeur max	mm	2300	2300	2340	2450
Lunghezza max Max length Longueur max	mm	5300	4980	4980	4740

* In funzione dell'attrezzatura montata e della configurazione / According to attachment and machine configuration / Selon l'équipement utilisé et la configuration


(1) Trazione gomma su rotaia (assale ferroviario folle) / Tyre-rail transmission / Traction pneus sur rail (essieu ferroviaire neutre)

(2) Assale ferroviario motorizzato / Independent hydrostatic railway transmission / Essieu ferroviaire motorisé


Caricamento, Scavo, Sollevamento e Applicazioni Speciali
Loading, Excavation, Lifting and Special Applications
Chargement, Excavation, Levage et Applications Spéciales




WMW 100




WMW 115




WMW 150



WMW 100




WMW 115




WMW 150


Caricamento, Scavo, Sollevamento e Applicazioni Speciali
Loading, Excavation, Lifting and Special Applications
Chargement, Excavation, Levage et Applications Spéciales




WMW 100




WMW 115




WMW 150



WMW 100



WMW 115




WMW 150


Caricamento, Scavo, Sollevamento e Applicazioni Speciali
Loading, Excavation, Lifting and Special Applications
Chargement, Excavation, Levage et Applications Spéciales




Conforme alla norma EN 280: 2001 + A2: 2009 / In accordance with EN 280: 2001 + A2: 2009 / Conformément à la norme EN 280: 2001 + A2: 2009



WMW 100




WMW 115



WMW 150

GALLMAC



Macchina Machine Machine	Lung. min (mm) Min length (mm) Min longueur (mm)	Portata (kg)* Weight (kg)* Capacité de levage (kg)*	Lung. max (mm) Max length (mm) Max longueur (mm)	Portata (kg)* Weight (kg)* Capacité de levage (kg)*	Altezza max (mm) Max height (mm) Max hauteur (mm)
WMW 100 LT	8000	800	11000	400	11100
WMW 115	8300	900	11300	450	11400
WMW 150	8800	1000	11800	500	11900



* Portata max / Max load capacity / Capacité de charge max 200 kg

<https://tractormanualz.com/>


Courtesy of Machine Market

Caricamento, Scavo, Sollevamento e Applicazioni Speciali
Loading, Excavation, Lifting and Special Applications
Chargement, Excavation, Levage et Applications Spéciales


Modello / Model / Modèle	A (mm)
WMW 100 LT	1130
WMW 115	1170
WMW 150	1288



WMW 100





WMW 115



WMW 150

GALLMAC



Larghezza di scavo / Digging width / Largeur de creusement
20-35 cm
Profondità di scavo / Digging depth / Profondeur de creusement
60-120 cm

Larghezza di scavo / Digging width / Largeur de creusement
7-12 cm
Profondità di scavo / Digging depth / Profondeur de creusement
40 cm



www.tesmec.com



Guarda il video della macchina in azione sul tuo Smartphone
Watch the video of the machine in action on your Smartphone
Regardez la vidéo de la machine en action sur votre Smartphone

Tesmec S.p.A.

Headquarters
Via Zanica, 17/D - 24050 Grassobbio (BG) - Italy
Tel: +39.035.4232911 - Fax: +39.035.4522444

Manufacturing facilities
Via Pertegalli, 2 - 24060 Endine Galano (BG) - Italy
Tel: +39.035.835034 - Fax: +39.035.826375

Manufacturing facilities
Via Provinciale, 26/28 - 23844 Sironi (LC) - Italy
Tel: +39.031.858311 - Fax: +39.031.853562